



Oregon

Theodore R. Kulongoski, Governor

Department of Transportation
Technical Services
Roadway Engineering Section
355 Capitol Street NE, Room 222
Salem, OR 97301-3871
Telephone 503-986-3714
FAX 503-986-3749


DATE: November 6, 2009

Addenda No. 1

TO: PLAN HOLDERS

PREPARED BY: Eric Zitterkopf, P.E.

APPROVED BY:


Jeremy Morris, P.E.

SUBJECT: Feedville/Kelli Blvd: OR395-Cook Indust Site Paving
Kelli Blvd
Umatilla County
Paving Project
(Bids to be opened and read November 12, 2009)

The following changes are made to the Project Special Provisions:

1. Subsection **00195.10 Asphalt Cement Material Price Escalation/De-escalation** - Delete the portion of subsection (d) that begins "The Pay Items for..." to the end of the subsection. Add the following sentence to the end of the subsection:

The estimated quantity of asphalt concrete cement for which price adjustments will be made is 139 tons.

2. Subsection **00744.80 Measurement** - Delete Special Provision Subsection 00744.80.
3. Subsection **00744.90 Payment** - Delete Special Provision Subsection 00744.90.
4. Subsection **00744.95 MHMAC Price Adjustments** - Replace Subsection 00744.95 with the following:

00744.95 MHMAC Price Adjustments:

(a) **The Composite Pay Factor (CPF)** – The Composite Pay Factor (CPF) calculated according to 00165.40 will be applied to the Contract unit price for the pay items of 00744.90 and to the applicable lot quantities. The CPF will be made available to the Contractor within 24 hours of receipt of the required quality control test results. If less than

three samples are tested, the CPF will be computed as outlined in 00744.17. The maximum CPF for any case will be 1.0.

Use the following table to determine price adjustments in the CPF for constituents of MHMAC.

Gradation Constituents	Dense Graded MHMAC Type		
	Weighting Factor (f)		
All Aggregate Passing	3/4"	1/2"	3/8"
1"	1		
3/4"	1	1	
1/2"	1	1	1
3/8"	—	—	1
No. 4	5	5	5
No. 8	5	6	6
No. 30	3	3	3
No. 200	10	10	10
Other Constituents			
Asphalt Content	26	26	26
Moisture Content	8	8	8
Compaction	40	40	40

Those MHMAC constituents statistically evaluated will be eligible for a maximum PF of 1.00 (see 00165.50(b-1)), unless otherwise specified.

If these specifications do not require measurement of a constituent, its individual PF will be considered 1.00 in calculating the CPF according to 00165.40.

A price adjustment will be determined by the following formula:

$$(CPF - 1) \times \text{MHMAC Unit Price} \times (LQ) = \underline{\hspace{2cm}}$$

Where: LQ is the quantity of mixture in the lot

(b) Asphalt Quantity Calculation for Asphalt Cement Material Price Escalation/De-escalation – The quantity of liquid asphalt cement eligible for escalation/de-escalation will be the average of the values, as determined in 00744.16, used in the determination of payfactors under 744.95(a). Escalation/de-escalation payments will be made according to 00195.10 (d).

5. Section **00748 Asphalt Concrete Pavement Repair** - Replace this entire Special Provision section with the following:

SECTION 00748 - ASPHALT CONCRETE PAVEMENT REPAIR

Comply with Section 00748 of the Standard Specifications as follows:

00748.10 Materials - Replace the line that begins "HMAC..." with the following:

MHMAC.....00744

00748.20 Equipment - Replace "00745" at the end of the sentence with "00744".

00748.43 Asphalt Concrete - Replace the last sentence with the following:

"Compact HMAC according to 00744.49".

00748.80 Measurement - Replace the sentence that begins "EAC and HMAC will be measured..." with the following:

MHMAC will be measured according to 00744.80. No separate or additional measurement will be made for excavation, aggregate, and water.

00748.90 Payment - Replace the sentence that begins "EAC and HMAC will be paid for..." with the following:

MHMAC will be paid for according to 00744.90.

These changes will be included in the Contract for this Project. It is understood that your Bid will be submitted accordingly.