

## Program Space Allocations

- 
- Space Code Table:

The following Space Code Table defines all of the space code listings used in the Space Criteria Sheets. This provides the Space Code, the Space Name and a general overview of the space. Each type is color-coded to match the Space Criteria Summary and the Adjacency Diagrams for easy reference.

Space Type	Space Code	Space Name	Description of the Space	
Interior Space	Personnel	SP1	Visitor Contact	Spaces where the occupants meet the public or their customers, including reception desks, lobby, common areas, and family support areas.
		SP2	Occupant Work	Spaces intended primarily for one worker, including offices and open-office cubicles
		SP3	Equipment Utilization	Spaces where more than one person may use common equipment, including copier rooms, work rooms, computer rooms, mail rooms, production kitchen, exercise rooms, audio/video recording, print shop.
		SP4	Assembly	Spaces without fixed seating, including assembly halls, dining and drinking, library reading rooms, playrooms, and multipurpose rooms.
	Residential	SR	Occupant Services	Spaces for toilets, showers, changing and dressing, eating, cooking, resting (lounges), and sleeping
	Storage	SS	Storage	Rooms devoted to storage, including closets, storage rooms, cold storage, specially conditioned storage, secure storage, and heavy-weight storage.
	Circulation	SC	Circulation	Spaces functioning as corridors, lobbies, waiting areas, vestibules, stairs, and ramps.
	Utility	SU1	Building Services	Spaces for maintenance supplies, trash collection, trash removal, maintenance shop, and loading dock.
		SU2	Utility Equipment	Spaces for mechanical, heating, electrical, elevator equipment, and communications.
		SV1	Indoor Automotive	Space for storage and maintenance of vehicles.
Exterior Space	Personnel	SP5	Outdoor Assembly	Spaces without fixed seating, including reception areas, dining and drinking, and amphitheater.
	Utility	SU1	Outdoor Building Services	Spaces for trash collection, trash removal, trash incineration, maintenance equipment storage, and delivery and loading.
	Vehicle	SV2	Automotive	Spaces for parking private vehicles, access roads, driveways, and passenger loading zone.
	Military Vehicle	SV3	Organizational Parking	Spaces for parking organizational and military vehicles,

Facility Space Summary:

The Space Summary for each of the facility components is a summary of the spaces for the Project, spaces that have a zero (0) square footage value represent desired new spaces, existing spaces that are desired to change are expressed in the Project Objectives.

Space Name	Existing Net Size	Space Code	Security Zone	Spatial Use
Main Lobby	178	SP1	PAZ	Public
Recruiting Office	204	SP1	PAZ	Public
Family Support Office	73	SP1	PAZ	Public
Facility Manager Office	152	SP1	OZ	Public
Assembly Hall	5877	SP4	PAZ	Public
Classrooms	1023	SP4	PAZ	Public
Library/Classroom	259	SP4	OZ	Public
Learning Center	242	SP4	OZ	Public
Classroom 2	814	SP4	OZ	Public
Kitchen	568	SR	OZ	Public
Restrooms	714	SR	PAZ	Public
Physical Fitness Area	1011	SP3	OZ	ORARNG
Basic Administrative Space	2475	SP2	OZ	ORARNG
SIPR Room	0	SS	SZ/HSZ	ORARNG
Weapons vault	192	SS	HSZ	ORARNG
Unit Storage Space (Unheated)	3900	SS	SZ	ORARNG
Flammable Material Storage	125	SS	SZ	ORARNG
Facility Circulation	2186	SC	-PAZ	Public -
Facility Maint. & Storage Space	326	SU1	OZ	O&M
Mechanical / Electrical Space	459	SU2	OZ	O&M
Unassigned Space	2292	SP4	OZ	ORARNG

- The following abbreviations are used on the Space Summary:
- Security Zones:
 

PAZ	-	Public Access Zone	SZ	-	Secure Zone
RZ	-	Reception Zone	HSZ	-	High-Security Zone
OZ	-	Operations Zone			

## 0650 SPACE CRITERIA SHEETS

- Space Criteria Sheet Overview:
- Space Information: The name of the space (or program element).
- Space Use: The specific functional goal and activities of the space and/or its desired influence on other spaces or program elements.
- Room Finishes: A listing of significant qualities the space must provide.
- MEP Requirements: Mechanical, Electrical, and Plumbing Requirements. Note: Design Guidelines and Code provide further information and requirements.
- Equipment: Required furniture fixtures and equipment
- Note: General commentary on other spatial needs of the space. Security Zones abbreviations:

PAZ = Public Access Zone

SZ = Secure Zone

RZ = Reception Zone

HSZ = High-Security Zone

OZ = Operations Zone

- Mechanical Abbreviations:

AC/hr = Air changes per hour

H/U = Heating Unoccupied

cfm = Cubic feet per minute

NCB = Noise Coefficient Balanced

C/O = Cooling Occupied

OA = Outside air

C/U = Cooling Unoccupied

UR = Urinal

H/O = Heating Occupied

WC = Water closet

- Electrical Abbreviations:

FC = Foot-candles

WS = Workstation

LFW = Linear feet of wall

XP = Explosion proof

- Plumbing Abbreviations:

CW = Cold water

EDF = Electronic drinking fountain

HW = Hot water

SK = Sink

CA = Compressed air

ES = Emergency shower

FD = Floor drain

FACP = Fire Alarm Control Panel

OWS = Oily water separator

W/DH = Washer/Dryer Hook up

PCM = Plumbed coffee maker

DISP = Disposal

### Supplied/installed abbreviations:

OS/OI = Owner Supplied, Owner Installed

OS/CI = Owner Supplied, Contractor Installed CS/CI = Contractor Supplied, Contractor Installed

**SPACE CRITERIA SHEET**

SPACE NAME: **Main Lobby**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT: **8 ft +**

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: **This combined space is used for multiple purposes,**

HOURS OF OPERATION: **6 am to 6 pm – Monday – Friday**

PROJECTED OCCUPANCY: **6**

SPATIAL RELATIONSHIPS: **Recuriter, Drill Floor, NG Offices, Restrooms**

ARCHITECTURAL GOALS: **Comfortable, warm and inviting, personal engagement, and learning environment.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 5**

WINDOWS: **Storefront**

CEILING: **Acoustic ceiling Tile**

DOORS: **Aluminum Storefront**

WALLS: **CONCRETE, Gypsum Wallboard, Painted** HARDWARE: **Commercial/Keyed/Card Reader**

FLOOR: **Walk Off Floor Mat Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 LFW	1/8 LFW	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes

**SPACE CRITERIA SHEET**

SPACE NAME: **Recruiters Office**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT: **8+**

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE:

HOURS OF OPERATION: **6 AM TO 6PM MON -FRIDAY**

PROJECTED OCCUPANCY: **3-5 people**

SPATIAL RELATIONSHIPS: **Lobby.**

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **Storefront**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	Code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**NOTES**

- 1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.**
- 2. Utility outlet near door.**

### SPACE CRITERIA SHEET

SPACE NAME: **Family Support Office**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT: **8+**

SPACE CODE: **SP1**

#### SPACE USE

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **6 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

#### ROOM FINISHES

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

#### M.E.P. REQUIREMENTS

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

#### NOTES

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.

**SPACE CRITERIA SHEET**

SPACE NAME: **Facility Manager Office**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **4 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	30 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

- 1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.**
- 2. Utility outlet near door.**

### SPACE CRITERIA SHEET

SPACE NAME: **Assembly Hall**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

---

#### SPACE USE

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **200 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

---

#### ROOM FINISHES

FINISH LEVEL: **Level 4**

WINDOWS: **None required.**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Concrete, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Polished Concrete**

SPECIAL:

---

#### M.E.P. REQUIREMENTS

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

---

#### NOTES

1. Provide pre-wiring for video teleconference capabilities.
2. Dimmable Lighting, control should be located at a point convenient to the speaker.



**SPACE CRITERIA SHEET**

SPACE NAME: **Classrooms**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.
3. Provide pre-wiring for video teleconference capabilities.
4. Lighting controls for each individual classroom and controls should be located at a point convenient to the speaker and at the door. Lighting control should contemplate the need for variable lighting levels for note taking during presentations.
5. Provide window blinds.

### SPACE CRITERIA SHEET

SPACE NAME: **Library/Learning Center**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP3**

---

#### SPACE USE

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **10 people +**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

---

#### ROOM FINISHES

FINISH LEVEL: **Level 4**

WINDOWS: **None required.**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

---

#### M.E.P. REQUIREMENTS

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		30 FC	1/2 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

---

#### NOTES

1. Electrical and data ports to support multiple computer stations.

**SPACE CRITERIA SHEET**

SPACE NAME: **Kitchen**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP3**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **6 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL:

WINDOWS: **None required.**

CEILING: **Hard lid**

DOORS: **Wood w/relite**

WALLS: **Washable**

HARDWARE: **Commercial/Keyed**

FLOOR:

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**NOTES**

**SPACE CRITERIA SHEET**

SPACE NAME: **Male Restroom**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: **ORARNG**

HOURS OF OPERATION: **AS NEEDED**

PROJECTED OCCUPANCY: **10 people**

SPATIAL RELATIONSHIPS: **Assembly Hall, Male Shower/Locker room**

ARCHITECTURAL GOALS:

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None**

CEILING: **Gypsum Ceiling Painted**

DOORS:

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Ceramic Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		58	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**NOTES**

**SPACE CRITERIA SHEET**

SPACE NAME: **Female Restroom**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SR**

---

**SPACE USE**

SPACE USE: **ORARNG**

HOURS OF OPERATION: **AS NEEDED**

PROJECTED OCCUPANCY: **10 people**

SPATIAL RELATIONSHIPS: **Assembly Hall, Female Shower/Locker room**

ARCHITECTURAL GOALS:

DESIGN REFERENCES:

---

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None**

CEILING: **Gypsum Ceiling Painted**

DOORS:

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Ceramic Tile**

SPECIAL:

---

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

---

**NOTES**

**SPACE CRITERIA SHEET**

SPACE NAME: **Male Shower / Locker Room**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

---

**SPACE USE**

SPACE USE: **ORARNG**

HOURS OF OPERATION: **AS NEEDED**

PROJECTED OCCUPANCY: **10 people**

SPATIAL RELATIONSHIPS: **Assembly Hall, Male Restroom**

ARCHITECTURAL GOALS:

DESIGN REFERENCES:

---

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None**

CEILING: **Gypsum Ceiling Painted**

DOORS:

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Ceramic Tile**

SPECIAL:

---

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	30 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

---

**NOTES**

**SPACE CRITERIA SHEET**

SPACE NAME: **Female Shower / Locker Room**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: **ORARNG**

HOURS OF OPERATION: **AS NEEDED**

PROJECTED OCCUPANCY: **10 people**

SPATIAL RELATIONSHIPS: **Assembly Hall, Female Restroom**

ARCHITECTURAL GOALS:

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None**

CEILING: **Gypsum Ceiling Painted**

DOORS:

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Ceramic Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

## SPACE CRITERIA SHEET

SPACE NAME: **Physical Fitness Area**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

### SPACE USE

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

### ROOM FINISHES

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

### M.E.P. REQUIREMENTS

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

### NOTES

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.
3. Provide pre-wiring for video teleconference capabilities.
4. Lighting controls for each individual classroom and subdivision should be located at a point convenient to the speaker and at the door. Lighting control should contemplate the need for variable lighting levels for note taking during presentations.
5. Provide window blinds.



**SPACE CRITERIA SHEET**

SPACE NAME: **Basic Administrative Space**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required.**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.
3. Provide pre-wiring for video teleconference capabilities.
4. Lighting controls for each individual classroom and subdivision should be located at a point convenient to the speaker and at the door. Lighting control should contemplate the need for variable lighting levels for note taking during presentations.
5. Provide window blinds.

**SPACE CRITERIA SHEET**

SPACE NAME: **SIPR Room**

ROOM SIZE:

SECURITY ZONE: **SZ/HSZ**

CEILING HEIGHT:

SPACE CODE: **SS**

---

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **3 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

---

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required.**

CEILING: **Acoustical ceiling tile**

DOORS: **Metal**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

---

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

---

**NOTES**

1. See SIPR room construction specs.

**SPACE CRITERIA SHEET**

SPACE NAME: **Unit Storage Space Gear Lockers (Unheated)**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

  

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

  

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**NOTES**

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.
3. Provide pre-wiring for video teleconference capabilities.
4. Lighting controls for each individual classroom and subdivision should be located at a point convenient to the speaker and at the door. Lighting control should contemplate the need for variable lighting levels for note taking during presentations.
5. Provide window blinds.

**SPACE CRITERIA SHEET**

SPACE NAME: **Weapons Vault**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.
3. Provide pre-wiring for video teleconference capabilities.
4. Lighting controls for each individual classroom and subdivision should be located at a point convenient to the speaker and at the door. Lighting control should contemplate the need for variable lighting levels for note taking during presentations.

**SPACE CRITERIA SHEET**

SPACE NAME: **Flammable Material Storage**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT:

SPACE CODE: **SP4**

---

**SPACE USE**

SPACE USE: PUBLIC

HOURS OF OPERATION: AS REQUESTED

PROJECTED OCCUPANCY: **30 people**

SPATIAL RELATIONSHIPS:

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

---

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

---

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

---

**NOTES**

1. Paired electrical outlets on (2) walls.
2. Utility outlet near door.

**SPACE CRITERIA SHEET**

SPACE NAME: **Facility Circulation**

ROOM SIZE:

SECURITY ZONE: **PAZ**

CEILING HEIGHT: **8 ft +**

SPACE CODE: **SP4**

---

**SPACE USE**

SPACE USE: **This combined space is used for multiple purposes,**

HOURS OF OPERATION: **6 am to 6 pm – Monday – Friday**

PROJECTED OCCUPANCY: **2-10**

SPATIAL RELATIONSHIPS: **ENTRY, Recruiter, Drill Floor, NG Offices, Restrooms, Classrooms**

ARCHITECTURAL GOALS: **Comfortable, warm and inviting, personal engagement, and learning environment.**

DESIGN REFERENCES:

---

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **Storefront**

CEILING: **Acoustic ceiling Tile**

DOORS: **Wood**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed/**

FLOOR: **Tile**

SPECIAL:

---

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10cfm/person	<35

  

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 LFW	1/8 LFW	yes	4, 5

  

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes

---

**NOTE**

- 1. Maximum glazing /natural light**

**SPACE CRITERIA SHEET**

SPACE NAME: **Facility Maint. And Storage**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: **ORARNG**

HOURS OF OPERATION: **AS NEEDED**

PROJECTED OCCUPANCY: **3-5 people**

SPATIAL RELATIONSHIPS: **Commanders Office**

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		68	55	74	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**NOTES**

1. Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts.
2. Utility outlet near door.

**SPACE CRITERIA SHEET**

SPACE NAME: **MECHANICAL / ELECTRICAL**

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SP1**

**SPACE USE**

SPACE USE: ORARNG

HOURS OF OPERATION: AS NEEDED

PROJECTED OCCUPANCY: **3-5 people**

SPATIAL RELATIONSHIPS: **First Sargent's Office**

ARCHITECTURAL GOALS: **Communicate professionalism.**

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood w/relite**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
	68	55	74	85	10 cfm/person	<35

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
	50 FC	1/8 Inft	4	code	

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
	None	None	

**NOTES**

Paired electrical and data outlets on (2) walls to accommodate (2) furniture layouts. Utility outlet near door.



**SPACE CRITERIA SHEET**

SPACE NAME: TELECON / INFOR TECH SPACE

ROOM SIZE:

SECURITY ZONE: **OZ**

CEILING HEIGHT:

SPACE CODE: **SZ**

**SPACE USE**

SPACE USE: ORARNG

HOURS OF OPERATION: AS NEEDED

PROJECTED OCCUPANCY: **1 people**

SPATIAL RELATIONSHIPS: **No MORE THAN 300 feet to all data points in facility**

ARCHITECTURAL GOALS:

DESIGN REFERENCES:

**ROOM FINISHES**

FINISH LEVEL: **Level 4**

WINDOWS: **None required**

CEILING: **Acoustical ceiling tile**

DOORS: **Wood**

WALLS: **Gypsum Wallboard, Painted**

HARDWARE: **Commercial/Keyed/DCSIM**

FLOOR: **Carpet Tile**

SPECIAL:

**M.E.P. REQUIREMENTS**

MECHANICAL REQUIREMENTS	H/O	H/U	C/O	C/U	OA Ventilation	NCB
		72	55	76	85	10 cfm/person

ELECTRICAL REQUIREMENTS	Lighting	Outlets	Data Comm.	Stby Power	Notes
		50 FC	1/8 Inft	4	code

PLUMBING REQUIREMENTS	Piped Services	Fixtures	Notes
		None	None

**F.F.E. INFORMATION**

Item	Quantity	Supplied / Installed
		CS/CI
		CS/CI
		CS/CI
		CS/CI
		CS/CI
		CS/CI

**NOTES**

**1. Location where informational Tech connections come into building and go out to all points within building.**







