

The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1

The Oregon DHS MMIS Companion Guide for 834 Enrollment File

The objective of this document is to point out information that DHS sends for data elements where multiple alternatives exist. This Companion Guide supplements the 834 Implementation Guide Version 004010X095A1.

Every effort has been made to prevent errors in this document. However, if there is a discrepancy between this document and the Implementation Guide, the Implementation Guide is the final authority.

In the examples given, a lowercase "b" denotes a blank space.

IMPORTANT NOTE: The PHPs should load the 834 transactions daily as received. Accumulating daily 834 transactions for a weekly load is not recommended. The daily 834 transaction should be loaded before the monthly. Audit and Compare elements are contained in the monthly 834 transaction only.

The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1

ISA - Interchange Control Header - page B3

Usage: Required

Segment Max Use within Transmission: 1

Loop Repeat: None

Loop ID: None

Example: ISA*00*bbbbbbbb*00*bbbbbbbb*ZZ*ORDHSbbbbbbbb*ZZ*TP123456bbbb*010801*1452*U*00401*00000001*0*P*::~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
ISA01	Authorization Information Qualifier	R	2/2	ID	00	
ISA03	Security Information Qualifier	R	2/2	ID	00	
ISA05	Sender Interchange ID Qualifier	R	2/2	ID	ZZ	
ISA06	Interchange Sender ID	R	15/15	AN	ORDHS	Spaces are inserted after data to meet 15-byte requirement.
ISA07	Interchange Receiver ID Qualifier	R	2/2	ID	ZZ	
ISA08	Interchange Receiver ID	R	15/15	AN		The receiver's mailbox number (TP##### (upper-case "TP")). Spaces are inserted after data to meet 15-byte requirement.

GS - Functional Group Header - Page B8

Usage: Required

Segment Max Use within Loop: 1

Loop Repeat: None

Loop ID: None

Example: GS*BE*ORDHS*TP123456*20010801*1452*000000001*X*004010X095A1~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
GS02	Application Senders Code	R	2/15	AN	ORDHS	
GS03	Application Receiver's Code	R	2/15	AN		The receiver's mailbox number (TP##### (upper-case "TP")).

The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1

BGN -- Beginning Segment - Page 28

Usage: Required
Segment Max Use within Loop: 1
Loop ID: None
Example: BGN*00*11227*19970920*1200****2~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
BGN08	Action Code	R	1/2	ID	2, 4	2 = Change (Update) 4 = Verify

REF -- Transaction Set Policy Number - Page 32

Usage: Situational
Segment Max Use within Loop: 1
Loop ID: None
Example: REF*38*123456~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	38	38 zMaster Policy Number
REF02	Master Policy Number	R	1/30	AN		Plan 6 digit Number

N1 -- Sponsor Name - Page 35

Usage: Required
Segment Max Use within Loop: 1
Loop ID: 1000A
Example: N1*P5*OREGON DHS*FI*930592162~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
N102	Plan Sponsor Name	S	1/60	AN	OREGON DHS	
N103	Identification Code Qualifier	R	1/2	ID	FI	FI = Federal Tax ID #
N104	Sponsor Identifier	R	2/80	AN	930592162	Oregon DHS Federal Tax ID Number

N1 -- Payer - Page 37

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 1000B
 Example: N1*IN**FI*12356789~

The OREGON DHS MMIS 834
 Enrollment Companion Guide
 Daily
 VERSION 4010A1

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
N103	Identification Code Qualifier	R	2/2	ID	FI	FI = Federal Tax ID #
N104	Insurer Identification Code	R	2/80	AN		Prepaid Health Plan's Tax ID Number

INS -- Member Level Detail - Page 43

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 2000
 Example: INS*Y*18*021**A*E*FT~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
INS01	Insured Indicator	R	1/1	ID	Y	Y= Yes
INS02	Individual Relationship Code	R	2/2	ID	18	18 = Self
INS03	Maintenance Type Code	R	3/3	ID		021 = New 001 = Change 024 = Cancellation or Termination
INS04	Maintenance Reason Code	S	2/3	ID		Refer to the Maintenance Reason Code crosswalk available on the OR DHS website.
INS06	Medicare Plan Code	S	1/1	ID		
INS08	Employment Status Code	R	2/2	ID		FT = Full Time TE = Terminated

REF -- Subscriber Number - Page 51

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 2000
 Example: REF*OF*12345678~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01		R	2/3	ID	OF	
REF02	Subscriber Identifier	R	1/30	AN		Recipient's Prime ID as assigned by OR-DHS.

The OREGON DHS MMIS 834
 Enrollment Companion Guide
 Daily
 VERSION 4010A1

REF -- Member Policy Number - Page 53

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2000
 Example: REF*1L*123456 ~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	1L	1L = Group or Policy Number
REF02	Insured Group or Policy Number	R	1/30	AN		Prepaid Health Plan number assigned by OR-DHS.

REF -- Member Identification Number - Page 55

Usage: Situational
 Segment Max Use within Loop: 5
 Loop ID: 2000
 Example: REF*3H*1234567AFS~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	3H	3H = Case Number
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Recipient's current case number and agency code.

REF -- Member Identification Number - Page 55

Usage: Situational
 Segment Max Use within Loop: 5
 Loop ID: 2000
 Example: REF*23*12345678~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	23	23 = Client Number
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Head of Household Prime ID, if available.

**The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1**

REF -- Member Identification Number - Page 55

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2000
Example: REF*F6*123456789~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	F6	F6 - Health Insurance Claim (HIC) Number (OR DHS referred to as Medicare Claim Number)
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Medicare Claim Number, if available.

DTP -- Member Level Dates - Page 59

Usage: Situational
Segment Max Use within Loop: 20
Loop ID: 2000
Example: DTP*356*D8**19960705~

NOTE: One repeat of the segment for the beginning date of PHP coverage, and one repeat for the ending date of PHP coverage

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DTP01	Date Time Qualifier	R	3/3	ID		356 = Begin date. 357 = End date.
DTP03	Status Information Effective Date	R	1/35	AN		PHP Begin Date and PHP End Date of the recipient. The PHP End Date will be the actual termination date or the last day of the current coverage month.

The OREGON DHS MMIS 834
 Enrollment Companion Guide
 Daily
 VERSION 4010A1

NM1 -- Member Name - Page 61

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 2100A
 Example: NM1*IL*1*SMITH*JOHN*M**SR*34*123456789~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
NM101	Entity Identifier Code	R	2/3	ID	IL	IL = Insured or Subscriber
NM108	Identification Code Qualifier	S	1/2	ID	34	34 = Social Security Number

PER -- Member Communications Numbers - Page 64

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2100A
 Example: PER*IP**TE*5555555555~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
PER03	Communication Number Qualifier	R	2/2	ID	TE	TE = Telephone Number

DMG -- Member Demographics - Page 70

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2100A
 Example: DMG*D8*19450915*F*M*B~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DMG05	Race or Ethnicity Code	S	1/1	ID		Refer to Race Code Crosswalk, available on the OR-DHS website.

**The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1**

AMT -- Member Policy Amounts - Page 75

Usage: Situational
Segment Max Use within Loop: 4
Loop ID: 2100A
Example: AMT*P3*100~

NOTE: Whatever Premium Amount (Capitation Rate) is in effect will be shown in this data element.

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
AMT01	Amount Qualifier Code	R	1/3	ID	P3	P3 = Premium Amount (Capitation Amount)
AMT02	Contract Amount	R	1/18	R		Capitation paid amount.

LUI -- Member Language - Page 78

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2100A
Example: LUI*LE*ENG**7~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
LUI01	Identification Code Qualifier	S	1/2	ID	LE	LE = ISO 639 Language Codes
LUI02	Language Code	S	2/80	AN		Refer to Language Code Crosswalk, available on the OR-DHS website.

HD -- Health Coverage - Page 128

Usage: Situational
Segment Max Use within Loop: 1
Loop ID: 2300
Example: HD*021**HMO*PLAN A BCD*FAM~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
HD01	Maintenance Type Code	R	2/3	ID		001 = Change 002 = Delete 021 = Addition 024 = Cancellation or Termination
HD03	Insurance Line Code	R	2/3	ID		AK = Mental Health (Used for both Mental Health and Chemical Dependency) DCP = Dental Capitation HMO = Health Maintenance Organization. PPO = Preferred Provider Organization (Physician Care Organization) EPO = Pace Program AG = Primary Care Manager
HD04	Plan Coverage Description	S	1/50	AN		Refer to HD04 Element Definition, available on the OR-DHS website.

The OREGON DHS MMIS 834
Enrollment Companion Guide
Daily
VERSION 4010A1

DTP -- Health Coverage Dates - Page 132

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2100A
Example: DTP*348*D8**20070705~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DTP01	Date Time Qualifier	R	3/3	ID	348 349	348 = Benefit Begin 349 = Benefit Termination
DTP03	Status Information Effective Date	R	1/35	AN		

REF -- Health Coverage Policy Number - Page 135

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2300
Example: REF*17*A1~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	17	17 = Client Reporting Category
REF02	Insured Group or Policy Number	R	1/30	AN		Program Eligibility Reporting Code (PERC).

COB -- Coordination Of Benefits - Page 150

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2320
Example: COB*U*H123*5

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
COB01	Payer Responsibility Sequence Number Code	R	1/1	ID	U	U = Unknown
COB02	Insured Group or Policy Number	S	1/30	AN		The Oregon Health Plan PHP Contract Service Area Code, if enrolled. See the OR DHS Contract Service Area Codes crosswalk for more information.
COB03	Coordination of Benefits Code	R	1/1	ID	5	5 = Unknown