

**OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1**

The Oregon DHS MMIS Companion Guide for 834 Enrollment File

The objective of this document is to point out preferred selections for data elements where multiple alternatives exist.

This Companion Guide supplements the 834 Implementation Guide Version 004010X095A1.

OR-DHS processes all alpha characters in upper case

Every effort has been made to prevent errors in this document. However, if there is a discrepancy between this document and the Implementation Guide, the Implementation Guide is the final authority.

In the examples given, a lowercase "b" denotes a blank space.

Important Note: Load the monthly 834 transaction files.

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

ISA - Interchange Control Header - page B3

Usage: Required
Segment Max Use within Loop: 1
Loop Repeat: None
Loop ID: None

Example: ISA*00*bbbbbbbb*00*bbbbbbbb*ZZ*ORDHSbbbb*ZZ* -TP123456bbbb*010801*1452*U*00401*00000001*0*P*:-

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
ISA01	Authorization Information Qualifier	R	2/2	ID	00	
ISA03	Security Information Qualifier	R	2/2	ID	00	
ISA05	Sender Interchange ID Qualifier	R	2/2	ID	ZZ	
ISA06	Interchange Sender ID	R	15/15	AN	ORDHS	Spaces are inserted after data to meet 15-byte requirement.
ISA07	Interchange Receiver ID Qualifier	R	2/2	ID	ZZ	
ISA08	Interchange Receiver ID	R	15/15	AN		The receiver's mailbox number (TP##### (uppercase "TP")). Spaces are inserted after data to meet 15-byte requirement.

GS - Functional Group Header - Page B8

Usage: Required
Segment Max Use within Loop: 1
Loop Repeat: None
Loop ID: None

Example: GS*BE*ORDHS*TP123456*20010801*1452*000000001*X*004010X095A1~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
GS01	Functional Identifier Code	R	2/2	ID	BE	BE = Benefit Enrollment and Maintenance sets
GS02	Application Senders Code	R	2/15	AN	ORDHS	
GS03	Application Receiver's Code	R	2/15	AN		The receiver's mailbox number (TP##### (uppercase "TP")).

BGN -- Beginning Segment - Page 28

Usage: Required
Segment Max Use within Loop: 1
Loop ID: None

Example: BGN*00*11227*19970920*1200****4~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
BGN01	Transaction Set Purpose Code	R	2/2	ID	00	
BGN02	Transaction Set Identifier Code	R	1/30	AN		Assigned by the sender to uniquely identify this occurrence of the transaction for future reference.
BGN08	Action Code	R	1/2	ID	4	4 = Verify

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

N1 -- Sponsor Name - Page 35

Usage: Required
Segment Max Use within Loop: 1
Loop ID: 1000A

Example: N1*P5*OREGON DHS FI*930592162~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
N102	Plan Sponsor Name	S	1/60	AN	OREGON DHS	
N103	Identification Code Qualifier	R	1/2	ID	FI	FI = Federal Tax ID #
N104	Sponsor Identifier	R	2/80	AN	930592162	Oregon DHS Federal Tax ID Number

N1 -- Payer - Page 37

Usage: Required
Segment Max Use within Loop: 1
Loop ID: 1000B

Example: N1*IN**FI*12356789~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
N103	Identification Code Qualifier	R	2/2	ID	FI	FI = Federal Tax ID #
N104	Insurer Identification Code	R	2/80	AN		Prepaid Health Plan's Tax ID Number

INS -- Member Level Detail - Page 43

Usage: Required
Segment Max Use within Loop: 1
Loop ID: 2000

Example: INS*Y*18*030*XN*A*E*FT~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
INS01	Insured Indicator	R	1/1	ID	Y	Y= Yes
INS02	Individual Relationship Code	R	2/2	ID	18	18 = Self
INS03	Maintenance Type Code	R	3/3	ID	030	030 = Audit or Compare.
INS04	Maintenance Reason Code	S	2/3	ID	22	22 = Plan Change
INS06	Medicare Plan Code	S	1/1	ID		
INS08	Employment Status Code	R	2/2	ID		FT = -Full Time TE = Terminated

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

REF -- Subscriber Number - Page 51

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 2000

Example: REF*OF*12345678~

		ATTRIBUTES				
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments
REF01		R	2/3	ID	OF	
REF02	Subscriber Identifier	R	1/30	AN		Recipient's Prime ID as assigned by OR-DHS.

REF -- Member Policy Number - Page 53

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2000

Example: REF*1L*123456 ~

		ATTRIBUTES				
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments
REF01		R	2/3	ID	1L	
REF02	Insured Group or Policy Number	R	1/30	AN		Six-digit Prepaid Health Plan number assigned by OR-DHS.

REF -- Member Identification Number - Page 55

Usage: Situational
 Segment Max Use within Loop: 5
 Loop ID: 2000

Example: REF*3H*1234567AFS~

		ATTRIBUTES				
ELEMENT	NAME	USE	Min/Max	Data Type	Codes/Values	Comments
REF01	Reference Identification Qualifier	R	2/3	ID	3H	3H = Case Number
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Recipient's current case number and agency code.

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

REF -- Member Identification Number - Page 55

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2000

Example: REF*23*12345678~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	23	23 = Client Number
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Head of Household Prime ID, if available.

REF -- Member Identification Number - Page 55

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2000

Example: REF*F6*123456789~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	F6	F6 = Health Insurance Claim (HIC) Number (OR DHS referred to as -Medicare Claim Number).
REF02	Subscriber Supplemental Identifier	R	1/30	AN		Medicare Claim Number, if available.

DTP -- Member Level Dates - Page 59

Usage: Situational
Segment Max Use within Loop: 20
Loop ID: 2000

Example: DTP*357*D8**19960705~

NOTE: One repeat of the segment for the beginning date of PHP coverage, and one repeat for the ending date of PHP coverage.

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DTP01	Date Time Qualifier	R	3/3	ID		356 = Begin date. 357 = End date.
DTP03	Status Information Effective Date	R	1/35	AN		PHP Begin Date and PHP End Date of the recipient. The PHP End Date will be the actual termination date or the last day of the current coverage month.

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

NM1 -- Member Name - Page 61

Usage: Required
 Segment Max Use within Loop: 1
 Loop ID: 2100A

Example: NM1*IL*1*SMITH*JOHN*M**SR*34*123456789~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
NM101	Entity Identifier Code	R	2/3	ID	IL	IL = Insured or Subscriber
NM108	Identification Code Qualifier	S	1/2	ID	34	34 = Social Security Number

PER -- Member Communications Numbers - Page 64

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2100A

Example: PER*IP**TE*555555555~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
PER03	Communication Number Qualifier	R	2/2	ID	TE	TE = Telephone Number

DMG -- Member Demographics - Page 70

Usage: Situational
 Segment Max Use within Loop: 1
 Loop ID: 2100A

Example: DMG*D8*19450915*F*M*B~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DMG05	Race or Ethnicity Code	S	1/1	ID		Refer to Race Code Crosswalk, available on the OR-DHS website.

AMT -- Member Policy Amounts - Page 75

Usage: Situational
 Segment Max Use within Loop: 4
 Loop ID: 2100A

Example: AMT*P3*100~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
AMT01	Amount Qualifier Code	R	1/3	ID	P3	P3 = Premium Amount (Capitation Amount)
AMT02	Contract Amount	R	1/18	R		Capitation paid amount.

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

LUI -- Member Language - Page 78

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2100A

Example: LUI*LE*ENG**7~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
LUI01	Identification Code Qualifier	S	1/2	ID	LE	LE = ISO 639 Language Codes
LUI02	Language Code	S	2/80	AN		Refer to Language Code Crosswalk, available on the OR-DHS website.

HD -- Health Coverage - Page 128

Usage: Situational
Segment Max Use within Loop: 1
Loop ID: 2300

Example: HD*030**HMO*PLAN A BCD*FAM~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
HD01	Maintenance Type Code	R	2/3	ID	030	030 = Audit or Compare
HD03	Insurance Line Code	R	2/3	ID		AK = Mental Health (Used for both Mental Health and Chemical Dependency) DCP = Dental Capitation HMO = Health Maintenance Organization PPO = Preferred Provider Organization (Physician Care Organization) EPO = PACE Program AG = PCM (Primary Care Manager)
HD04	Plan Coverage Description	S	1/50	AN		Refer to HD04 Element Definition, available on the OR-DHS website.

DTP -- Health Coverage Dates - Page 132

Usage: Required
Segment Max Use within Loop: 20
Loop ID: 2300

Example: DTP*303*D8**19960705~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
DTP01	Date Time Qualifier	R	3/3	ID		348 = Benefit Begin (if retroactive enrollment) 349 = Benefit Termination (if retroactive termination (T))
DTP03	Status Information Effective Date	R	1/35	AN		Benefit begin date

OR-DHS 834
Enrollment Companion Guide
Monthly
VERSION 4010A1

REF -- Health Coverage Policy Number - Page 135

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2300

Example: REF*17*A1~

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
REF01	Reference Identification Qualifier	R	2/3	ID	17	17 = Client Reporting Category
REF02	Insured Group or Policy Number	R	1/30	AN		Program Eligibility Reporting Code (PERC).

COB -- Coordination Of Benefits - Page 150

Usage: Situational
Segment Max Use within Loop: 5
Loop ID: 2320

Example: COB*U*H123*5

ELEMENT	NAME	USE	ATTRIBUTES			Comments
			Min/Max	Data Type	Codes/Values	
COB01	Payer Responsibility Sequence Number Code	R		ID	U	U = Unknown
COB02	Insured Group or Policy Number	S		AN		The Oregon Health Plan PHP Contract Service Area Code, if enrolled. See the OR DHS Contract Service Area Codes crosswalk for more information.
COB03	Coordination of Benefits Code	R		ID	5	5 = Unknown