


Oregon Department of Agriculture

Noxious Weed Policy
and Classification System
2017



Noxious Weed Control Program

Address: 635 Capitol Street NE Salem, Oregon 97301

Phone: (503) 986-4621 Fax: (503) 986-4786

www.oregon.gov/ODA/programs/Weeds/Pages/AboutWeeds.aspx

Mission Statement

To protect Oregon's natural resources and agricultural economy from the invasion and proliferation of invasive noxious weeds.

Program Overview

The Oregon Department of Agriculture (ODA) Noxious Weed Control Program provides statewide leadership for coordination and management of state listed noxious weeds. The state program focuses on noxious weed control efforts by implementing early detection and rapid response projects for new invasive noxious weeds, implementing biological control, implementing statewide inventory and survey, assisting the public and cooperators through technology transfer and noxious weed education, maintaining noxious weed data and maps for priority listed noxious weeds, and assisting land managers and cooperators with integrated weed management projects. The Noxious Weed Control Program also supports the Oregon State Weed Board (OSWB) with administration of the OSWB Grant Program, developing statewide management objectives, developing Weed Risk Assessments, and maintaining the State Noxious Weed List.

Tim Butler
Program Manager
tbutler@oda.state.or.us
503-986-4621

Table of Contents

| | |
|---------------------------------------|---|
| Policy and Classification System..... | 1 |
| Criteria..... | 3 |
| Classification Definitions..... | 4 |
| A Listed Weeds..... | 5 |
| B Listed Weeds..... | 7 |

Noxious Weed Control Policy and Classification System

Definition

“Noxious Weed” means a terrestrial, aquatic or marine plant designated by the State Weed Board under ORS 569.615 as among those representing the greatest public menace and as a top priority for action by weed control programs.

Noxious weeds have become so thoroughly established and are spreading so rapidly on private, state, county, and federally owned lands, that they have been declared by ORS 569-350 to be a menace to public welfare. Steps leading to eradication, where possible, and intensive control are necessary. It is further recognized that the responsibility for eradication and intensive control rests not only on the private landowner and operator, but also on the county, state, and federal government.

Weed Control Policy

Therefore, it shall be the policy of ODA to:

1. Assess non-native plants through risk assessment processes and make recommendations to the State Weed Board for potential listing.
2. Rate and classify weeds at the state level.
3. Prevent the establishment and spread of listed noxious weeds.
4. Encourage and implement the control or containment of infestations of listed noxious weed species and, if possible, eradicate them.
5. Develop and manage a biological weed control program.
6. Increase awareness of potential economic losses and other undesirable effects of existing and newly invading noxious weeds, and to act as a resource center for the dissemination of information.
7. Encourage and assist in the organization and operation of noxious weed control programs with government agencies and other weed management entities.
8. Develop partnerships with county weed control districts, universities, and other cooperators in the development of control methods.
9. Conduct statewide noxious weed surveys and weed control efficacy studies.

Weed Classification System

The purpose of this Classification System is to:

1. Act as the ODA's official guideline for prioritizing and implementing noxious weed control projects.
2. Assist the ODA in the distribution of available funds through Oregon State Weed Board to assist county weed programs, cooperative weed management groups, private landowners, and other weed management entities.
3. Serve as a model for private and public sectors in developing noxious weed classification systems that aid in setting effective noxious weed control strategies.

Criteria for Determining Economic and Environmental Significance of Noxious Weeds is Based Upon:

Detrimental Effects

1. A plant species that causes or has the potential to cause severe negative impacts to Oregon's agricultural economy and natural resources.
2. A plant species that has the potential to or does endanger native flora and fauna by its encroachment into forest, range, and conservation areas.
3. A plant species that has the potential or does hamper the full utilization and enjoyment of recreational areas.
4. A plant species that is poisonous, injurious, or otherwise harmful to humans and/or animals.

Plant Reproduction

1. A plant that reproduces by seed capable of being dispersed over wide areas or that is long-lived, or produced in large numbers.
2. A plant species that reproduces and spreads by tubers, creeping roots, stolons, rhizomes, or other natural vegetative means.

Distribution

1. A weed of known economic importance which occurs in Oregon in small enough infestations to make eradication/containment possible; or not known to occur, but its presence in neighboring states makes future occurrence seem imminent.
2. A weed of economic or ecological importance and of limited distribution in Oregon.
3. A weed that has not infested the full extent of its potential habitat in Oregon.

Difficulty of Control

A plant species that is not easily controlled with current management practices such as chemical, cultural, biological, and physical methods.

Noxious Weed Control Classification Definitions

Noxious weeds, for the purpose of this system, shall be listed as either A or B, and may also be designated as T, which are priority targets for control, as directed by the Oregon State Weed Board.

- **A Listed Weed:**

A weed of known economic importance which occurs in the state in small enough infestations to make eradication or containment possible; or is not known to occur, but its presence in neighboring states make future occurrence in Oregon seem imminent (Table I).

Recommended action: Infestations are subject to eradication or intensive control when and where found.

- **B Listed Weed:**

A weed of economic importance which is regionally abundant, but which may have limited distribution in some counties (Table II).

Recommended action: Limited to intensive control at the state, county or regional level as determined on a site specific, case-by-case basis. Where implementation of a fully integrated statewide management plan is not feasible, biological control (when available) shall be the primary control method.

- **T Designated Weed (T):**

A designated group of weed species that are selected and will be the focus for prevention and control by the Noxious Weed Control Program. Action against these weeds will receive priority. T designated noxious weeds are determined by the Oregon State Weed Board and directs ODA to develop and implement a statewide management plan. T designated noxious weeds are species selected from either the A or B list.

Table I: A Listed Weeds

| Common Name | Scientific Name |
|---|--|
| African rue (T) | <i>Peganum harmala</i> |
| Cape-ivy (T) | <i>Delairea odorata</i> |
| Camelthorn | <i>Alhagi pseudalhagi</i> |
| Coltsfoot | <i>Tussilago farfara</i> |
| Cordgrass Common (T) Dense-flowered (T) Saltmeadow (T) Smooth (T) | <i>Spartina anglica</i> <i>Spartina densiflora</i> <i>Spartina patens</i> <i>Spartina alterniflora</i> |
| Common frogbit | <i>Hydrocharis morsus-ranae</i> |
| European water chestnut | <i>Trapa natans</i> |
| Flowering rush (T) | <i>Butomus umbellatus</i> |
| Garden yellow loosestrife (T) | <i>Lysimachia vulgaris</i> |
| Giant hogweed (T) | <i>Heracleum mantegazzianum</i> |
| Goatgrass Barbed (T) Ovate | <i>Aegilops triuncialis</i> <i>Aegilops ovata</i> |
| Goatsrue (T) | <i>Galega officinalis</i> |
| Hawkweed King-devil Mouse-ear (T) Orange (T) Yellow (T) | <i>Pilosella piloselloides</i> (Hieracium) <i>Pilosella pilosella</i> (Hieracium) <i>Pilosella aurantiacum</i> (Hieracium) <i>Pilosella floribundum</i> (Hieracium) |
| Hoary alyssum (T) | <i>Berteroa incana</i> |
| Hydrilla | <i>Hydrilla verticillata</i> |
| Japanese dodder | <i>Cuscuta japonica</i> |
| Kudzu (T) | <i>Pueraria lobata</i> |
| Matgrass (T) | <i>Nardus stricta</i> |
| Oblong spurge (T) | <i>Euphorbia oblongata</i> |
| Paterson's curse (T) | <i>Echium plantagineum</i> |
| Purple nutsedge | <i>Cyperus rotundus</i> |
| Ravennagrass (T) | <i>Saccharum ravennae</i> |
| Silverleaf nightshade | <i>Solanum elaeagnifolium</i> |
| West Indian spongeplant | <i>Limnobium laevigatum</i> |

(T) T Designated Weed (See page 4)

(Continued)

Table I: A Listed Weeds

| Common Name | Scientific Name |
|------------------------------|------------------------------------|
| Squarrose knapweed (T) | <i>Centaurea virgata</i> |
| Starthistle | |
| Iberian (T) | <i>Centaurea iberica</i> |
| Purple (T) | <i>Centaurea calcitrapa</i> |
| Syrian bean-caper | <i>Zygophyllum fabago</i> |
| Thistle | |
| Plumeless (T) | <i>Carduus acanthoides</i> |
| Smooth distaff | <i>Carthamus baeticus</i> |
| Taurian (T) | <i>Onopordum tauricum</i> |
| Wetted (Curly plumeless) (T) | <i>Carduus crispus</i> |
| Woolly distaff (T) | <i>Carthamus lanatus</i> |
| Water soldiers | <i>Stratiotes aloides</i> |
| White bryonia | <i>Bryonia alba</i> |
| Yellow floating heart (T) | <i>Nymphoides peltata</i> |
| Yellowtuft (T) | <i>Alyssum murale, A. corsicum</i> |

(T) T Designated Weed (See page 4)

Table II: B Listed Weeds

| Common Name | Scientific Name |
|--|--|
| Armenian (Himalayan) blackberry | <i>Rubus armeniacus</i> (<i>R. procerus</i> , <i>R. discolor</i>) |
| Biddy-biddy | <i>Acaena novae-zelandiae</i> |
| Broom French* Portuguese (T) Scotch* Spanish | <i>Genista monspessulana</i> <i>Cytisus striatus</i> <i>Cytisus scoparius</i> <i>Spartium junceum</i> |
| Buffalobur | <i>Solanum rostratum</i> |
| Butterfly bush | <i>Buddleja davidii</i> (<i>B. variabilis</i>) |
| Common bugloss (T) | <i>Anchusa officinalis</i> |
| Common crupina | <i>Crupina vulgaris</i> |
| Common reed | <i>Phragmites australis</i> ssp. <i>australis</i> |
| Creeping yellow cress | <i>Rorippa sylvestris</i> |
| Cutleaf teasel | <i>Dipsacus laciniatus</i> |
| Dodder | <i>Cuscuta</i> spp. |
| Dyer's woad | <i>Isatis tinctoria</i> |
| Ivy Atlantic English | <i>Hedera hibernica</i> <i>Hedera helix</i> |
| Eurasian watermilfoil | <i>Myriophyllum spicatum</i> |
| False brome | <i>Brachypodium sylvaticum</i> |
| Field bindweed* (T) | <i>Convolvulus arvensis</i> |
| Garlic mustard (T) | <i>Alliaria petiolata</i> |
| Geranium Herb Robert Shiny leaf geranium | <i>Geranium robertianum</i> <i>Geranium lucidum</i> |
| Gorse* (T) | <i>Ulex europaeus</i> |
| Halogeton | <i>Halogeton glomeratus</i> |
| Houndstongue | <i>Cynoglossum officinale</i> |
| Indigo bush | <i>Amorpha fruticosa</i> |
| Johnsongrass | <i>Sorghum halepense</i> |
| Jointed goatgrass | <i>Aegilops cylindrica</i> |
| Jubata grass | <i>Cortaderia jubata</i> |

* Targeted for biocontrol

(T) T Designated Weed (See page 4)

(Continued)

Table II: B Listed Weeds

| Common Name | Scientific Name |
|--------------------------|---|
| Knapweed | |
| Diffuse* | <i>Centaurea diffusa</i> |
| Meadow* | <i>Centaurea pratensis</i> |
| Russian* | <i>Acroptilon repens</i> |
| Spotted* (T) | <i>Centaurea stoebe (C. maculosa)</i> |
| Knotweed | |
| Giant | <i>Fallopia sachalinensis (Polygonum)</i> |
| Himalayan | <i>Polygonum polystachyum</i> |
| Japanese | <i>Fallopia japonica (Polygonum)</i> |
| Kochia | <i>Kochia scoparia</i> |
| Lesser celandine | <i>Ranunculus ficaria</i> |
| Meadow hawkweed (T) | <i>Pilosella caespitosum (Hieracium)</i> |
| Mediterranean sage | <i>Salvia aethiopsis</i> |
| Medusahead rye | <i>Taeniatherum caput-medusae</i> |
| Old man's beard | <i>Clematis vitalba</i> |
| Parrot feather | <i>Myriophyllum aquaticum</i> |
| Perennial peavine | <i>Lathyrus latifolius</i> |
| Perennial pepperweed (T) | <i>Lepidium latifolium</i> |
| Pheasant's eye | <i>Adonis aestivalis</i> |
| Poison hemlock | <i>Conium maculatum</i> |
| Policeman's helmet | <i>Impatiens glandulifera</i> |
| Puncturevine* | <i>Tribulus terrestris</i> |
| Purple loosestrife* | <i>Lythrum salicaria</i> |
| Ragweed | <i>Ambrosia artemisiifolia</i> |
| Ribbongrass (T) | <i>Phalaris arundinacea var. Picta</i> |
| Rush skeletonweed* (T) | <i>Chondrilla juncea</i> |
| Saltcedar* (T) | <i>Tamarix ramosissima</i> |
| Small broomrape | <i>Orabanche minor</i> |
| South American waterweed | <i>Egeria densa (Elodea)</i> |
| Spanish heath | <i>Erica lusitanica</i> |
| Spikeweed | <i>Hemizonia pungens</i> |
| Spiny cocklebur | <i>Xanthium spinosum</i> |
| Spurge laurel | <i>Daphne laureola</i> |

* Targeted for biocontrol

(T) T Designated Weed (See page 4)

(Continued)

Table II: B Listed Weeds

| Common Name | Scientific Name |
|---|--|
| Spurge Leafy* (T) Myrtle | <i>Euphorbia esula</i> <i>Euphorbia myrsinites</i> |
| St. Johnswort* | <i>Hypericum perforatum</i> |
| Sulfur cinquefoil | <i>Potentilla recta</i> |
| Swainsonpea | <i>Sphaerophysa salsula</i> |
| Tansy ragwort* (T) | <i>Senecio jacobaea</i> (<i>Jacobaea vulgaris</i>) |
| Thistle Bull* Canada* Italian Milk* Musk* Scotch Slender-flowered* | <i>Cirsium vulgare</i> <i>Cirsium arvense</i> <i>Carduus pycnocephalus</i> <i>Silybum marianum</i> <i>Carduus nutans</i> <i>Onopordum acanthium</i> <i>Carduus tenuiflorus</i> |
| Toadflax Dalmatian* (T) Yellow* | <i>Linaria dalmatica</i> <i>Linaria vulgaris</i> |
| Tree of heaven | <i>Ailanthus altissima</i> |
| Velvetleaf | <i>Abutilon theophrasti</i> |
| Primrose Willow Large-flower (T) Floating (T) Water primrose (T) | <i>Ludwigia grandiflora</i> <i>Ludwigia hexapetala</i> <i>Ludwigia peploides</i> |
| Whitetop | |
| Hairy | <i>Lepidium pubescens</i> |
| Lens-podded | <i>Lepidium chalepensis</i> |
| Whitetop (hoary cress) | <i>Lepidium draba</i> |
| Yellow archangel | <i>Lamiastrum galeobdolon</i> |
| Yellow flag iris | <i>Iris pseudacorus</i> |
| Yellow nutsedge | <i>Cyperus esculentus</i> |
| Yellow starthistle* | <i>Centaurea solstitialis</i> |

* Targeted for biocontrol

(T) T Designated Weed (See page 4)



Oregon

Department
of Agriculture