References

Adams, P.W. and W.R. Stack. 1989. Streamwater quality after logging in southwest Oregon. Project completion report PNW 87-400 to the USDA Forest Service, Pacific Northwest Research Station, Portland OR.

Allbritten, M. 2002. Amphibian and western pond turtle surveys within the Elliott State Forest. Excel spread sheet files. Oregon Department of Fish and Wildlife, Charleston.

Anderson, J., D. Baek, J. Barnes, C. Carter, R. Johnson, G. Lettman, C. Pileggi, T. Potiowsky, H. Radtke, B. Rooney, and K. Vaidya. 2001. Elliott State Forest management plan revision: connection to state and local economies. Oregon Department of Forestry.

Andrus, C.W. 1997. Projecting future wood abundance within streams for managed forestlands in coastal Washington and Oregon. Report from Mantech International to the EPA Research Laboratory, Corvallis OR.

Andrus, C.W. and H.A. Froehlich. 1988. Riparian forest development after logging or fire in the Oregon Coast Range: wildlife habitat and timber value. Pages 139-152 *in* Streamside Management: Riparian Wildlife and Forestry Interactions, K.J. Raedeke, ed. Institute of Forest Resources, University of Washington, Seattle.

Andrus, C.W. and H.A. Froehlich. 1992. Wind damage within streamside buffers and accelerated sedimentation. *COPE Report* 5(1&2):7-9.

Arnold, J.G., J.R. Willimas, R. Srinivasan, and K.W. King. 1995. SWAT: Soil water assessment tool. Texas A&M University, Texas Agricultural Experimental Station, Blackland Research Center, 808 East Blackland Road, Temple.

Baldwin, E.M. and J.D. Beaulieu. 1973. Geology and mineral resources of Coos County, Oregon. Bulletin 80. Department of Geology and Mineral Industries, Salem OR.

Beaulieu, J.D. and P.W. Hughes. 1975. Environmental geology of western Coos and Douglas Counties, Oregon. Bulletin 87. Oregon Department of Geology and Mineral Industries, Salem.

Beckham, D. 1990. Swift flows the river. Arago Books, Coos Bay OR.

Benda L. 1990. The influence of debris flows on channels and valley floors in the Oregon Coast Range, U.S.A. *Earth Surfaces Processes and Landform* 15:457-466.

Benda, L. and T. Cundy. 1990. Predicting deposition of debris flows in mountain channels. *Canadian Geotechnical Journal* 27(4):409-417.

Bennett, K.A. 1982. Effects of slash burning on surface soil erosion rates in the Oregon Coast Range. MS thesis, Oregon State University, Corvallis.

Beschta, R.L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. *Water Resources Research* 14(6):1011-1016.

Beschta, R.L., M.R. Pyles, A.E. Skaugset, and C.G. Surfleet. 2000. Peakflow response to forest practices in the western Cascades of Oregon, USA. *Journal of Hydrology* 233:102-120.

Bilby, R.E. 1985. Contributions of road surface sediment to a western Washington stream. *Forest Science* 31(4):827-838.

Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. *In* River Ecology and Management: Lessons from the Pacific Coastal Ecoregion, R.J. Naiman and R.E. Bilby, eds. Spring-Verlag NY.

Bilby, R.E., K. Sullivan, and S.H. Duncan. 1989. The generation and fate of road surface sediment in forested watersheds in southwestern Washington. *Forestry Sciences* 35:453-468.

Bransom, M. 1990. Soil engineering properties and vegetative characteristics for headwall slope stability analysis in the Oregon Coast Range. MS thesis, Oregon State University, Corvallis.

Brown, G.W. and A.R. Gahler, and R.B. Marston. 1973. Nutrient losses after clearcut logging and slash burning in the Oregon Coast Range. *Water Resources Research* 9(5):1450-1453.

Burroughs, E.R. and B.R. Thomas. 1977. Declining root strength in Douglas-fir after felling as a factor in slope stability. USDA Forest Service Research Paper INT-190.

Bury, R.B. 1988. Habitat relationships and ecological importance of amphibians and reptiles. *In* Streamside Management: Riparian, Wildlife and Forestry Interactions, K.J. Raedeke, ed. Institute of Forest Resources, University of Washington, Seattle.

Bury, R.B. and E.J. Hyde. 2003. Headwater amphibians in forests subjected to timber harvest and wildfire. Poster Presented at the Headwater Stream Ecology Research Forum, January 16, 2003. Corvallis OR.

Bury, R.B., S.C. Corn, and K.B. Aubry. 1991. Regional patterns of terrestrial amphibian communities in Oregon and Washington. *In* Wildlife and vegetation of unmanaged Douglas-fir forests. Technical Report PNW-GTR-285. USDA Forest Service, Pacific Northwest Research Station, Portland OR.

Bush, G., C. McConnell, C. Cloyd, K Musser, B. Metzger, and H. Plumley. 1997. Assessment of the effects of the 1996 flood on the Siuslaw National Forest. USDA Forest Service, Siuslaw National Forest, Corvallis OR.

Chan, S.C., R. Danehy, and M. Reiter. 2003. Studies on the influence of commercial thinning and regeneration on microclimate and microsite of headwater forests in western Oregon. Poster Presented at the Headwater Stream Ecology Research Forum, January 16, 2003. Corvallis OR.

Coos Watershed Association. 2001. Effectiveness monitoring of large wood, boulder weirs, and culvert replacement projects in selected streams of the Coos watershed. Coos Watershed Association, Charleston OR.

Corn, P.S. and R.B. Bury. 1989. Logging in western Oregon: responses of headwater habitats and stream amphibians. *Forest Ecology and Management* 29:39-57.

Croot, C. and L. Margolis. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver BC.

Dietrich, W.E. and D.R. Montgomery. 1998. SHALSTAB: A digital terrain model for mapping shallow landslide potential. National Council for Air and Stream Improvement, NCASI Technical Report, February 1, 1998 (http://Socrates.Berkeley.edu/~geomorph/shalstab.html).

Duncan, S.H. 1986. Peak discharge during thirty years of sustained yield timber management in two fifth-order watersheds in Washington State. *Northwest Science* 60(4):258-264.

Duncan, S.H., R.E. Bilby, J.W. Ward, and J.T. Heffner. 1987. Transport of road-surface sediment through ephemeral stream channels. *Water Resources Bulletin* 23(1):113-119.

Ecosystems Northwest. 1996. Mercer/Berry watershed analysis. Final report prepared for the Siuslaw National Forest.

Eilers, J.M., K. Vache, and K. Moser. 2001. Tenmile Lake nutrient study – phase I report. Prepared by E&S Environmental Chemistry, Inc. for the Tenmile Lakes Basin Partnership.

Eilers, J.M., K. Vache, and J. Kann. 2002. Tenmile Lakes nutrient study – phase II report. Prepared by E&S Environmental Chemistry, Inc. for the Tenmile Lakes Basin Partnership.

Elliot, W.J. and D.E. Hall. 1997. Water erosion prediction project (WEPP) forest applications. General Technical Report INT-GTR-365. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Ogden UT.

Farnell, J.E. 1979. Coos and Coquille Rivers navigability studies. Division of State Lands, Salem OR.

Farnell, J.E. 1981. Smith River and Umpqua tributaries navigability report. Division of State Lands, Salem OR.

Feng, J.C., D.G. Thompson, and P.E. Reynolds. 1989. Fate of glyphosate in a forest stream ecosystem. Pages 45-64 *in* Proceedings of the Carnation Creek Herbicide Workshop, P.E. Reynolds, ed. Forest Pest Management Institute, Forestry Canada, Sault Ste. Marie, Ontario.

Filip, G. 2002. Swiss needle cast cooperative annual report. Oregon State University, College of Forestry, Corvallis.

Folmar, L.C., H.O. Sanders, and A.M. Julin. 1979. Toxicity of the herbicide glyphosate and several of its formulations to fish and aquatic invertebrates. *Archives of Environmental Contamination and Toxicology* 8:269-278.

Foltz, R.B. 1996. Traffic and no-traffic on an aggregate surfaced road: sediment production differences. Proceedings of the Seminar on Environmentally Sound Forest Road and Wood Transport, June 1996, Sinaia, Romania. United Nations Food and Agriculture Organization, Rome, Italy.

Forest Service. 1993. SHADOW, Stream temperature management program user's manual. Available at the USDA Forest Service, Pacific Northwest Region, Portland OR.

Glenn, E., R. Anthony, A. Ellingson, J. Tappeiner, and T. Nierenberg. 2000. Summary of northern spotted owl research on Oregon Department of Forestry lands in the Coast Range. Oregon Cooperative Fish and Wildlife Research Unit and Oregon State University College of Forestry, Corvallis.

Goldfinger, C., L.D. Kulm and R.S. Yates, C. Mitchell, R. Weldon II, C. Peterson, M. Darienzo, W. Grant, and G. Priest, 1992. Neotectonic map of the Oregon continental margin and adjacent abyssal plain. Open File Report 0-92-4. Oregon Department of Geology and Mineral Industries.

Gresswell, S., D. Heller, and D.N. Swanston. 1979. Mass movement response to forest management in the central Oregon Coast Range. Resource Bulletin PNW-84, Pacific Northwest Forest and Range Experiment Station, Portland OR.

Hann, D.W., A.S. Hester, and C.L. Olsen. 1995. ORGANON user's manual: ver. 5.0. Department of Forest Resources, Oregon State University, Corvallis.

Harmon, M.E., J.F. Franklin, F.J. Swanson, P. Sollins, S.V. Gregory, J.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, L. Cromack Jr., K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* 15:133-302.

Harr, R.D. and J.T. Krygier. 1972. Clearcut logging and low flows in Oregon coastal watersheds. Research Note No. 54, Paper 839.

Harr, R.D., W.C. Harper, J.T. Krygier, and F.S. Hsieh. 1975. Changes in storm hydrographs after road building and clearcutting in the Oregon Coast Range. *Water Resources Research* 11(3):436-444.

Harr, R.D., A. Levno, and R. Mersereau. 1982. Streamflow changes after logging in 130-year-old Douglas-fir in two small watersheds. *Water Resources Research* 18(3):637-644.

Heimann, D.C. 1988. Recruitment trends and physical characteristics of coarse woody debris in Oregon Coast Range streams. MS thesis, Oregon State University, Corvallis.

Hibbs, D.E. and P.A. Giordano. 1996. Vegetation characteristics of alder-dominated riparian buffer strips in the Oregon Coast Range. *Northwest Science* 70(3):213-222.

Hicks, B.J., R.L. Beschta, and R.D. Harr. 1991. Long-term changes in streamflow following logging in Western Oregon and associated fisheries implications. *Water Resources Bulletin* 27(2):217-226.

Hildebrand, L.D., D.S. Sullivan, and T.P. Sullivan. 1982. Experimental studies of rainbow trout populations exposed to field applications of Roundup herbicide. *Archives of Environmental Contamination and Toxicology* 11:93-98.

Holtby, L.B. and S.J. Baillie. 1989. Effects of the herbicide Roundup on coho salmon fingerling in an over-sprayed tributary of Carnation Creek, British Columbia. Pages 273-285 *in* Proceedings of the Carnation Creek Herbicide Workshop, P.E. Reynolds, ed. Forest Pest Management Institute, Forestry Canada. Sault Ste. Marie, Ontario.

Istanbulluoglu, E., D.G. Tarboton, R.T. Pack and C.H. Luce. 2003. Modeling of the interactions between forest vegetation, disturbances and sediment yields. Submitted to the *Journal of Geophysical Research-Earth Surface*, April 2003.

Jacobs, S., J. Firman, G. Susac, D. Stewart, and J. Weybright. 2002. Status of Oregon coastal stocks of anadromous salmonids, 2000-2001 and 2001-2002. Oregon Plan for Salmon and Watersheds, Monitoring Program Report, No. OPS-ODFW-2002-3. Oregon Department of Fish and Wildlife, Portland.

Jacobsen, P. and B. Thom. 2001. 1998-2000 habitat restoration effectiveness monitoring for the western Oregon stream project. Monitoring Program Report Number OPSW-ODFW-2001-07. Oregon Department of Fish and Wildlife, Portland.

Johnson, D.H. and T.A. O'Neil (eds.). 2001. Wildlife-habitat relationships in Oregon and Washington. Oregon State University Press, Corvallis.

Keppeler, E.T. and R.R. Ziemer. 1990. Logging effects of streamflow: water yield and summer low flows at Caspar Creek in northwestern California. *Water Resources Research* 26(7):1669-1679.

Ketcheson, G. and H.A. Froehlich. 1978. Factors and environmental impacts of mass soil movements in the Oregon Coast Range. Water Resources Research Institute Bulletin 56, Oregon State University, Corvallis.

Keim, R.F. and A.E. Skaugset. 2003. Modeling effects of forest canopies on slope stability. *Hydrologic Processes* 17(7).

Klamath-Siskiyou Wildlands Center and others. 2003. A petition for rules to list: Pacific lamprey, river lamprey, western brook lamprey, kern brook lamprey as threatened or endangered under the Endangered Species Act. Klamath-Siskiyou Wildlands Center, Ashland OR.

Kostow, K. 2002. Oregon lampreys: natural history status and analysis of management issues. Oregon Department of Fish and Wildlife, Corvallis.

LaLande, J. and R. Pullen. 1999. Burning for a "fine and beautiful open country": native uses of fire in southwestern Oregon. Pages 255-276 *in* Indians, Fire and the Land in the Pacific Northwest, R. Boyd ed. Oregon State University Press, Corvallis.

Lambert R.K., G.E. Land, and W.A. Reiners. 1980. Loss of mass and chemical change in decaying boles of a subalpine balsam fir forest. *Ecology* 61:1460-1473.

Lancaster, S.T., S. Hayes, and G.E. Grant. 2001. Modeling sediment and wood storage and dynamics in small mountainous watersheds: geomorphic processes and riverine habitat. *Water Science and Application* 4:85-102.

Larson, K.R. and R.C. Sidle. 1980. Erosion and sedimentation data catalog of the Pacific Northwest. R6-WM-050-1981. USDA Forest Service, Pacific Northwest Region, Portland OR.

Leonard, W.P., H.A. Brown, L.L.C. Jones, K.R. McAllister, and R.M. Storm. 1991. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle WA.

Lonzarich, D.G. and T.P. Quinn. 1995. Experimental evidence for the effect of depth and structure on the distribution, growth, and survival of stream fishes. *Canadian Journal of Zoology* 73:2223-2230.

Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* 78 (June):1069-1079.

Martin, C.W. and R.D. Harr. 1989. Logging of mature Douglas-fir in western Oregon has little effect on nutrient output budgets. *Canadian Journal of Forest Research* 19:35-43.

McHugh, M.H. 1987. Landslide occurrence in the Elk and Sixes River basins, Southwest Oregon. MS thesis, Oregon State University, Corvallis.

McSwain, M.D. 1987. Summer stream temperatures and channel characteristics of a southwest Oregon coastal stream. MS thesis, Oregon State University, Corvallis.

Meekins, D. and T.E. Hamer. 1996. A habitat suitability model for the marbled murrelet and implementation plan for the Elliot State Forest habitat conservation plan. Prepared for the Oregon Department of Forestry, Salem.

Mills, K. 1997. Forest roads, drainage, and sediment delivery in the Kilchis River watershed. Prepared for Tillamook Bay National Estuary Project. Oregon Department of Forestry, Salem.

Montgomery, D.R. 1994. Road surface drainage, channel Initiation, and slope stability. *Water Resources Research* 30:1925-1932.

Montgomery, D.R. and W.E. Deitrich. 1994. A physically-based model for the topographic control on shallow landsliding. *Water Resources Research* 30(4):1153-1171.

Montgomery, D.R., T. Dunne, and W.E. Dietrich. 1993. Geomorphological watershed analysis project. Biennial report for the period from 10/1/91 to 6/30/93, TFW-SH10-93-001. Washington State Department of Ecology, Olympia.

Morrice, J.A., H.M. Valett, C.N. Dahm, and M.E. Campana. 1997. Alluvial characteristics, groundwater surface water exchange and hydrological retention in headwater streams. *Hydrological Processes* 11:253-267.

Morris, W.G. 1934. Forest fires in western Oregon and western Washington. *Oregon Historical Quarterly* 35:313-319.

Murphy, M.L. and K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. *North American Journal of Fisheries Management* 9:427-436.

Nelson, S.K. and A.K. Wilson. 2002. Marbled murrelet habitat characteristics on state lands in western Oregon. Final Report, Oregon Cooperative Fish and Wildlife Research Unit, Oregon State University, Corvallis.

Newton, M., K.M. Howard, B.R. Kelpsas, R.Danhaus, C.M. Lottman, and S. Dubelman. 1984. Fate of glyphosate in an Oregon forest ecosystem. *Journal of Agricultural and Food Chemistry* 32(5):1144-1151.

Nickelson, T.E, J.W. Nicholas, A.M. McGie, R.B. Lindsay, and D.L. Bottom. 1992. Status of anadromous salmonids in Oregon coastal basins. Oregon Department of Fish and Wildlife.

Niem, A.R. and W.A. Niem. 1990. Geology and oil, gas, and coal resources, S. Tyee Basin, Oregon. Plates 1 and 2. Open file report O-89-03. Department of Geology and Mineral Industries, Salem

Norris, L.A. and F. Dost. 1992. Proposed surface water quality criteria for selected pesticides used for forest management and management of forest tree seedling nurseries and Christmas tree plantations in Oregon and Washington. Oregon State University, Corvallis.

Oregon Climate Service. 2003. Weather data from the web site: http://www.ocs.orst.edu.

Oregon Department of Fish and Wildlife (ODFW). 1993. Review of threatened and endangered, sensitive and stocks of concern. Southwest Regional Fish Management Meeting, Charleston.

Oregon Department of Fish and Wildlife (ODFW). 1997. Oregon Department of Fish and Wildlife sensitive species list. Portland.

Oregon Department of Forestry (ODF). 1993. Elliott State Forest management plan. Coos Bay.

Oregon Department of Forestry (ODF). 1995. Elliott State Forest habitat conservation plan. Final May 1995. Salem.

Oregon Department of Forestry (ODF). 2001. Summary of streamside stand measurements on the Elliott State Forest. Report prepared by C.W. Andrus.

Oregon Department of Forestry (ODF). 2002. 2001 Marbled murrelet surveys: district summaries. Salem.

Oregon Department of Forestry (ODF). undated. 2002 Marbled murrelet surveys: district summaries. Salem.

Oregon Department of Forestry (ODF). 2003. Avoiding roads in critical locations, Forest Practices Technical Note 7; Installation and maintenance of cross drainage systems on forest roads, Forest Practices Technical Note 8; Wet weather road use, Forest Practices Technical Note 9. Salem.

Oregon Department of Forestry and Department of Environmental Quality (ODF/DEQ). 2002. Oregon Department of Forestry and Department of Environmental Quality sufficiency analysis: a statewide evaluation of FPA effectiveness in protecting water quality. Salem.

Oregon Natural Heritage Program (ONHP). 2001. Rare, threatened and endangered plants and animals of Oregon. Portland.

Oregon Watershed Enhancement Board (OWEB). 1999. Oregon watershed assessment manual. Prepared by Watershed Professionals Network.

Pacific Northwest Coastal Ecosystems Regional Study (PNCERS). 2000. Coastal resident survey basic summary of responses, Coos Bay, Coos County, Oregon (Draft).

Pacific Watershed Associates (PWA). 1997. Field training in watershed/road sediment source assessments and erosion prevention. June 16-20, 1997, Coos Bay OR. Pacific Watershed Associates, Arcata CA.

Pack, R.T., D.G. Tarboton, and C.N. Goodwin. 1999. GIS-based landslide susceptibility mapping with SINMAP. Pages 219-231 *in* Proceedings of the 34th Symposium on Engineering Geology and Geotechnical Engineering, J.A. Bay, ed. Volume 34.

Perkins, R.M. 1997. Climatic and physiographic controls on peakflow generation in the Western Cascades, Oregon. PhD dissertation, Oregon State University, Corvallis.

Phillips, J. 1996. Caulk boots and cheese sandwiches. Butler's Pronto Print, Coos Bay OR.

Piehl, B.T., R.L. Beshta, and M.R. Pyles. 1988. Ditch-relief culverts and low-volume forest roads in the Oregon Coast Range. *Northwest Science* 62(3):91-98.

Poole, G.C. and C.H. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management* 27:787-802.

Radtke, H.D. and D.W. Shannon. 1999. Economic description of selected coastal Oregon and Washington counties. Pacific Northwest Coastal Ecosystems Regional Study. The Research Group, Corvallis OR.

Rashin, E. and C. Graber. 1993. Effectiveness of best management practices for aerial application of forest pesticides. TFW-WQ1-93-001. Prepared by the Washington State Department of Ecology for the Timber/Fish/Wildlife Cooperative Monitoring, Evaluation, and Research Committee.

Rashin, Ed., C. Clishe, A. Loch, and J. Bell. 1999. Effectiveness of road and timber harvest best management practices with respect to sediment-related water quality impacts. TFW-WQ6-99-001. Washington State Department of Ecology, Olympia.

Reeves, G.H., L.E. Benda, K. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. *American Fisheries Society Symposium* 17:334-349.

Reid, L.M. 1981. Sediment production from gravel-surfaced forest roads, Clearwater Basin, Washington. Masters thesis, University of Washington, Seattle.

Reid, L.M. and T. Dunne. 1984. Sediment production from forest road surfaces. *Water Resources Research* 20(11):1753-1761.

Reimers, P.E. 1989. Management of wild and hatchery coho salmon in Tenmile Lakes system. Information Reports, No. 89-5, Oregon Department of Fish and Wildlife, Portland.

Reneau, S.L. and W.E. Dietrich. 1991. Erosion rates in the southern Oregon Coast Range: evidence for an equilibrium between hillslope erosion and sediment yield. *Earth Surfaces Processes and Landform* 16:307-322.

Rice, T. and J. Souder. 1998. Pulp friction and the management of Oregon's state forests. 13 *Journal of Environmental Law and Litigation* 209-273 (1998).

Robben, J. and L. Dent. 2002. Best management practices compliance monitoring project. Final Report. Oregon Department of Forestry, Salem.

Robbins, W.G. 1988. Hard times in paradise: Coos Bay, Oregon, 1850-1986. University of Washington Press, Seattle.

Robison E.G., K. Mills, J. Paul, L. Dent, and A. Skauget. 1999. Storm impacts and landslides of 1996. Forest Practices Technical Report #4, Forest Practices Monitoring Program. Oregon Department of Forestry, Salem.

Roderiguez-Iturbe, I. and A. Rinaldo. 1997. Fractal river basins: chance and self-organization. Cambridge University Press, Cambridge UK.

Rose, C.L., B.G. Marcot, T.K. Mellen, J.L. Ohmann, K.L. Waddell, D.L. Lindley, and B. Schreiber. 2001. Decaying wood in Pacific Northwest forests: Concepts and tools for habitat management. Pages 580-622 *in* Wildlife-habitat Relationships in Oregon and Washington, D.H. Johnson and T.A. O'Neil, eds. Oregon State University Press, Corvallis.

Rot, B. 1995. The interaction of valley constraint, riparian landform, and riparian plant community size and age upon channel configuration of small streams of Western Cascade Mountains, Washington. MS thesis, University of Washington, Seattle.

Ruth, R.H. and R.A. Yoder. 1953. Reducing wind damage in the forests of the Oregon Coast Range. Research Paper 7. USDA Pacific Northwest Forest and Range Experiment Station.

Ryu, I.C., A.R. Niem, and W.A. Niem. 1996. Oil and gas potential of the southern Tyee basin, southern Oregon Coast Range. Oregon Department of Geology and Mineral Industries, Salem.

Saltzman, W.O. 1959. Stream surveys of the Coos and Millicoma River watersheds. Oregon Game Commission, Salem OR.

Saltzman, W.O. 1960. Stream surveys of the Mill Creek – Camp Creek watersheds. Oregon Game Commission, Salem OR.

Saltzman, W.O. 1961. Stream surveys of the Lower Umpqua tributaries and Elk Creek tributaries. Oregon Game Commission, Salem OR.

Schmidt, K.M., J.J. Roering, J.D. Stock, W.E. Dietrich, D.R. Montgomery, and T. Schaub. 2001. The variability of root cohesion as an influence on shallow landslide susceptibility in the Oregon Coast Range. *Canadian Geotechnical Journal* 38(5):995-1024.

Schroeder, W.L. and G.W. Brown. 1984. Debris torrents, precipitation and roads in two coastal Oregon watersheds. Pages 117-122 *in* Symposium on Effects of Forest Land Use on Erosion and Slope Stability, Oregon State University, Corvallis.

Servizi, J.A., R.W. Gordon, and D.W. Martens. 1987. Acute toxicity of Garlon 4 and Roundup herbicides to salmon, daphnia, and trout. *Bulletin of Environmental Contamination and Toxicology* 39:15-22.

Sessions J., J.C. Balcom, and K. Boston. 1987. Road location and construction practices: effects of landslide frequency and size in the Oregon Coast Range. *Western Journal of Applied Forestry* 2(4):119-124.

Shapiro, M. and L. Johnson. 2000. Coos regional trails plan. Coos Regional Trails Partnership, Coos Bay OR.

Sidle, R.C. 1987. A dynamic model of slope stability in zero-order basins. pp. 101-110 *In* Erosion and Sedimentation in the Pacific Rim. IAHS Publication No. 165.

Skaugset, A.R. 1997. Modeling root reinforcement in shallow forest soils. PhD dissertation, Oregon State University, Corvallis.

Smyth, A. 2000. Millicoma: Biography of a Pacific northwestern forest. Forest Historical Society.

Sollins, P. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. *Canadian Journal of Forest Research* 12:18-28.

State of Oregon. 1999. The Oregon plan for salmon and watersheds. Office of the Governor, Salem. Updated annually. Available at http://www.oregon-plan.org.

Stoddard, M.A. 2001. The influence of forest management on headwater stream amphibians at multiple spatial scales. MS thesis, Oregon State University, Corvallis.

Swanson F.J., M.M. Swanson, and C. Woods. 1981. Analysis of debris-avalanche erosion in steep forested lands: an example from Mapleton, Oregon, USA. Pages 67-75 *in* Erosion and Sediment Transport in Pacific Rim Steeplands. IAHS Publication 132. Christchurch, New Zealand.

Tarboton, D.G. 1997. A new method for the determinations of flow direction and upslope areas in grid digital elevation models. *Water Resources Research* 33(2):309-319.

Taylor, G.H. 2003. Long-term climate trends and salmon population. Oregon Climate Service Report. Corvallis OR. http://www.ocs.orst.edu/reports/climate_fish.html.

Taylor, G.H. and C. Hannan. 1999. The climate of Oregon; from rain forest to desert. Oregon State University Press, Corvallis.

Taylor, G.H. and R.R. Hatton. 1999. The Oregon weather book: A state of extremes. Oregon State University Press, Corvallis.

Taylor, R.J. 1990. Northwest weeds. The Mountain Press, Missoula MT.

Tenmile Lakes Basin Partnership (TLBP). 2003. Unpublished GIS digital landslide data.

Thies, W.G. and E.M. Goheen. 2002. Major forest diseases of the Oregon Coast Range and their management. *In* Forest and stream management in the Oregon Coast Range, S.D. Hobbs and others, eds. Oregon State University Press, Corvallis.

Thomas R.B. and W.F. Megahan. 1998. Peak flow responses to clearcutting and roads in small and large basin, western Cascades: a second opinion. *Water Resources Research* 34(12):3393-3403.

Thompson, D.G., B. Staznik, D.D. Fontaine, T. Mackay, G.R. Oliver, and J. Troth. 1991. Fate of triclopyr ester (Release) in a boreal forest stream. *Environmental Toxicology and Chemistry* 10:619-632.

Trout Unlimited and others. 2002. Petition to list the Oregon Coast coho salmon (*Onchorhyncus kisutch*) as a threatened species under the federal Endangered Species Act. Trout Unlimited, Washington DC.

Ursitti, V.L. 1990. Riparian vegetation and abundance of woody debris in streams of southwest Oregon. MS thesis, Oregon State University, Corvallis.

U.S. Department of Agriculture (USDA). 1999. FS WEPP; Forest Service interfaces for the water erosion prediction project computer model. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station and San Dimas Technology and Development Center.

U.S. Fish and Wildlife Service (USFWS). 1996. Endangered and threatened wildlife and plants; final designation of critical habitat for the marbled murrelet; final rule. *Federal Register* 61(102):26255-26280.

Van Sickle, J. and S.V. Gregory. 1990. Modeling inputs of large woody debris in streams from falling trees. *Canadian Journal of Forest Research* 20:1593-1601.

Vesely, D.G. and J. Stamp. 2001. Report on surveys for stream-dwelling amphibians conducted on the Elliott State Forest, June-September, 2001. Report prepared for the Oregon Department of Forestry. Pacific Wildlife Research, Corvallis OR.

Wagoner, L.J. and others. 1990. Coos River fish management plan. Oregon Department of Fish and Wildlife, Charleston OR.

Wan, M.T., R.G. Watts, and D.J. Moul. 1989. Effects of different dilution water types on the acute toxicity to juvenile Pacific salmon and rainbow trout of glyphosate and its formulation products. *Bulletin of Environmental Contamination and Toxicology* 43(3):378-385.

Washington Forest Practices Board. 1993. Standard methodology for conducting watershed analysis. Version 2.0. Washington Department of Natural Resources, Olympia.

Weikel, J. and D. Vesely. 2001. A report on avian surveys conducted on the Elliott State Forest, May-July, 2001. Pacific Wildlife Research Inc., Corvallis OR.

Welty, J.J., T. Beechie, K. Sullivan, D.M. Hyink, R.E. Bilby, C.W. Andrus, and G. Pess. 2002. Riparian aquatic interaction simulator (RAIS): a model of riparian forest dynamics for the generation of large woody debris and shade. *Forest Ecology and Management* 162:299-318.

Weyerhaeuser. 1995. East Fork Millicoma River watershed analysis. Weyerhaeuser Corporation.

Weyerhaeuser. 1998. South Fork Coos River watershed analysis. Weyerhaeuser Corporation, Coos Bay OR.

Wright K.A., K.H. Sendek, R.M. Rice, and R.B. Thomas. 1990. Logging effects on streamflow: storm runoff at Caspar Creek in northwestern California. *Water Resources Research* 26(7):1657-1667.

Youst, L. 1992. Above the falls: An oral and folk history of Upper Glenn Creek, Coos County, Oregon.

Appendix A
Streamside Vegetation or Land-type Area by Stream Size and Distance from Stream for Fish-bearing Streams

Basin #1

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #1 -- Mill Cr, Cold Cr, Double Barrel Cr, Puckett Cr, Footlog Cr	Large; 6.82 miles	Brush	---	0.2	0.4	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.3	0.1	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	3.5	8.5	11.8	13.4
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.8	1.8	1.9	2.4
			25-49	1.8	4.9	5.1	5.0
			50-99	0.0	0.0	0.0	0.0
			≥100	12.1	27.3	34.4	38.4
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.7	5.1	4.0	2.4
			25-49	6.0	14.7	14.2	13.0
			≥50	5.5	11.8	9.2	7.6
		Road	---	1.9	6.4	2.8	0.6
		Stream	---	49.4	2.5	0.0	0.0
	Medium; 2.10 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.1	0.7	1.1
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	1.2	3.0	3.7	3.7
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.3	1.2	2.0	2.4
			50-99	0.5	1.1	1.1	1.1
			≥100	9.0	10.2	11.8	11.9
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.1	0.1
			25-49	7.3	6.4	4.3	3.8
			≥50	6.7	2.9	1.2	0.8
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 0.00 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			≥50	0.0	0.0	0.0	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #2

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #2 -- Luder Cr, Charlotte Cr	Large; 2.75 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.8	0.3	0.0	0.0
			≥100	6.8	12.3	15.6	16.4
		Conifer/ Hardwood	≤12	0.0	0.5	3.1	3.7
			13-24	0.1	0.2	0.5	0.5
			25-49	0.0	0.0	0.0	0.0
			50-99	0.1	0.3	0.3	0.3
			≥100	6.2	6.0	3.6	2.9
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	6.5	5.8	5.4	5.1
			25-49	2.4	1.1	0.7	0.5
			≥50	11.0	6.8	3.6	2.6
		Road	---	0.1	0.2	0.1	0.1
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 3.04 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	7.3	8.5	9.4	9.3
			≥100	6.3	12.9	13.4	12.9
		Conifer/ Hardwood	≤12	0.0	0.9	2.5	2.7
			13-24	0.4	1.3	4.1	5.8
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	2.9	2.9	2.0	1.8
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	4.1	3.5	1.9	0.7
			25-49	4.3	1.7	1.0	1.0
			≥50	10.3	3.5	0.8	0.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 0.24 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.4	0.5	0.5
			≥100	0.1	0.5	0.6	0.6
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			≥50	0.0	0.0	0.0	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #3

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #3 -- Dean Cr, Johannson Cr, Hakki Cr	Large; 2.34 miles	Brush	---	7.7	5.6	3.4	2.1
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	1.5	2.8	5.0	5.8
		Conifer/ Hardwood	≤12	0.0	0.1	0.6	0.8
			13-24	0.0	0.0	0.0	0.1
			25-49	0.0	0.0	0.0	0.0
			50-99	0.8	0.6	0.7	1.0
			≥100	3.2	6.7	8.1	7.4
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.7	1.6	1.3	1.6
			25-49	3.9	3.8	3.8	4.0
			≥50	10.2	6.5	4.0	3.8
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 4.12 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.3	0.9	1.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	3.9	12.7	20.4	21.4
		Conifer/ Hardwood	≤12	2.3	2.5	4.2	5.0
			13-24	2.0	4.0	6.1	7.3
			25-49	0.0	0.0	0.0	0.0
			50-99	2.0	2.6	3.8	4.5
			≥100	2.1	4.6	5.2	4.5
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	6.0	3.6	1.7	1.0
			25-49	1.8	1.4	1.2	1.2
			≥50	28.5	16.7	4.9	2.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 1.06 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	1.8	5.3	7.0	7.1
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.4	1.4	1.5	1.4
			50-99	0.0	0.0	0.0	0.0
			≥100	2.2	2.3	2.1	2.1
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	3.0	0.2	0.0	0.0
			≥50	5.0	2.7	1.0	0.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #4

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #4 -- Schofield Cr, Miler Cr, Dry Cr, Alder Cr	Large; 2.54 miles	Brush	---	0.6	0.3	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.1	0.5	0.9	0.8
			50-99	0.0	0.0	0.0	0.0
			≥100	0.5	2.0	2.8	2.9
		Conifer/ Hardwood	≤12	0.0	0.5	1.5	1.8
			13-24	2.4	4.5	6.1	6.5
			25-49	0.0	0.1	0.2	0.1
			50-99	0.0	0.0	0.0	0.0
			≥100	4.0	6.9	8.9	9.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	4.4	3.2	2.4	2.3
			25-49	9.7	7.2	6.3	6.2
			≥50	9.2	5.7	1.7	0.8
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 3.52 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.2	0.3
			25-49	0.4	1.3	1.4	0.9
			50-99	0.0	0.0	0.0	0.0
			≥100	0.9	3.1	3.5	3.3
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.0	4.4	6.4	7.0
			25-49	0.0	0.6	1.2	1.2
			50-99	1.1	3.4	3.8	3.9
			≥100	8.6	13.2	14.4	13.8
		Hardwood	≤12	0.0	0.2	0.5	0.4
			13-24	3.7	1.0	0.6	1.6
			25-49	9.6	8.6	7.6	7.6
			≥50	16.6	6.4	2.3	1.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 1.32 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	0.6	1.4	2.3
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	2.0	4.0	4.1
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	7.1	6.0	6.3	6.4
		Hardwood	≤12	0.7	2.1	2.3	2.3
			13-24	8.1	5.3	1.9	0.7
			25-49	0.0	0.0	0.1	0.1
			≥50	0.0	0.0	0.0	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #5

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #5 -- Big Cr, Alder Fork Big Cr, Murphy Cr, Nobel Cr, Alder Gulch	Large; 3.16 miles	Brush	---	9.4	9.6	8.6	7.4
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.2	0.3	0.8	1.4
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.1	0.8	1.2
			≥100	9.3	8.2	8.8	9.3
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.7	0.8	0.8	0.9
			25-49	0.0	0.0	0.0	0.0
			≥50	20.7	19.7	16.8	14.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 5.55 miles	Brush	---	4.7	4.0	2.9	1.7
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.1	0.2	0.3
			≥100	1.7	5.9	10.7	13.0
		Conifer/ Hardwood	≤12	0.0	0.4	2.1	2.4
			13-24	1.2	2.3	5.2	5.7
			25-49	0.0	0.0	0.0	0.0
			50-99	1.8	3.5	4.3	4.6
			≥100	7.6	15.4	20.6	21.1
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.2	0.1	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			≥50	50.5	34.0	18.6	14.6
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 4.18 miles	Brush	---	1.0	0.8	0.7	0.5
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.3	1.3	2.1	2.3
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.6	0.8	0.9
			≥100	3.4	6.7	7.3	7.2
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.6	3.2	6.3	7.1
			25-49	0.0	0.0	0.0	0.0
			50-99	2.2	2.9	3.2	3.2
			≥100	4.3	8.0	10.7	11.6
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	10.1	5.0	1.5	0.7
			25-49	0.0	0.0	0.0	0.0
			≥50	24.7	17.9	13.5	12.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #6

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #6 -- Benson Cr, Roberts Cr	Large; 2.74 miles	Brush	---	1.8	0.6	0.1	0.2
		Conifer	≤12	0.0	0.0	0.2	0.4
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	1.3	8.0	10.2	3.6
		Conifer/ Hardwood	≤12	0.0	0.1	1.0	1.4
			13-24	0.0	0.4	0.9	1.2
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	3.6	7.7	10.2	11.1
		Hardwood	≤12	0.0	0.0	0.5	1.0
			13-24	4.8	3.4	2.4	2.6
			25-49	0.0	0.0	0.0	0.0
			≥50	21.9	17.6	10.8	6.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 4.25 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.5	1.4	2.8	4.1
			25-49	0.0	0.3	2.2	5.1
			50-99	0.0	0.0	0.0	0.0
			≥100	3.7	6.6	8.8	8.9
		Conifer/ Hardwood	≤12	0.0	0.1	0.2	0.5
			13-24	0.2	5.3	5.7	2.4
			25-49	0.0	0.0	0.6	1.6
			50-99	0.0	0.0	0.0	0.0
			≥100	6.5	10.0	12.0	12.3
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	3.2	2.8	1.9	0.8
			25-49	3.6	2.8	2.1	1.3
			≥50	35.7	25.3	13.6	7.5
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 2.46 miles	Brush	---	0.3	0.3	0.1	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.1	0.4
			25-49	0.8	3.7	4.5	4.3
			50-99	0.0	0.0	0.0	0.0
			≥100	0.8	2.8	3.6	3.6
		Conifer/ Hardwood	≤12	0.3	0.4	0.4	0.4
			13-24	0.0	0.4	1.2	1.7
			25-49	0.0	0.0	0.1	0.3
			50-99	0.0	0.0	0.0	0.0
			≥100	5.4	6.5	6.4	6.6
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	6.6	3.6	1.9	1.2
			25-49	5.6	2.3	1.3	1.2
			≥50	7.0	6.7	7.1	6.8
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #7

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #7 -- Johnson Cr, South Fork Johnson Cr, Hatchery Cr, Robertson Cr, Adams Cr	Large; 3.48 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	4.2	3.0	2.4	2.5
			13-24	0.1	0.2	0.2	0.1
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	3.7	5.9	8.9	10.9
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.3	1.1	1.9	2.3
			25-49	0.0	0.3	1.7	2.3
			50-99	2.1	1.5	1.5	1.4
			≥100	0.0	0.2	0.6	0.8
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	0.4	0.7	1.0
			25-49	24.9	21.7	15.7	11.0
			≥50	7.0	7.3	8.0	8.6
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 2.75 miles	Brush	---	1.1	0.9	0.3	0.1
		Conifer	≤12	0.2	0.8	2.5	3.1
			13-24	0.0	0.0	0.0	0.0
			25-49	0.1	0.2	0.4	0.5
			50-99	0.6	1.4	2.0	2.4
			≥100	2.9	6.5	7.3	7.3
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.1	0.7	1.1
			25-49	0.0	1.3	2.2	2.2
			50-99	0.1	1.2	2.7	2.9
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	5.4	3.3	0.6	0.3
			25-49	16.1	10.5	7.3	5.4
			≥50	6.6	5.8	5.1	4.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 3.39 miles	Brush	---	0.2	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	1.7	2.8	3.1
			25-49	0.0	0.0	0.0	0.0
			50-99	2.1	3.5	4.2	4.5
			≥100	2.1	3.6	5.5	6.2
		Conifer/ Hardwood	≤12	0.2	1.3	1.6	1.5
			13-24	0.4	1.4	3.4	4.0
			25-49	0.0	0.4	1.0	1.5
			50-99	2.2	2.8	3.0	3.2
			≥100	0.4	2.4	3.4	3.4
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	5.4	2.7	0.5	0.4
			25-49	10.7	8.5	7.1	6.6
			≥50	16.2	11.0	6.4	4.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #8

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #8 -- Palouse Cr, Larson Cr, Sullivan Cr, Kentuck Cr	Large; 3.07 miles	Brush	---	4.0	4.3	3.7	2.8
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.7	0.6	0.4	0.2
			50-99	1.8	5.2	6.8	6.8
			≥100	1.0	3.4	4.2	4.8
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.9	1.0	1.3	2.0
			50-99	4.9	3.7	2.9	2.8
			≥100	1.0	1.6	1.2	0.9
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.6	0.6	0.8	0.9
			25-49	9.3	5.3	4.5	4.0
			≥50	13.2	11.8	10.8	10.1
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 3.30 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.1	0.4
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.4	0.9	1.2
			≥100	0.7	4.7	6.8	7.8
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	0.8	1.8	2.1
			25-49	0.0	0.0	0.0	0.0
			50-99	3.5	7.0	9.3	9.9
			≥100	0.9	3.8	5.3	5.3
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.5	0.4	0.3	0.2
			25-49	9.7	2.6	0.2	0.1
			≥50	23.7	20.1	15.1	12.8
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 1.39 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.1	1.9	2.2	2.1
			25-49	0.0	0.0	0.0	0.1
			50-99	1.3	2.4	2.4	2.7
			≥100	2.2	4.0	4.9	5.1
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.3	2.3	4.0	4.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	2.0	2.3	2.3	2.2
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	5.9	2.3	0.5	0.2
			25-49	0.4	0.5	0.0	0.0
			≥50	4.6	1.0	0.2	0.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #9

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #9 -- Lower West Fork Millicoma R, Daggett Cr, Totten Cr, Schumacher Cr	Large; 9.61 miles	Brush	---	0.0	0.6	0.5	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.1	1.2	1.6
			25-49	0.0	0.0	0.0	0.0
			50-99	2.5	5.1	4.5	4.2
			≥100	8.0	24.3	31.4	33.4
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.6	1.5
			25-49	0.0	0.0	0.0	0.0
			50-99	2.7	7.0	8.0	8.3
			≥100	13.0	32.8	32.9	31.3
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.7	1.5	1.8	2.3
			25-49	3.9	7.2	6.9	6.7
			≥50	11.4	21.7	16.5	13.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	64.2	4.9	0.0	0.0
	Medium; 2.50 miles	Brush	---	1.0	0.8	0.5	0.4
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.3	1.2	1.4
			25-49	0.0	0.3	0.6	0.7
			50-99	0.2	0.8	1.6	1.7
			≥100	1.5	2.6	2.9	2.9
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.4	0.6	0.7
			25-49	0.7	3.3	4.7	4.6
			50-99	1.3	1.3	1.5	1.6
			≥100	4.4	3.4	3.1	3.1
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.1	0.3	0.4
			25-49	14.6	10.1	6.4	5.8
			≥50	4.2	4.6	5.2	5.5
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 4.53 miles	Brush	---	0.5	0.1	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.2	0.9	2.4	3.5
			25-49	0.4	1.0	2.1	2.3
			50-99	0.2	0.4	0.6	0.7
			≥100	0.9	3.1	3.4	3.4
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.0	3.5	4.5	4.2
			25-49	4.5	7.6	12.0	13.5
			50-99	0.2	0.6	1.4	1.4
			≥100	9.9	11.8	13.2	13.1
		Hardwood	≤12	0.0	0.2	0.2	0.2
			13-24	4.6	3.9	2.3	1.7
			25-49	21.0	13.4	7.1	5.1
			≥50	9.4	7.1	4.2	3.6
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.5	0.0	0.0	0.0

Basin #10

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #10 -- Marlow Cr, Silver Cr, Glenn Cr, Howell Cr	Large; 2.38 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	2.7	4.6	7.3	8.0
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.3	0.7	1.9	2.8
			50-99	0.5	1.5	3.9	4.3
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	1.5	1.2	0.8	0.4
			≥50	24.7	21.0	14.2	11.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 4.67 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	1.5	1.7	1.7
			25-49	0.0	0.0	0.1	0.1
			50-99	0.1	1.0	1.7	1.8
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.1	2.4	5.9	6.5
			13-24	1.1	5.8	11.1	11.6
			25-49	1.5	4.2	7.3	8.5
			50-99	0.1	2.3	5.9	6.5
			≥100	9.0	8.0	5.4	4.8
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	12.5	7.2	2.2	1.6
			25-49	12.6	7.7	3.1	1.8
			≥50	20.5	16.8	11.8	10.2
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 2.91 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.6	2.0	2.5	2.6
			13-24	0.3	0.7	0.7	0.7
			25-49	0.1	0.2	0.5	0.6
			50-99	0.3	1.8	3.1	3.6
			≥100	1.1	1.2	1.9	2.4
		Conifer/ Hardwood	≤12	0.2	1.1	2.8	4.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.7	2.3	5.0	6.4
			50-99	2.5	4.0	3.8	4.0
			≥100	2.2	2.0	1.2	0.1
		Hardwood	≤12	2.1	0.6	0.0	0.0
			13-24	0.3	0.2	0.2	0.2
			25-49	14.7	9.7	4.3	2.7
			≥50	6.8	5.6	5.1	5.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #11

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #11 -- Upper West Fork Millicoma R, Elk Cr, Fish Cr, Kelly Cr, Panther Cr, Cougar Cr	Large; 12.77 miles	Brush	---	2.3	1.7	1.5	0.9
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.7	1.7	2.0
			25-49	1.4	1.7	2.1	2.8
			50-99	0.0	0.0	0.0	0.0
			≥100	22.5	31.4	45.4	52.3
		Conifer/ Hardwood	≤12	0.0	0.0	0.5	1.6
			13-24	1.4	2.8	6.1	7.0
			25-49	2.3	3.4	2.8	2.8
			50-99	0.0	0.0	0.0	0.0
			≥100	44.2	44.0	45.0	42.4
		Hardwood	≤12	0.0	0.0	0.1	0.3
			13-24	12.7	11.6	8.7	9.1
			25-49	57.1	46.1	31.0	20.0
			≥50	14.3	11.0	5.7	2.6
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 10.44 miles	Brush	---	4.8	3.4	1.6	0.7
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.4	4.6	10.3	12.0
			25-49	0.1	3.9	6.6	7.2
			50-99	1.2	3.5	4.1	3.6
			≥100	16.8	21.3	22.4	21.1
		Conifer/ Hardwood	≤12	0.0	1.2	6.2	9.0
			13-24	4.6	8.7	13.3	15.1
			25-49	3.8	9.6	11.8	10.7
			50-99	1.2	3.3	4.7	4.6
			≥100	21.7	24.6	23.3	21.5
		Hardwood	≤12	0.0	0.0	0.1	0.3
			13-24	10.8	8.8	6.1	4.0
			25-49	51.9	26.7	8.2	4.2
			≥50	11.6	5.6	2.3	1.4
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 7.88 miles	Brush	---	1.2	0.9	0.1	0.0
		Conifer	≤12	0.6	2.3	3.6	4.3
			13-24	1.3	5.0	7.1	7.3
			25-49	3.4	8.1	10.0	10.4
			50-99	7.3	6.6	6.4	6.5
			≥100	11.8	14.8	17.8	18.7
		Conifer/ Hardwood	≤12	0.6	0.8	1.3	2.3
			13-24	1.3	3.0	3.8	4.0
			25-49	4.1	5.2	6.1	6.3
			50-99	0.4	0.7	0.7	0.8
			≥100	11.8	15.0	16.4	14.9
		Hardwood	≤12	0.4	1.4	1.8	1.9
			13-24	14.3	5.9	2.0	1.0
			25-49	22.0	13.0	7.7	6.5
			≥50	5.4	2.8	0.2	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #12

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #12 -- Middle West Fork Millicoma R, Trout Cr, Beaver Cr, Shake Cr, Buck Cr, Joe's Cr, Otter Cr, Deer Cr, Knife Cr	Large; 14.45 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.1	0.5	0.5
			25-49	0.5	1.2	0.3	0.2
			50-99	0.0	0.0	0.0	0.0
			≥100	20.3	23.6	28.4	28.8
		Conifer/ Hardwood	≤12	0.0	0.1	1.1	1.5
			13-24	7.1	9.3	11.2	11.1
			25-49	3.3	4.0	4.8	4.9
			50-99	1.1	1.8	2.1	2.3
			≥100	53.4	58.4	62.3	60.8
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	9.5	9.4	6.9	8.3
			25-49	17.8	15.4	11.7	10.3
			≥50	50.0	50.9	41.2	36.1
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	16.0	0.6	0.0	0.0
	Medium; 8.97 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.2	0.7
			13-24	0.0	0.0	0.0	0.0
			25-49	0.7	4.4	6.4	6.6
			50-99	0.0	0.0	0.0	0.0
			≥100	2.5	2.8	3.0	3.3
		Conifer/ Hardwood	≤12	0.0	0.0	1.3	2.9
			13-24	2.2	7.1	13.1	14.4
			25-49	4.3	9.2	11.7	11.1
			50-99	0.7	2.6	3.7	3.8
			≥100	34.2	41.1	42.9	42.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	14.1	8.4	3.9	3.5
			25-49	24.6	15.4	8.5	5.1
			≥50	21.7	12.1	6.0	4.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 7.32 miles	Brush	---	1.9	0.9	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	9.9	13.1	13.9	11.7
			25-49	0.6	2.6	4.3	4.6
			50-99	0.0	0.0	0.0	0.0
			≥100	12.5	15.7	17.4	17.7
		Conifer/ Hardwood	≤12	0.0	0.3	3.2	5.4
			13-24	3.2	4.0	5.6	7.2
			25-49	5.2	7.3	8.1	8.4
			50-99	0.1	0.7	1.3	1.6
			≥100	17.3	17.7	15.8	14.8
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	8.6	6.1	4.2	3.0
			25-49	9.9	3.8	1.2	0.6
			≥50	13.4	10.1	6.7	10.1
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Basin #13

Basin	Stream Size Class, Length	Type	Age Class (yrs)	Distance from Stream Centerline (feet)			
				0-50 ft. (acres)	51-100 ft. (acres)	101-150 ft. (acres)	151-200 ft. (acres)
Basin #13. Lake Cr, Surprise Cr, Bickford Cr, Baker Cr, Salander Cr	Large; 0.09 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.0	0.0	0.0
			50-99	0.0	0.1	0.7	1.4
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.1	0.4	0.4
			≥50	1.2	2.1	2.5	2.7
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Medium; 2.22 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.0	0.1	1.5	2.2
			50-99	0.0	0.2	0.8	1.0
			≥100	0.1	2.7	6.1	6.7
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	3.6	3.7	3.4	3.0
			50-99	2.3	3.3	4.4	4.7
			≥100	0.0	0.5	2.3	3.5
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	6.2	5.3	3.9	3.2
			≥50	0.0	0.0	0.0	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0
	Small; 1.56 miles	Brush	---	0.0	0.0	0.0	0.0
		Conifer	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	11.6	13.1	13.6	13.6
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Conifer/ Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	0.0	0.0	0.0	0.0
			25-49	0.2	1.7	2.6	2.5
			50-99	0.0	0.0	0.0	0.0
			≥100	0.0	0.0	0.0	0.0
		Hardwood	≤12	0.0	0.0	0.0	0.0
			13-24	1.3	1.2	0.8	0.6
			25-49	5.2	2.1	1.1	1.0
			≥50	0.0	0.0	0.0	0.0
		Road	---	0.0	0.0	0.0	0.0
		Stream	---	0.0	0.0	0.0	0.0

Appendix B
Current and Modeled Future Large Wood Volume for Fish-bearing Streams

Note: This list includes current and modeled large wood volume for fish-bearing streams at various time intervals up to 300 years from the present. Named stream segments are labeled sequentially in a downstream direction (M1, M2, etc) and are summed by 1-mile increments, starting at the most upstream end of fish use (or the property line in some cases). The most downstream segment is usually less than 1-mile long, stopping at the Forest property line. Unnamed tributaries are labeled sequentially (T1, T2, etc) in order of most upstream to most downstream, and are less than 1-mile long, except for tributary #1 of Scholfield Creek.

Stream	Segment	Large Wood Volume in Stream Segment (cubic feet per 100 feet of stream)				
		0 years	50 years	100 years	200 years	300 years
Adams	M1	230	383	375	385	426
Alder	M1	150	149	140	168	185
Alder Fork	M1	143	242	241	276	368
Alder Fork	M2	79	153	145	142	167
Alder Fork	T1	120	158	144	149	189
Alder Gulch	M1	120	291	311	356	462
Barn Gulch	M1	120	273	281	327	443
Beaver	M1	153	244	261	324	356
Beaver	M2	89	281	294	336	456
Benson	M1	124	177	172	181	214
Benson	M2	89	254	257	273	322
Benson	M3	73	202	204	224	281
Benson	M4	211	198	178	190	248
Benson	T1	119	156	181	212	214
Benson	T2	119	274	372	484	510
Benson	T3	119	237	239	267	349
Benson	T4	119	223	222	255	334
Benson	T5	119	303	304	296	311
Bickford	M1	95	262	315	395	450
Bickford	M2	95	154	168	198	215
Bickford	T1	95	470	633	808	836
Bickford	T2	95	139	145	152	154
Big	M1	158	216	203	222	274
Big	M2	136	242	240	271	359
Big	M3	80	118	101	87	88
Big	M4	15	57	53	47	47
Big	M5	11	187	202	231	313
Big	T1	120	373	382	393	444
Big	T2	390	379	358	388	454
Big	T3	120	555	582	597	644
Big	T4	120	110	84	63	53
Big	T5	120	229	251	318	405
Big	T6	120	117	110	137	156
Big	T7	120	161	155	209	244
Buck	M1	115	510	550	610	730
Buck	T1	115	578	626	684	730
Cedar	M1	169	330	340	418	554

Stream	Segment	Large Wood Volume in Stream Segment (cubic feet per 100 feet of stream)				
		0 years	50 years	100 years	200 years	300 years
Charlotte	M1	658	692	677	707	749
Charlotte	M2	206	281	268	278	323
Charlotte	T1	206	307	299	346	383
Cougar	M1	157	389	419	465	505
Cougar	M2	157	258	289	348	399
Cougar	M3	157	258	303	368	396
Cougar	T1	157	697	776	828	881
Cougar	T2	157	652	756	826	872
Cougar	T3	157	195	210	260	293
Cougar	T4	157	582	678	761	800
Cougar	T5	157	456	502	571	612
Cougar	T6	157	175	202	249	301
Cougar	T7	157	628	688	767	819
Crane	M1	379	571	565	597	663
Daggett	M1	115	194	208	275	319
Dean	M1	79	212	220	257	314
Dean	M2	37	265	280	304	378
Dean	M3	13	78	84	89	100
Dean	T1	79	281	299	335	378
Dean	T2	79	312	337	379	440
Dean	T3	79	334	350	375	426
Dean	T4	79	230	242	275	341
Dean	T5	79	300	311	321	363
Dean	T6	79	154	152	173	196
Deer	M1	165	328	332	381	467
Deer	M2	134	213	212	253	307
Deer	M3	108	183	177	199	246
Deer	M4	108	221	221	247	327
Deer	T1	70	288	324	404	512
Deer	T2	259	357	357	428	580
Deer	T3	192	243	234	276	357
Eleven	M1	115	169	171	211	252
Elk	M1	98	270	284	307	347
Elk	M2	98	314	335	381	433
Elk	M3	98	290	300	330	428
Elk	M4	98	256	266	299	394
Elk	M5	79	181	180	194	224
Elk	M6	83	336	356	397	507
Elk	M7	91	210	204	202	224
Elk	M8	79	397	416	430	466
Elk	M9	79	409	429	437	469
Elk	T1	98	262	318	417	481
Elk	T2	98	298	366	453	525
Elk	T3	76	220	227	257	328
Elk	T4	76	253	288	404	480
Fish	M1	223	199	184	219	267
Fish	M2	223	307	306	340	399
Fish	M3	223	356	352	373	419
Fish	T1	223	366	390	428	458
Fish	T2	223	302	320	420	506

Stream	Segment	Large Wood Volume in Stream Segment (cubic feet per 100 feet of stream)				
		0 years	50 years	100 years	200 years	300 years
Footlog	M1	121	237	238	264	329
Footlog	M2	34	332	364	417	544
Glenn	M1	169	278	282	333	402
Glenn	M2	169	125	101	102	106
Hatchery	M1	230	126	89	79	75
Hatchery	T1	230	171	164	223	243
Hidden Valley	M1	338	369	348	395	493
Howell	M1	169	168	152	184	225
Howell	T1	169	190	186	241	276
Joe's	M1	54	302	348	413	486
Joe's	M2	29	308	351	426	560
Joe's	T2	60	272	295	370	490
Johanneson	M1	395	431	408	437	509
Johanneson	M2	142	282	285	298	338
Johanneson	T1	613	615	582	636	783
Johnson	M1	77	328	346	350	375
Johnson	M2	90	259	259	255	269
Johnson	M3	104	145	133	132	138
Johnson	M4	40	70	61	51	46
Johnson	M5	40	9	6	6	5
Johnson	T1	77	257	294	341	371
Johnson	T2	230	143	127	165	189
Kelly	M1	291	343	324	359	432
Kelly	M2	291	330	334	409	451
Knife	M1	123	230	243	300	382
Knife	M2	123	343	361	424	584
Knife	M3	123	335	344	371	456
Larson	M1	95	149	145	147	166
Larson	M2	87	182	190	211	256
Luder	M1	128	440	475	500	542
Luder	M2	310	418	401	430	500
Luder	T1	147	374	392	411	446
Luder	T2	383	295	257	306	390
Marlow	M1	224	161	141	145	170
Marlow	M2	204	154	131	122	123
Marlow	M3	108	194	207	226	251
Marlow	M4	108	213	228	237	248
Marlow	T1	224	193	175	170	167
Marlow	T2	224	228	229	253	291
Marlow	T3	108	212	225	250	300
Mill	M1	31	152	172	211	270
Mill	M2	31	83	83	88	90
Mill	M3	31	190	209	232	293
Mill	M4	31	261	291	332	429
Mill	M5	31	149	168	196	262
Mill	M6	31	167	190	243	320
Mill	M7	31	191	208	232	299
Mill	M8	31	222	247	282	357
Mill	M9	31	102	120	152	229
Miller	M1	8	145	166	190	193

Stream	Segment	Large Wood Volume in Stream Segment (cubic feet per 100 feet of stream)				
		0 years	50 years	100 years	200 years	300 years
Murphy	M1	73	238	248	277	355
Murphy	M2	75	128	126	130	148
Murphy	T1	64	244	256	272	303
Murphy	T2	64	136	137	145	173
Noble	M1	501	362	311	334	424
Otter	M1	105	210	211	249	311
Palouse	M1	390	325	301	335	394
Palouse	M2	390	290	247	254	289
Palouse	M3	374	291	268	279	308
Palouse	M4	476	283	249	270	310
Palouse	M5	423	151	101	105	107
Palouse	T1	392	381	350	366	433
Panther	M1	213	338	358	425	538
Panther	M2	184	278	274	319	417
Panther	M3	137	316	351	428	526
Panther	T1	213	402	416	494	692
Panther	T2	213	350	358	452	594
Piledriver	M1	224	201	205	243	276
Roberts	M1	327	262	233	256	280
Roberts	M2	210	298	292	318	370
Roberts	M3	115	217	210	214	254
Roberts	T1	230	363	333	350	425
Roberts	T2	230	169	141	188	218
Roberts	T3	367	319	303	297	312
Roberts	T4	230	150	120	114	135
S Frk Johnson	M1	217	204	194	215	234
S Frk Johnson	M2	164	167	157	162	191
S Frk Johnson	T1	737	575	506	517	566
S Frk Johnson	T2	230	264	270	285	302
S Frk Johnson	T3	230	161	129	118	144
Salander	M1	95	245	251	262	303
Salander	M2	95	106	84	64	61
Salmon Gulch	M1	120	89	66	50	37
Scholfield	M1	280	316	305	359	499
Scholfield	M2	280	297	280	317	400
Scholfield	M3	165	234	227	255	315
Scholfield	M4	66	137	131	143	147
Scholfield	T1.1	280	335	323	376	504
Scholfield	T1.2	280	326	315	348	420
Schumacher	M1	115	302	311	341	420
Schumacher	M2	115	464	493	550	688
Shake	M1	115	213	208	225	293
Skunk	M1	379	294	257	281	378
Sullivan	M1	111	274	308	361	421
Totten	M1	115	169	171	191	220
Totten	M2	115	241	254	272	293
Totten	T1	115	188	193	211	228
Trout	M1	99	214	243	299	352
Trout	M2	74	216	248	297	336
Trout	T1	103	216	236	308	371

Stream	Segment	Large Wood Volume in Stream Segment (cubic feet per 100 feet of stream)				
		0 years	50 years	100 years	200 years	300 years
W Frk Glenn	M1	169	215	222	287	346
W Frk Millicoma	M1	167	288	292	315	345
W Frk Millicoma	M2	167	335	349	397	504
W Frk Millicoma	M3	68	216	220	222	248
W Frk Millicoma	M4	50	380	416	481	640
W Frk Millicoma	M5	50	369	392	418	476
W Frk Millicoma	M6	28	526	568	599	678
W Frk Millicoma	M7	22	300	331	390	522
W Frk Millicoma	M8	22	292	319	369	432
W Frk Millicoma	M9	22	371	398	423	494
W Frk Millicoma	M10	22	285	310	344	410
W Frk Millicoma	M11	22	179	185	198	251
W Frk Millicoma	M12	22	472	515	564	686
W Frk Millicoma	M13	22	399	435	478	588
W Frk Millicoma	M14	22	185	202	228	269
W Frk Millicoma	M15	22	89	97	107	140
W Frk Millicoma	M16	22	187	208	239	311
W Frk Millicoma	M17	31	238	263	288	351
W Frk Millicoma	M18	31	353	393	433	519
W Frk Millicoma	M19	31	235	271	305	364
W Frk Millicoma	M20	31	168	190	220	279
W Frk Millicoma	M21	31	263	290	325	405
W Frk Millicoma	M22	31	155	176	212	278
W Frk Millicoma	M23	31	203	237	293	390
W Frk Millicoma	M24	31	278	329	382	464
W Frk Millicoma	M25	31	396	440	477	549
W Frk Millicoma	M26	31	164	179	213	280
W Frk Millicoma	T1	167	214	248	294	297
W Frk Millicoma	T2	115	381	418	445	483
W Frk Millicoma	T3	115	338	350	434	586
W Frk Millicoma	T4	115	195	204	232	294
W Frk Millicoma	T5	115	343	362	387	427
W Frk Millicoma	T6	115	524	614	731	798
W Frk Millicoma	T7	115	526	646	809	855
W Frk Millicoma	T8	115	263	305	396	461
W Frk Millicoma	T9	115	316	345	418	540
W Frk Millicoma	T10	157	747	793	815	870
W Frk Millicoma	T11	125	312	320	352	448
W Frk Millicoma	T12	115	160	152	153	166
W Frk Millicoma	T13	115	219	229	265	353
W Frk Millicoma	T14	115	292	358	460	510
W Frk Millicoma	T15	115	386	414	494	692
W Frk Millicoma	T16	115	165	172	211	244
W Frk Millicoma	T17	115	243	246	275	369
Wilkins	M1	150	240	226	217	222
Y	M1	224	168	147	150	156
Y	T1	224	213	248	350	371

Appendix C
Aquatic Habitat Restoration Projects, 1995-2002
(Map Numbers refer to Map 8.4)

Coos Region

Map No.	Watershed Region	Stream Name	Project No.	Year	Project Description
1	Coos	Palouse Cr.	431	1996	Instream habitat enhancement: off-channel ponds (3 ponds each 350 cu yds), riparian tree planting, riparian fencing
2	Coos	Palouse Cr.	1012	1997	Instream large wood placement, rootwad placement
3	Coos	Cougar Cr.	1013	1997	Instream large wood placement
4	Coos	Fish Cr.	1014	1997	Instream large wood placement
5	Coos	Y Cr.	1027	1997	Instream habitat enhancement: repair of existing rock weirs
6	Coos	Marlow Cr., U tribs of	1028	1997	Fish passage improvements: 1 culvert w/ rock weirs installed below outlet
7	Tenmile Lakes	Big Cr.	1229	1996	Off-channel habitat; riparian tree planting, riparian fencing
8	Tenmile Lakes	Big Cr.	1230	1996	Hardwood conversion; upland erosion control; road survey
9	Coos	Deer Cr.	980026	1998	Instream large wood placement; road survey, road vacated, peak flow passage improvements
10	Coos	Knife Cr.	980027	1998	Instream large wood placement; road survey
11	Coos	Fish Cr.	980028	1998	Instream large wood placement
12	Coos	Cougar Cr.	980029	1998	Instream large wood placement, fish passage improve: 1 culvert replaced
13	Coos	Elk Cr.	980030	1998	Instream large wood placement
14	Coos	Elk Cr.	980031	1998	Road closure; fish passage improvements: 2 culverts removed
15	Coos	Kelly Cr.	980032	1998	Instream large wood placement
16	Coos	Panther Cr.	980033	1998	Instream large wood placement
17	Coos	West Fork Millicoma R.	980034	1998	Instream large wood placement
18	Coos	Marlow Cr.	980035	1998	Fish passage improvements: reconnected historic creek oxbow w/2 new culverts adding 600 feet of stream habitat
19	Coos	Palouse Cr., trib of	980037	1998	Instream habitat enhancement: rootwad placement
20	Coos	Palouse Cr., trib of	980038	1998	Fish passage improvements: 1 culvert replaced
21	Coos	Fish Cr., trib of	980106	1997	Voluntary riparian tree retention
22	Coos	Old Mill Cr., trib of	980107	1997	Voluntary riparian tree retention
23	Coos	Knife Cr., tribs of	980108	1997	Voluntary riparian tree retention
24	Coos	Knife Cr., tribs of	980109	1997	Voluntary riparian tree retention

Map No.	Watershed Region	Stream Name	Project No.	Year	Project Description
25	Coos	Deer Cr., trib of	980110	1997	Voluntary riparian tree retention
26	Coos	Deer Cr., trib of	980111	1997	Voluntary riparian tree retention
27	Coos	Panther Cr., trib of	980112	1997	Voluntary riparian tree retention
28	Coos	West Fork Millicoma R., headwater channel of	980113	1996	Voluntary riparian tree retention
29	Coos	Elk Cr., trib of	980114	1996	Voluntary riparian tree retention
30	Coos	Trout Cr., trib of	980115	1996	Voluntary riparian tree retention
31	Coos	Beaver Cr., tribs A & B of	980116	1996	Voluntary riparian tree retention
32	Coos	Cedar Cr.	980117	1996	Voluntary riparian tree retention
33	Tenmile Lakes	Benson Cr., trib of	980118	1996	Voluntary riparian tree retention
34	Tenmile Lakes	Benson Cr., trib of	980119	1995	Voluntary riparian tree retention
35	Tenmile Lakes	Benson Cr., tribs A & B of	980120	1996	Voluntary riparian tree retention
36	Coos	Old Mill Pond Cr	980217	1997	Fish passage improvements: 1 culvert replaced
37	Coos	West Fork Millicoma R, trib of	980220	1997	Peak flow passage improvements
38	Coos	Marlow Cr.	990030	1999	Instream habitat enhancement: weirs
39	Coos	Kelly Cr.	990032	1999	Instream large wood placement
40	Coos	West Fork Millicoma R.	990033	1999	Instream habitat enhancement: anchored structures, deflectors, 'V' structure, boulder placement
41	Coos	Deer Cr.	990034	1999	Instream habitat enhancement: anchored structures, deflectors, boulder placement
42	Coos	Elk Cr.	990035	1999	Instream habitat enhancement: boulder placement
43	Coos	Y Cr.	990036	1999	Fish passage improve: culvert replaced and weir installed below outlet
44	Coos	Crane Cr.	990037	1999	Fish passage improve: culvert replaced and weir installed below outlet
45	Coos	Elk Cr., trib of	990038	1999	Fish passage improve: culvert replaced and weir installed below outlet
46	Coos	Cougar Cr., trib of	990039	1999	Fish passage improve: culvert replaced and weir installed below outlet
47	Coos	Cougar Cr.	990040	1999	Instream large wood placement, natural boulder placement, boulder deflector
48	Coos	West Fork Millicoma R	990041	1999	Instream large wood placement, weirs, deflectors
49	Coos	West Fork Millicoma R, trib of	990051	1998	Voluntary Riparian tree retention
50	Coos	Park Cr.	990053	1998	Voluntary Riparian tree retention; surface drainage improvements
51	Coos	Park Cr.	990054	1999	Voluntary Riparian tree retention; surface drainage improvements
52	Coos	Trout Cr.	990055	1998	Voluntary Riparian tree retention; surface drainage improvements
53	Coos	Buck Cr.	990056	1998	Voluntary Riparian tree retention; surface drainage improvements, road closed, road relocated

Map No.	Watershed Region	Stream Name	Project No.	Year	Project Description
54	Coos	West Fork Millicoma R, trib of	990057	1999	Voluntary Riparian tree retention; surface drainage improvements
55	Coos	Kelly Cr.	990058	1999	Voluntary Riparian tree retention; surface drainage improve, road closed
56	Coos	Howell Cr. and W Fk Glenn Cr.	990059	1999	Voluntary Riparian tree retention
57	Coos	Skunk Cr. and Elk Cr.	990061	1999	Voluntary Riparian tree retention
58	Umpqua	Miller Cr.	990162	1999	Instream large wood placement
59	Coos	East Cougar Cr./Cougar Cr.	990486	1998	Voluntary Riparian tree retention
60	Coos	Marlow Cr/Y Cr.	990487	1999	Voluntary Riparian tree retention
61	Coos	West Cougar Cr.	990488	1998	Voluntary Riparian tree retention
62	Coos	Cedar Cr.	990489	1998	Voluntary Riparian tree retention
63	Coos	Kelly Cr.	990490	1999	Voluntary Riparian tree retention; surface drainage improvements
64	Coos	Daggett Cr., trib of	990491	1999	Voluntary Riparian tree retention
65	Coos	West Fork Millicoma R, trib of	990492	1999	Voluntary Riparian tree retention
66	Coos	West Fork Millicoma R, trib of	990493	1999	Voluntary Riparian tree retention
67	Umpqua	Cold Cr.	990630	1999	Voluntary Riparian tree retention
68	Coos	Beaver Cr.	991052	2000	Voluntary Riparian tree retention
69	Tenmile Lakes	House Gulch Cr.	20000001	2000	Fish passage improvements: 1 culvert replaced with bridge
70	Tenmile Lakes	Johnson Cr.	20000005	2000	Road vacated
71	Tenmile Lakes	Johnson Cr.	20000006	2000	Riparian tree planting
72	Coos	Elk Cr.	20000009	2000	Fish passage improvements: 1 culvert replaced with weir/baffle culvert, 1 culvert with weirs installed below outlet
73	Coos	Skunk Cr.	20000010	2000	Fish passage improvements: 1 culvert replaced with weir/baffle culvert, 1 culvert with weirs installed below outlet
74	Coos	Elk Cr., trib of	20000011	2000	Fish passage improvements: 1 culvert replaced with weir/baffle culvert, 1 culvert with weirs installed below outlet
75	Coos	Elk Cr.	20000012	2000	Fish passage improvements: 1 diversion modified
76	Coos	Deer Cr.	20000025	2000	Instream large wood placement; Voluntary Riparian tree retention; surface drainage improvements
77	Coos	Otter Cr.	20000026	2000	Instream large wood placement; Voluntary Riparian tree retention; surface drainage improvements
78	Coos	Cougar Cr., trib of	20000027	1999	Voluntary riparian tree retention
79	Umpqua	Salander Cr.	20000028	1999	Voluntary riparian tree retention
80	Coos	Shake Cr.	20000029	2000	Voluntary riparian tree retention; surface drainage improvements
81	Coos	Shake Cr., trib of	20000030	2000	Voluntary riparian tree retention; surface drainage improvements
82	Coos	Knife Cr.	20000031	2000	Voluntary riparian tree retention; road closure

Map No.	Watershed Region	Stream Name	Project No.	Year	Project Description
83	Coos	Panther Cr.	20000032	2000	Voluntary riparian tree retention
84	Coos	West Fork Millicoma R, trib of	20000033	2000	Voluntary riparian tree retention; surface drainage improvements
85	Coos	Beaver Cr.	20000034	2000	Voluntary riparian tree retention; surface drainage improvements
86	Coos	West Fork Millicoma R.	20000035	1999	Voluntary riparian tree retention
87	Coos	Panther Cr.	20000036	1999	Voluntary riparian tree retention
88	Coos	West Fork Millicoma R., trib of	20000037	2000	Voluntary riparian tree retention
89	Coos	West Fork Millicoma R., trib of	20000038	2000	Voluntary riparian tree retention
90	Umpqua	Bickford and Baker Cr.	20000039	2000	Voluntary riparian tree retention
91	Coos	Deer Cr., trib of	20000040	2000	Voluntary riparian tree retention
92	Coos	Joes Cr. and trib	20000041	2000	Instream large wood placement; Voluntary Riparian tree retention; surface drainage improvements, road closure
93	Umpqua	Charlotte Cr.	20000105	2000	Instream large wood placement
94	Coos	Fish Cr., trib of	20011075	2001	Fish passage improvements: 1 culvert replaced
95	Coos	Hidden Cr.	20011076	2001	Fish passage improvements: 1 culvert replaced
96	Coos	Hidden Cr.	20011077	2001	Instream large wood placement
97	Coos	Fish Cr.	20011078	2001	Instream large wood placement
98	Coos	Knife Cr.	20020046	2002	Instream large wood placement
99	Coos	Palouse Cr., tribs of	20020047	2002	Fish passage improvements: 2 culverts removed and not replaced
100	Tenmile Lakes	Johnson Cr.	20020435	2001	Riparian tree planting
101	Tenmile Lakes	Big Cr.	20020448	2001	Fiparian tree planting
102	Coos	Elk Cr.	20020568	2001	Fish passage improvements: 1 fish ladder improved
103	Coos				Weir and boulder placements
104	Coos				Weir and boulder placements
105	Coos				Large woody debris placement
106	Coos				Large woody debris placement
107	Coos				Large woody debris placement
108	Coos				Large woody debris placement
109	Coos				Large woody debris placement
110	Coos				Road decommission

Data from the Oregon Watershed Enhancement Board's Watershed Restoration Database and the Coos Watershed Association.

Appendix D
Aquatic Habitat Inventory Summaries

Coos Region

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Beaver Creek	1	M	Yes	2001	S	0.94	19	6.4	10.9
Beaver Creek	2	M	Yes	2001	S	0.59	11	5.6	12.1
Beaver Creek	3	S	No	2001	S	0.62	8	8.9	8.9
Cougar Creek	1	M/S	Yes	1996	W	2.38	25	2.7	2.7
Crane Creek	1	M/S	Yes	1994	S	1.05	14	4.2	
Deer Creek	1	L	Yes	1997	W	2.09	39	1.2	2.3
Deer Creek	2	M	Yes	1997	W	1.13	23	2	0.8
Deer Creek	3	S	Yes	1997	W	0.49	13	6.3	0.0
Deer Creek Trib. 1	1	S	Yes	2001	W	1.03	12	3.5	2.9
Deer Creek Trib. 2	1	M	Yes	2001	W	0.54	17	3.2	25.1
Deer Creek Trib. 2	2	S	No	2001	W	0.36	12	5	0.0
Elk Creek	1	L	Yes	1997	W	1.70	46	1.6	1.1
Elk Creek	2	L	Yes	1997	W	1.16	44	1.8	2.6
Elk Creek	3	L	Yes	1997	W	1.34	35	1.2	1.4
Elk Creek	4	L/M	Yes	1997	W	4.52	31	1.7	1.4
Fish Creek	1	L/M	Yes	1994	S	2.80	16	3.7	
Hidden Valley Creek	1	M/S	Yes	1994	S	1.21	13	6.9	
Joes Creek	1	M	Yes	2002	S	0.36	12	1.2	0
Joes Creek	2	M	Yes	2002	S	0.33	16	4.9	5.8
Joes Creek	3	M/S	Yes	2002	S	0.31	10	2.1	0
Joes Creek	4	S	Yes	2002	S	0.30	11	3	3.1
Joes Creek	5	S	Yes	2002	S	0.49	7	8.1	0
Kelly Creek	1	M/S	Yes	1994	S	1.35	12	6.4	

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Knife Creek	1	L/M	Yes	1997	W	2.22	27	3.1	0.6
Larson Creek	1	M	Yes	2001	S	0.73	18	2.8	6.3
Larson Creek	2	M/S	No	2001	S	1.40	13	8.7	4.5
Marlow Creek	1	L	Yes	2001	S	1.51	29	2.3	15.0
Marlow Creek	2	L/M	Yes	2001	S	0.59	22	1.1	11.1
Marlow Creek	3	M	Yes	2001	S	1.30	20	2.9	18.5
Otter Creek	1	M	Yes	2002	S	0.5	15	2.8	0
Otter Creek	2	S	Yes	2002	S	0.25	9	3.7	3.5
Otter Creek	3	S	Yes	2002	S	0.25	6	5.3	0
Otter Creek	4	S	Yes	2002	S	0.19	5	9.3	0
Palouse	4	L	Yes	1994	S	0.90	25	0.5	
Palouse	5	L	Yes	1994	S	0.60	23	1.7	
Palouse	6	L/M	Yes	1994	S	2.63	23	2.4	
Palouse Trib. A	1	M/S	Yes	1994	S	0.36	11	6.2	
Palouse Trib. A	2	S	No	1994	S	0.65	12	11.6	
Palouse Trib. B	1	S	No	1994	S	0.64	11	6.7	
Palouse Trib. C	1	S	No	1994	S	0.25	8	8.5	
Palouse Trib. D	1	S	No	1994	S	0.18	8	9.6	
Palouse Trib. E	1	S	No	1994	S	0.47	10	10.6	
Palouse Trib.F	1	M/S	Yes	1994	S	1.22	20	6.6	
Panther	1	L	Yes	2002	S	0.85	21	1.8	15.5
Panther	2	M/S	Yes	2002	S	1.48	15	3.9	4.4
Panther Creek #2	1	L	Yes	2001	W	0.81	25	2	11.4
Panther Creek #2	2	M/S	Yes	2001	W	1.46	13	4.5	5.6
Panther Creek Trib.	1	M/S	Yes	2001	W	1.03	18	7.7	10.1
Sullivan Creek	1	M	Yes	2002	S	0.14	10	6.8	0
Sullivan Creek	2	M/S	Yes	2002	S	0.43	12	3.7	0
Sullivan Creek	3	S	Yes	2002	S	0.52	7	3.5	9.3

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Trout Creek	1	M	Yes	2001	S	0.33	16	6.2	2.9
Trout Creek	2	M	Yes	2001	S	1.10	18	3.5	2.9
Trout Creek	3	M/S	No	2001	S	0.68	10	18.1	5.2
W. Fork Millicoma	2	River	Yes	1997	W	8.03	98	1.4	0.2
W. Fork Millicoma	3	River	Yes	1997	W	9.98	74	0.5	0.0
W. Fork Millicoma	4	L	Yes	1997	W	2.69	43	1.3	0.3
W. Fork Millicoma	5	L/M	Yes	1997	W	1.67	19	3.1	1.8
W. Fork Millicoma	6	S	No	1993	S	0.25	10	13.6	

Umpqua Region

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Charlotte	1	L	Yes	1993	S	1.35	57	2.3	
Charlotte	2	L/M	Yes	1993	S	0.51	26	3.5	
Charlotte	3	M/S	No	1993	S	0.21	30	13.7	
Charlotte	4	S	No	1993	S	0.15	8	13.6	
Dean Creek	5	L	Yes	1994	S	1.01	50	0.5	
Dean Creek	6	L	Yes	1994	S	0.95	37	0.6	
Dean Creek	7	L/M	Yes	1994	S	1.71	27		
Footlog Creek	1	L	Yes	2001	S	1.09	15	3.8	7.1
Footlog Creek	2	M	Yes	2001	S	1.55	11	7.1	0.0
Footlog Creek	3	S	No	2001	S	0.41	7	14.9	0.0
Johanneson Creek	1	M	Yes	2002	S	1.01	18	3.6	0.0
Johanneson Creek	2	M	Yes	2002	S	0.20	22	4.6	0.0
Johanneson Creek	3	M	Yes	2002	S	0.18	29	4.8	0.0
Johanneson Creek	4	S	Yes	2002	S	0.40	17	10.9	2.4
Johanneson Creek	5	S	No	2002	S	0.37	10	10.1	0.0
Luder Creek	1	L	Yes	2002	S	0.53	28	0.8	8.5

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Luder Creek	2	L	Yes	2002	S	0.42	29	4.2	0.0
Luder Creek	3	L/M	Yes	2002	S	0.69	24	3.6	0.0
Luder Creek	4	M/S	Yes	2002	S	0.65	11	10.7	0.0
Luder Creek	5	S	No	2002	S	0.20	9	16.2	0.0
Luder Creek	6	S	No	2002	S	0.19	3	32.6	0.0
Miller Creek	1	M	Yes	1994	S	1.14	21	4.3	
Scholfield Creek	5	L	Yes	1997	W	0.91	38	1.3	2.1
Scholfield Creek	6	L	Yes	1997	W	1.44	42	3.9	2.1

Tenmile Region

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Alder Fork Big Creek	1	M	Yes	2002	S	0.52	18	3.1	3.5
Alder Fork Big Creek	2	M	Yes	2002	S	1.00	16	8.4	1.0
Alder Fork Big Creek	3	S	Yes	2002	S	0.23	13	7.7	0.0
Benson Creek	1	L	Yes	2001	S	0.68	36	0.6	21.4
Benson Creek	2	L/M	Yes	2001	S	1.55	24	2.1	6.9
Benson Creek	3	M	Yes	2001	S	0.76	25	3.4	9.0
Benson Creek Trib.	1	M/S	Yes	2001	S	0.94	10	9.7	2.9
Big Creek	1	L	Yes	2002	S	1.30	28	0.3	5.0
Big Creek	2	L	Yes	2002	S	0.51	30	0.4	20.8
Big Creek	3	L	Yes	2002	S	0.96	27	4	9.7
Big Creek	4	L	Yes	2002	S	0.82	25	4.9	9.7
Big Creek	5	L	Yes	2002	S	0.29	19	4.2	0

Name	Reach	Stream Size	Major Reach Fish Bearing	Year of Survey	Season of Survey	Total Length (mi.)	ACW	Avg. Gradient	Complex Pools (#/mi.)
Big Creek	6	M	Yes	2002	S	0.27	11	7.3	3.4
Big Creek	7	M/S	No	2001	W	0.75	11	9.4	3.2
Big Creek	8	S	No	2001	W	0.16	8	22.4	0.0
Big Creek Trib.	1	M/S	Yes	2002	S	1.75	13	9.1	1.1
Johnson Creek	3	L	Yes	1997	W	0.62	46	1	0.0
Johnson Creek	4	L	Yes	1997	W	0.90	40	1.5	1.1
Johnson Creek	5	L/M	Yes	1997	W	1.36	40	4.2	0.6
Johnson Trib. 1	1	L	Yes	1993	S	0.32	49	0.7	
Johnson Trib. 1	2	M	Yes	1993	S	0.93	47	1.6	
Johnson Trib. 1	3	M/S	Yes	1993	S	0.44	10	7.6	
Johnson Trib. 2	1	M/S	Yes	1993	S	0.81	32	8.1	
Johnson Trib. 2	2	S	No	1993	S	0.29	39	24.8	
Johnson Trib. 3	1	S	No	1993	S	0.74	21	14.4	
Murphy Creek	1	M	Yes	2001	S	0.96	14.4	2.7	12.6
Murphy Creek	2	M	Yes	2001	S	0.54	9	11.8	3.1
Noble Creek #2	1	M	Yes	2001	S	0.59	16	1.4	13.0
Noble Creek #2	2	M/S	No	2001	S	0.92	14	7	9.3
Roberts Creek	1	L	Yes	2001	S	1.26	29	1.9	13.7
Roberts Creek	2	L/M	Yes	2001	S	1.37	22	4.3	6.3
Roberts Creek	3	M	Yes	2001	S	0.16	13	4.7	21.1