

Fish

See the key on page E-10 for explanations of the codes used in the matrix.

SPECIES	STATUS	COMMENTS	HABITAT FEATURES
Pacific lamprey <i>Lampetra tridentata</i>	SSV	Most streams with ocean access; anadromous.	Builds redds in river rock and gravel; juveniles remain in freshwater up to 6 years.
Brook lamprey <i>Lampetra richardsoni</i>		Widely distributed in coastal streams and western Oregon. Status unknown; freshwater only.	Builds redds in gravel, head of riffles, smaller streams and rivers.
River lamprey <i>Lampetra ayresi</i>	FOC	Columbia River and coastal streams; little known species; anadromous.	
Coast Range sculpin <i>Cottus aleuticus</i>		Coast Range, primarily on west side.	
Mottled sculpin <i>Cottis bairdi</i>		Lower elevations, Santiam and Cascades only.	Rock and gravel for nesting; male guards nest.
Torrent sculpin <i>Cottus rhotheus</i>		Western Oregon, lower elevations to the coast.	
Reticulated sculpin <i>Cottus perplexus</i>		Most common sculpin species; western Oregon, Willamette Valley and Coast Range.	
Riffle sculpin <i>Cottus gulosus</i>		Coast Range from Coquille River north; uncommon in Willamette Valley.	
Prickly sculpin <i>Cottus asper</i>		Willamette Valley to coast, and estuaries.	
Paiute sculpin <i>Cottus beldingi</i>		Lower elevations Cascades, Willamette Valley and east slope Coast Range.	
Coho salmon <i>Oncorhynchus kisutch</i>	SSC SE FC FT	State sensitive species, critical status, statewide. State endangered, L. Columbia ESU Federal candidate, L. Columbia/SW WA ESU Federal threatened species, OR Coast ESU.	
Steelhead <i>Oncorhynchus mykiss</i>	FT SSC	Federal threatened species, lower Columbia and upper Willamette River; candidate Oregon coast. State sensitive species, critical status.	

SPECIES	STATUS	COMMENTS	HABITAT FEATURES
Chinook salmon <i>Oncorhynchus tshawytscha</i>	FT SSC SSV	Federal threatened, lower Columbia River, upper Willamette River ESUs State sensitive species, critical status, lower Columbia River fall run stocks. State sensitive species, vulnerable status, Oregon coast	
Cutthroat trout <i>Oncorhynchus clarki spp.</i>	PT, SSC FC, SSV	Federal proposed threatened, State sensitive species, critical status, lower Columbia River anadromous runs. Federal candidate species, State sensitive species, vulnerable status, coast-wide below natural impassable barriers.	
Chum salmon <i>Oncorhynchus keta</i>	FT SSC	Federal threatened, Columbia River. State sensitive species, critical status, coast-wide and Columbia River tributaries.	
Rainbow trout <i>Oncorhynchus mykiss irideus (resident form)</i>		Statewide; provisional populations isolated above natural barriers to anadromous fish.	
Brook trout <i>Salvelinus fontinalis</i>		Non-native; planted in mountain lakes in Cascades.	
Tui chub <i>Gila bicolor</i>		Southwest Oregon basins; may be present in parts of northwest Oregon.	
Oregon chub <i>Oregonichthys crameri</i>	FE SSC	Willamette and Santiam basins, potentially adjacent to Santiam State Forest.	
Umpqua chub <i>Oregonichthys kalawatseti</i>	SSV	State sensitive species, vulnerable status, Umpqua Basin	
Northern squawfish <i>Ptychocheilus oregonensis</i>		Columbia River drainage.	
Speckled dace <i>Rhinichthys osculus</i>		Several races in Columbia River drainage and central Coast Range rivers.	
Longnose dace <i>Rhinichthys cataractae</i>		Columbia River system and some coastal rivers.	
Leopard dace <i>Rhinichthys falcatus</i>		Columbia River system, including Willamette basin.	
Redside-shiner <i>Richardsonius balteatus</i>		Columbia River system, central and south Coast Range.	

SPECIES	STATUS	COMMENTS	HABITAT FEATURES
Peamouth <i>Mylocheilus caurinus</i>		Columbia River system.	
Largescale sucker <i>Catostomus machrocheilus</i>		Columbia River, Coast Range north of Tillamook Bay, Siuslaw River south to Sixes River.	
Three-spine stickleback <i>Gasterosteus aculeatus</i>		Lowland drainages throughout western Oregon.	