



Oregon

Theodore R. Kulongoski, Governor

Department of Transportation
Technical Services
Roadway Engineering Section
355 Capitol Street NE, Room 222
Salem, OR 97301-3871
Telephone 503-986-3714
FAX 503-986-3749

DATE: March 16, 2009

Addenda No. 1

TO: PLAN HOLDERS

PREPARED BY: Christyln A. Davis

APPROVED BY: Brian L. Banta P.E.

SUBJECT: I-5: Striping MP 18 - 168
Pacific Highway
Jackson, Josephine and Douglas Counties
Pavement Markings Project
(Bids to be opened and read March 26, 2009)

The following changes are made to the Project Bid Booklet:

1. The following changes are made to the Project Bid Items:

a. Quantity changes:

<u>Number</u>	<u>Item</u>	<u>Quantity</u>	
		<u>Original</u>	<u>New</u>
0120	PAVEMENT MARKING TAPE, WET WEATHER PATTERN, GROOVED	629,000.00	821,650.00

Make a copy of and use the new attached Bid Sheets. A Bid **not** including these new Bid Sheets **will be rejected as non-responsive**.

I-5: Striping MP 18 – 168
Pacific Highway
Jackson, Josephine and Douglas Counties
Pavement Markings Project
(Bids to be opened and read March 26, 2009)

Addenda No. 1

The following changes are made to the Project Special Provisions:

1. Subsection 00220.40(e)(1) Lane Restrictions - The following bullet is added after the bullet that begins "Between 7:00 a.m. and 7:00 p.m....":
 - Between 7:00 a.m. and 6:00 p.m. Monday through Thursday from MP 50.2 – 58.1 in both directions
2. Subsection 00220.40(e)(1) Lane Restrictions - The following bullet is added after the bullet that begins "Between 7:00 a.m. and 3:00 p.m. Friday from MP 18.5 – 27.2...":
 - Between 7:00 a.m. and 3:00 p.m. Friday from MP 50.2 – 58.1 in both directions
3. Subsection 00225.02 General Requirements - The following paragraph is added after the paragraph that begins "Provide two copies...":

Install a Type "W8" "PUTTING OREGON BACK TO WORK" (CG20-8S-48) sign with a "KEEPING OREGON ON THE MOVE" rider on the Pacific Highway, at each end of the Project as directed by the Engineer, facing incoming traffic.

The following change is made to the Project Plans:

1. Plan sheets 1 and 2 are replaced with revised plan sheets 1 and 2.

These changes will be included in the Contract for this Project. It is understood that your Bid will be submitted accordingly.

Make copies of the new Bid Sheets to replace the Special Provisions Bid Schedule Sheets.

_____:

Attachments: New Bid Sheets
Revised Plan Sheets

BID SCHEDULE

CONTRACT ID: 14001
PROJECT KEY: 16362

PROJECT: I-5: STRIPING, MP 18 - 168
ADDENDUM NUMBER: 1

ITEM NO	ITEM DESCRIPTION	QUANTITY AND UNITS	UNIT PRICE (IN FIGURES)	BID AMOUNT (IN FIGURES)
---------	------------------	--------------------	----------------------------	----------------------------

SECTION 0001 TEMPORARY FEATURES AND APPURTENANCES

0010	0210-0100000A MOBILIZATION	LS	ALL	
0020	0225-0100000A TEMPORARY PROTECTION AND DIRECTION OF TRAFFIC	LS	ALL	
0030	0225-0102000J TEMPORARY SIGNS	SQFT	821.00	
0040	0225-0105000E TEMPORARY BARRICADES, TYPE III	EACH	10.00	
0050	0225-0138000E TEMPORARY IMPACT ATTENUATOR, TRUCK MOUNTED	EACH	2.00	
0060	0225-0141400E REPAIR TEMPORARY IMPACT ATTENUATOR, TRUCK MOUNTED	EACH	1.00	
0070	0225-0145000E TEMPORARY PLASTIC DRUMS	EACH	120.00	
0080	0225-0162000E SEQUENTIAL ARROW SIGNS	EACH	2.00	
0090	0225-0164000E PORTABLE CHANGEABLE MESSAGE SIGNS	EACH	3.00	
0100	0280-0100000A EROSION CONTROL	LS	ALL	
0110	0290-0100000A POLLUTION CONTROL PLAN	LS	ALL	

SECTION 0002 PERMANENT TRAFFIC SAFETY AND GUIDANCE DEVICES

BID SCHEDULE

CONTRACT ID: 14001
 PROJECT KEY: 16362


PROJECT: I-5: STRIPING, MP 18 - 168
 ADDENDUM NUMBER: 1

ITEM NO	ITEM DESCRIPTION	QUANTITY AND UNITS	UNIT PRICE (IN FIGURES)	BID AMOUNT (IN FIGURES)
0120	0865-0123000F PAVEMENT MARKING TAPE, WET WEATHER PATTERN, GROOVED	821,650.00 FOOT		
	TOTAL BID			


INDEX OF SHEETS	
SHEET NO.	DESCRIPTION
1	Title Sheet
1A	Index Of Sheets Cont'd. & Std. Dwg. Nos.

STATE OF OREGON
DEPARTMENT OF TRANSPORTATION
 PLANS FOR PROPOSED PROJECT
PAVEMENT MARKINGS
I-5: STRIPING MP 18 - 168
 PACIFIC HIGHWAY
 JACKSON, JOSEPHINE AND DOUGLAS COUNTIES
 MARCH 2009

42V-69



Overall Length Of Project - 149.60 Miles



These plans were developed using ODOT design standards. Exceptions to these standards, if any, have been submitted and approved by the ODOT Chief Engineer or their delegated authority.

Approving Authority: M. Thompson
 Signature & date 3/16/09
 Mark Thompson Rg. 3 Tech. Ctr. Mgr.
 Print name and title
B. Johnson
 Concurrence by ODOT Chief Engineer

- OREGON TRANSPORTATION COMMISSION
- | | |
|--------------------|----------------------------|
| Gail Achterman | CHAIR |
| Michael Nelson | VICE-CHAIR |
| Janice Wilson | COMMISSIONER |
| Alan Brown | COMMISSIONER |
| David Lahman | COMMISSIONER |
| Matthew L. Garrett | DIRECTOR OF TRANSPORTATION |



ATTENTION:
 Oregon Law Requires You To Follow Rules Adopted By The Oregon Utility Notification Center. Those Rules Are Set Forth In OAR 952-001-0010 Through OAR 952-001-0090. You May Obtain Copies Of The Rules By Calling The Center. (Note: The Telephone Number For The Oregon Utility Center Is (503) 232-1987.)



I-5: STRIPING MP 18 - 168 PACIFIC HIGHWAY JACKSON, JOSEPHINE AND DOUGLAS COUNTIES		
FEDERAL HIGHWAY ADMINISTRATION	PROJECT NUMBER	SHEET NO.
OREGON DIVISION	X-HSIP-S001(333)	1

GENERAL NOTES:

1. Setup work zone traffic control in accordance with standard drawings TM700, TM720, TM725, TM750 & TM775. Apply TM725 for lane closures along mainline I-5. Apply TM720 for traffic control along ramps and gore areas.
2. Replace existing pavement markings in accordance with standard drawings TM500, TM501, TM502, TM547 & TM551.
3. New permanent pavement markings type shall be Wet Weather Pattern, Grooved, Pavement Marking tape.
4. Limits for pavement marking replacement at entrance and exit ramp areas shall coincide with the physical gore area (see detail sheet 2A).
5. See this sheet for pavement marking replacement locations.
6. Remove existing pavement markings the same day new permanent markings are applied.
7. No separate payment will be made for pavement marking removal. Pavement marking removal will be incidental to placement of new pavement markings.
8. Use the location of existing pavement markings as the alignment layout for all new pavement markings.
9. Striping locations may be adjusted to avoid other active construction projects. Coordinate work with other projects/contractors as specified in Special Provision 00150.55. Change in striping replacement locations must be approved by the Engineer.

STRIPING REPLACEMENT LOCATIONS

I-5/Northbound



NB, Striping Replacement	
M.P. to M.P.	Action
50.2 - 58.1	Replace all lines
89.5 - 97.9	Replace all lines
118.0 - 125.3	Replace all lines
162.2 - 168.1	Replace skip only

I-5/Southbound



SB, Striping Replacement	
M.P. to M.P.	Action
168.1 - 162.2	Replace skip only
154.8 - 147.8	Replace skip & white edge
125.5 - 117.5	Replace all lines
97.9 - 87.4	Replace all lines
58.1 - 50.2	Replace all lines
27.1 - 18.5	Replace all lines

Rev. No.	Description	Date	Engineer
1	Additional striping	3-16-09	BLB



EXPIRES: 12-31-2009



I-5: STRIPING MP 18 - 168
 PACIFIC HIGHWAY
 JACKSON, JOSEPHINE, DOUGLAS COUNTIES

Design Team Leader - James P. Burford
 Designed By - Brian L. Banta
 Drafted By - Linda K. Coffel

GENERAL NOTES / STRIPING REPLACEMENT LOCATIONS

SHEET NO. 2