

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Bandon** Sufficiency Rating: **66.9**
Bridge: **18920** On or Off System **Off**
Features Desc: **FERRY CREEK**
Facility Carried: **FILLMORE AVE**
Percent Truck_ADT: **10** ADT: **523**
Structure_Length_Feet **28.9** Structure_Width_Feet: **360.9**
Bridge_SQ_Feet: **10420.5** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **0.0**

City: **Bend** Sufficiency Rating: **66**
Bridge: **17C38** On or Off System **Off**
Features Desc: **MAIN C O I/AMERICAN LN**
Facility Carried: **AMERICAN LANE RD**
Percent Truck_ADT: **02** ADT: **5280**
Structure_Length_Feet **82.0** Structure_Width_Feet: **321.5**
Bridge_SQ_Feet: **26374.2** Detour_Miles: **0.0**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **55.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Canyon City** Sufficiency Rating: **64**
Bridge: **23B007** On or Off System **Off**
Features Desc: **CANYON CREEK**
Facility Carried: **NUGGET STREET**
Percent Truck_ADT: **00** ADT: **60**
Structure_Length_Feet **30.8** Structure_Width_Feet: **321.5**
Bridge_SQ_Feet: **9916.7** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **28.0**

City: **Canyonville** Sufficiency Rating: **65.3**
Bridge: **00548A** On or Off System **Off**
Features Desc: **CANYON CREEK**
Facility Carried: **SO. MAIN STREET**
Percent Truck_ADT: **01** ADT: **3098**
Structure_Length_Feet **89.9** Structure_Width_Feet: **229.7**
Bridge_SQ_Feet: **20647.2** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **24.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Corvallis** Sufficiency Rating: **68.8**
Bridge: **5216A** On or Off System **Off**
Features Desc: **MARY'S RIVER**
Facility Carried: **SW 15TH ST**
Percent Truck_ADT: **10** ADT: **4600**
Structure_Length_Feet: **207.0** Structure_Width_Feet: **393.7**
Bridge_SQ_Feet: **81512.3** Detour_Miles: **1.9**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **19** English_Inventory_Tons: **27.0**

City: **Eugene** Sufficiency Rating: **65.9**
Bridge: **39C141** On or Off System **Off**
Features Desc: **PATTERSON SLOUGH**
Facility Carried: **DAY ISLAND ROAD**
Percent Truck_ADT: **01** ADT: **2575**
Structure_Length_Feet: **94.2** Structure_Width_Feet: **278.9**
Bridge_SQ_Feet: **26261.1** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **35.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Eugene** Sufficiency Rating: **69.8**
Bridge: **19058** On or Off System **Off**
Features Desc: **A3 CHANNEL**
Facility Carried: **NO. TERRY STREET**
Percent Truck_ADT: **02** ADT: **824**
Structure_Length_Feet: **21.0** Structure_Width_Feet: **429.8**
Bridge_SQ_Feet: **9025.3** Detour_Miles: **1.9**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **36.0**

City: **Lake Oswego** Sufficiency Rating: **77.6**
Bridge: **05C01A** On or Off System **Off**
Features Desc: **LAKWOOD BAY**
Facility Carried: **NORTH SHORE DRIVE**
Percent Truck_ADT: **10** ADT: **2254**
Structure_Length_Feet: **26.9** Structure_Width_Feet: **269.0**
Bridge_SQ_Feet: **7238.4** Detour_Miles: **1.9**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **41.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Milwaukie** Sufficiency Rating: **76.3**
Bridge: **05C06** On or Off System **Off**
Features Desc: **JOHNSON CR**
Facility Carried: **MILLPORT SLOUGH RD**
Percent Truck_ADT: **10** ADT: **5436**
Structure_Length_Feet **69.9** Structure_Width_Feet: **377.3**
Bridge_SQ_Feet: **26368.8** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **47.9**

City: **Portland** Sufficiency Rating: **51.7**
Bridge: **25B14** On or Off System **Off**
Features Desc: **B-14 OVER CANYON**
Facility Carried: **NW ALEXANDRA AVE**
Percent Truck_ADT: **01** ADT: **105**
Structure_Length_Feet **272.0** Structure_Width_Feet: **226.4**
Bridge_SQ_Feet: **61576.7** Detour_Miles: **123.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **19** English_Inventory_Tons: **18.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Portland** Sufficiency Rating: **59.1**
Bridge: **25B58** On or Off System **Off**
Features Desc: **B-58 OVER JOHNSON CREEK**
Facility Carried: **SE OCHOCO ST**
Percent Truck_ADT: **30** ADT: **2101**
Structure_Length_Feet **40.0** Structure_Width_Feet: **331.4**
Bridge_SQ_Feet: **13264.6** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **19.9**

City: **Portland** Sufficiency Rating: **64.9**
Bridge: **25B42** On or Off System **Off**
Features Desc: **B-42 OVER SW TALBOT RD**
Facility Carried: **SW GREENWAY AVE.**
Percent Truck_ADT: **01** ADT: **3840**
Structure_Length_Feet **34.1** Structure_Width_Feet: **344.5**
Bridge_SQ_Feet: **11755.3** Detour_Miles: **1.2**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **19** English_Inventory_Tons: **26.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Portland** Sufficiency Rating: **70.3**
Bridge: **51C20** On or Off System **Off**
Features Desc: **B-99 OVER JOHNSON CREEK**
Facility Carried: **SE 122ND AVE**
Percent Truck_ADT: **02** ADT: **2037**
Structure_Length_Feet **118.1** Structure_Width_Feet: **298.6**
Bridge_SQ_Feet: **35266.0** Detour_Miles: **3.1**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **19** English_Inventory_Tons: **28.0**

City: **Portland** Sufficiency Rating: **70.4**
Bridge: **25B57** On or Off System **Off**
Features Desc: **B-57 OVER JOHNSON CREEK**
Facility Carried: **SE HARNEY ST**
Percent Truck_ADT: **01** ADT: **105**
Structure_Length_Feet **44.0** Structure_Width_Feet: **121.4**
Bridge_SQ_Feet: **5337.3** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **32.9**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Portland** Sufficiency Rating: **76.6**
Bridge: **07027B** On or Off System **Off**
Features Desc: **B-30A X I-84/LT RAIL**
Facility Carried: **NE 53RD AVE**
Percent Truck_ADT: **01** ADT: **3297**
Structure_Length_Feet: **149.9** Structure_Width_Feet: **502.0**
Bridge_SQ_Feet: **75269.7** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **36.0**

City: **Portland** Sufficiency Rating: **76.9**
Bridge: **51C18** On or Off System **Off**
Features Desc: **B-97 OVER JOHNSON CREEK**
Facility Carried: **SE 110TH AVE**
Percent Truck_ADT: **01** ADT: **53**
Structure_Length_Feet: **54.1** Structure_Width_Feet: **180.5**
Bridge_SQ_Feet: **9769.2** Detour_Miles: **123.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **19** English_Inventory_Tons: **28.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Roseburg** Sufficiency Rating: **70.6**
Bridge: **26T05** On or Off System **Off**
Features Desc: **SOUTH UMPQUA RIVER**
Facility Carried: **STEWART PARK ROAD**
Percent Truck_ADT: **02** ADT: **3248**
Structure_Length_Feet **327.1** Structure_Width_Feet: **193.6**
Bridge_SQ_Feet: **63322.7** Detour_Miles: **1.2**
Posting: **Posted for other load-capacity restrictions (speed number of vehicles on bridge, etc)**
Functional Class: **19** English_Inventory_Tons: **36.0**

City: **Salem** Sufficiency Rating: **64.8**
Bridge: **470256** On or Off System **Off**
Features Desc: **MILL CREEK**
Facility Carried: **PARK ROAD**
Percent Truck_ADT: **01** ADT: **324**
Structure_Length_Feet **68.9** Structure_Width_Feet: **180.5**
Bridge_SQ_Feet: **12433.5** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **29.0**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Seaside** Sufficiency Rating: **70**
Bridge: **11150A** On or Off System **Off**
Features Desc: **NECANICUM RIVER**
Facility Carried: **AVENUE U**
Percent Truck_ADT: **10** ADT: **3605**
Structure_Length_Feet **165.0** Structure_Width_Feet: **344.5**
Bridge_SQ_Feet: **56855.1** Detour_Miles: **1.9**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **27.0**

City: **Stayton** Sufficiency Rating: **59**
Bridge: **47B004** On or Off System **Off**
Features Desc: **SALEM DITCH**
Facility Carried: **N. SECOND AVE**
Percent Truck_ADT: **10** ADT: **2121**
Structure_Length_Feet **36.1** Structure_Width_Feet: **249.4**
Bridge_SQ_Feet: **8999.5** Detour_Miles: **1.2**
Posting: **Open, no restriction**
Functional Class: **19** English_Inventory_Tons: **19.9**

2007 Rehabilitation_Eligible_City_Off_System_Structure

City: **Stayton** Sufficiency Rating: **72.5**
Bridge: **47B010** On or Off System **Off**
Features Desc: **MAIN STAYTON CANAL**
Facility Carried: **JETTERS WAY**
Percent Truck_ADT: **00** ADT: **42**
Structure_Length_Feet **39.0** Structure_Width_Feet: **118.1**
Bridge_SQ_Feet: **4611.7** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **36.0**

City: **Sutherlin** Sufficiency Rating: **72.9**
Bridge: **19B05A** On or Off System **Off**
Features Desc: **SUTHERLIN CREEK**
Facility Carried: **SW PAGE AVE**
Percent Truck_ADT: **00** ADT: **10**
Structure_Length_Feet **62.0** Structure_Width_Feet: **121.4**
Bridge_SQ_Feet: **7527.9** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **54.0**
