

2007 Replacement Eligible County Off System Structures

County Name **BAKER** Sufficiency Rating: **39.0**

Bridge_Number: **01C830** On or Off System: **Off**

Features Desc: **CLEAR CREEK**

Facility Carried: **COUNTY RD 1128A**

Percent_TRUCK_ADT: **10** ADT: **38**

Structure_Length_Feet: **28.9** Structure_Width: **20.0**

Bridge_SQ_Feet: **577.9** Detour_Miles: **3.1**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **2.0**

County Name **BENTON** Sufficiency Rating: **25.9**

Bridge_Number: **01441** On or Off System: **Off**

Features Desc: **MARYS RIVER**

Facility Carried: **HARRIS ROAD**

Percent_TRUCK_ADT: **0** ADT: **82**

Structure_Length_Feet: **137.1** Structure_Width: **18.0**

Bridge_SQ_Feet: **2474.9** Detour_Miles: **14.3**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **BENTON** Sufficiency Rating: **37.0**

Bridge_Number: **14528** On or Off System: **Off**

Features Desc: **WEST FORK MARY'S RIVER**

Facility Carried: **LONG ROAD**

Percent_TRUCK_ADT: **0** ADT: **60**

Structure_Length_Feet: **39.0** Structure_Width: **20.3**

Bridge_SQ_Feet: **794.2** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **14.0**

County Name **BENTON** Sufficiency Rating: **39.8**

Bridge_Number: **14497** On or Off System: **Off**

Features Desc: **PRICE CREEK**

Facility Carried: **PRICE CREEK RD**

Percent_TRUCK_ADT: **0** ADT: **91**

Structure_Length_Feet: **34.1** Structure_Width: **22.0**

Bridge_SQ_Feet: **750.1** Detour_Miles: **6.8**

Posting: **Bridge closed to traffic**

Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **BENTON** Sufficiency Rating: **46.9**

Bridge_Number: **03C17** On or Off System: **Off**

Features Desc: **MARY'S RIVER**

Facility Carried: **HARRIS ROAD**

Percent_TRUCK_ADT: **0** ADT: **70**

Structure_Length_Feet: **137.1** Structure_Width: **17.7**

Bridge_SQ_Feet: **2429.9** Detour_Miles: **14.3**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **12.0**

County Name **BENTON** Sufficiency Rating: **47.8**

Bridge_Number: **14538** On or Off System: **Off**

Features Desc: **ALSEA RIVER**

Facility Carried: **HAYDEN ROAD**

Percent_TRUCK_ADT: **0** ADT: **99**

Structure_Length_Feet: **150.9** Structure_Width: **17.4**

Bridge_SQ_Feet: **2624.5** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **21.0**

2007 Replacement Eligible County Off System Structures

County Name **BENTON** Sufficiency Rating: **48.4**

Bridge_Number: **14163** On or Off System: **Off**

Features Desc: **LONG TOM RIVER**

Facility Carried: **HUBBARD RD**

Percent_TRUCK_ADT: **10** ADT: **350**

Structure_Length_Feet: **298.9** Structure_Width: **24.3**

Bridge_SQ_Feet: **7257.1** Detour_Miles: **6.2**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **27.0**

County Name **CLACKAMAS** Sufficiency Rating: **7.0**

Bridge_Number: **06572** On or Off System: **Off**

Features Desc: **SALMON RIVER**

Facility Carried: **ARRAH WANNA RD**

Percent_TRUCK_ADT: **10** ADT: **228**

Structure_Length_Feet: **117.1** Structure_Width: **16.1**

Bridge_SQ_Feet: **1883.1** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **13.0**

2007 Replacement Eligible County Off System Structures

County Name **CLACKAMAS** Sufficiency Rating: **34.1**

Bridge_Number: **06262** On or Off System: **Off**

Features Desc: **KELLOGG CREEK**

Facility Carried: **KUEHN ROAD**

Percent_TRUCK_ADT: **10** ADT: **132**

Structure_Length_Feet: **50.9** Structure_Width: **16.4**

Bridge_SQ_Feet: **834.3** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **19** English_Inventory_Tons: **13.0**

County Name **CLACKAMAS** Sufficiency Rating: **49.9**

Bridge_Number: **06599A** On or Off System: **Off**

Features Desc: **LITTLE CLEAR CREEK**

Facility Carried: **RYZEWSKI ROAD**

Percent_TRUCK_ADT: **10** ADT: **222**

Structure_Length_Feet: **27.9** Structure_Width: **36.7**

Bridge_SQ_Feet: **1024.8** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **19.9**

2007 Replacement Eligible County Off System Structures

County Name **CLATSOP** Sufficiency Rating: **42.6**

Bridge_Number: **11152** On or Off System: **Off**

Features Desc: **FERRIS CREEK**

Facility Carried: **PEARSON RD**

Percent_TRUCK_ADT: **10** ADT: **180**

Structure_Length_Feet: **33.1** Structure_Width: **20.0**

Bridge_SQ_Feet: **663.2** Detour_Miles: **3.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **24.0**

County Name **CLATSOP** Sufficiency Rating: **44.4**

Bridge_Number: **07C05** On or Off System: **Off**

Features Desc: **SKIPANON RIVER**

Facility Carried: **RODNEY ACRES RD**

Percent_TRUCK_ADT: **10** ADT: **176**

Structure_Length_Feet: **61.0** Structure_Width: **20.0**

Bridge_SQ_Feet: **1221.4** Detour_Miles: **3.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **26.0**

2007 Replacement Eligible County Off System Structures

County Name **CLATSOP** Sufficiency Rating: **44.8**

Bridge_Number: **11141** On or Off System: **Off**

Features Desc: **BN RAIL ROAD**

Facility Carried: **KNAPPA DOCK RD**

Percent_TRUCK_ADT: **10** ADT: **318**

Structure_Length_Feet: **80.1** Structure_Width: **16.1**

Bridge_SQ_Feet: **1287.1** Detour_Miles: **1.9**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **32.0**

County Name **CLATSOP** Sufficiency Rating: **48.9**

Bridge_Number: **11128** On or Off System: **Off**

Features Desc: **BLIND SLOUGH**

Facility Carried: **BROWNSMEAD DIKE RD**

Percent_TRUCK_ADT: **10** ADT: **233**

Structure_Length_Feet: **211.0** Structure_Width: **26.9**

Bridge_SQ_Feet: **5675.9** Detour_Miles: **6.2**

Posting: **Open, posting recommended but not legally implemented (all signs in place or not correctly implemented)**

Functional Class: **08** English_Inventory_Tons: **29.0**

2007 Replacement Eligible County Off System Structures

County Name **COLUMBIA** Sufficiency Rating: **16.0**

Bridge_Number: **13681A** On or Off System: **Off**

Features Desc: **COON CREEK**

Facility Carried: **PEBBLE CREEK ROAD**

Percent_TRUCK_ADT: **10** ADT: **314**

Structure_Length_Feet: **126.0** Structure_Width: **28.9**

Bridge_SQ_Feet: **3637.7** Detour_Miles: **123.7**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **08** English_Inventory_Tons: **51.0**

County Name **COLUMBIA** Sufficiency Rating: **37.3**

Bridge_Number: **13670A** On or Off System: **Off**

Features Desc: **FISHHAWK CREEK**

Facility Carried: **FISHHAWK CREEK RD**

Percent_TRUCK_ADT: **0** ADT: **84**

Structure_Length_Feet: **32.2** Structure_Width: **22.0**

Bridge_SQ_Feet: **706.8** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **36.0**

2007 Replacement Eligible County Off System Structures

County Name **COLUMBIA** Sufficiency Rating: **42.2**

Bridge_Number: **13682A** On or Off System: **Off**

Features Desc: **PEBBLE CREEK**

Facility Carried: **PEBBLE CREEK ROAD**

Percent_TRUCK_ADT: **10** ADT: **272**

Structure_Length_Feet: **175.9** Structure_Width: **28.9**

Bridge_SQ_Feet: **5077.6** Detour_Miles: **14.9**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **31.0**

County Name **COLUMBIA** Sufficiency Rating: **46.6**

Bridge_Number: **09C19A** On or Off System: **Off**

Features Desc: **DEEP CREEK**

Facility Carried: **FREEMAN ROAD**

Percent_TRUCK_ADT: **0** ADT: **21**

Structure_Length_Feet: **91.9** Structure_Width: **14.1**

Bridge_SQ_Feet: **1296.1** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **67.0**

2007 Replacement Eligible County Off System Structures

County Name **COOS** Sufficiency Rating: **43.4**

Bridge_Number: **16349** On or Off System: **Off**

Features Desc: **SOUTH FORK COQUILLE R.**

Facility Carried: **COUNTY RD 153G**

Percent_TRUCK_ADT: **1** ADT: **34**

Structure_Length_Feet: **188.0** Structure_Width: **26.6**

Bridge_SQ_Feet: **4996.3** Detour_Miles: **123.7**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **31.0**

County Name **CURRY** Sufficiency Rating: **48.5**

Bridge_Number: **15C30** On or Off System: **Off**

Features Desc: **N FK FLORAS CREEK**

Facility Carried: **COUNTY RD 118**

Percent_TRUCK_ADT: **5** ADT: **188**

Structure_Length_Feet: **43.0** Structure_Width: **24.0**

Bridge_SQ_Feet: **1029.5** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **37.0**

2007 Replacement Eligible County Off System Structures

County Name **DESCHUTES** Sufficiency Rating: **29.9**

Bridge_Number: **17C26** On or Off System: **Off**

Features Desc: **DESCHUTES RIVER**

Facility Carried: **TETHEROW ROAD**

Percent_TRUCK_ADT: **10** ADT: **175**

Structure_Length_Feet: **53.2** Structure_Width: **20.0**

Bridge_SQ_Feet: **1063.8** Detour_Miles: **8.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **11.0**

County Name **DESCHUTES** Sufficiency Rating: **49.1**

Bridge_Number: **17C02** On or Off System: **Off**

Features Desc: **TUMALO IRRIGATION CANAL**

Facility Carried: **SEISEMORE ROAD**

Percent_TRUCK_ADT: **2** ADT: **165**

Structure_Length_Feet: **105.0** Structure_Width: **16.1**

Bridge_SQ_Feet: **1687.9** Detour_Miles: **6.8**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **55.0**

2007 Replacement Eligible County Off System Structures

County Name **DOUGLAS** Sufficiency Rating: **18.4**

Bridge_Number: **19C018** On or Off System: **Off**

Features Desc: **LITTLE RIVER**

Facility Carried: **COUNTY RD 82**

Percent_TRUCK_ADT: **1** ADT: **206**

Structure_Length_Feet: **149.9** Structure_Width: **17.7**

Bridge_SQ_Feet: **2656.6** Detour_Miles: **1.9**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **2.0**

County Name **DOUGLAS** Sufficiency Rating: **21.7**

Bridge_Number: **19C220** On or Off System: **Off**

Features Desc: **SOUTH MYRTLE CREEK**

Facility Carried: **COUNTY RD 124**

Percent_TRUCK_ADT: **1** ADT: **185**

Structure_Length_Feet: **71.9** Structure_Width: **17.1**

Bridge_SQ_Feet: **1225.9** Detour_Miles: **1.9**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **12.0**

2007 Replacement Eligible County Off System Structures

County Name **DOUGLAS** Sufficiency Rating: **30.7**

Bridge_Number: **19C487** On or Off System: **Off**

Features Desc: **CALAPOOYA CREEK**

Facility Carried: **COUNTY RD 10A**

Percent_TRUCK_ADT: **1** ADT: **43**

Structure_Length_Feet: **222.1** Structure_Width: **20.0**

Bridge_SQ_Feet: **4445.6** Detour_Miles: **3.1**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **15.0**

County Name **DOUGLAS** Sufficiency Rating: **34.0**

Bridge_Number: **19C051** On or Off System: **Off**

Features Desc: **PASS CREEK**

Facility Carried: **BUCK CREEK RD**

Percent_TRUCK_ADT: **5** ADT: **247**

Structure_Length_Feet: **81.0** Structure_Width: **22.0**

Bridge_SQ_Feet: **1781.5** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **19.9**

2007 Replacement Eligible County Off System Structures

County Name **DOUGLAS** Sufficiency Rating: **47.5**

Bridge_Number: **19C416** On or Off System: **Off**

Features Desc: **MIDDLE FK COQUILLE RIVER**

Facility Carried: **COUNTY RD 218**

Percent_TRUCK_ADT: **5** ADT: **87**

Structure_Length_Feet: **96.1** Structure_Width: **20.3**

Bridge_SQ_Feet: **1955.6** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **11.0**

County Name **DOUGLAS** Sufficiency Rating: **48.8**

Bridge_Number: **19C512** On or Off System: **Off**

Features Desc: **PASS CREEK**

Facility Carried: **CURTIN ROAD #212**

Percent_TRUCK_ADT: **10** ADT: **111**

Structure_Length_Feet: **64.0** Structure_Width: **22.6**

Bridge_SQ_Feet: **1448.4** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **24.0**

2007 Replacement Eligible County Off System Structures

County Name **GRANT** Sufficiency Rating: **37.7**

Bridge_Number: **23C041** On or Off System: **Off**

Features Desc: **WALL CREEK**

Facility Carried: **C4-WALL CREEK RD**

Percent_TRUCK_ADT: **0** ADT: **24**

Structure_Length_Feet: **56.1** Structure_Width: **16.1**

Bridge_SQ_Feet: **902.0** Detour_Miles: **18.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **7.1**

County Name **GRANT** Sufficiency Rating: **37.7**

Bridge_Number: **23C311** On or Off System: **Off**

Features Desc: **UPPER WALL CREEK**

Facility Carried: **COUNTY RD 31**

Percent_TRUCK_ADT: **0** ADT: **24**

Structure_Length_Feet: **56.1** Structure_Width: **16.1**

Bridge_SQ_Feet: **902.0** Detour_Miles: **26.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **7.1**

2007 Replacement Eligible County Off System Structures

County Name **HARNEY** Sufficiency Rating: **33.8**

Bridge_Number: **25E20** On or Off System: **Off**

Features Desc: **STINKING WATER CREEK**

Facility Carried: **DREWSEY MKT RD**

Percent_TRUCK_ADT: **20** ADT: **34**

Structure_Length_Feet: **63.0** Structure_Width: **20.3**

Bridge_SQ_Feet: **1281.5** Detour_Miles: **21.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **31.0**

County Name **HARNEY** Sufficiency Rating: **37.1**

Bridge_Number: **25A22** On or Off System: **Off**

Features Desc: **SILVIES RIVER**

Facility Carried: **IRR C123 WEST LOOP**

Percent_TRUCK_ADT: **10** ADT: **116**

Structure_Length_Feet: **61.0** Structure_Width: **20.3**

Bridge_SQ_Feet: **1241.4** Detour_Miles: **6.2**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **23.0**

2007 Replacement Eligible County Off System Structures

County Name **HARNEY** Sufficiency Rating: **39.9**

Bridge_Number: **25C02** On or Off System: **Off**

Features Desc: **DONNER & BLITZEN RIVER**

Facility Carried: **NARROWS PRINCETON**

Percent_TRUCK_ADT: **10** ADT: **84**

Structure_Length_Feet: **48.9** Structure_Width: **32.2**

Bridge_SQ_Feet: **1571.9** Detour_Miles: **5.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **4.0**

County Name **HARNEY** Sufficiency Rating: **45.6**

Bridge_Number: **25A56** On or Off System: **Off**

Features Desc: **NINE MILE SLOUGH**

Facility Carried: **AIRPORT RD**

Percent_TRUCK_ADT: **10** ADT: **175**

Structure_Length_Feet: **32.2** Structure_Width: **29.9**

Bridge_SQ_Feet: **960.0** Detour_Miles: **11.8**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **18.0**

2007 Replacement Eligible County Off System Structures

County Name **HARNEY** Sufficiency Rating: **49.1**

Bridge_Number: **25A65** On or Off System: **Off**

Features Desc: **CHAPMAN SLOUGH**

Facility Carried: **ISLAND RANCH ROAD**

Percent_TRUCK_ADT: **10** ADT: **59**

Structure_Length_Feet: **40.0** Structure_Width: **20.3**

Bridge_SQ_Feet: **814.3** Detour_Miles: **19.9**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **23.0**

County Name **JACKSON** Sufficiency Rating: **41.5**

Bridge_Number: **29C237** On or Off System: **Off**

Features Desc: **COBLEIGH RD.BIG BUTTE CR**

Facility Carried: **COUNTY RD 949**

Percent_TRUCK_ADT: **3** ADT: **246**

Structure_Length_Feet: **303.2** Structure_Width: **18.0**

Bridge_SQ_Feet: **5470.8** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **17.0**

2007 Replacement Eligible County Off System Structures

County Name **JEFFERSON** Sufficiency Rating: **33.4**

Bridge_Number: **31C98** On or Off System: **Off**

Features Desc: **IRRIGATION CANAL**

Facility Carried: **CULVER HIGHWAY**

Percent_TRUCK_ADT: **5** ADT: **154**

Structure_Length_Feet: **70.9** Structure_Width: **26.2**

Bridge_SQ_Feet: **1860.2** Detour_Miles: **1.2**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **8.0**

County Name **JOSEPHINE** Sufficiency Rating: **39.2**

Bridge_Number: **365505** On or Off System: **Off**

Features Desc: **SLATE CREEK**

Facility Carried: **ELLIOT CREEK ROAD**

Percent_TRUCK_ADT: **10** ADT: **24**

Structure_Length_Feet: **52.2** Structure_Width: **24.0**

Bridge_SQ_Feet: **1249.5** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **11.0**

2007 Replacement Eligible County Off System Structures

County Name **JOSEPHINE** Sufficiency Rating: **49.8**

Bridge_Number: **520604** On or Off System: **Off**

Features Desc: **THOMPSON CREEK**

Facility Carried: **PARKER LANE C5206**

Percent_TRUCK_ADT: **1** ADT: **10**

Structure_Length_Feet: **48.9** Structure_Width: **10.5**

Bridge_SQ_Feet: **513.3** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **18.0**

County Name **LANE** Sufficiency Rating: **17.2**

Bridge_Number: **39C643** On or Off System: **Off**

Features Desc: **LOST CREEK**

Facility Carried: **PARVIN ROAD**

Percent_TRUCK_ADT: **5** ADT: **298**

Structure_Length_Feet: **131.9** Structure_Width: **14.1**

Bridge_SQ_Feet: **1860.8** Detour_Miles: **1.2**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LANE** Sufficiency Rating: **20.7**

Bridge_Number: **39C409** On or Off System: **Off**

Features Desc: **COYOTE CREEK**

Facility Carried: **BATTLE CREEK RD**

Percent_TRUCK_ADT: **0** ADT: **175**

Structure_Length_Feet: **105.0** Structure_Width: **15.4**

Bridge_SQ_Feet: **1619.1** Detour_Miles: **1.9**

Posting: **Bridge closed to traffic**

Functional Class: **09** English_Inventory_Tons: **10.0**

County Name **LANE** Sufficiency Rating: **27.9**

Bridge_Number: **39C241** On or Off System: **Off**

Features Desc: **MOSBY CREEK**

Facility Carried: **LAYNG ROAD**

Percent_TRUCK_ADT: **10** ADT: **267**

Structure_Length_Feet: **134.8** Structure_Width: **15.1**

Bridge_SQ_Feet: **2035.2** Detour_Miles: **3.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LANE** Sufficiency Rating: **35.2**

Bridge_Number: **39C118** On or Off System: **Off**

Features Desc: **MCKENZIE RIVER**

Facility Carried: **GOODPASTURE ROAD**

Percent_TRUCK_ADT: **10** ADT: **927**

Structure_Length_Feet: **237.9** Structure_Width: **18.7**

Bridge_SQ_Feet: **4448.6** Detour_Miles: **123.7**

Posting: **Posted for other load-capacity restrictions (speed number of vehicles on bridge, etc)**

Functional Class: **08** English_Inventory_Tons: **15.0**

County Name **LANE** Sufficiency Rating: **37.1**

Bridge_Number: **39C176** On or Off System: **Off**

Features Desc: **MOHAWK RIVER**

Facility Carried: **PASCHELKE RD**

Percent_TRUCK_ADT: **2** ADT: **152**

Structure_Length_Feet: **137.1** Structure_Width: **17.1**

Bridge_SQ_Feet: **2339.9** Detour_Miles: **8.1**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LANE** Sufficiency Rating: **38.3**

Bridge_Number: **39C446** On or Off System: **Off**

Features Desc: **WILDCAT CREEK**

Facility Carried: **AUSTA RD**

Percent_TRUCK_ADT: **0** ADT: **51**

Structure_Length_Feet: **161.1** Structure_Width: **15.1**

Bridge_SQ_Feet: **2431.4** Detour_Miles: **8.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

County Name **LANE** Sufficiency Rating: **39.3**

Bridge_Number: **39C174** On or Off System: **Off**

Features Desc: **MILL CREEK**

Facility Carried: **WENDLING RD**

Percent_TRUCK_ADT: **0** ADT: **51**

Structure_Length_Feet: **85.0** Structure_Width: **18.0**

Bridge_SQ_Feet: **1533.5** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LANE** Sufficiency Rating: **40.1**
Bridge_Number: **014721** On or Off System: **Off**
Features Desc: **FALL CREEK**
Facility Carried: **JASPER-LOWELL RD**
Percent_TRUCK_ADT: **2** ADT: **203**
Structure_Length_Feet: **162.1** Structure_Width: **20.3**
Bridge_SQ_Feet: **3297.1** Detour_Miles: **8.1**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **08** English_Inventory_Tons: **15.0**

County Name **LINCOLN** Sufficiency Rating: **20.7**
Bridge_Number: **41C09** On or Off System: **Off**
Features Desc: **YAQUINA RIVER**
Facility Carried: **CHITWOOD RD**
Percent_TRUCK_ADT: **0** ADT: **63**
Structure_Length_Feet: **162.1** Structure_Width: **16.1**
Bridge_SQ_Feet: **2605.8** Detour_Miles: **123.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **LINCOLN** Sufficiency Rating: **22.2**

Bridge_Number: **12149A** On or Off System: **Off**

Features Desc: **FEAGLES CREEK**

Facility Carried: **FEAGLES CREEK RD**

Percent_TRUCK_ADT: **0** ADT: **35**

Structure_Length_Feet: **42.0** Structure_Width: **16.1**

Bridge_SQ_Feet: **675.2** Detour_Miles: **123.7**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **08** English_Inventory_Tons: **21.0**

County Name **LINCOLN** Sufficiency Rating: **22.4**

Bridge_Number: **12118A** On or Off System: **Off**

Features Desc: **YAQUINA RIVER**

Facility Carried: **TRAPP CREEK ROAD**

Percent_TRUCK_ADT: **0** ADT: **46**

Structure_Length_Feet: **141.1** Structure_Width: **17.4**

Bridge_SQ_Feet: **2453.3** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **23.0**

2007 Replacement Eligible County Off System Structures

County Name: **LINCOLN** Sufficiency Rating: **32.7**
Bridge_Number: **41C18** On or Off System: **Off**
Features Desc: **DRIFT CREEK SOUTH**
Facility Carried: **MAY ROAD**
Percent_TRUCK_ADT: **0** ADT: **10**
Structure_Length_Feet: **111.9** Structure_Width: **16.1**
Bridge_SQ_Feet: **1798.7** Detour_Miles: **123.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **08** English_Inventory_Tons: **31.0**

County Name: **LINCOLN** Sufficiency Rating: **39.8**
Bridge_Number: **12086** On or Off System: **Off**
Features Desc: **NORTH FORK BEAVER CREEK**
Facility Carried: **NO BEAVER CR ROAD**
Percent_TRUCK_ADT: **5** ADT: **116**
Structure_Length_Feet: **62.0** Structure_Width: **24.0**
Bridge_SQ_Feet: **1485.2** Detour_Miles: **49.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **08** English_Inventory_Tons: **19.0**

2007 Replacement Eligible County Off System Structures

County Name **LINCOLN** Sufficiency Rating: **41.9**

Bridge_Number: **12185A** On or Off System: **Off**

Features Desc: **LITTLE ELK CREEK**

Facility Carried: **DEER CREEK ROAD**

Percent_TRUCK_ADT: **0** ADT: **31**

Structure_Length_Feet: **33.1** Structure_Width: **15.1**

Bridge_SQ_Feet: **500.1** Detour_Miles: **123.7**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **08** English_Inventory_Tons: **22.0**

County Name **LINCOLN** Sufficiency Rating: **43.4**

Bridge_Number: **11491A** On or Off System: **Off**

Features Desc: **DRIFT CREEK SOUTH**

Facility Carried: **BAYVIEW RD**

Percent_TRUCK_ADT: **0** ADT: **10**

Structure_Length_Feet: **144.0** Structure_Width: **16.1**

Bridge_SQ_Feet: **2315.7** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **29.0**

2007 Replacement Eligible County Off System Structures

County Name **LINCOLN** Sufficiency Rating: **43.9**

Bridge_Number: **12189A** On or Off System: **Off**

Features Desc: **SLOUGH**

Facility Carried: **SOUTH BAY RD**

Percent_TRUCK_ADT: **10** ADT: **299**

Structure_Length_Feet: **30.8** Structure_Width: **24.0**

Bridge_SQ_Feet: **738.7** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **59.9**

County Name **LINCOLN** Sufficiency Rating: **46.2**

Bridge_Number: **12037** On or Off System: **Off**

Features Desc: **NORTH FORK YACHATS RIVER**

Facility Carried: **N YACHATS RIVER RD**

Percent_TRUCK_ADT: **10** ADT: **10**

Structure_Length_Feet: **78.1** Structure_Width: **15.1**

Bridge_SQ_Feet: **1178.5** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **LINCOLN** Sufficiency Rating: **48.6**

Bridge_Number: **12188A** On or Off System: **Off**

Features Desc: **SLOUGH**

Facility Carried: **SOUTH BAY RD**

Percent_TRUCK_ADT: **10** ADT: **500**

Structure_Length_Feet: **30.8** Structure_Width: **24.0**

Bridge_SQ_Feet: **738.7** Detour_Miles: **24.9**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **08** English_Inventory_Tons: **30.0**

County Name **LINCOLN** Sufficiency Rating: **49.1**

Bridge_Number: **12166A** On or Off System: **Off**

Features Desc: **BIG ELK CREEK**

Facility Carried: **GRANT CREEK RD**

Percent_TRUCK_ADT: **10** ADT: **118**

Structure_Length_Feet: **105.0** Structure_Width: **16.7**

Bridge_SQ_Feet: **1756.8** Detour_Miles: **13.0**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **16.0**

2007 Replacement Eligible County Off System Structures

County Name **LINCOLN** Sufficiency Rating: **49.2**

Bridge_Number: **41C24** On or Off System: **Off**

Features Desc: **MILLPORT SLOUGH**

Facility Carried: **MILLPORT SLOUGH RD**

Percent_TRUCK_ADT: **0** ADT: **75**

Structure_Length_Feet: **152.9** Structure_Width: **17.4**

Bridge_SQ_Feet: **2658.7** Detour_Miles: **123.7**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **31.0**

County Name **LINCOLN** Sufficiency Rating: **49.9**

Bridge_Number: **4137** On or Off System: **Off**

Features Desc: **DEER CREEK**

Facility Carried: **OLD SCENIC HWY 101**

Percent_TRUCK_ADT: **10** ADT: **335**

Structure_Length_Feet: **38.1** Structure_Width: **26.9**

Bridge_SQ_Feet: **1024.0** Detour_Miles: **5.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **21.0**

2007 Replacement Eligible County Off System Structures

County Name **LINN** Sufficiency Rating: **15.8**

Bridge_Number: **01724** On or Off System: **Off**

Features Desc: **CRABTREE CREEK**

Facility Carried: **HUNGRY HILL DR.**

Percent_TRUCK_ADT: **3** ADT: **250**

Structure_Length_Feet: **148.0** Structure_Width: **18.0**

Bridge_SQ_Feet: **2670.2** Detour_Miles: **8.1**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **14.0**

County Name **LINN** Sufficiency Rating: **33.5**

Bridge_Number: **12749** On or Off System: **Off**

Features Desc: **TRUAX CREEK**

Facility Carried: **CLOVER RIDGE RD**

Percent_TRUCK_ADT: **5** ADT: **1450**

Structure_Length_Feet: **58.1** Structure_Width: **25.6**

Bridge_SQ_Feet: **1486.2** Detour_Miles: **5.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **32.9**

2007 Replacement Eligible County Off System Structures

County Name **LINN** Sufficiency Rating: **34.9**

Bridge_Number: **12877** On or Off System: **Off**

Features Desc: **ROARING RIVER**

Facility Carried: **FISH HATCHERY DR.**

Percent_TRUCK_ADT: **3** ADT: **350**

Structure_Length_Feet: **74.2** Structure_Width: **22.6**

Bridge_SQ_Feet: **1678.7** Detour_Miles: **8.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **7.1**

County Name **LINN** Sufficiency Rating: **36.0**

Bridge_Number: **12948** On or Off System: **Off**

Features Desc: **THOMAS CREEK**

Facility Carried: **CAMP MORRISON RD**

Percent_TRUCK_ADT: **2** ADT: **340**

Structure_Length_Feet: **152.9** Structure_Width: **20.3**

Bridge_SQ_Feet: **3110.2** Detour_Miles: **3.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LINN** Sufficiency Rating: **40.1**

Bridge_Number: **12708** On or Off System: **Off**

Features Desc: **BURKHART CREEK**

Facility Carried: **BOLHKEN DRIVE**

Percent_TRUCK_ADT: **10** ADT: **300**

Structure_Length_Feet: **29.9** Structure_Width: **25.3**

Bridge_SQ_Feet: **754.3** Detour_Miles: **5.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **36.0**

County Name **LINN** Sufficiency Rating: **42.2**

Bridge_Number: **12902** On or Off System: **Off**

Features Desc: **NEAL CR**

Facility Carried: **LULAY RD**

Percent_TRUCK_ADT: **10** ADT: **270**

Structure_Length_Feet: **90.9** Structure_Width: **22.6**

Bridge_SQ_Feet: **2057.5** Detour_Miles: **3.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **10.0**

2007 Replacement Eligible County Off System Structures

County Name **LINN** Sufficiency Rating: **43.4**

Bridge_Number: **14025** On or Off System: **Off**

Features Desc: **SOUTH SANTIAM RIVER**

Facility Carried: **HIGH DECK ROAD**

Percent_TRUCK_ADT: **15** ADT: **153**

Structure_Length_Feet: **173.9** Structure_Width: **19.4**

Bridge_SQ_Feet: **3366.2** Detour_Miles: **3.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **15.0**

County Name **LINN** Sufficiency Rating: **45.9**

Bridge_Number: **14044** On or Off System: **Off**

Features Desc: **DITCH**

Facility Carried: **MONTGOMERY DR.**

Percent_TRUCK_ADT: **10** ADT: **575**

Structure_Length_Feet: **22.0** Structure_Width: **27.9**

Bridge_SQ_Feet: **613.1** Detour_Miles: **6.2**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **30.0**

2007 Replacement Eligible County Off System Structures

County Name **LINN** Sufficiency Rating: **46.6**

Bridge_Number: **12768** On or Off System: **Off**

Features Desc: **TRIBUTARY OF COURTNEY CR**

Facility Carried: **HOLMES DR.**

Percent_TRUCK_ADT: **0** ADT: **22**

Structure_Length_Feet: **38.1** Structure_Width: **24.0**

Bridge_SQ_Feet: **911.6** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **50.0**

County Name **LINN** Sufficiency Rating: **48.9**

Bridge_Number: **12573** On or Off System: **Off**

Features Desc: **LAKE CREEK**

Facility Carried: **TANGENT LOOP RD**

Percent_TRUCK_ADT: **0** ADT: **110**

Structure_Length_Feet: **29.9** Structure_Width: **24.6**

Bridge_SQ_Feet: **734.7** Detour_Miles: **6.2**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **26.0**

2007 Replacement Eligible County Off System Structures

County Name: **MALHEUR** Sufficiency Rating: **34.2**

Bridge_Number: **45C615** On or Off System: **Off**

Features Desc: **NF OWYHEE RIVER (FENWICK)**

Facility Carried: **THREE FORKS C-927**

Percent_TRUCK_ADT: **10** ADT: **10**

Structure_Length_Feet: **65.0** Structure_Width: **12.5**

Bridge_SQ_Feet: **810.0** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **13.0**

County Name: **MALHEUR** Sufficiency Rating: **40.4**

Bridge_Number: **45R10** On or Off System: **Off**

Features Desc: **LOW LIFT CANAL**

Facility Carried: **FIR RD**

Percent_TRUCK_ADT: **20** ADT: **70**

Structure_Length_Feet: **26.9** Structure_Width: **24.9**

Bridge_SQ_Feet: **670.9** Detour_Miles: **3.1**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **MALHEUR** Sufficiency Rating: **42.4**

Bridge_Number: **45C611** On or Off System: **Off**

Features Desc: **OWYHEE RIVER (ROME)**

Facility Carried: **OWYHEE RIVER C1025**

Percent_TRUCK_ADT: **5** ADT: **12**

Structure_Length_Feet: **279.9** Structure_Width: **16.4**

Bridge_SQ_Feet: **4591.3** Detour_Miles: **19.3**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

County Name **MALHEUR** Sufficiency Rating: **48.7**

Bridge_Number: **45C142** On or Off System: **Off**

Features Desc: **VALE MAIN CANAL**

Facility Carried: **LITTLE VLLY RDC698**

Percent_TRUCK_ADT: **10** ADT: **46**

Structure_Length_Feet: **43.0** Structure_Width: **24.0**

Bridge_SQ_Feet: **1029.5** Detour_Miles: **14.9**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **7.1**

2007 Replacement Eligible County Off System Structures

County Name **MARION** Sufficiency Rating: **39.0**

Bridge_Number: **02058** On or Off System: **Off**

Features Desc: **SANTIAM RIVER**

Facility Carried: **OR 22 (HWY 162)CON**

Percent_TRUCK_ADT: **14** ADT: **6922**

Structure_Length_Feet: **362.0** Structure_Width: **33.0**

Bridge_SQ_Feet: **11946.0** Detour_Miles: **10.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **17.0**

County Name **MARION** Sufficiency Rating: **42.0**

Bridge_Number: **47C101** On or Off System: **Off**

Features Desc: **B RODGERS CREEK**

Facility Carried: **SUNNYSIDE RD**

Percent_TRUCK_ADT: **4** ADT: **608**

Structure_Length_Feet: **22.0** Structure_Width: **22.6**

Bridge_SQ_Feet: **497.7** Detour_Miles: **3.1**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **15.0**

2007 Replacement Eligible County Off System Structures

County Name **MARION** Sufficiency Rating: **43.3**

Bridge_Number: **05381** On or Off System: **Off**

Features Desc: **ABIQUA CREEK**

Facility Carried: **GALLON HOUSE**

Percent_TRUCK_ADT: **1** ADT: **237**

Structure_Length_Feet: **146.0** Structure_Width: **15.1**

Bridge_SQ_Feet: **2203.6** Detour_Miles: **5.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **15.0**

County Name **POLK** Sufficiency Rating: **21.2**

Bridge_Number: **53C063** On or Off System: **Off**

Features Desc: **MILL CREEK**

Facility Carried: **OLD MILITARY ROAD**

Percent_TRUCK_ADT: **0** ADT: **105**

Structure_Length_Feet: **118.0** Structure_Width: **15.7**

Bridge_SQ_Feet: **1858.4** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **19.0**

2007 Replacement Eligible County Off System Structures

County Name **POLK** Sufficiency Rating: **48.4**

Bridge_Number: **53C107** On or Off System: **Off**

Features Desc: **NORTH FORK ASH CREEK**

Facility Carried: **RIDDELL ROAD**

Percent_TRUCK_ADT: **10** ADT: **2500**

Structure_Length_Feet: **37.1** Structure_Width: **33.5**

Bridge_SQ_Feet: **1240.8** Detour_Miles: **3.7**

Posting: **Open, no restriction**

Functional Class: **08** English_Inventory_Tons: **0.0**

County Name **POLK** Sufficiency Rating: **49.9**

Bridge_Number: **53C056** On or Off System: **Off**

Features Desc: **SALT CREEK**

Facility Carried: **VAN WELL ROAD**

Percent_TRUCK_ADT: **0** ADT: **70**

Structure_Length_Feet: **68.9** Structure_Width: **24.0**

Bridge_SQ_Feet: **1650.3** Detour_Miles: **6.8**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **46.0**

2007 Replacement Eligible County Off System Structures

County Name **TILLAMOOK** Sufficiency Rating: **28.2**

Bridge_Number: **57C33** On or Off System: **Off**

Features Desc: **TRASK RIVER**

Facility Carried: **WYSS ROAD**

Percent_TRUCK_ADT: **0** ADT: **21**

Structure_Length_Feet: **103.0** Structure_Width: **12.1**

Bridge_SQ_Feet: **1250.7** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **19.9**

County Name **TILLAMOOK** Sufficiency Rating: **44.2**

Bridge_Number: **57C15** On or Off System: **Off**

Features Desc: **PORT OF TILLAMOOK BAY RR**

Facility Carried: **NORTH LOMMEN ROAD**

Percent_TRUCK_ADT: **0** ADT: **10**

Structure_Length_Feet: **65.9** Structure_Width: **12.1**

Bridge_SQ_Feet: **800.6** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **26.0**

2007 Replacement Eligible County Off System Structures

County Name **TILLAMOOK** Sufficiency Rating: **49.8**

Bridge_Number: **57C36** On or Off System: **Off**

Features Desc: **DOUGHERTY SLOUGH**

Facility Carried: **KIGER ROAD**

Percent_TRUCK_ADT: **0** ADT: **10**

Structure_Length_Feet: **86.9** Structure_Width: **13.5**

Bridge_SQ_Feet: **1169.6** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **18.0**

County Name **UMATILLA** Sufficiency Rating: **24.8**

Bridge_Number: **59C379** On or Off System: **Off**

Features Desc: **UMATILLA RIVER**

Facility Carried: **THORN HOLLOW ROAD**

Percent_TRUCK_ADT: **15** ADT: **254**

Structure_Length_Feet: **184.1** Structure_Width: **28.5**

Bridge_SQ_Feet: **5254.1** Detour_Miles: **11.8**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **3.0**

2007 Replacement Eligible County Off System Structures

County Name **UMATILLA** Sufficiency Rating: **36.1**

Bridge_Number: **59C069** On or Off System: **Off**

Features Desc: **UMATILLA RIVER**

Facility Carried: **BIRCH CREEK ROAD**

Percent_TRUCK_ADT: **25** ADT: **180**

Structure_Length_Feet: **245.1** Structure_Width: **22.0**

Bridge_SQ_Feet: **5387.8** Detour_Miles: **11.8**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **19.0**

County Name **UMATILLA** Sufficiency Rating: **38.2**

Bridge_Number: **59C421** On or Off System: **Off**

Features Desc: **DRY CREEK**

Facility Carried: **SAMS ROAD**

Percent_TRUCK_ADT: **0** ADT: **5**

Structure_Length_Feet: **42.0** Structure_Width: **18.7**

Bridge_SQ_Feet: **785.4** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **9.0**

2007 Replacement Eligible County Off System Structures

County Name **UMATILLA** Sufficiency Rating: **39.3**

Bridge_Number: **59C555** On or Off System: **Off**

Features Desc: **STAGE GULCH**

Facility Carried: **RANSIER DRIVEWAY**

Percent_TRUCK_ADT: **5** ADT: **53**

Structure_Length_Feet: **30.8** Structure_Width: **24.0**

Bridge_SQ_Feet: **738.7** Detour_Miles: **0.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **9.0**

County Name **UMATILLA** Sufficiency Rating: **42.2**

Bridge_Number: **59C401** On or Off System: **Off**

Features Desc: **WILDHORSE CREEK**

Facility Carried: **RINGEL ROAD**

Percent_TRUCK_ADT: **10** ADT: **31**

Structure_Length_Feet: **25.9** Structure_Width: **19.7**

Bridge_SQ_Feet: **510.3** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **8.0**

2007 Replacement Eligible County Off System Structures

County Name **UMATILLA** Sufficiency Rating: **44.2**

Bridge_Number: **59C542** On or Off System: **Off**

Features Desc: **PINE CREEK**

Facility Carried: **JOHNSON RD**

Percent_TRUCK_ADT: **10** ADT: **74**

Structure_Length_Feet: **43.0** Structure_Width: **20.0**

Bridge_SQ_Feet: **860.2** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **8.0**

County Name **UMATILLA** Sufficiency Rating: **48.1**

Bridge_Number: **59C675** On or Off System: **Off**

Features Desc: **S FORK COLD SPRG CANYON**

Facility Carried: **BISSINGER ROAD**

Percent_TRUCK_ADT: **10** ADT: **69**

Structure_Length_Feet: **24.0** Structure_Width: **20.3**

Bridge_SQ_Feet: **487.2** Detour_Miles: **19.3**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **08** English_Inventory_Tons: **23.0**

2007 Replacement Eligible County Off System Structures

County Name: **UNION** Sufficiency Rating: **45.8**

Bridge_Number: **61C42** On or Off System: **Off**

Features Desc: **PHILLIPS CREEK (SHAFER)**

Facility Carried: **JONES ROAD**

Percent_TRUCK_ADT: **1** ADT: **32**

Structure_Length_Feet: **62.0** Structure_Width: **18.0**

Bridge_SQ_Feet: **1119.0** Detour_Miles: **0.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **11.0**

County Name: **UNION** Sufficiency Rating: **48.4**

Bridge_Number: **61C33** On or Off System: **Off**

Features Desc: **CATHERINE CREEK**

Facility Carried: **MILLER LANE**

Percent_TRUCK_ADT: **10** ADT: **70**

Structure_Length_Feet: **73.2** Structure_Width: **20.0**

Bridge_SQ_Feet: **1464.4** Detour_Miles: **9.3**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **12.0**

2007 Replacement Eligible County Off System Structures

County Name **UNION** Sufficiency Rating: **49.2**

Bridge_Number: **61C40** On or Off System: **Off**

Features Desc: **INDIAN CREEK**

Facility Carried: **PHILBERG ROAD**

Percent_TRUCK_ADT: **0** ADT: **42**

Structure_Length_Feet: **77.1** Structure_Width: **22.0**

Bridge_SQ_Feet: **1694.9** Detour_Miles: **0.0**

Posting: **Open, would be posted or closed except for temporary shoring, etc. to allow for unrestricted traffic**

Functional Class: **09** English_Inventory_Tons: **21.0**

County Name **WALLOWA** Sufficiency Rating: **37.0**

Bridge_Number: **63C129** On or Off System: **Off**

Features Desc: **BIG SHEEP CREEK**

Facility Carried: **SHEEP CREEK ROAD**

Percent_TRUCK_ADT: **5** ADT: **5**

Structure_Length_Feet: **36.1** Structure_Width: **18.0**

Bridge_SQ_Feet: **651.3** Detour_Miles: **21.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **9.0**

2007 Replacement Eligible County Off System Structures

County Name **WALLOWA** Sufficiency Rating: **45.7**

Bridge_Number: **63C81** On or Off System: **Off**

Features Desc: **IMNAHA RIVER**

Facility Carried: **LOWER IMNAHA ROAD**

Percent_TRUCK_ADT: **5** ADT: **69**

Structure_Length_Feet: **56.1** Structure_Width: **20.0**

Bridge_SQ_Feet: **1122.9** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **6.0**

County Name **WASCO** Sufficiency Rating: **33.1**

Bridge_Number: **16192** On or Off System: **Off**

Features Desc: **FIVEMILE CREEK**

Facility Carried: **UPPER FIVEMILE RD**

Percent_TRUCK_ADT: **0** ADT: **28**

Structure_Length_Feet: **24.0** Structure_Width: **19.4**

Bridge_SQ_Feet: **463.6** Detour_Miles: **39.8**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **13.0**

2007 Replacement Eligible County Off System Structures

County Name **WASCO** Sufficiency Rating: **38.0**

Bridge_Number: **65C34** On or Off System: **Off**

Features Desc: **EIGHTMILE CREEK**

Facility Carried: **OLD DUFUR SOUTH**

Percent_TRUCK_ADT: **1** ADT: **13**

Structure_Length_Feet: **30.8** Structure_Width: **20.7**

Bridge_SQ_Feet: **637.5** Detour_Miles: **5.0**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **10.0**

County Name **WASCO** Sufficiency Rating: **45.0**

Bridge_Number: **65C61** On or Off System: **Off**

Features Desc: **MOSIER CREEK**

Facility Carried: **WYSS ROAD**

Percent_TRUCK_ADT: **15** ADT: **161**

Structure_Length_Feet: **24.0** Structure_Width: **22.0**

Bridge_SQ_Feet: **526.5** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **31.0**

2007 Replacement Eligible County Off System Structures

County Name **WASCO** Sufficiency Rating: **49.8**

Bridge_Number: **65C46** On or Off System: **Off**

Features Desc: **FIVEMILE CREEK**

Facility Carried: **FIVEMILE ROAD**

Percent_TRUCK_ADT: **15** ADT: **29**

Structure_Length_Feet: **22.0** Structure_Width: **16.1**

Bridge_SQ_Feet: **353.4** Detour_Miles: **39.8**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **11.0**

County Name **WASHINGTON** Sufficiency Rating: **42.6**

Bridge_Number: **671266** On or Off System: **Off**

Features Desc: **TUALATIN RIVER**

Facility Carried: **SOUTH ROAD**

Percent_TRUCK_ADT: **5** ADT: **163**

Structure_Length_Feet: **101.1** Structure_Width: **20.0**

Bridge_SQ_Feet: **2022.5** Detour_Miles: **5.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **27.0**

2007 Replacement Eligible County Off System Structures

County Name **WASHINGTON** Sufficiency Rating: **48.0**

Bridge_Number: **671362** On or Off System: **Off**

Features Desc: **E FORK DAIRY CREEK**

Facility Carried: **UBLE ROAD**

Percent_TRUCK_ADT: **0** ADT: **1112**

Structure_Length_Feet: **74.2** Structure_Width: **24.0**

Bridge_SQ_Feet: **1776.0** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **38.0**

County Name **WASHINGTON** Sufficiency Rating: **49.0**

Bridge_Number: **671202** On or Off System: **Off**

Features Desc: **FANNO CREEK**

Facility Carried: **NICOL RD**

Percent_TRUCK_ADT: **5** ADT: **2379**

Structure_Length_Feet: **23.0** Structure_Width: **24.6**

Bridge_SQ_Feet: **565.2** Detour_Miles: **123.7**

Posting: **Open, no restriction**

Functional Class: **19** English_Inventory_Tons: **28.0**

2007 Replacement Eligible County Off System Structures

County Name **YAMHILL** Sufficiency Rating: **30.3**
Bridge_Number: **11503** On or Off System: **Off**
Features Desc: **BAKER CREEK**
Facility Carried: **GRENFELL CO PK RD**
Percent_TRUCK_ADT: **1** ADT: **324**
Structure_Length_Feet: **40.0** Structure_Width: **16.1**
Bridge_SQ_Feet: **643.5** Detour_Miles: **123.7**
Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**
Functional Class: **09** English_Inventory_Tons: **10.0**

County Name **YAMHILL** Sufficiency Rating: **34.6**
Bridge_Number: **11803** On or Off System: **Off**
Features Desc: **BAKER CREEK**
Facility Carried: **CHAS METSKER PK RD**
Percent_TRUCK_ADT: **0** ADT: **2**
Structure_Length_Feet: **36.1** Structure_Width: **10.2**
Bridge_SQ_Feet: **367.1** Detour_Miles: **123.7**
Posting: **Open, no restriction**
Functional Class: **09** English_Inventory_Tons: **32.9**

2007 Replacement Eligible County Off System Structures

County Name **YAMHILL** Sufficiency Rating: **40.4**

Bridge_Number: **11501** On or Off System: **Off**

Features Desc: **DEER CREEK**

Facility Carried: **DEER CR PARK RD**

Percent_TRUCK_ADT: **0** ADT: **27**

Structure_Length_Feet: **65.0** Structure_Width: **14.1**

Bridge_SQ_Feet: **916.5** Detour_Miles: **123.7**

Posting: **Posted for load (may include other restrictions such as temporary bridges which are load posted)**

Functional Class: **09** English_Inventory_Tons: **9.0**

County Name **YAMHILL** Sufficiency Rating: **47.0**

Bridge_Number: **11610F** On or Off System: **Off**

Features Desc: **HASKINS CREEK**

Facility Carried: **KUTCH ROAD**

Percent_TRUCK_ADT: **0** ADT: **54**

Structure_Length_Feet: **63.0** Structure_Width: **19.4**

Bridge_SQ_Feet: **1219.5** Detour_Miles: **10.0**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **51.0**

2007 Replacement Eligible County Off System Structures

County Name: **YAMHILL** Sufficiency Rating: **47.8**

Bridge_Number: **11744F** On or Off System: **Off**

Features Desc: **WILLAMINA CREEK**

Facility Carried: **EAST CR RD**

Percent_TRUCK_ADT: **15** ADT: **176**

Structure_Length_Feet: **100.1** Structure_Width: **20.7**

Bridge_SQ_Feet: **2068.5** Detour_Miles: **11.2**

Posting: **Open, no restriction**

Functional Class: **09** English_Inventory_Tons: **31.0**