

Standard Guidelines for Product Review  
**Concrete Sealer, Chloride Barrier;**  
**Section 02060.00**  
November, 2016

## **02060.00 – Concrete Sealer, Chloride Barrier**

ODOT maintains a list of products suitable for placement on concrete to seal the sides and underneath of concrete structures against chloride intrusion. We have found the program developed by the Province of Alberta (for northern exposures) in conjunction with a requirement for minimum silane content meets our needs. Products shall be VOC compliant. After 1/1/2011 only 100% silanes will be allowed.

To Apply for inclusion on the QPL, submit the following:

- [Preliminary information for Product Evaluation Form](#).
- Documentation showing silane content of 100%
- Documentation showing VOC compliance.
- Spec data sheet with a list of limitations and precautions.
- Detailed installation instructions.
- MSDS
- Copies of approval from the Province of Alberta, Type 1c.

Contact Information: Province of Alberta  
Dave Besuyen, P. Eng  
Alberta Transportation  
Bridge Materials Engineer  
2<sup>rd</sup> Floor Twin Atria Building 4999 – 98 Avenue  
Edmonton Alberta Canada T6B 2X3  
Phone: 780-415-1037  
Fax: 780-422-5246

Submit all documentation to:

Oregon Department of Transportation  
Product Evaluation Coordinator  
800 Airport Rd SE  
Salem OR 97301-4798

Send no samples at this time.