



Oregon

Theodore R. Kulongoski, Governor

OREGON DEPARTMENT OF TRANSPORTATION
Traffic-Roadway Section
4040 Fairview Industrial Drive SE
Salem, OR 97302-1142
Telephone (503) 986-3568
FAX (503) 986-3749

August 8, 2011

All Holders of "Sign Policy and Guidelines for the State Highway System"

RE: AUG. 2011 REVISIONS TO SIGN POLICY & GUIDELINES FOR THE STATE HIGHWAY SYSTEM

Enclosed with this cover letter are the most recent revisions to the "Sign Policy and Guidelines for the State Highway System."

Sign No.	Page No.	Legend/Section	Revision
OR3-10a,b	3-37	SNOW LANE CONTROL	New sheet. Provides standard signs to depict lane use for 3-lane sections in areas where pavement is covered by snow for significant periods of time.
OR4-5	3-47	TRUCKS RIGHT TWO LANES ONLY	New sheet. Provides a regulatory message that may be used in areas with 3 + lanes in one direction where left lane(s) restrictions have been approved.
OR22-10	3-175	STATE LAW - UNMUFFLED ENGINE BRAKING PROHIBITED	Fine amount shown on sign has been changed to \$2,000.
OR22-11	3-176	UNMUFFLED ENGINE BRAKING PROHIBITED	Fine amount shown on sign has been changed to \$2,000.
-----	5-17 and 5-18	Information Center Signing Guidelines	Text has been revised to reflect the change from use of OD9-10 (not supported by FHWA) to D9-10.
OD9-10	Delete 5-19a	TOURIST INFORMATION symbol sign	Deleted. Federal version (D9-10) of this sign is to be used.
OD9-10a	5-19b	WELCOME CENTER rider	Supporting text has been modified to reflect the change which requires D9-10 instead of OD9-10.
OD9-10b	Delete 5-19c	VISITOR INFO rider	Deleted. This rider will no longer be needed. It would be redundant to use this as a rider under D9-10.
-----	5-20	Typical Information Center Signs	Typical sign depictions have been modified to reflect the change requiring use of D9-10 instead of OD9-10.
OBM1-8,8a	8-82	SCENIC BIKEWAY ROUTE	New design for OBM1-8 with new legend and new sign size. OBM1-8a provides a smaller version for off-highway use.

If you have any revisions, changes, or comments, please send them to:

Heidi Shoblom, Sign Engineer
ODOT, Traffic-Roadway Section, MS #5
4040 Fairview Industrial Dr. SE
Salem, Oregon 97302-1142

Ph: (503) 986-3603 Fax: (503) 986-3749
e-mail: Heidi.E.SHOBLOM@odot.state.or.us

Heidi Shoblom
Sign Engineer

SIGN LEGEND or PURPOSEPAGESIGN NO.

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
-A-		
ABRUPT EDGE	6-81	CW21-7
Abrupt Edge Riders	6-82	CW21-8a, b, c
ABRUPT EDGE roll-up sign	6-83	CW21-9
ADOPT-A-HIGHWAY	5-52	OD-417
ADOPT-A-LANDSCAPE	5-53	OD-418
Airport	5-5	I-5
ALL TRUCKS OVER 20,000 GVW NEXT RIGHT	3-168	OR22-4
APPLEGATE TRAIL, TRAIL SITE	5-106	OI7-8,9
APPLEGATE TRAIL INFO. CTR., INTERP. CTR.	5-107	OI7-10,11
Armory	5-3	---
ARRA Pictograph	6-13a,6-13,6-13b	ARRA
Auditoriums	5-3	---
-B-		
Ball Fields	5-3	---
Banners	5-8	---
BARLOW ROAD ROUTE	5-104	OI7-6
BEACH ACCESS	5-38	ORW-141
Bicycle Symbol / EVENT AHEAD	6-58	CW15-15a
Bicycle Symbol / EVENT ROUTE	6-19	CG20-21
BICYCLE RACE AHEAD	8-72	OBW16-2
BICYCLE RACE IN PROGRESS	6-59a	CW17-1
Bicycle Railroad Crossing Symbol	8-50	OBW8-20
BICYCLE RIDE IN PROGRESS	6-59b	CW17-2
Bicycle Signs	8-1	---
Bicycle Symbol / CROSSING ROADWAY	6-51	CW11-1a
Bicycle Symbol / ON ROADWAY	6-50	CW11-1
Bicycle Symbol w/STOP	8-4	OBR1-1
Bicycle Symbol w/YIELD	8-5	OBR1-2
Bike Centennial	8-1	---
Bike Directional	8-79	OBD11-1
Bike Directional (Multiple Directions)	8-76	OBD1-3c
Bike Lane Ends Symbol	8-34	OBW1-9
BIKE LANE ENDS	8-35	OBW1-10
Bike/Ped Crossing	8-52	OBW8-22
Bike/RR Xing	8-48	OBW8-19
BIKES CROSS ON WALK SIGNAL ONLY	8-16	OBW10-11
BIKE IN TUNNEL...	8-33	OBW1-8
Bridge Weight Limit...	3-116	OR12-6
BRIDGE WORK AHEAD	6-84	CW21-10
Bus Station Symbol	5-5	I-6
BUSINESS ACCESS	6-15	CG20-11
Business Park	5-3, 5-189	---
BYPASS PHOTO ENFORCED	4-90	OW16-10
-C-		
CALIFORNIA TRAIL	5-96	OI6-1
CHAIN-UP AREA SIGNS	4-120 to 123	OW 22-1 to 22-6
CHANNEL 9 MONITORED	5-5	---
Clam Digging Symbol	5-35	ODRW-062

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Colleges	5-2,3	---
CONGESTION	4-70	OW15-6
CONSTRUCTION VEHICLE DO NOT FOLLOW	6-110	CW23-14
Crabbing Symbol Sign	5-35	ODRW-063
Criteria for Signing...Interstate Highways	5-189	---
CROSSWALK CLOSED	3-172	OR22-7
CROSSWALK CLOSED w/Arrow	3-173	OR22-8
Curve	4-1	W1-4
Curve Modified	4-14	OW1-10R
Curve, Modified	4-15	OW1-11R
-D-		
DEER	4-45	OW11-3
DETOUR w/Vert, Arrow	6-10	CG20-6
Detour Signing	6-1	M4-8
Disabled Parking	3-92	OR7-8
Distance Rider for Recreational Signs	5-103	017-5a
Divided Highway	4-1	W6-1
DIVING OR JUMPING FROM BRIDGE PROHIBITED	3-162	OR21-2a
DO NOT ENTER	3-3,	R5-1
DO NOT PASS	3-2	R4-1
DO NOT PASS SNOWPLOWS ON THE RIGHT	3-174	OR22-9
DON'T LITTER MAX. FINE \$6250	3-163	OR21-3a
Dual Lane Reversing Curve Symbol	6-6b & 6c	---
-E-		
Elk	4-46	OW11-4
Emergency Medical Services	5-5	09-13
Emergency Parking Signs	3-3	R8-4
END DETOUR	6-9	CG20-5
END EXPRESSWAY 1/2 MILE	4-22	OW6-5
END EXPRESSWAY 1 MILE	4-22	OW6-5a
END FREEWAY ½ MILE	4-20	OW6-4
END FREEWAY 1 MILE	4-20	OW6-4a
END ROAD WORK	6-6	CG20-2a
END SAFETY CORRIDOR	5-78	OD-449
END SPEED ZONE	3-21	OR2-6a
Engine Braking	3-175, 176	OR22-10,11
ENTERING City	5-45	OD-411a
ENTERING XX COUNTY	5-46	OD-412
ENTERING WINTER RECREATION...	3-138	OR18-1
ENTERING WINTER RECREATION...	5-25	OD11-1
EROSION CONCERNS	6-14	CG20-10
EVENT AHEAD	6-57	CW15-15
EXCEPT BUS	3-34	OR3-7a
Exposition Center	5-3	---
-F-		
Fairgrounds	5-3	---
Flag board policy	4-5,6	---
Flagger Ahead Symbol	6-96	CW23-2
FLAGGER NEXT MILE roll-up sign	6-65	CW20-7b
Forest Service, USDA	1-5 to 1-7	---

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
FORM 2 LINES (PTR Sign)	3-151	OR20-5
-G-		
Geological Marker	5-73	D-424a
Golf Course	5-6	---
GROOVED PAVEMENT	6-46	CW8-13
GROOVED PAVEMENT w/Symbol	4-42	OW8-13
-H-		
HELMETS REQUIRED	3-166	OR22-2
Heritage Site	5-70	ORG-010
HIGH WATER	4-76	OW15-12
Highway Advisory Radio Sign	4-124	OW22-7
Historical Marker Ahead	5-72	D-424
Horizontal Clearance Symbol	6-86	CW21-12
Hydrant Marker	5-79	OD-450
-I-		
ICE	4-77	OW15-13
Impact Attenuator	4-105	OW19-1
Industrial Park	5-3	---
INTERMITTENT ROAD WORK	6-17	CG20-13
Intersection Guide Signs	5-2	---
Intersection Symbol Signs	4-1	W2-1,W2-5
-L-		
Landmarks	5-3	---
LANE NARROWS	6-98	CW23-4
Lane Restriction Signs	3-3	OR5-11
Lane Use Control Signs	3-25 to 3-31	OR3-5, 3-6
LANES NARROW	6-98	CW23-5
Left & Right Arrow	3-28	OR3-5TD
LEFT LANE BUS ONLY	3-38	OR3-11b
LEFT LANE BUS & LEFT TURN ONLY	3-39	OR3-11c
LEFT LANE MUST TURN LEFT	3-33	OR3-7L
Left Turn ONLY	3-25	OR3-5L
LEFT TURN LANE CLOSED AHEAD	6-108	CW23-12
LEFT TURN LANE CLOSED	6-109	CW23-13
LEFT TURN YIELD TO ONCOMING TRAFFIC	3-130	OR17-1
LEFT TURN YIELD TO PEDS	3-134	OR17-6
LEFT TURN YIELD TO PEDS & BIKES	3-135	OR17-6a
LEFT TWO LANES CLOSED AHEAD	6-63	CW20-5a
Length Restriction Symbol Sign	3-117	OR12-8
LEWIS AND CLARK TRAIL	5-95	OI5-1
LIGHTS ON FOR SAFETY	5-74	D-445
Livestock	4-50	OW11-8
LOGO, Interstate	5-125 to 5-139	---
LOGO, OFF-INTERSTATE	5-112 to 5-124	---
LOG TRUCKS	4-69	OW15-5
LONG LOAD	4-82 & 83	OW15-17
LOOSE GRAVEL XX MPH	6-60	CW8-7a
Low Clearance Sign	4-55	OW12-2P
LOW CLEARANCE ON SHOULDER	4-57	OW12-4

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
-M-		
MAX WIDTH (Horizontal Clearance)	6-86	CW21-12
Memorial Highways	5-6	---
Motor Carrier Pilot Car STOP Marker	3-119	OR14-6
MOTORCYCLISTS...	3-165	OR22-1
-N-		
NARROW Symbol for Bikes	8-66	OBW12-3
NARROW BRIDGE	3-3, 4-1	W5-2
NEXT GASOLINE	5-5	---
NO FISHING FROM BRIDGE	3-160	OR21-1
NO LANE CHANGES AHEAD	3-181	OR22-15
NO LANE CHANGES NEXT FT.	3-182	OR22-16
NO LANE CHANGES NEXT 1/2 MILE	3-182	OR22-17
NO LEFT TURN	3-22	OR3-2
NO OVERNIGHT PARKING	3-85	OR7-1
NO PARKING with arrow	3-88	OR7-3a
NO PARKING ANYTIME with arrow	3-90	OR7-3b
NO PARKING FOR UNATTENDED VEHICLES	3-103	OR8-4a
NO PARKING FOR UNATTENDED VEHICLES w/dates	3-139	OR18-2
NO PARKING VEHICLES OVER X FEET HIGH	3-100	OR7-20
NO RIGHT TURN	3-22	OR3-1
NON-MOTORIZED ...EXIT	3-70	OR5-3a
NON-MOTORIZED ...POINT	3-71	OR5-3b
-O-		
Obstruction Marker	4-105	OW19-1
ON BRIDGE ROADWAY	8-32	OBW1-7
ON ROADWAY	8-30	OBW1-5
ONE VEHICLE PER GREEN (PTR Sign Option)	3-147	OR20-1
ONE WAY TRAFFIC FOR TRUCKS AND BUSES	3-3, 3-75	OR5-11
OPEN/CLOSED	5-181	---
OPEN RANGE	4-49	OW11-7
Oregon Coast Bike Route	8-81	OBD11-3
Oregon Historic Route	5-151	D-485
Oregon Scenic Byway	5-143 to 5-147	D480- to 483
OREGON THANKS YOU...	5-81	OD-461
Oregon Tour Route	5-150	D-484
Oregon Trail Signs	5-97 to 5-105	OI7-1 to 7
ORS 811.435, \$250 MAX FINE	8-19	OBR10-14
OVERSIZE LOAD	4-81	OW15-16
-P-		
PARKING...	3-92	OR7-8
PARKS, City (Public Agency)	5-3	---
County (Public Agency)	5-2, 5-3	---
State	5-2, 5-60 to 5-69	D-434
Parks, Federal	5-2,3,4	---
PATROLLED BY AIRCRAFT	3-145	OR19-6
PASS WITH CARE	3-2	R4-2
PASSING LANE CLOSED AHEAD	6-100	CW23-6
PASSING LANE 1 MILE	3-52	OR4-10
Pavement Width Transition	4-1	W4-2

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
Pedestrian Symbol / EVENT ROUTE	6-18	CG20-20
Pedestrian Symbol / EVENT AHEAD	6-59	CW15-15b
Pedestrian Symbol / ON ROADWAY	6-52	CW11-2
Pedestrian Symbol / CROSSING ROADWAY	6-52a	CW11-2a
POINT OF INTEREST	5-105	OI7-7
POPULATION	5-48	OD-413a
PREPARE TO STOP WHEN LIGHTS FLASH	4-78	OW15-14
PRIVATE DRIVE	4-63, 5-10	OW14-3
Project I.D.	6-12	CG20-8
PUBLIC ACCESS	5-38	ORW-141
Public Agencies	5-3	---
Public Schools	5-3	---
PULL OUT	5-29	OD12-1
PULL OUT X MILE	5-30	OD12-2
PUSH BUTTON AHEAD	8-20	OBR10-15
PUSH BUTTON FOR PEDESTRIANS (SYMBOL)	3-105	OR10-4bR
PUTTING OREGON BACK TO WORK	6-13, 6-13a	CG20-8s
PUTTING OREGON BACK TO WORK	6-13a, 6-13b	CG20-8su
-R-		
Racetracks	5-3	---
RAMP CLOSED	3-184	OR22-18
RAMP SIGNAL ON (PTR Sign)	3-150	OR20-4
Recreational/Cultural Interest Areas	5-4, 5-35	---
Recreational Symbol Policy	5-11	---
Red Cross Center	5-3	---
Resort Areas	5-4,5-6	---
RIGHT LANE ENDS	3-2	W9-1R
RIGHT LANE MUST TURN RIGHT	3-33	OR3-7R
Right Turn ONLY	3-25	OR3-5R
RIGHT TURN YIELD TO PEDS	3-134	OR17-5
RIGHT TURN YIELD TO PEDS ON GREEN (symbolic ball)	3-179	OR22-14
RIGHT TURN YIELD TO PEDS & BIKES	3-135	OR17-5a
RIVER ROUTE	5-100	OI7-4
ROAD CLOSED...	3-109	OR11-4a
ROAD WORK NEXT XX MILES	6-4	CG20-1
ROAD WORK XX MPH	6-60	CW20-1a
Rural Fire District	5-6	---
RR Crossing	8-7	---
S		
Safe Speeds	4-4	---
SAFETY BELTS...	3-167	OR22-3
SAFETY CORRIDOR	5-76	D-447
Safety Corridor (Standard Layout)	1-11	---
SCENIC BIKEWAY ROUTE	8-82	OBM1-8, 8a
Scenic Byway	5-144 to 5-147	---
Scenic Byway Motorist Services	5-140,141	---
SCHOOL BUS TURN AROUND	7-18	OS3-2
School Crossing Signs	7-1, 7-4	S2-1
SCHOOL DAYS rider	7-2, 7-21	OS4-8
SCHOOL IN SESSION	7-22	OS4-9
SCHOOL SPEED	7-2, 7-27, 7-28	OS5-4, OS5-5

<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
School Zone Signing Details	7-9 thru 7-16	---
Shopping Centers	5-3, 5-189	---
SIDEWALK USERS WALK BIKES	8-18	OBR10-13
SIGNAL WORK AHEAD	6-84	CW21-11
SLIDES	4-85	OW15-19
SLOW	4-65	OW15-1
SLOW (For Bikes)	8-70	OBW15-1
SLOW MOVING VEHICLE TURNOUT	3-58	OR4-15
SLOW MOVING VEHICLE TURNOUT 1/2 MILE	3-56	OR4-13
SLOW TRUCKS	4-29	OW7-4
SNO PARK AHEAD 1/4 MILE	5-26	OD11-2
SNO-PARK PARKING...	3-140	OR18-3
SNO-PARK PARKING...	3-141	OR18-4
SNOW LANE CONTROL	3-37	OR3-10a,b
SNOW ZONE	4-79	OW15-15
Regulatory Riders	3-122	OR15-15
Snowmobile Crossing Signs	4-2	W11-6
Speed Reduction	4-17	OW3-5
SPEED XX	3-14	OR2-1
SPEED ZONE AHEAD	3-1	R2-5C
Sports And Recreation Centers	5-3	---
Auditoriums, Ball Fields, Fairgrounds		---
State Capitol	5-3	---
State Government Offices	5-3	---
STATE LAW, MOVE OVER.....EMERGENCY VEHICLES	3-62	OR4-20
STATE LAW, TRUCKS-CAMPERS-TRAILERS...4 lanes, 6 lanes	3-61	OR4-18,19
STEEL PLATE	6-41	CW8-8
Steer Symbol	4-48	OW11-6
STOP AHEAD	4-115	OW21-1
STOP Flap	3-10	OR1-5
STOP Roll-up Sign	6-20	CR1-1
STOPPED VEHICLES (PTR Sign)	4-110	OW20-1
SUNKEN GRADE	4-40	OW8-11
-T-		
Technical Schools	5-3	---
Temporary Event Signing	5-9	---
Through, Left & Right Arrow	3-29	OR3-5TT
TOUR ROUTE	5-101	OI7-4a
Tour Route, State Entrance	5-150	D-484
Tourist Information Centers	5-17 to 5-21	---
XX TON BRIDGE WEIGHT LIMIT	3-116	OR12-6
TODS	5-110,111	---
TRAFFIC CONTROL CHANGE AHEAD	6-68	CW20-10
TRAFFIC FINES DOUBLE	5-77	OD-448
Traffic Separator Symbol Sign	4-24	OW6-6
TRAIL SITE	5-99	OI7-3
TRAVEL INFO (Travel Advisory Radio Signing)	5-14	---
Travel Information Centers	5-17 to 5-20	---
Train Stations	5-5	I-7
TRUCKS	6-53	CW15-4
TRUCKS ENTERING....	6-101	CW23-7


<u>SIGN LEGEND or PURPOSE</u>	<u>PAGE</u>	<u>SIGN NO.</u>
TRUCKS LEAVING...	6-102	CW23-8
TRUCKS RIGHT TWO LANES ONLY	3-47	OR4-5
TRUCKS, CAMPERS, TRAILERS, BUSES...4 Lane, 6 Lane	3-59	OR4-16,17
TRUCK WEIGHING AHEAD	4-30	OW7-5
Tsunami Signs	5-82 to 5-86	OD-462 to OD-466
TUNNEL	4-75	OW15-11
Turn	4-1	W1-1
-U-		
U-TURN PERMITTED	3-41	OR3-12
Unincorporated Communities	5-3	---
Universities	5-3	---
UNLAWFUL TO IMPEDE	3-64	OR4-21
UNLAWFUL TO PASS SCHOOL BUS...	3-126	OR16-3
UNMUFFLED ENGINE BRAKING	3-175	OR22-10
UNMUFFLED ENGINE BRAKING	3-176	OR22-11
USE CAUTION Plaque	8-51	OBW8-21
-V-		
Visitors Information Signs	5-17 to 5-20	---
-W-		
WAIT FOR PILOT CAR	6-21	CR4-20
Warning Sign Placement	4-1	---
WEIGHT LIMIT REDUCED	3-110	OR12-5
Weight Limits	3-111 to 3-115	OR12-5a to e
Weight Specific Sign	4-100	OW18-1
Welcome Center Signs	5-17 to 5-20	---
WELCOME TO XX - City	5-47	OD-413
WELCOME TO XX - County	5-49	OD-414
WELCOME TO OREGON	5-80	OD-460
Whale Watching Symbol Sign	5-35	ODRW-061
WHEELCHAIR USER ONLY	3-95	OR7-8c
WIDE LOAD	4-84	OW15-18
Wildlife Refuge	5-3	---
WILDLIFE VIEWING AREA.....LEFT, RIGHT	5-41	ORM-174
WILDLIFE VIEWING AREA w/Arrow	5-40	ORM-172
Wine Tour Symbol Sign	5-35	ODRG-121
Winter Recreation Area Signs	3-138, 5-25	---
WRECK AHEAD	6-56	CW15-10
-X-		
XING	8-31	OBW1-6
-Y-		
YIELD (For Bikes)	8-5	OBR1-2
YIELD CENTER LANE TO OPPOSING TRAFFIC	3-53	OR4-11a
YIELD CENTER LANE TO UPHILL TRAFFIC	3-53	OR4-11
YIELD TO ONCOMING TRAFFIC	3-171	OR22-6
Youth Camps	5-3	---
- # -		
24-HOUR FLAGGING AHEAD	6-67	CW20-9

SIGN LEGEND or PURPOSE
\$500 PENALTY FOR THROWING AWAY BURNING MATERIAL

PAGE
3-129

SIGN NO.
OR16-6

Sign No. OR3-10a




BORDER = 1.25"

INSET = 0.75"

RADIUS = 3"

Sign No. OR3-10b



Sign Background: White, Retro-reflective sheeting
Sign Legend: Black, Non-reflective

The SNOW LANE CONTROL signs (OR3-10a and OR3-10b) may be used where weather conditions cover the pavement markings over a significant time period, as determined by the Region Traffic Engineer. The SNOW LANE CONTROL sign may only be used for conventional highways with 2-way traffic and 3 lanes.

SIGNSTDP.F11

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 8/11

Publication Date: 8/11

Sign No. OR4-5



BORDER = 1.25"
INSET = 0.75"
RADIUS = 3"

Sign Background: White, Retro-reflective sheeting
Sign Legend: Black, Non-reflective

The TRUCKS RIGHT TWO LANES ONLY sign (OR4-5) may be used if 3 or more lanes in one direction have been provided and only if the State Traffic Engineer has approved left lane(s) restrictions to trucks. The TRUCKS RIGHT TWO LANES ONLY sign should be installed at the beginning of the restriction and repeated as often as appropriate.

SIGNSTDP.F11


OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 8/11

Publication Date: 8/11

Sign No. OR 22-10



Sign Background: White, Retroreflective sheeting

Sign Legend: Black, Non-reflective

SIGNSTDP.F11


The intended placement of the STATE LAW-UNMUFFLED... SIGN is in the Port of Entries. On those highways that do not have a port of entry, place the sign near the State border where space permits.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 3/94

Publication Date: 8/11



Sign Background: White, Retroreflective Sheeting

Sign Legend: Black, Non-reflective

The UNMUFFLED ENGINE BRAKING PROHIBITED sign is used to remind drivers of the provisions listed in ORS 811.492 and 810.214.

This sign can be installed in specified locations if it meets the following warrants:

1. The area has an established record of unmuffled engine brake noise complaints (minimum of 6 different people complaining about 4 different incidents) supported by an engineering investigation.
2. Signed concurrence from the law enforcement agency in the jurisdiction that the sign falls within acknowledging an action plan to enforce the law.
3. Approval of State Traffic Engineer on State Highways.
4. Jurisdictions other than ODOT may use their own criteria to determine the location of this sign.

SIGNSTDP.F11

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 8/95

Publication Date: 8/11

Information Center Signing Guidelines

TRAVEL INFORMATION CENTER: These are the gazebo types of information centers operated by the Oregon Travel Information Council usually found in interstate rest areas. There are some located in other areas (e.g., “D” River Wayside).

Freeway –

- Incorporate word message “TRAVEL INFO.” or “TRAVEL INFO. CTR.” into legend of rest area sign. See page 5-20 for sign design examples.

Primary/Secondary Highway –

- Use a blue background sign with white lettered legend of “TRAVEL INFORMATION CENTER”. Legend may be abbreviated if appropriate.

OREGON WELCOME CENTER: These are statewide information centers operated and funded by the Oregon Tourism Commission, doing business as Travel Oregon. The centers are located at select border/entry points in rest areas, state parks, their own facilities and in Visitor Information Centers operated by local destination marketing organizations.

Freeway –

- If the facility is in a rest area, incorporate word message “WELCOME CTR.” or “WELCOME CENTER” with the “TOURIST INFORMATION” sign (D9-10) into the legend of rest area sign.
- If facility is not in rest area, it is considered to be a motorist service and shall be signed as a rider under one of the guide signs. The rider shall incorporate the word message “WELCOME CTR.” or “WELCOME CENTER” with the “TOURIST INFORMATION” sign (D9-10).
- For retro-fits of existing signs, if the distance between the breakaway supports will not accommodate a full length rider as described above, a “TOURIST INFORMATION” sign (D9-10) may be used in conjunction with the “WELCOME CENTER” word message sign (OD9-10a).
- The preferred placement would be under the one mile advance or “EXIT XX” sign.
- See Page 5-20 for sign design examples.

Primary/Secondary Highway –

- The “TOURIST INFORMATION” sign (D9-10) with the “WELCOME CENTER” word message sign (OD9-10a) with appropriate Directional Arrow Auxiliary Sign should be used to guide motorists to the center.

Information Center Signing Guidelines

VISITOR INFORMATION CENTER: These are information centers usually operated by local and regional destination marketing organizations (DMO's). In specific circumstances, Visitor Information Centers are run by others on behalf of DMO's as a public service. In these isolated instances, they are allowed signing if they qualify by documenting that they are operating the center on behalf of the DMO and by meeting the standards adopted by the Visitor Center Sign Committee shown on page 5-19.

Prior to replacement of any existing Visitor Information Center signing, ODOT shall request the Visitor Information Center submit documentation to the ODOT District Office that their facility meets the new standard as shown on page 5-19.

Freeway –


There are two options for signing Visitor Information Centers on the freeway, through the Travel Information Council (TIC) as an attraction logo and through ODOT as a motorist service. Only one option should be installed.

1. A visitor information center that is in partnership with a private business and qualifies under the definition of Travel Plaza (as authorized in TIC Statute, ORS 377.710) is eligible for a Tourist Attraction Logo sign through TIC. The logo sign shall incorporate the "TOURIST INFORMATION" sign (D9-10) for statewide consistency.
2. A visitor information center that meets the standards shown on page 5-19 and is serving a single location as a stand-alone entity is eligible for a motorist service sign through ODOT.
 - The visitor information center shall be signed as a rider under one of the guide signs. The rider shall consist of the word message "VISITOR INFO" or "VISITOR INFORMATION".
 - For retro-fits of existing signs, if the distance between the breakaway supports will not accommodate a full length rider as described above, a "TOURIST INFORMATION" sign (D9-10) may be used instead.
 - The preferred placement would be under the one mile advance or "EXIT XX" sign.
 - See Page 5-20 for sign design examples.

Primary/Secondary Highway –

- The "TOURIST INFORMATION" sign (D9-10) with appropriate Directional Arrow Auxiliary sign should be used to guide motorists to the center.

Sign No. OD9-10a



Sign Background: Blue, Retro-reflective sheeting

Sign Legend: White, Retro-reflective

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G		
MIN.	24	18	1/2	1 1/2	4C	3	3 1/2		
STD.	30	24	3/4	1 7/8	5C	4	5		

SIGNSTDPG.F13

The WELCOME CENTER word message sign (OD9-10a) should be installed below the TOURIST INFORMATION sign (D9-10).

Directional Arrow Auxiliary sign (M6-1 or M6-3) should be used in the assembly with the same sign background and sign legend color.

For additional signing information on Oregon Welcome Centers, see pages 5-17 thru 5-20.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09

Publication Date: 8/11

EXIT 124

Roseburg
Diamond Lake
1 MILE

INFO *

*retro-fit option

Or

TRAVEL INFO

Or

INFO WELCOME CENTER

Or

VISITOR INFO

Typical Freeway Signing when Welcome Center or Information Center is not located in rest area.

SIGNSTDPG.F13



Typical Freeway sign for Travel Info. Center in rest area.



Typical Freeway sign for Welcome Center when located in rest area.


OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 12/09


Publication Date: 8/11

Sign No. OBM1-8



12" x 7" bike
5" x 6" arrow
(5" x 7 1/2" for left, right or angled arrows; 3" x 9" for horizontal two-headed arrow)

Sign No. OBM1-8a



8" x 4 1/2" bike
4" x 4 1/2" arrow
(4" x 6" for left, right or angled arrows; 3" x 8" for horizontal two-headed arrow)

Note: Bike symbol should face to the right when arrow orientation is to the right.

Sign Background: White, Reflective Background
Green, Reflective Oval

Sign Legend: White, Reflective Letters, Arrow and State
Green, Reflective Bike

SIGNSTDPG.F15

The SCENIC BIKEWAY ROUTE sign (OBM 1-8 or OBM 1-8a) can be used in lieu of any other bike route sign when it is used on a state designated bike route.

The 24" x 36" version (OBM 1-8) is to be used where the bike route is physically adjacent to or part of the highway. The 18" x 24" version (OBM 1-8a) is to be used where the bike route is physically removed from the highway.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: S.T.E.

Date: 5/05

Publication Date: 8/11