

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SEVERE/MODERATE HEAD INJURY: HEMATOMA/EDEMA WITH LOSS OF CONSCIOUSNESS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 850.1-850.5,851.02-851.06,851.1,851.22-851.26,851.3,851.42-851.46,851.5,851.62-851.66,851.7,851.82-851.86,851.9

CPT: 61108,61313-61316,62140-62141,62148,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 1

Diagnosis: TYPE I DIABETES MELLITUS (See Guideline Note 2)

Treatment: MEDICAL THERAPY

ICD-9: 250.01,250.03,250.11,250.13,250.21,250.23,250.31,250.33,250.61,250.63,250.91,250.93,251.3,V53.91,V65.46

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0245,G0246,G0308-G0327,S9145

Line: 2

Diagnosis: PERITONITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 567,569.83,777.6

CPT: 10180,44120,44602,44626,49021,49040-49061,49080-49081,49420,49423-49424,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 3

Diagnosis: ACUTE GLOMERULONEPHRITIS: WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS (See Guideline Note 2)

Treatment: MEDICAL THERAPY INCLUDING DIALYSIS

ICD-9: 580.4

CPT: 36818,36821,36831-36833,36835,36838,36870,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327

Line: 4

Diagnosis: PNEUMOTHORAX AND HEMOTHORAX

Treatment: TUBE THORACOSTOMY/THORACOTOMY, MEDICAL THERAPY

ICD-9: 511.8,512,860

CPT: 32000,32002,32019-32020,32200-32215,32310,32420,32500,32650-32652,32655,32664-32665,33015,33020,33025,33030-33031,33050,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 5

Diagnosis: COMPLICATED HERNIA WITH OBSTRUCTION AND/OR GANGRENE; UNCOMPLICATED HERNIA IN CHILDREN UNDER AGE 18

Treatment: REPAIR

ICD-9: 550.0-550.1,550.9,551.0-551.2,551.8-551.9,552.0-552.2,552.8-552.9

CPT: 44050,44120,49491-49496,49500-49590,49650,49651,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 6

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: TORSION OF OVARY

Treatment: OOPHORECTOMY, OVARIAN CYSTECTOMY

ICD-9: 620.5

CPT: 58660,58661,58662,58720,58770,58925,58940-58943,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 7

Diagnosis: TORSION OF TESTIS

Treatment: ORCHIECTOMY, REPAIR

ICD-9: 608.2

CPT: 54512-54535,54600,54620,54640,54660,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 8

Diagnosis: ADDISON'S DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 255.4,255.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 9

Diagnosis: INJURY TO INTERNAL ORGANS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 861.0-861.1,861.20-861.22,861.30-861.32,862.0-862.1,862.21,862.29,862.3,862.9,863-869,958.4,958.7

CPT: 31775,32110,32120,32124,32653-32654,32658,32820,33300-33335,33960-33961,39501,39545,44139-44140,44625,44701,45562-45563,47361-47362,47802,47900,50220,50740-50760,50947-50948,52310,52315,52332,53502,53505,53510,53515,58520,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 10

Diagnosis: FLAIL CHEST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 807.4

CPT: 21750,21800-21825,32110,32120,32124,32820,32905-32906,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 11

Diagnosis: APPENDICITIS

Treatment: APPENDECTOMY

ICD-9: 289.2,540-543

CPT: 44900-44960,44970,49020

Line: 12

Diagnosis: RUPTURED SPLEEN

Treatment: REPAIR/SPLENECTOMY/INCISION

ICD-9: 865

CPT: 38100,38115,38120

Line: 13

Diagnosis: TUBERCULOSIS

Treatment: MEDICAL THERAPY

ICD-9: 010-012,031.0,V71.2

CPT: 32662,32906,32960,33015,33020,33025,33030-33031,33050,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 14

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DEEP OPEN WOUND OF NECK, INCLUDING LARYNX; FRACTURE OF LARYNX OR TRACHEA, OPEN  
Treatment: REPAIR  
ICD-9: 807.5-807.6,874  
CPT: 11010-11012,12001-12007,13101,13131-13150,20100,21493-21495,31528-31529,31584-31586,31766,31780-31781,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 15

Diagnosis: CROUP SYNDROME, EPIGLOTTITIS, ACUTE LARYNGOTRACHEITIS  
Treatment: MEDICAL THERAPY, INTUBATION, TRACHEOTOMY  
ICD-9: 464.01,464.1-464.4,464.51  
CPT: 31500,31600-31605,31820-31830,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 16

Diagnosis: PNEUMOCOCCAL PNEUMONIA, OTHER BACTERIAL PNEUMONIA, BRONCHOPNEUMONIA  
Treatment: MEDICAL THERAPY  
ICD-9: 073.0,481-483,485-486,507  
CPT: 31500,31603,31645-31646,32000,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 17

Diagnosis: PERTUSSIS AND DIPHTHERIA  
Treatment: MEDICAL THERAPY  
ICD-9: 032-033  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 18

Diagnosis: RUPTURE OF PAPILLARY MUSCLE (See Guideline Note 1)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 429.5-429.6  
CPT: 33425,33430,33542,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 19

Diagnosis: COAGULATION DEFECTS  
Treatment: MEDICAL THERAPY  
ICD-9: 286.0-286.5,286.7-286.9,719.1,V83.01,V83.02  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 20

Diagnosis: DISSECTING OR RUPTURED AORTIC ANEURYSM (See Guideline Note 1)  
Treatment: SURGICAL TREATMENT  
ICD-9: 441.0-441.1,441.3,441.5-441.6  
CPT: 32110,32120,32124,32820,33320-33335,33690,33860-33877,33916,34520,34803,34805,35081-35103,35301-35311,35331-35351,35500-35515,35526-35531,35536-35551,35560-35563,35572,35601-35616,35626-35647,35651,35663,35697,35820,35840,35870-35876,35905,35907,36825-36830,36834,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 21

Diagnosis: INJURY TO MAJOR BLOOD VESSELS OF EXTREMITIES  
Treatment: LIGATION  
ICD-9: 903-904  
CPT: 35189-35190,35206-35207,35236,35266,35500,37618  
Line: 22

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: INTUSSUSCEPTION, VOLVULUS, INTESTINAL OBSTRUCTION, AND FOREIGN BODY IN STOMACH, INTESTINES, COLON, AND RECTUM

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 560.0,560.2,560.30,560.39,560.8-560.9,935.2,936-938

CPT: 43247,43500,43870,44005-44010,44020-44025,44050,44110-44130,44139-44147,44200,44206-44208,44310,44370,44379,44383,44390,44397,44615,44701,45327,45337,45345,45387,45915,49085,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 23

Diagnosis: NON-DISSECTING ANEURYSM WITHOUT RUPTURE (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 441.2,441.4,441.7,441.9,442

CPT: 33320-33335,33860-33877,33916,34800-34834,34900,35001-35081,35091,35102,35111-35152,35188,35301-35311,35331-35351,35500-35515,35526-35531,35536-35551,35560-35563,35572,35601-35616,35626-35647,35651,35663,35682-35683,35697,35820,35840,35905,35907,35875-35876,36825-36830,36834,37565-37606,37618,61680-61700,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 24

Diagnosis: RUPTURED VISCUS

Treatment: REPAIR

ICD-9: 530.4,568.81,569.3,569.49,569.89,862.22

CPT: 43405,44602-44605,45334,45379,45382,45500,45560,45915,57268-57270,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 25

Diagnosis: ACUTE BACTERIAL MENINGITIS (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 036,320

CPT: 61000-61070,61107,61210-61215,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 26

Diagnosis: HODGKIN'S DISEASE (See Guideline Notes 2, 3 and 4)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 201

CPT: 38100,38120,49200,49220,77261-77799,78811-78816,79403,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 27

Diagnosis: ACUTE PYELONEPHRITIS, RENAL AND PERINEPHRIC ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 590.1-590.3

CPT: 49423-49424,50020-50021,50220,50391,50520,50525-50526,50544-50546,50548,50575,50947-50948,52332,52334,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 28

Diagnosis: ARTERIAL EMBOLISM/THROMBOSIS: ABDOMINAL AORTA, THORACIC AORTA (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 443.1,444.0-444.1,444.8

CPT: 33320-33335,33916,34001,34051,34101,34201-34203,35081,35331,35363-35390,35473,35536-35551,35560,35623-35641,35646-35647,35651,35681-35683,35691-35695,35741,35761,35800,35875-35876,35901,36825-36830,36834,37201-37202,37204-37205,37209

Line: 29

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: LIVER ABSCESS  
Treatment: MEDICAL THERAPY  
ICD-9: 572.0-572.3,572.8  
CPT: 47011-47015,49423-49424,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 30

Diagnosis: SUBARACHNOID AND INTRACEREBRAL HEMORRHAGE/HEMATOMA; COMPRESSION OF BRAIN (See  
Guideline Note 1)  
Treatment: BURR HOLES, CRANIECTOMY/CRANIOTOMY  
ICD-9: 348.4-348.5,349.81,430-432,437.3,852-853  
CPT: 61120,61150-61151,61154,61210,61304,61312-61316,61322-61323,61343,61522-61710,62100,  
62220-62223,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-  
97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499  
Line: 31

Diagnosis: FOREIGN BODY IN PHARYNX, LARYNX, TRACHEA, BRONCHUS AND ESOPHAGUS  
Treatment: REMOVAL OF FOREIGN BODY  
ICD-9: 933.0-933.1,934,935.0-935.1  
CPT: 31500,31511-31512,31530-31531,31635,32150-32151,40804,42809,43020,43045,43215,43247,  
90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 32

Diagnosis: NEOPLASMS OF ISLETS OF LANGERHANS  
Treatment: EXCISION OF TUMOR  
ICD-9: 157.4,211.7  
CPT: 48140,60699  
Line: 33

Diagnosis: NON-DIABETIC HYPOGLYCEMIC COMA  
Treatment: MEDICAL THERAPY  
ICD-9: 251.0  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 34

Diagnosis: ACUTE OSTEOMYELITIS (See Guideline Note 1)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 526.4,730.0,730.3  
CPT: 11752,20150,20955-20957,20962,20969-20973,21510,21025,21026,23035,23105,23130,23170-  
23184,23405-23406,23900-23921,23935,24134-24147,24420,24900-24930,25035,25085,25119,  
25145-25151,25210,25215,25230,25240,25900-25909,25920-25931,26034,26910-26952,26992,  
27025,27054,27070-27071,27290-27295,27303,27590-27598,27607,27705-27709,27880-27889,  
28005,28120-28124,28800-28825,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,  
97032,97036,97110-97124,97140-97537,97703-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499  
Line: 35

Diagnosis: ACUTE MASTOIDITIS  
Treatment: MASTOIDECTOMY, MEDICAL THERAPY  
ICD-9: 383.0,383.2  
CPT: 69420-69421,69433-69436,69501-69540,69601-69646,69670,69700,69801-69802,90471-90472,  
90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,  
92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,  
96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499  
Line: 36

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PYOGENIC ARTHRITIS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 711.0,711.9

CPT: 23040-23044,24000,25040,25101,26070-26080,27030,27310,27610,28022-28024,29843,29848,29861-29863,29871,29894,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 37

Diagnosis: ACUTE INFLAMMATION OF THE HEART DUE TO RHEUMATIC FEVER (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 391,392.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 38

Diagnosis: BUDD-CHIARI SYNDROME, AND OTHER VENOUS EMBOLISM AND THROMBOSIS

Treatment: THROMBECTOMY/LIGATION

ICD-9: 453

CPT: 34101,34401,34471,34490,34501-34502,34510-34530,35201-35286,35572,35681,35761,35800,35820,35840,35875-35876,35905,35907,37140,37160,37182,37202,37205-37209,37620,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 39

Diagnosis: BURN, PARTIAL THICKNESS GREATER THAN 30% OF BODY SURFACE (See Guideline Note 1)

Treatment: FREE SKIN GRAFT, MEDICAL THERAPY

ICD-9: 941.26-941.27,942.20-942.24,942.29,943.2,944.20-944.24,944.26-944.28,945.20-945.21,945.23-945.29,946.2,949.2

CPT: 11000,11040-11042,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,15770,16010-16036,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 40

Diagnosis: CHOANAL ATRESIA

Treatment: REPAIR OF CHOANAL ATRESIA

ICD-9: 748.0

CPT: 30520,30540,30545,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 41

Diagnosis: BURN, PARTIAL THICKNESS WITH VITAL SITE; FULL THICKNESS WITH VITAL SITE, LESS THAN 10% OF BODY SURFACE (See Guideline Note 1)

Treatment: FREE SKIN GRAFT, MEDICAL THERAPY

ICD-9: 941.20-941.25,941.28-941.29,941.30-941.35,941.38-941.39,942.25,942.35,944.25,944.35,945.22,945.32,946.2-946.3,949.2-949.3

CPT: 11000,11040-11042,11970,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,15756-15758,15770,16010-16036,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 42

Diagnosis: THROMBOCYTOPENIA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 287.1,287.3-287.5

CPT: 38100,38102,38120,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 43

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: INTRA-ABDOMINAL ABSCESS  
Treatment: DRAIN ABSCESS, MEDICAL THERAPY  
ICD-9: 569.5  
CPT: 44799,45308-45315,49020,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 44

Diagnosis: PERIPHERAL VASCULAR DISEASE, LIMB THREATENING INFECTIONS, AND VASCULAR COMPLICATIONS  
Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 040.0,250.7,440.2-440.3,728.0,728.86,785.4  
CPT: 11000-11057,23900-23921,23930,24350-24356,24495,24900-24940,25020-25028,25900-25931,  
26025-26030,26037-26045,26910-26952,26990-26991,27025,27290-27295,27301,27305,27496-  
27499,27590-27598,27600-27603,27880-27894,28001-28003,28008,28800-28825,29893,35500,  
35682-35683,35860,35875-35876,35903,90471-90472,90780-90799,90901-90937,90945-91105,  
91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,  
93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,  
97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,  
99499

Line: 45

Diagnosis: RUPTURE OF BLADDER, NONTRAUMATIC  
Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 596.6  
CPT: 51860-51865,53080,53085,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 46

Diagnosis: ERYSIPELAS  
Treatment: MEDICAL THERAPY

ICD-9: 035  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 47

Diagnosis: SEPTICEMIA  
Treatment: MEDICAL THERAPY

ICD-9: 002,003.1,038,054.5,079.81,098.89,771.8,785.52  
CPT: 49002,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 48

Diagnosis: RICKETTSIAL AND OTHER ARTHROPOD-BORNE DISEASES  
Treatment: MEDICAL THERAPY

ICD-9: 080-083,085.0,085.5,085.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 49

Diagnosis: ACUTE ORBITAL CELLULITIS  
Treatment: MEDICAL THERAPY

ICD-9: 376.0  
CPT: 67414,67445,68400,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-  
92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-  
93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,  
99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 50

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ANAPHYLACTIC SHOCK; EDEMA OF LARYNX

Treatment: MEDICAL THERAPY

ICD-9: 478.6,995.0,995.2,995.4,995.6

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 51

Diagnosis: DEFORMITIES OF HEAD AND COMPOUND/DEPRESSED FRACTURES OF SKULL (See Guideline Note 1)

Treatment: CRANIOTOMY/CRANIECTOMY

ICD-9: 733.3,738.0-738.1,756.0,800.02-800.99,801.02-801.99,803.02-803.99,804

CPT: 11010-11012,11971,14041,21076-21077,21100-21110,21137-21180,21182-21188,21256-21275,21300,49906,61312-61330,61340,61345,61550-61559,61575-61576,62000-62010,62115-62121,62141,62146-62148,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5915,D5919,D5924,D5925,D5928,D5929,D5931,D5933

Line: 52

Diagnosis: CONGENITAL, PRIMARY, AND SECONDARY SYPHILIS

Treatment: MEDICAL THERAPY

ICD-9: 090-092

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 53

Diagnosis: BIRTH CONTROL

Treatment: CONTRACEPTION MANAGEMENT

ICD-9: V24.2,V25.0-V25.1,V25.4-V25.9,V26.3-V26.4

CPT: 11975-11977,57170,58300-58301,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S4981,S4989

Line: 54

Diagnosis: PREGNANCY (See Guideline Note 5)

Treatment: MATERNITY CARE

ICD-9: 640-677,V22.0-V22.1,V23.0-V23.1,V23.3-V23.9,V24,V28,V72.4

CPT: 12021,57022,57700,58520,59001,59012,59015,59020,59025,59030,59050-59051,59070-59076,59100-59622,59830,59866,59871,59899,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2401,S2402,S2403,S2405,S2411,S8055

Line: 55

Diagnosis: BIRTH OF INFANT

Treatment: NEWBORN CARE

ICD-9: 763,765.29,779.81-779.82,779.89,V30-V37

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 56

Diagnosis: ECTOPIC PREGNANCY

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 633

CPT: 57020,58520,58661,58673,58700,58720,58770,59120-59151,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 57

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 777.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 58

Diagnosis: NEONATAL THYROTOXICOSIS

Treatment: MEDICAL THERAPY

ICD-9: 775.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 59

Diagnosis: OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 748.2-748.3,769,770.0-770.6,770.8-770.9

CPT: 39501,39503,39520,39530-39531,39545,90471-90472,90780-90799,90901-90937,90945-91105,  
91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,  
93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,  
97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,  
99499

Line: 60

Diagnosis: DRUG REACTIONS AND INTOXICATIONS SPECIFIC TO NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 61

Diagnosis: TETANUS NEONATORUM

Treatment: MEDICAL THERAPY

ICD-9: 771.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 62

Diagnosis: HYDROPS FETALIS

Treatment: MEDICAL THERAPY

ICD-9: 773.3,778.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 63

Diagnosis: GALACTOSEMIA

Treatment: MEDICAL THERAPY

ICD-9: 271.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 64

Diagnosis: CONGENITAL HYPOTHYROIDISM

Treatment: MEDICAL THERAPY

ICD-9: 243

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 65

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PHENYLKETONURIA (PKU)

Treatment: MEDICAL THERAPY

ICD-9: 270.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 66

Diagnosis: NEONATAL MYASTHENIA GRAVIS

Treatment: MEDICAL THERAPY

ICD-9: 775.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 67

Diagnosis: CONVULSIONS AND OTHER CEREBRAL IRRITABILITY IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.0-779.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 68

Diagnosis: HEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 775.1,776.0-776.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 69

Diagnosis: CEREBRAL DEPRESSION, COMA, AND OTHER ABNORMAL CEREBRAL SIGNS OF NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 70

Diagnosis: LOW BIRTH WEIGHT (UNDER 2500 GRAMS)

Treatment: MEDICAL THERAPY

ICD-9: 765,772.1-772.2,778.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 71

Diagnosis: CONDITIONS INVOLVING THE TEMPERATURE REGULATION OF NEWBORNS

Treatment: MEDICAL THERAPY

ICD-9: 778.2-778.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 72

Diagnosis: ADRENAL OR CUTANEOUS HEMORRHAGE OF FETUS OR NEONATE

Treatment: MEDICAL THERAPY

ICD-9: 772.5-772.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 73

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OMPHALITIS OF THE NEWBORN AND NEONATAL INFECTIVE MASTITIS

Treatment: MEDICAL THERAPY

ICD-9: 771.4-771.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 74

Diagnosis: BIRTH TRAUMA FOR BABY (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 767-768

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 75

Diagnosis: POLYCYTHEMIA NEONATORUM, SYMPTOMATIC

Treatment: MEDICAL THERAPY

ICD-9: 776.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 76

Diagnosis: ANEMIA OF PREMATURITY OR TRANSIENT NEONATAL NEUTROPENIA

Treatment: MEDICAL THERAPY

ICD-9: 776.6-776.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 77

Diagnosis: CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM AND ABDOMINAL WALL EXCLUDING NECROSIS;  
CHRONIC INTESTINAL PSEUDO-OBSTRUCTION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 750.5,751.0-751.5,751.7-751.9,756.6-756.7,770.1,777.1-777.4,777.8-777.9,996.86

CPT: 31750,31760,32905-32906,43500-43510,43520,43620-43638,43640,43653,43760,43800-43832,43840,43850,43860,43870-43880,44005,44010,44015,44020-44021,44050-44055,44110-44130,44139-44201,44206-44212,44300-44900,44950,44955,45000-45123,45130-45150,45300,45307-45386,45800,46040-46045,46060,46070-46080,46270,46275,46600,46608-46614,46705-46754,46762,47010-47011,47300,47500-47556,47600-47620,47700-47701,47715-48000,48120-48146,48150,48180-48556,49200-49201,49215,49220,49250,49422-49424,49600-49611,49904-49905,51500,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 78

Diagnosis: CONGENITAL INFECTIOUS DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 771.0-771.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 79

Diagnosis: DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT

Treatment: MEDICAL THERAPY

ICD-9: 766

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 80

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: FEEDING PROBLEMS IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 81

Diagnosis: HEMOLYTIC DISEASE DUE TO ISOIMMUNIZATION, ANEMIA DUE TO TRANSPLACENTAL HEMORRHAGE, AND FETAL AND NEONATAL JAUNDICE

Treatment: MEDICAL THERAPY

ICD-9: 277.4,772.0,772.3-772.4,773.0-773.2,773.4-773.5,774.0-774.4,774.6-774.7,776.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 82

Diagnosis: NEONATAL CONJUNCTIVITIS, DACRYOCYSTITIS AND CANDIDA INFECTION

Treatment: MEDICAL THERAPY

ICD-9: 771.6-771.7

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 83

Diagnosis: DRUG WITHDRAWAL SYNDROME IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 84

Diagnosis: HYPOCALCEMIA, HYPOMAGNESEMIA AND OTHER ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 775.4-775.5,775.7-775.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 85

Diagnosis: ADRENOGENITAL DISORDERS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 255.2,752.7

CPT: 50700,54690,56800,56805,56810,57335,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 86

Diagnosis: ENCEPHALOCELE; CONGENITAL HYDROCEPHALUS

Treatment: SHUNT

ICD-9: 331.3-331.4,348.2,742.0,742.3-742.4

CPT: 20664,61020,61070,61107,61210-61215,61322-61323,62100,62120-62121,62160-62163,62180-62258,62272,63740-63746

Line: 87

Diagnosis: SPINA BIFIDA

Treatment: SURGICAL TREATMENT

ICD-9: 741

CPT: 27036,61343,62180-62258,63700-63710,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 88

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CONGENITAL DISLOCATION OF HIP; COXA VARA AND VALGA (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 736.31-736.32,754.3,755.61-755.62

CPT: 27179,27181,27185,27256-27259,29861-29863,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 89

Diagnosis: SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL HYPOGLYCEMIA

Treatment: MEDICAL THERAPY

ICD-9: 775.0,775.6

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 90

Diagnosis: CONGENITAL CYSTIC LUNG - MILD AND MODERATE

Treatment: LUNG RESECTION, MEDICAL THERAPY

ICD-9: 518.89,748.4,748.61

CPT: 32140-32141,32480,32482,32484-32486,32488,32500-32501,32662,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 91

Diagnosis: RUMINATION DISORDER OF INFANCY

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.53

CPT: 90816-90819,90823-90827,90846-90849,90887,99217-99223,99231-99239,99251-99263

HCPCS: H0035,H0038,H2011,H2013,H2027,S9125,S9484

Line: 92

Diagnosis: STERILIZATION

Treatment: VASECTOMY

ICD-9: V25.2

CPT: 55250,55450

Line: 93

Diagnosis: STERILIZATION

Treatment: TUBAL LIGATION

ICD-9: V25.2

CPT: 58600-58615,58670,58671

Line: 94

Diagnosis: COARCTATION OF THE AORTA (See Guideline Note 1)

Treatment: SURGICAL/EXCISION

ICD-9: 747.10,747.2-747.3

CPT: 33720,33722,33802-33803,33840-33852

Line: 95

Diagnosis: ATRIAL SEPTAL DEFECT, PRIMUM (See Guideline Note 1)

Treatment: REPAIR SEPTAL DEFECT

ICD-9: 745.61,745.9

CPT: 33641,33660-33665,33735-33737,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92990-92993,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 96

Diagnosis: VENTRICULAR SEPTAL DEFECT (See Guideline Note 1)

Treatment: CLOSURE

ICD-9: 745.4,745.7

CPT: 33545,33610,33647,33665,33681-33688,33690,33735-33737,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92992-92993,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 97

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SUBVALVULAR AORTIC STENOSIS, RIGHT VENTRICULAR INFUNDIBULAR OBSTRUCTION AND OTHER SPECIFIED ANOMALIES OF HEART (See Guideline Note 1)

Treatment: RESECTION, REPAIR

ICD-9: 746.8

CPT: 32661, 33404, 33415-33417, 33476, 33478, 33732, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 98

Diagnosis: CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT, EXCLUDING TONGUE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 530.84, 750.2-750.9

CPT: 31750, 31760, 43112-43118, 43121-43124, 43300-43352, 43360-43361, 43450, 43453, 43496, 43520, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 99

Diagnosis: CONGENITAL ANOMALIES OF URINARY SYSTEM

Treatment: RECONSTRUCTION

ICD-9: 752.8, 753.0-753.1, 753.3-753.9

CPT: 14020, 15000-15738, 36145, 45820, 50040-50045, 50100, 50125, 50135, 50220-50290, 50390, 50540, 50544-50546, 50548, 50553, 50572, 50722, 50725, 50727-50728, 50825-50840, 50845, 50947-50948, 50970, 51000-51597, 51715, 51800-51980, 52214, 52290, 52300, 53020-53025, 53080, 53085, 53210-53215, 53400-53460, 53621, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 100

Diagnosis: CORONARY ARTERY ANOMALY (See Guideline Note 1)

Treatment: REIMPLANTATION OF CORONARY ARTERY

ICD-9: 746.85

CPT: 33500-33510, 35572

Line: 101

Diagnosis: COMPLETE, CORRECTED AND OTHER TRANSPOSITION OF GREAT VESSELS (See Guideline Note 1)

Treatment: REPAIR

ICD-9: 745.10, 745.12, 745.19

CPT: 33735, 33737, 33750, 33764, 33770-33781, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 92992, 92997-93662, 93701-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 102

Diagnosis: TETRALOGY OF FALLOT (TOF) (See Guideline Note 1)

Treatment: TOTAL REPAIR TETRALOGY

ICD-9: 745.2, 746.09, 746.87, 746.9, 747.3, 747.42, 747.49

CPT: 33606, 33692-33697, 33735-33737, 33750, 33764, 33924, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 92990, 92997-93662, 93701-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 103

Diagnosis: PATENT DUCTUS ARTERIOSUS; AORTIC PULMONARY FISTULA (See Guideline Note 1)

Treatment: LIGATION

ICD-9: 417.0, 746.85, 747.0, 747.83

CPT: 33500-33504, 33702-33710, 33813-33814, 33820-33824, 37204, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 92997-93662, 93701-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 104

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: TOTAL ANOMALOUS PULMONARY VENOUS CONNECTION (See Guideline Note 1)

Treatment: COMPLETE REPAIR

ICD-9: 747.41

CPT: 33730,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 105

Diagnosis: OTHER AND UNSPECIFIED TYPE ENDOCARDIAL CUSHION DEFECTS (See Guideline Note 1)

Treatment: REPAIR ATRIOVENTRICULAR

ICD-9: 745.60,745.69,745.8

CPT: 33670,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 106

Diagnosis: BILIARY ATRESIA

Treatment: LIVER TRANSPLANT

ICD-9: 751.61,996.82

CPT: 47133,47135-47147

Line: 107

Diagnosis: CYSTIC FIBROSIS

Treatment: MEDICAL THERAPY

ICD-9: 277.0

CPT: 31500,31600,31603,31624,31646,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 108

Diagnosis: END STAGE RENAL DISEASE

Treatment: RENAL TRANSPLANT

ICD-9: 250.4,272.7,274.1,282.6,283.11,287.0,403.01,403.11,403.91,446.0,446.21,446.4,580.4,580.8,581-585,587,590.0,592.0,593.7,593.81,593.89,710.0,710.1,753.0,753.12-753.15,753.16,753.2,753.6,756.71,759.89,996.81

CPT: 36825,36830,50300,50320-50340,50360,50365,50370,50547

Line: 109

Diagnosis: CIRRHOSIS OF LIVER OR BILIARY TRACT; BUDD-CHIARI SYNDROME; HEPATIC VEIN THROMBOSIS; INTRAHEPATIC VASCULAR MALFORMATIONS; POLYCYSTIC LIVER DISEASE INCLUDING CAROLI'S DISEASE (See Coding Specification Below) (See Guideline Note 6)

Treatment: LIVER TRANSPLANT, LIVER-KIDNEY TRANSPLANT

ICD-9: 277.03,453.0,571.2,571.5-571.6,751.62,774.4,777.8,996.82

CPT: 47133,47135-47147,50300,50323-50340,50360,50365

Line: 110

Liver-kidney transplant only covered for a documented diagnosis of Caroli's disease (751.62).

Diagnosis: CLEFT PALATE WITH AIRWAY OBSTRUCTION, PIERRE ROBIN DEFORMITY

Treatment: SURGICAL, ORTHODONTICS, AND MEDICAL THERAPY

ICD-9: 519.1,519.4,519.8,748.3,749.0

CPT: 30140,30520,30620,31527,31641,33800,41510,42820-42836,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D8010-D8999

Line: 111

Diagnosis: MYOCARDITIS (NONVIRAL), PERICARDITIS (NONVIRAL) AND ENDOCARDITIS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 420.90,420.99,421.0,421.9,422.90,422.92-422.99,423,429.0-429.1

CPT: 31750,31760,32659-32661,33011,33015,33020,33025,33030-33031,33050,33400-33403,33405-33413,33425-33465,33475,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 112

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CERVICAL VERTEBRAL DISLOCATIONS/FRACTURES, OPEN OR CLOSED; OTHER VERTEBRAL DISLOCATIONS/FRACTURES, OPEN; SPINAL CORD INJURIES WITH OR WITHOUT EVIDENCE OF VERTEBRAL INJURY (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 733.13,805.0-805.1,805.3,805.5,805.7,805.9,806,839.0-839.1,839.3,839.5,839.7,839.9,952

CPT: 11010-11012,20690-20694,20900,20930-20938,22548,22100-22116,22305-22328,22505,22554,22556,22558,22585,22590-22632,22802,22810,22840-22855,27215-27216,27202,29015,29025,29040,29710-29720,63001-63091,63101-63103,63170-63173,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 113

Diagnosis: FRACTURE OF PELVIS, OPEN AND CLOSED (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 728.81,808

CPT: 11010-11012,20690-20694,20900,27280,27282,27033,27193-27194,27215-27228,29035-29046,29305,29325,29710,29720,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 114

Diagnosis: INJURY TO BLOOD VESSELS OF THE THORACIC CAVITY (See Guideline Note 1)

Treatment: REPAIR

ICD-9: 901

CPT: 37616,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 115

Diagnosis: TOXIC EPIDERMAL NECROLYSIS AND STAPHYLOCOCCAL SCALDED SKIN SYNDROME; STEVENS-JOHNSON SYNDROME; ECZEMA HERPETICUM

Treatment: MEDICAL THERAPY

ICD-9: 054.0,695.1

CPT: 65780-65782,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 116

Diagnosis: ACQUIRED HEMOLYTIC ANEMIAS

Treatment: MEDICAL THERAPY

ICD-9: 283

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 117

Diagnosis: ACUTE LEUKEMIAS, MYELODYSPLASTIC SYNDROME (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 204.0,205.0,206.0,207.0,208.0,238.7

CPT: 36680,38204-38215,38230-38242,77261-77799

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 118

Diagnosis: ACUTE LYMPHOCYTIC LEUKEMIA (CHILD) (See Guideline Notes 2 and 3)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 204.0

CPT: 62350-62368,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 119

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: HODGKIN'S DISEASE (See Guideline Notes 2, 3, 4 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 201,996.85

CPT: 36680,38204-38215,38230-38242,77261-77799,78810

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 120

Diagnosis: CONSTITUTIONAL APLASTIC ANEMIA

Treatment: MEDICAL THERAPY

ICD-9: 284.0

CPT: 38204-38215,38242,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0267,S9355

Line: 121

Diagnosis: OTHER SPECIFIED APLASTIC ANEMIAS (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 284.8-284.9,996.85

CPT: 36680,38204-38215,38240,38242

HCPCS: G0267,S2142,S2150

Line: 122

Diagnosis: NON-HODGKIN'S LYMPHOMAS (See Guideline Notes 2, 3 and 4)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 200,202.0-202.3,202.6,202.8-202.9,238.5-238.7

CPT: 38100,38120,38510-38525,38720,49080-49081,77261-77799,78811-78816,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243,S9355

Line: 123

Diagnosis: NON-HODGKIN'S LYMPHOMAS (See Guideline Notes 2, 3, 4 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 200,202.0-202.2,202.8-202.9,996.85

CPT: 36680,38204-38215,38230-38242,77261-77799,78810

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 124

Diagnosis: OSTEOPETROSIS (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW RESCUE AND TRANSPLANT

ICD-9: 756.52,996.85

CPT: 36680,38204-38215,38230-38242

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 125

Diagnosis: HYDATIDIFORM MOLE

Treatment: D & C, HYSTERECTOMY

ICD-9: 630

CPT: 58120,58150,58180,58550,58552-58553,59100,59135,59870,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 126

Diagnosis: ACUTE VASCULAR INSUFFICIENCY OF INTESTINE

Treatment: SURGICAL TREATMENT

ICD-9: 557.0

CPT: 34151,34421,34451,44140,44120-44125,44139,44141-44160,44206-44212,44701,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 127

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SHORT BOWEL SYNDROME - AGE 5 OR UNDER (See Guideline Note 6)

Treatment: INTESTINE AND INTESTINE/LIVER TRANSPLANT

ICD-9: 557,579.3,777.5

CPT: 44132-44136,44715-44721,47133,47135-47147

HPCCS: S2053

Line: 128

Diagnosis: ADULT RESPIRATORY DISTRESS SYNDROME; RESPIRATORY CONDITIONS DUE TO PHYSICAL AND CHEMICAL AGENTS

Treatment: MEDICAL THERAPY

ICD-9: 079.82,506,508.0,518.4-518.5

CPT: 31500,31600-31603,31645,31646,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 129

Diagnosis: RUPTURE OF LIVER

Treatment: SUTURE/REPAIR

ICD-9: 573.4,573.8,864.04

CPT: 47350-47362,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 130

Diagnosis: SUBACUTE MENINGITIS (EG. TUBERCULOSIS, CRYPTOCOCCOSIS)

Treatment: MEDICAL THERAPY

ICD-9: 013,117.5,117.9,130.8,322

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 131

Diagnosis: FRACTURE OF JOINT, OPEN (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 810.1,811.1,812.1,812.5,813.1,813.5,814.1,815.1,816.1,817.1,819.1,820.10,820.12-820.19,820.3,820.9,821.30-821.31,821.33-821.39,822.1,823.1,824.1,824.3,824.5,824.7,824.9,825.1,825.3,826.1,828.1

CPT: 11010-11012,11760,12001-12057,20650,20663,20670-20694,20900,22848-22855,23395,23515,23585,23615,23630,24545-24546,24575,24579,24586-24587,24640,24665-24666,24685,25119,25210-25240,25320,25337,25390-25392,25441-25447,25450,25455,25490-25492,25560-25565,25620,25628,25810-25825,26615,26665,26727-26735,26746,26765,26785,27235-27236,27244,27248,27350,27430,27435,27496-27499,27502,27513-27514,27524,27535-27536,27540,27610,27656,27766,27784,27792,27814,27822-27829,27892-27894,28415-28420,28445,28465,28485,28505,28525,28531,28730,29035-29086,29105-29131,29305-29445,29505,29515,29700-29710,29720-29740,29855-29856,29874-29879,29888-29898,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 132

Diagnosis: FRACTURE OF SHAFT OF BONE, OPEN (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 809.1,812.3,813.3,813.9,818.1,821.1,823.3,823.9,827.1

CPT: 11010-11012,20150,20650,20663,20670,20680,20690,20692-20694,20900,23395,23400,24130,24515-24516,25310,25515,25525-25526,25545,25574-25575,27465-27466,27468,27496-27499,27506-27507,27511,27513,27656,27712,27756-27759,27824-27829,27892-27894,29035-29131,29305-29445,29505,29515,29700-29710,29720-29740,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 133

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OPEN FRACTURE OF EPIPHYSIS OF LOWER EXTREMITIES (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 820.11,821.32

CPT: 11010-11012,20650,20663,20670-20690,20692-20694,20900,23395,27465-27466,27468,27496-27499,27519,27656,27824-27829,27892-27894,29035-29046,29305-29365,29505,29700-29710,29720,29730,29855-29856,29897-29898,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 134

Diagnosis: DISEASES OF PHARYNX INCLUDING RETROPHARYNGEAL ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 478.21-478.22,478.24-478.26,478.29

CPT: 31610,31612-31613,42700-42725,42808-42972,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 135

Diagnosis: ARTERIAL ANEURYSM OF NECK (See Guideline Note 1)

Treatment: REPAIR

ICD-9: 442.81-442.82,442.89

CPT: 35321,35516-35518,35572,35691-35695,35800,35820,35875-35876,35901,35905,37205-37208

Line: 136

Diagnosis: CHRONIC LEUKEMIAS; POLYCYTHEMIA RUBRA VERA (See Guideline Notes 2 and 3)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY, RADIATION AND RADIONUCLEIDE THERAPY

ICD-9: 202.4,203.1,204.1-204.9,205.1-205.9,206.1-206.9,207.1-207.8,208.1-208.9,238.4

CPT: 36822,77261-77799,79100,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 137

Diagnosis: HYPOTHERMIA

Treatment: MEDICAL THERAPY, EXTRACORPOREAL CIRCULATION

ICD-9: 991.6

CPT: 33960-33961,36822,49080,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 138

Diagnosis: BENIGN NEOPLASM OF THE BRAIN

Treatment: CRANIOTOMY/CRANIECTOMY, LINEAR ACCELERATOR, MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY

ICD-9: 225.0-225.4,228.02,228.04,377.04

CPT: 12034,14300,61312-61330,61333-61480,61500-61512,61516-61521,61524-61530,61534,61536-61564,61571-61576,61600-61626,61793,61795,62100,62160,62163-62165,62223,62272,62350-62368,63265,63276,63281,63615,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 139

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: MALIGNANT MELANOMA OF SKIN, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 4)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 172

CPT: 11600-11646,12001-13102,13120-14001,14020-14061,14300,14350,15000-15770,17999,21015,21555-21557,21632,21930-21935,23075-23077,24075-24077,25075-25077,26115-26117,27047-27049,27075-27079,27327-27329,27615-27619,28043-28046,38562-38564,38700-38780,77261-77799,78811-78816,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 140

Diagnosis: MULTIPLE ENDOCRINE NEOPLASIA

Treatment: THYROIDECTOMY

ICD-9: 193,194.8,237.4,246.0,258,758.5

CPT: 60210,60212,60220,60225,60240,60270-60271,60512

Line: 141

Diagnosis: DIABETES INSIPIDUS

Treatment: MEDICAL THERAPY

ICD-9: 253.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 142

Diagnosis: DISORDERS OF SPINE WITH NEUROLOGIC IMPAIRMENT (See Guideline Notes 1 and 8)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 344.6,721.1,721.4,721.91,722.0-722.2,722.7,723.4,724.4,742.59

CPT: 20931,20938,22548,22554,22556,22558,22585,22612,22630,22632,22808,22840,22845,22851,55870,62284,62287,62290-62291,62350-62351,62355,62362,62365,62367-62368,63001-63091,63170-63200,63300-63308,63600,63610,63650-63655,63685,64421,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2350,S2351

Line: 143

Diagnosis: PREVENTIVE SERVICES, BIRTH TO 10 YEARS OF AGE (See Prevention Tables)

Treatment: MEDICAL THERAPY

ICD-9: V01.0-V01.2,V01.4-V01.9,V02,V03.2,V03.5-V03.9,V04.0,V04.2-V04.3,V04.6,V04.81-V04.82,V05.0-V05.1,V05.3,V05.8,V06.1,V06.3-V06.6,V06.9,V07.0,V07.2,V07.31,V17-V20,V65.41-V65.45,V71.09,V73-V75,V77-V82

CPT: 90471-90472,90780-90799,90801,90802,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: H0001,H0002,H0031

Line: 144

Diagnosis: ANOREXIA NERVOSA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.1

CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275,99301-99316

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023

Line: 145

Diagnosis: REACTIVE ATTACHMENT DISORDER OF INFANCY OR EARLY CHILDHOOD

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.89

CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023

Line: 146

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: COARCTATION OF THE AORTA (See Guideline Note 1)

Treatment: BALLOON DILATION

ICD-9: 747.10

CPT: 35452,35472,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 147

Diagnosis: COMPLICATIONS OF A PROCEDURE ALWAYS REQUIRING TREATMENT (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 323.5,414.12,443.21-443.24,443.29,519.01,519.09,536.41,569.61,996.0-996.2,996.39,996.4,996.51,996.56,996.6-996.9,997.0-997.5,997.62,997.71,997.72,997.79,998.0,998.11,998.2-998.3,998.5-998.6,999.0-999.1,999.3,999.4,999.8

CPT: 10121,10140,10180,11008,11043-11044,13160,20670-20680,20693-20694,20975,21120,21627,21750,22849-22850,22852-22855,23331-23332,23800-23802,24160-24164,24430-24435,24800-24802,24925-24935,25250-25251,25415-25420,25431-25446,25449,25907-26045,26060-26565,26568-26910,26991,27090-27091,27132-27138,27236,27265-27266,27284-27286,27301,27303,27310,27331,27486-27488,27580,27594-27596,27786,27870,27884,28715,31613-31614,31750-31781,31800-31830,33206-33210,33213,33233-33238,33241-33244,33249,33284,33400-33478,33496,33510-33536,33863,34830,35188-35190,35301-35390,35556,35566-35571,35583-35587,35656,35666-35671,35700,35800-35881,35901-35907,36145,36261,36493,36531-36532,36534-36535,36550,36818-36821,36831-36870,37203,43860,43870,44137,47802,49002,49020-49021,49422,50065,50135,50225,50370,50398,50405,50525,50727-50728,50830,50920,50930-50940,51705-51710,51860-51880,51900-51925,52001,54340-54352,54390,54406-54417,61880,61888,62194,62225-62230,62256-62258,62350-62365,63660,63688,63744-63746,64585,64595,65150-65175,65710-65755,65920,75984,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 148

Diagnosis: CRUSH INJURIES: TRUNK, UPPER LIMBS, LOWER LIMB INCLUDING BLOOD VESSELS (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 728.0,728.88,862.8,900,902-904,925-928,929.0,958.5-958.6,958.8,959.13

CPT: 11730,11760,15100-15241,20101-20103,20972-20973,21627,21630,23395,24495,25020,25023,25274,25295,25300-25301,25320,25335-25337,25390,25392,25391,25393,25441-25447,25450,25455,25490-25492,25810,25820,25825,25830,26357-26390,26437,27465-27466,27468,27496-27499,27600-27602,27656,27658-27659,27665,27695-27698,27892-27894,29130,35141,35206-35207,35236,35266,35521,37615-37618,97001-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537

Line: 149

Diagnosis: CONGENITAL MITRAL VALVE STENOSIS (See Guideline Note 1)

Treatment: MITRAL VALVE REPLACEMENT

ICD-9: 746.5

CPT: 33420-33430,33496,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 150

Diagnosis: COMMON TRUNCUS (See Guideline Note 1)

Treatment: TOTAL REPAIR/REPLANT ARTERY

ICD-9: 745.0

CPT: 33608,33690,33786,33788,33813-33814,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 151

Diagnosis: CONGENITAL TRICUSPID ATRESIA AND STENOSIS (See Guideline Note 1)

Treatment: REPAIR

ICD-9: 746.1

CPT: 33460,33463-33464,33496,33615,33617,33735,33750,33766,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92992,92993,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 152

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE: DOUBLE OUTLET  
RIGHT VENTRICLE (See Guideline Note 1)  
Treatment: SHUNT/REPAIR  
ICD-9: 745.11  
CPT: 33611-33612,33684,33750-33766,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92992-92993,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 153

Diagnosis: COMMON VENTRICLE (See Guideline Note 1)  
Treatment: TOTAL REPAIR  
ICD-9: 745.3  
CPT: 33600,33602,33610,33615,33617,33690,33692-33694,33735,33750,33764,33766-33767,33924,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 154

Diagnosis: CONGENITAL PULMONARY VALVE ATRESIA (See Guideline Note 1)  
Treatment: SHUNT/REPAIR  
ICD-9: 746.00-746.01  
CPT: 33470-33474,33530,33608,33750-33766,33918-33920,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 155

Diagnosis: INTERRUPTED AORTIC ARCH (See Guideline Note 1)  
Treatment: TRANSVERSE ARCH GRAFT  
ICD-9: 747.11  
CPT: 33608,33852-33853,33870,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 156

Diagnosis: CONGESTIVE HEART FAILURE, CARDIOMYOPATHY, TRANSPOSITION OF GREAT VESSELS,  
HYPOPLASTIC LEFT HEART SYNDROME (See Guideline Notes 1 and 6)  
Treatment: CARDIAC TRANSPLANT  
ICD-9: 135,412,414,422,425,428,429.1,674.8,745.1,745.3,746.7,996.83  
CPT: 33940-33945,33975-33978,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 157

Diagnosis: DISORDERS OF BILE DUCT  
Treatment: EXCISION, REPAIR  
ICD-9: 576.4-576.9  
CPT: 43262,43267-43269,43272,47015,47420-47460,47510-47530,47554-47556,47600-47900,49422,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 158

Diagnosis: ASTHMA  
Treatment: MEDICAL THERAPY  
ICD-9: 493  
CPT: 31500,31600-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 159

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3  
Treatment: MEDICAL THERAPY  
ICD-9: 480.1  
CPT: 31500,31600-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 160

Diagnosis: RESPIRATORY FAILURE  
Treatment: MEDICAL THERAPY  
ICD-9: 518.81-518.84  
CPT: 31500,31502,31600,31603,31645,31820,31825,36822,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 161

Diagnosis: SCHIZOPHRENIC DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 295.1-295.9,298.4,299.1,299.9  
CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 162

Diagnosis: MAJOR DEPRESSION, RECURRENT  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 296.30-296.36,298.0  
CPT: 90801-90829,90846-90862,90870,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 163

Diagnosis: BIPOLAR DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 296.0-296.1,296.4-296.8,296.99,301.13  
CPT: 90801-90829,90846-90862,90870,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 164

Diagnosis: BURN FULL THICKNESS GREATER THAN 10% OF BODY SURFACE (See Guideline Note 1)  
Treatment: FREE SKIN GRAFT, MEDICAL THERAPY  
ICD-9: 906.5-906.9,940,941.30-941.35,941.4-941.5,942.35,942.4-942.5,943.4-943.5,944.35,944.4-944.5,945.32,945.4-945.5,946.3-946.5,947,949.4-949.5  
CPT: 11000,11040-11042,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,15770,16000-16036,65780-65782,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 165

Diagnosis: DISORDERS OF FLUID, ELECTROLYTE, AND ACID-BASE BALANCE (See Guideline Note 2)  
Treatment: MEDICAL THERAPY, DIALYSIS  
ICD-9: 276,785.50,785.59  
CPT: 36818,36821,36832,36835,36838,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327  
Line: 166

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: THYROTOXICOSIS WITH OR WITHOUT GOITER, ENDOCRINE EXOPHTHALMOS; CHRONIC THYROIDITIS  
Treatment: MEDICAL AND SURGICAL TREATMENT, INCLUDING RADIATION THERAPY  
ICD-9: 242,245.1-245.9,246.8,376.2  
CPT: 60210,60212,60220,60225,60240,60270-60271,60512,67414,67440-67445,67599,77261-77799,  
79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 167

Diagnosis: HYPERTENSIVE HEART AND RENAL DISEASE (See Guideline Note 1)  
Treatment: MEDICAL THERAPY  
ICD-9: 404,405.01,405.11,405.91  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,  
96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499  
Line: 168

Diagnosis: BENIGN CEREBRAL CYSTS  
Treatment: DRAINAGE  
ICD-9: 348.0,349.2  
CPT: 61120,61150-61151,61314-61316,61516,61522-61524,61680-61710  
Line: 169

Diagnosis: HIV DISEASE (INCLUDING ACQUIRED IMMUNODEFICIENCY SYNDROME) AND RELATED  
OPPORTUNISTIC INFECTIONS  
Treatment: MEDICAL THERAPY  
ICD-9: 042,V08  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,97810-97814,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 170

Diagnosis: OPPORTUNISTIC INFECTIONS IN IMMUNOCOMPROMISED HOSTS; CANDIDIASIS OF STOMA; PERSONS  
RECEIVING CONTINUOUS ANTIBIOTIC THERAPY  
Treatment: MEDICAL THERAPY  
ICD-9: 003.9,007.2,007.4,007.5,007.9,031.2,031.9,039,053-054,078.5,110,111.1,112.0,112.2,  
112.84,115,117.5,118,130,136.3  
CPT: 11720-11721,17110-17111,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 171

Diagnosis: EMPYEMA AND ABSCESS OF LUNG  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 510,511.1,513.0  
CPT: 32000-32036,32200,32215-32225,32310,32320,32420,32500,32650-32652,32655-32656,32664-  
32665,32810,32815,32906,32940,33015,33020,33025,33030-33031,33050,33253,39220,90471-  
90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-  
92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-  
95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,  
99175,99185-99362,99374-99375,99379-99440,99499  
Line: 172

Diagnosis: ANEMIAS DUE TO DISEASE OR TREATMENT AND OTHER APLASTIC ANEMIAS  
Treatment: MEDICAL THERAPY  
ICD-9: 284.8-284.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 173

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: MALARIA AND RELAPSING FEVER

Treatment: MEDICAL THERAPY

ICD-9: 084,086.1-086.5,086.9,087,285.21-285.29

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 174

Diagnosis: HEART FAILURE (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 416,428,514

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 175

Diagnosis: HEREDITARY ANEMIAS, HEMOGLOBINOPATHIES, AND DISORDERS OF THE SPLEEN

Treatment: MEDICAL THERAPY

ICD-9: 282,285.8,289.0,289.4-289.6,289.8

CPT: 38100-38102,38120,47562,47563,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S9355

Line: 176

Diagnosis: LIFE-THREATENING CARDIAC ARRHYTHMIAS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 427.1,427.4-427.5,428.20-428.23,428.30-428.33,428.40-428.43,428.9,429.4,746.86

CPT: 31500,31603,31605,32160,33200-33261,33820,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92961,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 177

Diagnosis: END STAGE RENAL DISEASE (See Guideline Note 2)

Treatment: MEDICAL THERAPY INCLUDING DIALYSIS

ICD-9: 250.4,583.8-583.9

CPT: 36818,36821,36831-36833,36835,36838,36870,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327

Line: 178

Diagnosis: ACUTE AND SUBACUTE NECROSIS OF LIVER; SPECIFIED INBORN ERRORS OF METABOLISM (EG.

MAPLE SYRUP URINE DISEASE, TYROSINEMIA) (See Guideline Note 6)

Treatment: LIVER TRANSPLANT

ICD-9: 270.0,270.2-270.4,270.6,270.9,271.0,271.8,272.0,275.0,275.1,277.6,570,571.49,996.82

CPT: 47133,47135-47147

Line: 179

Diagnosis: FRACTURE OF HIP, CLOSED (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 820.00,820.02-820.09,820.2,820.8

CPT: 20680,20900,27125,27132,27230-27232,27235-27240,27244-27248,27496-27499,27506,27656,27892-27894,29035-29046,29305,29325,29700,29710,29720,29730,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 180

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: HEREDITARY ANGIOEDEMA; ANGIONEUROTIC EDEMA

Treatment: MEDICAL THERAPY

ICD-9: 277.6,995.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 181

Diagnosis: TESTICULAR CANCER (See Guideline Notes 2, 3, 7 and 9)

Treatment: BONE MARROW RESCUE AND TRANSPLANT

ICD-9: 186.9

CPT: 36680,38204-38215,38230-38242,77261-77799

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 182

Diagnosis: CHRONIC NON-LYMPHOCYTIC LEUKEMIA (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 205.1,206.1,996.85

CPT: 36680,38204-38215,38230-38242,77261-77799

HCPCS: G0242,G0243,G0267,S2142,S2150

Line: 183

Diagnosis: PREVENTIVE SERVICES WITH PROVEN EFFECTIVENESS, OVER AGE OF 10 (See Prevention Tables)

Treatment: MEDICAL THERAPY

ICD-9: 795.09,V01.0-V01.2,V01.4-V01.9,V02,V03.2,V03.5-V03.9,V04.0,V04.2-V04.3,V04.6,V04.81,  
V05.0-V05.1,V05.3,V05.8,V06.1,V06.3-V06.6,V06.9,V07.0,V07.2,V07.4,V17-V19,V65.41-  
V65.45,V70.0,V71.09,V72.0-V72.1,V72.3,V73-V82

CPT: 90471-90472,90780-90799,90801,90802,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0117,G0118,H0001,H0002,H0031,S0613

Line: 184

Diagnosis: TOBACCO DEPENDENCE (See Guideline Note 10)

Treatment: MEDICAL THERAPY/BREIF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS

ICD-9: 305.1

CPT: 97810-97814,99071,99078,99201-99215,99372

HCPCS: D1320,G9016,S9075,S9453

Line: 185

Diagnosis: PREVENTIVE FOOT CARE IN HIGH RISK PATIENTS

Treatment: MEDICAL AND SURGICAL TREATMENT OF TOENAILS AND HYPERKERATOSES OF FOOT

ICD-9: 250.6-250.7,356,357.2,357.5,440.2,443.1

CPT: 11040,11719-11732,11750

HCPCS: G0245,G0246,G0247

Line: 186

Diagnosis: ABUSE OR DEPENDENCE OF PSYCHOACTIVE SUBSTANCE

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 291.1,303.9,304,305.0,305.2-305.9

CPT: 90801-90829,90846-90862,90882,90887,96100,97810-97814,99201-99275

HCPCS: H0001,H0002,H0004,H0005,H0006,H0012,H0016,H0020,H0031,H0033,H0034,H0035,H0048,H2013,  
H2035,T1006,T1013,T1016,T1502

Line: 187

Diagnosis: MAJOR DEPRESSION; SINGLE EPISODE OR MILD

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 296.2,298.0,311

CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023

Line: 188

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OTHER PSYCHOTIC DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 297.3,298.1-298.3,298.9,299.8

CPT: 90801-90815,90821,90822,90828,90829,90846-90862,90882,90887,96100,99201-99275

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023

Line: 189

Diagnosis: ATTENTION DEFICIT DISORDERS WITH HYPERACTIVITY OR UNDIFFERENTIATED

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 314

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99251-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2011,  
H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023

Line: 190

Diagnosis: HYPERTENSION AND HYPERTENSIVE DISEASE (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 401-402,405.09,405.19,405.99,437.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,  
96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499

Line: 191

Diagnosis: ULCERS, GASTRITIS AND DUODENITIS

Treatment: MEDICAL THERAPY

ICD-9: 531-535,537.81-537.82,569.84

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 192

Diagnosis: CANCER OF THYROID, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 193

CPT: 38510,60200,60210,60212,60220-60225,60252-60260,60270-60271,60512,77261-77799,79000-  
79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5984

HCPCS: G0242,G0243

Line: 193

Diagnosis: CANCER OF TESTIS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 186,236.4

CPT: 38564,38780,54512-54535,54690,77261-77799,90471-90472,90780-90799,90901-90937,90945-  
91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-  
92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-  
97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499

HCPCS: G0242,G0243

Line: 194

Diagnosis: CANCER OF UTERUS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 179,182,233.2,236.0,621.3

CPT: 38770,38780,49201,57500,58120,58150-58285,58290-58294,58346,58953-58954,59856,77261-  
77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 195

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CANCER OF EYE AND ORBIT, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY  
ICD-9: 190,234.0,238.8  
CPT: 11420,11440,13132,15756-15758,20969,65091,65101-65105,65110-65114,65900,66600,66605,66770,67218,67414,67445,68135,68320,68325-68326,68328,68335,68340,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 196

Diagnosis: ULCERS, GI HEMORRHAGE  
Treatment: SURGICAL TREATMENT  
ICD-9: 530.7,531-534,537.0,537.3-537.4,537.83-537.84,569.84,569.85,578  
CPT: 43201,43204-43205,43236,43241,43243-43244,43255,43324,43501-43502,43520,43610-43641,43651,43652,43800,43820-43840,43850-43855,43865,43870,45308-45320,45333-45339,64680,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 197

Diagnosis: CONGENITAL STENOSIS AND INSUFFICIENCY OF AORTIC VALVE (See Guideline Note 1)  
Treatment: SURGICAL VALVE REPLACEMENT/VALVULOPLASTY  
ICD-9: 746.3-746.4  
CPT: 33400,33405-33417,33496,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 198

Diagnosis: BURN, PARTIAL THICKNESS WITHOUT VITAL SITE, 10-30% OF BODY SURFACE (See Guideline Note 1)  
Treatment: FREE SKIN GRAFT, MEDICAL THERAPY  
ICD-9: 941.26-941.27,941.36-941.37,942.20-942.24,942.29,942.30-942.34,942.39,943.2-943.3,944.20-944.24,944.26-944.28,944.30-944.34,944.36-944.38,945.20-945.21,945.23-945.29,945.30-945.31,945.33-945.39,946.2-946.3,949.2-949.3  
CPT: 11000,11040-11042,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,16000-16036,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 199

Diagnosis: AGRANULOCYTOSIS (See Guideline Notes 2, 3 and 7)  
Treatment: BONE MARROW TRANSPLANTATION  
ICD-9: 288.0,996.85  
CPT: 36680,38204-38215,38240,38242,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0267,S2142,S2150  
Line: 200

Diagnosis: CHRONIC GRANULOMATOUS DISEASE (See Guideline Notes 2 and 3)  
Treatment: MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY  
ICD-9: 288.1-288.2  
CPT: 79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 201

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: BOTULISM

Treatment: MEDICAL THERAPY

ICD-9: 005.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 202

Diagnosis: DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM (NON PKU)

Treatment: MEDICAL THERAPY

ICD-9: 270.0,270.2-270.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 203

Diagnosis: CHRONIC RESPIRATORY DISEASE ARISING IN THE NEONATAL PERIOD

Treatment: MEDICAL THERAPY

ICD-9: 770.7

CPT: 31601-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 204

Diagnosis: GONOCOCCAL INFECTIONS AND OTHER SEXUALLY TRANSMITTED DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 054.10-054.13,098.0-098.3,098.5-098.7,098.81-098.86,099.0-099.2,099.4-099.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 205

Diagnosis: HERPES SIMPLEX AND HERPES ZOSTER WITH NEUROLOGICAL AND OPHTHALMOLOGICAL  
COMPLICATIONS

Treatment: MEDICAL THERAPY

ICD-9: 050,053,054.10,054.3-054.4,054.72,136.2,331.81

CPT: 69676,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 206

Diagnosis: PNEUMOCYSTIS CARINII PNEUMONIA

Treatment: MEDICAL THERAPY

ICD-9: 136.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 207

Diagnosis: HYPOPLASIA AND DYSPLASIA OF LUNG

Treatment: MEDICAL THERAPY

ICD-9: 748.5

CPT: 31601-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 208

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CARDIOMYOPATHY, HYPERTROPHIC MUSCLE (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 086.0,425

CPT: 21630,33010,33215-33216,33218-33220,33223-33226,33240-33246,33249,33414-33416,33508,33510-33514,33516-33519,33521-33523,33530,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 209

Diagnosis: GLYCOGENOSIS

Treatment: MEDICAL THERAPY

ICD-9: 271.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 210

Diagnosis: CHRONIC OSTEOMYELITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 730.1-730.2,730.30,730.34,730.9

CPT: 11000-11044,15734,20000,20005,20150,20692,20900,20930-20938,20955-20957,20962,20969-20973,21620,21627,22548,22554,22556,22558,22585,22851,23035,23105,23130,23170-23182,23184,23220-23222,23395,23935,24134-24147,24150-24153,24420,24498,25035,25085,25119,25145-25151,25210,25215,25230,25240,25320,25337,26034,26230-26236,26951,26992,27070-27071,27075-27079,27187,27303,27360,27465-27466,27468,27607,27620,27640-27641,27745,28005,28120-28124,28810,28820,63081-63091,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 211

Diagnosis: ACUTE LYMPHOCYTIC LEUKEMIAS (ADULT) AND MULTIPLE MYELOMA (See Guideline Notes 2 and 3)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 203.0,203.8,204.0

CPT: 62350-62368,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 212

Diagnosis: MULTIPLE MYELOMA (See Guideline Notes 2 and 3)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 203,996.85

CPT: 36680,38204-38215,38230-38242

HCPCS: G0267,S2142,S2150

Line: 213

Diagnosis: PHLEBITIS AND THROMBOPHLEBITIS, DEEP

Treatment: MEDICAL THERAPY

ICD-9: 451.1,451.81,451.83,453.4

CPT: 11042,32661,37660,35700,35860,35875-35876,35903,37500,37650,37720,37735,37760,37785,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 214

Diagnosis: DISEASES OF ENDOCARDIUM (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 424

CPT: 32660,33496,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 215

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: IDIOPATHIC OR VIRAL MYOCARDITIS AND PERICARDITIS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 420.91,422.91

CPT: 31750,31760,32659-32661,33010-33011,33015,33020,33025,33030-33031,33050,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 216

Diagnosis: INTRASPINAL AND INTRACRANIAL ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 324-325,386.33

CPT: 20930-20938,22840-22855,61105-61323,61501,61514,61522,61570-61571,62140-62160,62163,62268,63045-63048,63075-63091,63265-63273,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 217

Diagnosis: FRACTURE OF RIBS AND STERNUM, OPEN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 807.1,807.3

CPT: 11010-11012,21805,21810,21825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 218

Diagnosis: NEUROLOGICAL DYSFUNCTION IN BREATHING, EATING, SWALLOWING, BOWEL, OR BLADDER CONTROL CAUSED BY CHRONIC CONDITIONS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT (EG. G-TUBES, J-TUBES, RESPIRATORS, TRACHEOSTOMY, UROLOGICAL PROCEDURES)

ICD-9: 046,049,062-063,090.40,094.0-094.2,094.8-094.9,137.1,138,139.0,139.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.90-333.93,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,431-432,434,436,438,564.81,728.1,728.3,740-742,747.82,754.89,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,787.2,797,850.4,851-854,905.0,907.0-907.3,907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 15845,31502,31600-31656,31730,31750,31755,31760,31820,31825,31830,43246,43653,43750,43810-43830,43832,44130,44139-44160,44206-44212,44300-44320,44372,44701,46750-46760,51040,51797,51880,51960,52277,53431-53442,53445,61215,62350-62355,77401-77499,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5937

Line: 219

Diagnosis: ESOPHAGEAL STRICTURE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 530.3

CPT: 32110,32120,32124,32820,43219-43220,43226,43245-43246,43248-43249,43330,43410,43415,43420,43425,43450-43456,43653,43830,43832,44300,44372-44373,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 220

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SPONTANEOUS ABORTION COMPLICATED BY INFECTION AND/OR HEMORRHAGE, MISSED ABORTION  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 632,634.0-634.1  
CPT: 58520,59812,59820-59830,64435,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 221

Diagnosis: TRANSIENT NEPHROTIC SYNDROME WITH LESION OF MINIMAL CHANGE GLOMERULONEPHRITIS (See Guideline Note 2)  
Treatment: MEDICAL THERAPY  
ICD-9: 581.3  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327  
Line: 222

Diagnosis: DISORDERS OF PANCREATIC ENDOCRINE SECRETION  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 251.4-251.9  
CPT: 48155,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 223

Diagnosis: ERYTHROPLAKIA, LEUKOEDEMA OF MOUTH OR TONGUE  
Treatment: INCISION/EXCISION, MEDICAL THERAPY  
ICD-9: 230.0,528.7  
CPT: 41000-41018,41110-41599,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 224

Diagnosis: LEUKOPLAKIA OF ORAL MUCOSA, INCLUDING TONGUE  
Treatment: INCISION/EXCISION, MEDICAL THERAPY  
ICD-9: 528.6  
CPT: 41000-41018,41110-41599,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 225

Diagnosis: DYSTROPHY OF VULVA  
Treatment: MEDICAL THERAPY  
ICD-9: 624.0-624.1  
CPT: 56501,56515,56620,57452,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 226

Diagnosis: CANCER OF SOFT TISSUE, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 164.1,171,238.1  
CPT: 14040,15100-15101,15732-15756,15758,21121,21555-21557,21930-21935,22900,23075-23077,24075-24077,25075-25077,26115-26117,27047-27049,27075-27079,27327-27329,27615-27619,27899,28043-28046,32522,33120,33130,64774-64783,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 227

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CANCER OF BREAST, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2, 3 and 11)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY, RADIATION THERAPY AND  
BREAST RECONSTRUCTION (See Coding Specification Below)

ICD-9: 174-175,233.0,238.3,V45.71,V50.42

CPT: 11401-11402,11623,13102,13122,13132-13133,13153,17999,19110,19120,19125-19126,19160-  
19200,19240,19290-19295,19324-19369,32000,38500-38520,38740-38745,58940,77261-77799,  
79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 228

Breast reconstruction is only covered after mastectomy as a treatment for breast cancer, and must be completed within 5 years of initial mastectomy. When breast reconstruction is performed after the treatment for breast cancer is completed, a principle diagnosis code of V45.71 (Acquired Absence of Breast) is appropriate and is only included on this line in combination with a secondary diagnosis of V10.3 (Personal History of Malignant Neoplasm of the Breast).

Diagnosis: CANCER OF OVARY, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 183.0,198.6,236.2

CPT: 44110,44120,44140,49419,58180,58550,58740,58925-58960,59856,77261-77799,79000-79900,  
90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 229

Diagnosis: UNDESCENDED TESTICLE

Treatment: SURGICAL TREATMENT

ICD-9: 752.5

CPT: 54512,54520-54535,54550,54560,54620,54640,54650,54660,54690,54692,55200

Line: 230

Diagnosis: CANCER OF PENIS AND OTHER MALE GENITAL ORGANS, WHERE TREATMENT WILL RESULT IN A  
GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 187,233.5-233.6,236.6

CPT: 11623,11960-11971,15574,52240,54120-54135,54220,54065,55150-55180,58960,77261-77799,  
79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 231

Diagnosis: CANCER OF VAGINA, VULVA AND OTHER FEMALE GENITAL ORGANS, WHERE TREATMENT WILL  
RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 183.2-183.9,184,233.3,236.1,236.3

CPT: 56501,56515,56620,56625,56630-56640,57065,57106-57112,57520,57530,57550,58150,58180,  
58200,58210,58240,58260,58275,58285,58290,58943-58960,59856,77261-77799,79000-79900,  
90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 232

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CHORIOCARCINOMA, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 181  
CPT: 58120,58150,58180-58200,58953,59856,77261-77799,90471-90472,90780-90799,90901-90937,  
90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,  
92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,  
97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,  
99379-99440,99499  
HCPCS: G0242,G0243  
Line: 233

Diagnosis: CANCER OF BONES, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 170,198.5,238.0  
CPT: 14001,20931,20938,20955-20973,21025-21026,21034,21044-21045,21081,21610,21620,22548-  
22585,22851,23140,23200-23222,23900,24150-24153,24363,24498,24900-24931,25110-25119,  
25210-25240,25320,25335-25337,25391-25393,25441-25447,25450-25492,25505,25810-25931,  
26200,26910-26952,27025,27054,27065-27067,27187,27290,27334-27335,27365,27465-27468,  
27496-27499,27590-27598,27656,27745,27880-27894,28800-28825,31200-31201,31225,32900,  
36680,63081-63091,63101-63103,63276,69970,77261-77799,79000-79900,90471-90472,90780-  
90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-  
92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-  
96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-  
99362,99374-99375,99379-99440,99499  
CDT: D5934,D5935,D5984,D7440,D7441  
HCPCS: G0242,G0243  
Line: 234

Diagnosis: CANCER OF BLADDER AND URETER, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5%  
5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 188,189.2,198.1,233.7,236.7  
CPT: 50125,50220-50290,50340,50544-50548,50553,50572,50650-50660,50825-50840,50976,51530,  
51550-51597,51700,51720,52224,52234-52240,52250,52281-52282,52327,52332,52355,52500,  
53210-53220,58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-  
91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-  
92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-  
97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499  
HCPCS: G0242,G0243  
Line: 235

Diagnosis: CANCER OF RETROPERITONEUM, PERITONEUM, OMENTUM AND MESENTERY, WHERE TREATMENT WILL  
RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 158,197.6,197.8,235.4-235.5  
CPT: 39010,44820-44899,49081,49201,49255,77261-77799,79000-79900,90471-90472,90780-90799,  
90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,  
92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,  
96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,  
99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 236

Diagnosis: CANCER OF ORAL CAVITY, PHARYNX, NOSE AND LARYNX, WHERE TREATMENT WILL RESULT IN A  
GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 140-149,160-161,231.0,231.8,235.0-235.1,235.6,235.9  
CPT: 13132,13151,14040-14061,15570,15732-15734,15756-15758,15760,20955-20957,30117-30118,  
30520,31075-31090,31200-31205,31225-31230,31300,31360-31368,31370,31380-31395,31540-  
31541,31600-31603,31611,31820,31825,38724,40500-40530,40810-40816,40819,40899,41110-  
41116,41120-41155,41820,41825-41827,41850,42104-42120,42280-42281,42842,42845,42410-  
42450,42500,42826,43450,43496,69110,69150,69155,69502,77261-77799,79000-79900,90471-  
90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-  
92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-  
95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,  
99175,99185-99362,99374-99375,99379-99440,99499  
CDT: D5983,D5984,D5985,D7440,D7441,D7920,D7981  
HCPCS: G0242,G0243  
Line: 237

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PORTAL VEIN THROMBOSIS  
Treatment: SURGICAL AND MEDICAL THERAPY  
ICD-9: 452  
CPT: 37140,37180,37182,49425-49429,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 238

Diagnosis: PARALYTIC ILEUS  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 560.1,560.31  
CPT: 47562,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 239

Diagnosis: TRAUMATIC AMPUTATION OF LEG(S) (COMPLETE)(PARTIAL) WITH AND WITHOUT COMPLICATION  
(See Guideline Note 1)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 897.0-897.7,905.9  
CPT: 11010-11012,20920,20922,20924,27290-27295,27590-27598,27880-27886,27889,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 240

Diagnosis: TRAUMATIC AMPUTATION OF ARM(S), HAND(S), THUMB(S), AND FINGER(S) (COMPLETE)(PARTIAL)  
WITH AND WITHOUT COMPLICATION (See Guideline Note 1)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 885-887  
CPT: 11000-11001,11010-11012,11042-11044,15050,20802,20805,20808,20816-20924,20972-20973,23900,23920,23921,24900,24920,24925,24930,24931,24935,24940,25900-25909,26350-26356,26410-26418,26551-26556,26910-26952,64831-64832,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 241

Diagnosis: IRON DEFICIENCY ANEMIA AND OTHER NUTRITIONAL DEFICIENCIES  
Treatment: MEDICAL THERAPY  
ICD-9: 260-268,269.0-269.3,280,285.1  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 242

Diagnosis: PHYSICAL AND SEXUAL ABUSE INCLUDING RAPE  
Treatment: MEDICAL THERAPY  
ICD-9: 959.9,994.2-994.3,995.5,995.80-995.85,V61.11,V61.21,V71.5  
CPT: 46700,46706,56800,56810,57023,57200,57210,57410,57415,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 243

Diagnosis: ACUTE STRESS DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 308  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99275  
HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2011,H2012,H2013,H2021,H2022,H2023,H2027,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 244

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SEPARATION ANXIETY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 309.21  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 245

Diagnosis: PERITONSILLAR ABSCESS  
Treatment: INCISION AND DRAINAGE OF ABSCESS, MEDICAL THERAPY  
ICD-9: 475  
CPT: 10160,42700,42820-42826,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 246

Diagnosis: CANCRUM ORIS  
Treatment: MEDICAL THERAPY  
ICD-9: 528.1  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 247

Diagnosis: OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (See Guideline Note 1)  
Treatment: THROMBOENDARTERECTOMY  
ICD-9: 433  
CPT: 34001,35301,35390,37215-37216,61680,61795,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 248

Diagnosis: ACUTE GLOMERULONEPHRITIS AND OTHER ACUTE RENAL FAILURE (See Guideline Note 2)  
Treatment: MEDICAL THERAPY INCLUDING DIALYSIS  
ICD-9: 580.0,580.8-580.9,583.0-583.7,584  
CPT: 36145,36800-36819,36821,36831-36833,36835,36838,36870,49422,90471-90472,90780-90799,90901,90918-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327  
Line: 249

Diagnosis: NEPHROTIC SYNDROME AND OTHER RENAL DISORDERS (See Guideline Note 2)  
Treatment: MEDICAL THERAPY INCLUDING DIALYSIS  
ICD-9: 403,581.0-581.2,581.8-581.9,582,585,587-589,593.9  
CPT: 36145,36800-36819,36821,36825-36833,36835,36838,36870,49420-49421,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327,S9355  
Line: 250

Diagnosis: CYSTICERCOSIS, OTHER CESTODE INFECTION, TRICHINOSIS  
Treatment: MEDICAL THERAPY  
ICD-9: 123.1-123.9,124  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 251

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: POISONING BY INGESTION, INJECTION, AND NON-MEDICINAL AGENTS (See Guideline Note 2)

Treatment: MEDICAL THERAPY

ICD-9: 278.2,278.4,960-989,995.86

CPT: 43226,43241-43247,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0308,G0309,G0310,G0311,G0312,G0313,G0314,G0315,G0316,G0317,G0318,G0319,G0320,G0321,G0322,G0323,G0324,G0325,G0326,G0327,S9355

Line: 252

Diagnosis: METABOLIC DISORDERS INCLUDING HYPERLIPIDEMIA

Treatment: MEDICAL THERAPY

ICD-9: 202.5,272,277.1,277.5,277.8-277.9,330.1,374.51

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 253

Diagnosis: HEREDITARY FRUCTOSE INTOLERANCE, INTESTINAL DISACCHARIDASE AND OTHER DEFICIENCIES

Treatment: MEDICAL THERAPY

ICD-9: 271.2-271.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 254

Diagnosis: INTESTINAL MALABSORPTION

Treatment: MEDICAL THERAPY

ICD-9: 040.2,579

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 255

Diagnosis: DELIRIUM DUE TO MEDICAL CAUSES

Treatment: MEDICAL THERAPY

ICD-9: 293.0-293.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 256

Diagnosis: PERNICIOUS AND SIDEROBLASTIC ANEMIA

Treatment: MEDICAL THERAPY

ICD-9: 281,285.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S9355

Line: 257

Diagnosis: DISSEMINATED INTRAVASCULAR COAGULATION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 286.6

CPT: 11040-11041,15200,15220,15240,15260,25900-25905,25915-25920,25927,26910-26952,27598,27880-27882,27888-27889,28800-28825,30150,54130-54135,69110-69120,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 258

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DIVERTICULITIS OF COLON  
Treatment: COLON RESECTION, MEDICAL THERAPY  
ICD-9: 562.0-562.1  
CPT: 33238,44005,44139-44141,44143-44147,44160,44200,44204-44208,44320,44620-44626,44701,45335,45381,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 259

Diagnosis: CYST AND PSEUDOCYST OF PANCREAS  
Treatment: DRAINAGE OF PANCREATIC CYST  
ICD-9: 577.2  
CPT: 43240,48001,48005,48020,48120-48148,48152-48154,48180,48500-48540,49423-49424,64680,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 260

Diagnosis: ACUTE POLIOMYELITIS (See Guideline Note 1)  
Treatment: MEDICAL THERAPY  
ICD-9: 045  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 261

Diagnosis: SYSTEMIC SCLEROSIS  
Treatment: MEDICAL THERAPY  
ICD-9: 710.1  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 262

Diagnosis: SUBSTANCE-INDUCED DELIRIUM  
Treatment: MEDICAL THERAPY  
ICD-9: 291.0,291.3,291.8-291.9,292.0,292.8  
CPT: 90816-90819,90823-90827,90862,97810-97814,99217-99223,99231-99239,99251-99263  
HCPCS: H0001,H0002,H0033,H0035,H0048,H2013  
Line: 263

Diagnosis: ACUTE AND SUBACUTE ISCHEMIC HEART DISEASE, MYOCARDIAL INFARCTION (See Guideline Notes 1 and 12)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 277.7,410-414,429.2,429.4,429.71,429.79,747.89,785.51  
CPT: 33200-33201,33206-33208,33210,33212-33226,33233-33238,33261,33400-33417,33420,33422,33425-33427,33430,33465,33475,33500,33508-33542,33572,33681,33922,33967,33970-33974,33979-33980,35001,35182,35189,35226,35286,35572,35600,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92961,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0290,G0291,S2205,S2206,S2207,S2208,S2209  
Line: 264

Diagnosis: TERMINAL ILLNESS REGARDLESS OF DIAGNOSIS (See Guideline Notes 2, 3 and 13)  
Treatment: COMFORT CARE  
ICD-9: V66.7  
CPT: 27035,44370,44379,44383,44397,45327,45387,50947-50948,52341-52346,52355,62350-62368,64449,64517,64620,64680,64681,67570,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,97810-97814,99050-99054,99058-99078,99175,99185-99362,99374-99440,99499  
HCPCS: G0242,G0243  
Line: 265

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ADJUSTMENT DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 309.0, 309.1, 309.23-309.29, 309.3-309.4, 309.82, 309.83, 309.9

CPT: 90801-90807, 90810-90813, 90846, 90847, 90849, 90853, 90857, 90862, 90882, 90887, 96100, 99201-99215, 99241-99245, 99271-99275

HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0045, H2011, H2012, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9484, T1005, T1013, T1016, T1023

Line: 266

Diagnosis: OPPOSITIONAL DEFIANT DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.81

CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96100, 99201-99215, 99241-99275

HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2011, H2012, H2014, H2021, H2022, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023

Line: 267

Diagnosis: TOURETTE'S DISORDER AND TIC DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.0, 307.2

CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96100, 99201-99215, 99241-99275

HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H2011, H2012, H2013, H2014, H2021, H2022, H2027, H2032, S9484, T1013, T1016, T1023

Line: 268

Diagnosis: ANAL, RECTAL AND COLONIC POLYPS

Treatment: EXCISION OF POLYP

ICD-9: 211.3-211.4, 569.0

CPT: 44145, 44150, 45170, 45308-45309, 45333-45334, 45383-45385

Line: 269

Diagnosis: TRANSIENT CEREBRAL ISCHEMIA

Treatment: MEDICAL THERAPY

ICD-9: 362.34, 388.02, 435

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 270

Diagnosis: DYSPLASIA OF CERVIX AND CERVICAL CARCINOMA IN SITU, CERVICAL CONDYLOMA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 233.1, 622.0-622.2, 623.0-623.1, 623.7, 795.0

CPT: 57061-57065, 57150, 57180, 57400, 57452, 57460-57461, 57505, 57510-57522, 57530, 57540, 57550, 57555-57556, 58120, 58150, 58260, 58262-58263, 58290-58291, 58550-58553, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 271

Diagnosis: ANOGENITAL VIRAL WARTS

Treatment: MEDICAL THERAPY

ICD-9: 078.1

CPT: 11420-11426, 17000-17004, 46900-46924, 54050-54065, 56501, 56515, 57061, 57065, 57150, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 272

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CANCER OF COLON, RECTUM, SMALL INTESTINE AND ANUS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 14)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 152-154,197.5,230.3-230.6,235.5  
CPT: 44120-44121,44139-44150,44160,44204,44206-44212,44300-44346,44620-44625,44701,45110-45113,45123,45126,45136,45170,45190,45333,45341-45342,45384-45385,45505,45550,46917,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 273

Diagnosis: CANCER OF CERVIX, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 180  
CPT: 38770,44320,44700,53444,57155,57500,57505,57460,57520,57522,57531,57540,57545,57550,57820,58150,58200,58210,58550-58554,58953-58954,59856,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 274

Diagnosis: CANCER OF LUNG, BRONCHUS, PLEURA, TRACHEA, MEDIASTINUM AND OTHER RESPIRATORY ORGANS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 4)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 162-163,164.2-164.9,165,195.1,197.0,197.2-197.3,231.1-231.2,231.9,235.7-235.8  
CPT: 19260-19272,21610,22900,31600-31603,31636-31645,31770,31775,31785-31786,31820,31825,31899,32000,32020,32320,32480-32488,32440-32445,32500-32540,32662,32657,32900-32906,38542,38794,39000-39010,39200,39220,39400,46917,49421,77261-77799,78811-78816,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 275

Diagnosis: CANCER OF PROSTATE GLAND, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 185,233.4,236.5  
CPT: 38564,38780,51700,52010,52234,52240,52281,52400,52510,52601,52612-52648,53600-53601,54530,55810-55845,55859-55866,55899,58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 276

Diagnosis: CANCER OF ENDOCRINE SYSTEM, EXCLUDING THYROID, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL; CARCINOID SYNDROME (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 164.0,194,198.7,234.8,237.0-237.4,259.2  
CPT: 38510,60512,60540-60545,60600-60605,60650,62165,64788,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 277

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CANCER OF KIDNEY AND OTHER URINARY ORGANS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 189.0-189.1,189.3-189.9,198.0,233.9,236.9  
CPT: 50125,50220-50290,50340,50391,50545-50546,50548,50553,50572,50650-50660,50825-50840,51530,51550-51597,51700,51720,52224,52234-52240,52250,52281-52282,52500,53210-53220,58200,58960,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 278

Diagnosis: CANCER OF STOMACH, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 151,230.2,235.2  
CPT: 43122,43248-43250,43620-43638,44110-44130,77261-77799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 279

Diagnosis: CANCER OF BRAIN AND NERVOUS SYSTEM, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)  
Treatment: LINEAR ACCELERATOR, MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY  
ICD-9: 191-192,198.3-198.4,237.5-237.9  
CPT: 37202,61312-61321,61500-61501,61510-61512,61516-61521,61530,61586,61615-61616,61750-61751,61770,61793-61795,62140-62148,62164-62165,62223,62350-62368,63265,63275-63290,63300-63308,63615,64784-64792,64802-64818,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 280

Diagnosis: ANAEROBIC INFECTIONS REQUIRING HYPERBARIC OXYGEN  
Treatment: HYPERBARIC OXYGEN  
ICD-9: 040.0,526.4,526.89,639.0,639.6,670.02,670.04,673.0,686.0,709.3,728.0,730.2,730.30,730.9,785.4,958.0,990,996.52,996.7,999.1  
CPT: 99183  
Line: 281

Diagnosis: BENIGN NEOPLASM OF PITUITARY GLAND  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY  
ICD-9: 227.3,349.81  
CPT: 61070,61305,61545-61548,62100,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 282

Diagnosis: CUSHING'S SYNDROME; HYPERALDOSTERONISM, OTHER CORTICOADRENAL OVERACTIVITY, MEDULLOADRENAL HYPERFUNCTION  
Treatment: MEDICAL THERAPY/ADRENALECTOMY  
ICD-9: 255.0,255.1,255.3,255.6,255.8-255.9,259.1,259.3,349.81  
CPT: 60540-60545,60650,61546,62100,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 283

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 491.1-491.2,492,496,508.1-508.9,518.2,518.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 284

Diagnosis: DISORDERS OF MINERAL METABOLISM

Treatment: MEDICAL THERAPY

ICD-9: 275

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S9355

Line: 285

Diagnosis: INTRACEREBRAL HEMORRHAGE (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 431

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 286

Diagnosis: STROKE (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 434,436,437.0,437.1,437.6,747.81

CPT: 37195,61680,61793-61795,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 287

Diagnosis: ACUTE PULMONARY HEART DISEASE AND PULMONARY EMBOLI (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 415,958.1

CPT: 33916,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 288

Diagnosis: DISLOCATION KNEE AND HIP, OPEN (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 835.1,836.2,836.4,836.6

CPT: 27253-27258,27275,27350,27430,27435,27496-27499,27556-27558,27560,27562,27566,27830-27832,27892-27894,29861-29863,29882,97001-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537

Line: 289

Diagnosis: DISLOCATION OF ELBOW, HAND, ANKLE, FOOT, CLAVICLE AND SHOULDER, OPEN (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 830.1,831.1,832.1,833.1,834.1,837.1,838.1

CPT: 21485-21490,23395,23530-23532,23550-23552,23660,23670,23680,24300,24332,24343,24345-24346,24586,24615,24635,25275,25394,25430-25431,25670,25676,25685,25695,26340,26645,26665,26685-26686,26715,26775-26776,27695-27696,27698,27830-27832,27846-27848,28540,28545-28546,28555,28570,28575-28576,28585,28600,28605-28606,28615,28630,28635-28636,28645,28660,28665-28666,28675,29891-29892,97001-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537

Line: 290

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ACUTE BRONCHITIS AND BRONCHIOLITIS

Treatment: MEDICAL THERAPY

ICD-9: 466

CPT: 31600-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 291

Diagnosis: ACUTE PELVIC INFLAMMATORY DISEASE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 614.0,614.2-614.5,614.7-614.9,615

CPT: 44960,46020,57010,58150,58660,58700,58720,58740,58820-58823,58925,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 292

Diagnosis: URINARY FISTULA

Treatment: SURGICAL TREATMENT

ICD-9: 593.81-593.82

CPT: 45820,50040-50045,50395-50398,50520,50525-50526,50686-50688,50900,50920,50930,50961,50970,50980,52234,53080,53085,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 293

Diagnosis: ANEURYSM OF PULMONARY ARTERY (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 417.0,417.1,417.8-417.9,901.41

CPT: 32480-32486,32488,32500-32501,32520,32522,32525,32540,33910-33915,33917-33920,33922,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 294

Diagnosis: EPILEPSY AND FEBRILE CONVULSIONS

Treatment: MEDICAL THERAPY

ICD-9: 345,780.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 295

Diagnosis: REGIONAL ENTERITIS, IDIOPATHIC PROCTOCOLITIS, ULCERATION OF INTESTINE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 555,556,557.1,557.9,569.41,569.81-569.82,569.86

CPT: 44110,44120-44121,44139-44160,44202-44212,44300-44316,44345,44625-44626,44640,44650,44701,45112-45113,45119,45123,45136,45307-45309,45315,45320-45321,45332-45340,45379,45381-45386,45805,45825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 296

Diagnosis: ENTERIC INFECTIONS AND OTHER BACTERIAL FOOD POISONING

Treatment: MEDICAL THERAPY

ICD-9: 001,003.0,003.8-003.9,004,005.0,005.2-005.9,008.0-008.8,009

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 297

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: GIANT CELL ARTERITIS, KAWASAKI DISEASE, THROMBOANGIITIS OBLITERANS

Treatment: MEDICAL THERAPY

ICD-9: 443.1,446.1-446.2,446.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 298

Diagnosis: COMPLICATIONS OF A PROCEDURE USUALLY REQUIRING TREATMENT (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 349.0,519.00,519.02,530.86-530.87,536.40,536.42,536.49,569.60,569.62,569.69,990,996.30-996.32,996.52-996.54,996.57,996.59,997.60-997.61,997.69,997.91,997.99,998.12-998.13,998.4,998.7,998.82-998.89,999.2,999.5-999.7

CPT: 10140,10160,11976-11977,11982-11983,15000,15350-15351,15400-15401,19328-19330,19371-19380,20680,20694,21120,21501,22849-22850,22852-22855,24160-24164,25250-25251,25449,26320,27090-27091,27132-27138,27265-27266,27486-27488,27570,27704,31613-31614,31630,31750-31781,31800-31830,33922,35875-35876,35901-35905,36536-36537,36860-36861,43246,43760-43761,43830-43832,44312-44314,44340-44346,47525-47530,49422,53442,53446-53449,58301,62273,63660,63688,64595,64788,65150-65175,66985-66986,67560,69710-69711,75984,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 299

Diagnosis: TERMINATION OF PREGNANCY (Note: This line item is not priced as part of the list.)

Treatment: INDUCED ABORTION

ICD-9: 635-639,655,779.6,V25.3

CPT: 58520,59100,59160,59200,59812,59840-59841,59850-59852,59855-59857,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S0199,S2260

Line: 300

Diagnosis: PREVENTIVE DENTAL SERVICES (See Guideline Note 15)

Treatment: CLEANING AND FLUORIDE

ICD-9: 520.0-520.6,520.8-520.9,521-523,V72.2

CPT: 90788,99201-99215,99245-99275

CDT: D0120,D0140,D0150,D0160,D0170,D0180,D1110,D1120,D1201,D1203,D1204,D1205,D1330,D1351,D4355,D5982,D5986,D9610,D9920

Line: 301

ICD-9-CM codes will only be required on dental claims for FQHCs, RHCs, and tribal health clinics.

Diagnosis: HEARING LOSS - AGE 5 OR UNDER

Treatment: MEDICAL THERAPY INCLUDING HEARING AIDS

ICD-9: 388.00,388.02,388.1-388.2,388.4-388.5,388.8,389

CPT: 69424,69433,69436,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 302

Diagnosis: SENSORINEURAL HEARING LOSS - AGE 5 OR UNDER (See Guideline Note 16)

Treatment: COCHLEAR IMPLANT

ICD-9: 389.1

CPT: 69710-69718,69930,92510,92601-92617

Line: 303

Diagnosis: POSTTRAUMATIC STRESS DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 309.81,309.89

CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-99275,99301-99316

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023

Line: 304

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OBSESSIVE-COMPULSIVE DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.3

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H2011,H2012,  
H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9480,S9484,T1013,T1016,T1023

Line: 305

Diagnosis: BILATERAL ANOMALIES OF EXTERNAL EAR WITH IMPAIRMENT OF HEARING

Treatment: RECONSTRUCT OF EAR CANAL

ICD-9: 380.5,744.00-744.05,744.09

CPT: 15120,69310-69320,69631-69637,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 306

Diagnosis: GENERALIZED CONVULSIVE OR PARTIAL EPILEPSY WITHOUT MENTION OF IMPAIRMENT OF  
CONSCIOUSNESS

Treatment: SINGLE FOCAL SURGERY

ICD-9: 345.1,345.4-345.5

CPT: 61531,61533-61537,61540,61543,61566,61567,61720,61735,61760,61850-61888,64573,78608-  
78609,78811,78814

Line: 307

Diagnosis: CANDIDIASIS OF LUNG, DISSEMINATED CANDIDIASIS, CANDIDAL ENDOCARDITIS AND MENINGITIS

Treatment: MEDICAL THERAPY

ICD-9: 112.4-112.5,112.81,112.83-112.85,112.89

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 308

Diagnosis: COCCIDIOIDOMYCOSIS, HISTOPLASMOSIS, BLASTOMYCOTIC INFECTION, OPPORTUNISTIC AND  
OTHER MYCOSES

Treatment: MEDICAL THERAPY

ICD-9: 114-116,117.0-117.4,117.6-117.8,118,518.6

CPT: 32662,33405-33417,33420-33430,33973-33974,35180,35182,35184,90471-90472,90780-90799,  
90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,  
92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,  
96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,  
99374-99375,99379-99440,99499

Line: 309

Diagnosis: TETANUS

Treatment: MEDICAL THERAPY

ICD-9: 037

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 310

Diagnosis: EBSTEIN'S ANOMALY

Treatment: REPAIR SEPTAL DEFECT/VALVULOPLASTY/REPLACEMENT

ICD-9: 746.2

CPT: 33460,33465,33468,33641-33647,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 311

Diagnosis: DISSEMINATED INFECTIONS WITH LOCALIZED SITES

Treatment: MEDICAL THERAPY

ICD-9: 003.2,006.3-006.8,014-018,040.81-040.82,093-097,137.0,137.2-137.4

CPT: 47015,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 312

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISEASES AND DISORDERS OF AORTIC VALVE (See Guideline Note 1)

Treatment: AORTIC VALVE REPLACEMENT, VALVULOPLASTY, MEDICAL THERAPY

ICD-9: 395.424.1,710.0,720.0,745.0,747.21,759.82

CPT: 33400-33405,33410-33413,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 313

Diagnosis: TYPE II DIABETES MELLITUS (See Guideline Note 2)

Treatment: MEDICAL THERAPY

ICD-9: 250.00,250.02,250.10,250.12,250.20,250.22,250.30,250.32,250.40,250.42,250.50,250.52,250.60,250.62,250.70,250.72,250.80,250.82,250.90,250.92

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0245,G0246,G0308-G0327,S9145

Line: 314

Diagnosis: POLYARTERITIS NODOSA AND ALLIED CONDITIONS

Treatment: MEDICAL THERAPY

ICD-9: 136.1,437.4-437.5,446.0,446.6-446.7

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 315

Diagnosis: SARCOIDOSIS

Treatment: MEDICAL THERAPY

ICD-9: 135

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 316

Diagnosis: DERMATOMYOSITIS, POLYMYOSITIS

Treatment: MEDICAL THERAPY

ICD-9: 710.3-710.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 317

Diagnosis: ATRIAL SEPTAL DEFECT, SECUNDUM (See Guideline Note 1)

Treatment: REPAIR SEPTAL DEFECT

ICD-9: 745.5

CPT: 33641,33647,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92992-92993,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 318

Diagnosis: DISEASES OF MITRAL VALVE (See Guideline Note 1)

Treatment: VALVULOPLASTY, MITRAL VALVE REPLACEMENT, MEDICAL THERAPY

ICD-9: 391.1,394,396,424.0,746.5-746.6,746.89

CPT: 33420,33422,33425-33427,33430,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 319

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ATELECTASIS (COLLAPSE OF LUNG)

Treatment: MEDICAL THERAPY

ICD-9: 518.0-518.1

CPT: 31645,31646,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 320

Diagnosis: TOXIC EFFECT OF GASES, FUMES, AND VAPORS REQUIRING HYPERBARIC OXYGEN

Treatment: HYPERBARIC OXYGEN

ICD-9: 986-987,993.3

CPT: 99183

Line: 321

Diagnosis: ACQUIRED HYPOTHYROIDISM, DYSHORMONOGENIC GOITER

Treatment: MEDICAL THERAPY

ICD-9: 244,246.1

CPT: 60210,60212,60220,60225,60240,60270-60271,60512,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 322

Diagnosis: CARDIAC ARRHYTHMIAS (See Guideline Note 1)

Treatment: MEDICAL THERAPY, PACEMAKER

ICD-9: 426,427.0,427.2-427.3,427.6,427.8-427.9,429.4

CPT: 33200-33201,33206-33208,33210,33211-33226,33233-33238,33250-33253,33261,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92961,92970-92984,92995-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 323

Diagnosis: MULTIPLE VALVULAR DISEASE (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 396-397

CPT: 33400-33478,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 324

Diagnosis: TRAUMATIC AMPUTATION OF FOOT/FEET (COMPLETE)(PARTIAL) WITH AND WITHOUT COMPLICATION  
(See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 896,897.6-897.7

CPT: 11010-11012,20838,20920,20922,20924,27888,28800-28805,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 325

Diagnosis: BRACHIAL PLEXUS LESIONS

Treatment: MEDICAL THERAPY

ICD-9: 353.0

CPT: 21615-21616,21700,21705,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 326

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SPINAL DEFORMITY, CLINICALLY SIGNIFICANT (See Guideline Note 17)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 721.5-721.6,723.0,724.0,732.0,737.0-737.3,737.8-737.9,754.1-754.2,756.13-756.17,  
756.19,756.3

CPT: 20930-20938,21720,21725,22210-22226,22548,22554-22585,22590-22632,22800-22855,29000,  
29010,29015,29020,29025,29035,29040,29044,29046,29710,29715,29720,62284,62287,62290-  
62291,63001-63091,63170-63200,63295,63300-63308,63600,63610,63650-63655,63685,90471-  
90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-  
92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-  
95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,  
99175,99185-99362,99374-99375,99379-99440,99499

Line: 327

Diagnosis: DISORDERS OF PLASMA PROTEIN METABOLISM

Treatment: MEDICAL THERAPY

ICD-9: 273

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 328

Diagnosis: ACUTE NON-LYMPHOCYTIC LEUKEMIAS (See Guideline Notes 2 and 3)

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 205.0,206.0,207.0,208.0

CPT: 38100,38120,38760,62350-62368,77261-77799,90471-90472,90780-90799,90901-90937,90945-  
91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-  
92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-  
97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499

HCPCS: G0242,G0243

Line: 329

Diagnosis: CHRONIC RHEUMATIC PERICARDITIS, RHEUMATIC MYOCARDITIS (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 393,398

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-95075,95115-95999,  
96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499

Line: 330

Diagnosis: ACUTE NECROSIS OF LIVER

Treatment: MEDICAL THERAPY

ICD-9: 570,573.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 331

Diagnosis: CHRONIC HEPATITIS, INCLUDING VIRAL HEPATITIS B AND C

Treatment: MEDICAL THERAPY

ICD-9: 070.32,070.51,070.54,571.4,571.8-571.9,573.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 332

Diagnosis: ACUTE PANCREATITIS

Treatment: MEDICAL THERAPY

ICD-9: 577.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 333

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DERMATOLOGICAL PREMALIGNANT LESIONS AND CARCINOMA IN SITU

Treatment: DESTRUCT/EXCISION/MEDICAL THERAPY

ICD-9: 232.607.0,692.75,702.0

CPT: 11300-11313,11400-11446,11600-11646,13100-13160,14000-14350,17000-17108,17304,69110,69120,69300,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 334

Diagnosis: ESOPHAGITIS; ESOPHAGEAL AND INTRAESOPHAGEAL HERNIAS

Treatment: SURGICAL TREATMENT

ICD-9: 530.10,530.11,530.19,530.6,530.81-530.83,530.89,551.3,552.3,553.3

CPT: 32800,39502-39541,39560,39561,43030,43130,43135,43280,43324,43330-43331

Line: 335

Diagnosis: NEUROLOGICAL DYSFUNCTION IN POSTURE AND MOVEMENT CAUSED BY CHRONIC CONDITIONS (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT (EG. DURABLE MEDICAL EQUIPMENT AND ORTHOPEDIC PROCEDURE)

ICD-9: 046.049,062-063,090.40,094.0-094.2,094.8-094.9,137.1,138,139.0,139.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,315.4,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.90-333.93,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,431-432,434,436,438,718.4,727.81,728.1,728.3-728.4,740-742,747.82,754.89,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851.03-851.06,851.1-851.3,851.43-851.46,851.5-851.7,851.83-851.86,851.9,852-854,905.0,907.0-907.3,907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 14040,20550,20664,21610,23020,23800-23802,24301-24331,24800-24802,25280-25290,25310-25316,25320,25332,25337,25800-25805,25830,26442,26474,26490,27000-27006,27036,27097-27122,27140,27306-27307,27315-27320,27390-27400,27435,27605-27606,27612,27676-27692,27705,27870-27871,28010-28011,28030,28130,28220-28234,28240,28300-28305,28307-28312,28705-28725,28737-28760,29895,32501,61215,61343,62161-62162,62360-62362,63600,63610,63650-63655,63685,64614,64763,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 336

Diagnosis: ACUTE THYROIDITIS

Treatment: MEDICAL THERAPY

ICD-9: 245.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 337

Diagnosis: SYSTEMIC LUPUS ERYTHEMATOSUS, OTHER DIFFUSE DISEASES OF CONNECTIVE TISSUE

Treatment: MEDICAL THERAPY

ICD-9: 710.0,710.8,710.9,729.30

CPT: 20610,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 338

Diagnosis: WEGENER'S GRANULOMATOSIS

Treatment: MEDICAL THERAPY

ICD-9: 446.3-446.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 339

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PANIC DISORDER; AGORAPHOBIA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.01,300.21-300.22

CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0033,H0032,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023

Line: 340

Diagnosis: DISORDERS OF ARTERIES, OTHER THAN CAROTID OR CORONARY

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 445.81,445.89,447.0,447.2-447.9,593.81,747.82

CPT: 34151,35471,35480,35501-35515,35526-35531,35536-35551,35560-35563,35601-35616,35626-35646,35663,37607,62294,63250-63252,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 341

Diagnosis: LEPTOSPIROSIS

Treatment: MEDICAL THERAPY

ICD-9: 100

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 342

Diagnosis: AMEBIASIS

Treatment: MEDICAL THERAPY

ICD-9: 006.0-006.2,006.9,007.0,007.3,007.8,136.4-136.5,136.8

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 343

Diagnosis: ZOO NOTIC BACTERIAL DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 020-027,073.7-073.9,078.3,V71.82-V71.83

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 344

Diagnosis: FRACTURE OF FACE BONES; INJURY TO OPTIC AND OTHER CRANIAL NERVES

Treatment: SURGERY

ICD-9: 802,950-951

CPT: 10121,11010-11012,20670,20680,20694,21085,21210,21215,21310-21339,21340-21348,21355-21360,21365-21366,21385-21395,21400-21401,21406-21408,21421-21423,21431-21454,21461-21462,21465,21470,21499,30420,30450,31292-31294,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5988

Line: 345

Diagnosis: BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS

Treatment: LOBECTOMY, MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY

ICD-9: 212

CPT: 19260-19272,21627,21630,31512,31541-31546,31599,31636-31638,31770,31775,32320,32480-32488,32540,32657,32661-32662,33120,33130,39000-39010,39220,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 346

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DYSTONIA, UNCONTROLLABLE

Treatment: MEDICAL THERAPY

ICD-9: 333.0-333.7, 333.81, 333.83, 333.89, 333.90, 333.92

CPT: 64612-64613, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 347

Diagnosis: ATHEROSCLEROSIS, AORTIC AND RENAL

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 440.0-440.1

CPT: 35450, 35471, 35490, 35501-35515, 35526-35531, 35536-35551, 35560-35563, 35572, 35601-35616, 35626-35647, 35654, 35663, 35697, 35820, 35840, 35875-35876, 35905, 35907, 37205-37208, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 348

Diagnosis: CANCER OF SKIN, EXCLUDING MALIGNANT MELANOMA, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2 and 3)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 173, 176, 198.2, 238.2

CPT: 11000-11044, 11300-11313, 11400-11446, 11600-11646, 12001-12057, 13100-13153, 13160, 14000-14061, 14300, 14350, 15000, 15100, 15221, 15240-15261, 15350, 15400, 15570-15770, 17000-17108, 17260-17310, 17340, 21555-21557, 21930-21935, 23075-23077, 24075-24077, 25075-25077, 26115-26117, 27047-27048, 27327-27329, 27615-27619, 28043-28046, 38562-38564, 38700-38745, 38760-38765, 67950, 67961, 67966, 67971, 67973-67975, 69120, 69145, 69910, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99499

HCPCS: G0242, G0243

Line: 349

Diagnosis: SLEEP APNEA (See Guideline Note 18)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 327.20-327.21, 327.23-327.24, 327.26-327.29, 347.0, 780.51, 780.53, 780.57

CPT: 21193-21235, 30117, 30140, 30520, 31600-31610, 31820, 31825, 42140, 42145, 42160, 42820-42836, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 350

Diagnosis: OTHER DEFICIENCIES OF CIRCULATING ENZYMES

Treatment: MEDICAL THERAPY

ICD-9: 277.6

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 351

Diagnosis: LIFE-THREATENING EPISTAXIS

Treatment: SEPTOPLASTY/REPAIR/CONTROL HEMORRHAGE

ICD-9: 784.7

CPT: 30520, 30540, 30545, 30560, 30620-30802, 30901-30906, 30915-30930, 31238, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 352

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SIALOADENITIS, ABSCESS, FISTULA OF SALIVARY GLANDS

Treatment: SURGERY

ICD-9: 527.2-527.4

CPT: 40810-40816,42300-42320,42325-42330,42335,42340,42408,42410,42415-42420,42440-42509,42600,42650-42665,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7980,D7981,D7982,D7983

Line: 353

Diagnosis: CHRONIC ULCER OF SKIN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 454.0,454.2,459.11,459.13,459.31,459.33,707

CPT: 10060-10061,11000-11044,14000-15770,15920-15958,27598,28122,28810,29580,37700-37785,90471-90472,90780-90799,97601-97750,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7920

Line: 354

Diagnosis: ABSCESS AND CELLULITIS, NON-ORBITAL

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 040.3,040.89,373.13,380.14,454.1,459.12,459.32,527.3,528.3,528.5,529.0,566,597.0,603.1,607.2,608.4,616.3-616.4,680-682,684,686.8,703.0,744.41,744.46,744.49

CPT: 10060-10061,10160,11000-11044,11730-11752,11765,20000,20005,20102,21501,21502,23030,23930,26010-26011,26990,27301,27603,28003,40801,41800,42000,46020,46040,46050,46060,46270,53040,54700,55100,56405,56420,56740,60280,67700,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 355

Diagnosis: BREAST CYSTS AND OTHER DISORDERS OF THE BREAST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 610,611.0,611.2,611.5,611.8

CPT: 19000-19126,19295,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 356

Diagnosis: PILONIDAL CYST WITH ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 685.0

CPT: 10080-10081,11770-11772,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 357

Diagnosis: DENTAL CARIES (PERIAPICAL INFECTION)

Treatment: SURGERY

ICD-9: 521.0,523.3,523.9

CPT: 41899

Line: 358

Diagnosis: DENTAL CONDITIONS (EG. INFECTIONS) (See Guideline Note 19)

Treatment: URGENT AND EMERGENCY DENTAL SERVICES

ICD-9: 521.0,522.0-522.1,522.4-522.9,523.0-523.5,523.8,526,V72.2

CPT: 41000,41800,41806,90788,99201-99215,99241-99275

CDT: D1550,D2910,D2920,D2940,D3110,D3120,D3220,D3221,D3230,D3240,D5410,D5411,D5421,D5422,D5510,D5951,D6930,D7111,D7140,D7210,D7220,D7230,D7240,D7241,D7250,D7260,D7270,D7510,D7520,D7610,D7620,D7630,D7640,D7650,D7660,D7670,D7680,D7710,D7720,D7730,D7740,D7750,D7760,D7770,D7780,D7910,D7911,D7997,D9110,D9410,D9420,D9440

Line: 359

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ABSCESS OF BURSA OR TENDON

Treatment: INCISION AND DRAINAGE

ICD-9: 727.89

CPT: 20600-20610,23030,23031,23405,23406,23930,25000,25031,25085,25118,26020,26025,26030,26034,26990,27301,27603,28001,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 360

Diagnosis: ABSCESS OF PROSTATE

Treatment: TURP, DRAIN ABSCESS

ICD-9: 601.2,601.8

CPT: 52450,52601,52606,52647-52648,52700,53080,53085,55720-55725,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 361

Diagnosis: OTHER ANEURYSM OF PERIPHERAL ARTERY

Treatment: SURGICAL TREATMENT

ICD-9: 442.0,442.3,442.9

CPT: 24900-24931,25900-25931,26910-26952,27590-27598,27880-27889,28800-28825,35001-35002,35011,35013-35021,35141-35152,35572,35875-35876,35903,35682-35683,37609,64802-64818

Line: 362

Diagnosis: PYODERMA; DERMATOPHYTOSIS: SCALP, HAND, BODY, DEEP-SEATED

Treatment: MEDICAL THERAPY

ICD-9: 110.0,110.2,110.5-110.6,686.0-686.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 363

Diagnosis: URINARY TRACT CALCULUS

Treatment: CYSTOURETHROSCOPY WITH FRAGMENTATION OF CALCULUS, MEDICAL THERAPY

ICD-9: 592.1,592.9,594.9

CPT: 50392,50553,50561,50572,50590,50600-50630,50900,50945,50961,50970,50976-50980,52310-52318,52320,52325,52330,52332,52334,52352-52353,53020,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 364

Diagnosis: CONDITIONS INVOLVING EXPOSURE TO NATURAL ELEMENTS (EG. LIGHTNING STRIKE, HEATSTROKE)

Treatment: MEDICAL THERAPY, BURN TREATMENT

ICD-9: 692.77,991.0-991.5,991.8-991.9,992,993.2,994.0-994.1,994.4-994.9,995.89

CPT: 11000,11040-11041,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15350,15400,15570-15574,15770,16000-16036,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 365

Diagnosis: VESICoureTERAL REFLUX

Treatment: MEDICAL THERAPY, REIMPLANTATION

ICD-9: 593.7

CPT: 50220,50225,50234-50240,50760-50820,50845,50860,50947-50948,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 366

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CALCULUS OF BLADDER OR KIDNEY

Treatment: OPEN RESECTION, PERCUTANEOUS NEPHROSTOLITHOTOMY, NEPHROLITHOTOMY, LITHOTRIPSY

ICD-9: 592.0,594.0-594.1,594.8

CPT: 50060-50081,50130,50392-50393-50395,50580-50590,50700-50715,52310-52318,52330,52332,52334,52352-52353,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 367

Diagnosis: CHOLELITHIASIS, CHOLECYSTITIS, COMMON BILIARY DUCT STONE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 574.0-574.1,574.3-574.9,575.0-575.6,575.8-575.9,576.0-576.3

CPT: 43262,43264-43268,47420-47460,47480-47490,47510-47530,47554-47556,47562-47570,47600-47630,47900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 368

Diagnosis: URETERAL STRICTURE OR OBSTRUCTION; HYDRONEPHROSIS; HYDROURETER

Treatment: SURGICAL AND MEDICAL THERAPY

ICD-9: 591,593.3-593.5,593.89,594.2

CPT: 50060-50081,50100,50400,50553,50557,50559,50572,50575,50576,50590,50700-50715,50722,50725,50727-50728,50740,50845,50900,50940,50970,50972,51535,52276,52290,52301,52310,52320-52334,52341-52346,52352-52354,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 369

Diagnosis: CONGENITAL HYDRONEPHROSIS

Treatment: NEPHRECTOMY/REPAIR

ICD-9: 753.2

CPT: 50100,50230,50400-50500,50540,50553,50572,50575,50722,50725,50727-50728,50845,50900,50970,51535,52301,52290,52310,52334,52341-52346,52352-52354,52400,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 370

Diagnosis: ATHEROSCLEROSIS, PERIPHERAL (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 440.2-440.9,444.2,445.01-445.02,447.1

CPT: 20605,27590,34101,34111,34201,35081,35361,35371,35381,35450-35495,35500,35510,35512,35516-35525,35533,35556-35558,35565-35587,35606,35621,35623,35646-35661,35665-35671,35682-35686,35701,35721,35741,35761,35860,35875-35881,35903,36002,37205-37209,37609,64802-64818,64821-64823,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 371

Diagnosis: HYPOPLASTIC LEFT HEART SYNDROME

Treatment: REPAIR

ICD-9: 746.7

CPT: 33615,33617,33619,33750,33766,33767

Line: 372

Diagnosis: CONGENITAL PULMONARY VALVE STENOSIS

Treatment: PULMONARY VALVE REPAIR

ICD-9: 746.02

CPT: 33470,33478,33496,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,92986-92990,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 373

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (See Guideline Note 1)

Treatment: MEDICAL THERAPY, INJECTIONS

ICD-9: 099.3,696.0,714,716.2,716.4,716.8,719.3,720.0-720.2,720.89,720.9

CPT: 20550,20600,20605,20610,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 374

Diagnosis: RHEUMATOID ARTHRITIS, OSTEOARTHRITIS, OSTEOCHONDRITIS DISSECANS, AND ASEPTIC NECROSIS OF BONE (See Guideline Note 1)

Treatment: ARTHROPLASTY/RECONSTRUCTION

ICD-9: 714.0,714.3,715.1-715.3,715.9,716.1,732.7,733.4

CPT: 20610,20692,23120,23470-23472,23800-23802,24102,24130,24160,24164,24360-24366,24800-24802,25000,25115-25119,25240,25270,25320,25337,25390-25393,25441-25450,25455,25490-25492,25800,25810,25820,25825,25830,26320,26516-26536,26850,26990-26992,27036,27090-27091,27122-27132,27187,27284-27286,27358,27437-27454,27457,27580,27620-27626,27641,27700-27704,27870-27871,28090,28104,28114-28116,28122,28725,28740,28750,29819-29826,29834-29838,29843-29848,29861-29863,29871-29879,29884-29887,29894-29899,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 375

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER (See Guideline Note 20)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.0-312.2,312.4,312.8

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023

Line: 376

Diagnosis: OVERANXIOUS DISORDER; GENERALIZED ANXIETY DISORDER; ANXIETY DISORDER, UNSPECIFIED

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.00,300.02-300.09,307.46,313.0

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023

Line: 377

Diagnosis: BULIMIA NERVOSA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.51,307.54

CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023

Line: 378

Diagnosis: ESOPHAGITIS

Treatment: MEDICAL THERAPY

ICD-9: 530.1-530.2,530.6,530.81-530.83,530.85,530.89,530.9

CPT: 43248-43249,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 379

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DEEP OPEN WOUND

Treatment: REPAIR, SURGICAL TREATMENT

ICD-9: 870.0-870.1,872.0-872.1,872.62-872.69,872.7-872.9,873.0-873.5,873.7-873.9,875-884,  
890-895,906.0-906.1,958.2-958.3

CPT: 10120-10121,11000-11044,11730-11732,11750,11760,12001-13160,14040-14041,15000-15401,  
15570-15576,15600-15620,15630,15650,15732-15770,15845,20102-20103,20150,20525,23040-  
23044,24341,25101,25260-25272,25922,26080,26350-26510,26951,26990,27310,27372,27603,  
27830-27831,28022-28024,28810-28825,42180,42182,49002,54670,56800,57200,57210,64856-  
64857,64890,64893,67930-67935,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7912,D7920

Line: 380

Diagnosis: EPIDERMOLYSIS BULLOSA (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 757.39

CPT: 11000-11001,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97110-97124,  
97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,  
99379-99440,99499

Line: 381

Diagnosis: CLEFT PALATE WITH CLEFT LIP (See Guideline Note 1)

Treatment: EXCISION AND REPAIR VESTIBULE OF MOUTH, ORTHODONTICS

ICD-9: 749.2

CPT: 14060,21079-21080,21082-21083,30462,40700-40701,40810-40899,42145,42200-42215,42260,  
42281,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-  
95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,  
99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5932,D5933,D5954,D5955,D5958,D5959,D5960,D5987,D7340,D7350,D7912,D8010-D8999

Line: 382

Diagnosis: CLEFT PALATE (See Guideline Note 1)

Treatment: REPAIR AND PALATOPLASTY, ORTHODONTICS

ICD-9: 749.0

CPT: 20900,21079-21080,21082-21083,30462,42145,42200-42227,42235-42281,90471-90472,90780-  
90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-  
92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-  
96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-  
99375,99379-99440,99499

CDT: D5932,D5933,D5934,D5955,D5958,D5959,D5960,D7111,D7140,D7210,D7250,D7340,D7350,D8010-  
D8999

Line: 383

Diagnosis: CLEFT LIP, CONGENITAL FISTULA OF LIP (See Guideline Note 1)

Treatment: LIP EXCISION AND REPAIR

ICD-9: 749.1,750.25

CPT: 30462,30600,40500-40520,40650-40720,40761,90471-90472,90780-90799,90901-90937,90945-  
91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5987,D7260

Line: 384

Diagnosis: TRACHOMA

Treatment: MEDICAL THERAPY

ICD-9: 076,085.1-085.4,139.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 385

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: HISTIOCYTOSIS  
Treatment: MEDICAL THERAPY  
ICD-9: 277.8  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 386

Diagnosis: LEPROSY, YAWS, PINTA  
Treatment: MEDICAL THERAPY  
ICD-9: 030,031.1,040.1,040.3,102-104  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 387

Diagnosis: RHEUMATIC FEVER (See Guideline Note 1)  
Treatment: MEDICAL THERAPY  
ICD-9: 390,392.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 388

Diagnosis: UNSPECIFIED DISEASES DUE TO MYCOBACTERIA, ACTINOMYCOTIC INFECTIONS, AND TOXOPLASMOSES  
Treatment: MEDICAL THERAPY  
ICD-9: 031.8-031.9,039,130  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 389

Diagnosis: ACUTE, SUBACUTE, CHRONIC AND OTHER TYPES OF IRIDOCYCLITIS  
Treatment: MEDICAL THERAPY  
ICD-9: 360.12,364.0-364.3  
CPT: 67515,68200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 390

Diagnosis: BODY INFESTATIONS (EG. LICE, SCABIES)  
Treatment: MEDICAL THERAPY  
ICD-9: 132-134  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 391

Diagnosis: PARANOID (DELUSIONAL) DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 297.0-297.2,297.8-297.9  
CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 392

Diagnosis: RECURRENT EROSION OF THE CORNEA  
Treatment: CORNEAL TATTOO, REMOVAL OF CORNEAL EPITHELIUM; WITH OR WITHOUT CHEMOCAUTERIZATION  
ICD-9: 371.42  
CPT: 65435-65436,65600,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 393

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: GIARDIASIS, INTESTINAL HELMINTHIASIS

Treatment: MEDICAL THERAPY

ICD-9: 007.1,120-122,123.0,125-129

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 394

Diagnosis: HYPHEMA

Treatment: REMOVAL OF BLOOD CLOT

ICD-9: 364.41

CPT: 65805-65815,65930

Line: 395

Diagnosis: WOUND OF EYE GLOBE

Treatment: SURGICAL REPAIR

ICD-9: 871

CPT: 65270,65272-65273,65280-65285,65290,66680,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 396

Diagnosis: DIABETIC AND OTHER RETINOPATHY

Treatment: LASER SURGERY

ICD-9: 228.03,250.5,362.1-362.2,362.81,363.0-363.1,363.20,363.22,363.3-363.9

CPT: 67036,67039-67040,67208-67210,67220-67228,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 397

Diagnosis: GLAUCOMA

Treatment: MEDICAL THERAPY

ICD-9: 365.0-365.1,365.3-365.9

CPT: 67500,76514,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S0830

Line: 398

Diagnosis: PRIMARY AND OTHER ANGLE-CLOSURE GLAUCOMA

Treatment: IRIDECTOMY, LASER SURGERY

ICD-9: 365.20-365.24,365.83

CPT: 65860,65865,65870,65875,65880,66150,66160,66165,66180,66250,66500-66505,66625-66635,66761-66762,66990,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 399

Diagnosis: RETINAL TEAR

Treatment: LASER PROPHYLAXIS

ICD-9: 361.30,361.32-361.33

CPT: 67141-67145,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 400

Diagnosis: RETROLENTAL FIBROPLASIA

Treatment: CRYOSURGERY

ICD-9: 362.21

CPT: 67101-67121

Line: 401

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: VENOUS TRIBUTARY (BRANCH) OCCLUSION; CENTRAL RETINAL VEIN OCCLUSION

Treatment: LASER SURGERY

ICD-9: 362.35-362.36

CPT: 67228,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 402

Diagnosis: SICCA SYNDROME; POLYMYALGIA RHEUMATICA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 710.2,725

CPT: 68760-68761,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 403

Diagnosis: PURULENT ENDOPHTHALMITIS

Treatment: VITRECTOMY

ICD-9: 360.0,360.13

CPT: 65800,66020,66030,67005-67036,67515,68200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 404

Diagnosis: KERATOCONJUNCTIVITS, CORNEAL ABSCESS AND NEOVASCULARIZATION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 370.2-370.9,371.43-371.44,371.48

CPT: 65780-65782,67515,68200,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 405

Diagnosis: SCLERITIS

Treatment: MEDICAL THERAPY

ICD-9: 379.00,379.03-379.09,379.11-379.16

CPT: 66130,66220,66225,66250,67250,67255,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 406

Diagnosis: APHAKIA AND OTHER DISORDERS OF LENS

Treatment: INTRAOCULAR LENS

ICD-9: 379.3

CPT: 65750,65765,65767,66825,66985-66990,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 407

Diagnosis: CORNEAL ULCER; SUPERFICIAL INJURY OF EYE AND ADNEXA

Treatment: CONJUNCTIVAL FLAP; MEDICAL THERAPY

ICD-9: 370.0,370.35,918

CPT: 65275,65430,65600,65780-65782,67505,67515,68200,68360,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 408

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: GLAUCOMA ASSOCIATED WITH DISORDERS OF THE LENS

Treatment: EXTRACTION OF CATARACT

ICD-9: 360.19,365.5

CPT: 66920-66984,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 409

Diagnosis: EXOPHTHALMOS AND CYSTS OF THE EYE AND ORBIT

Treatment: SURGICAL TREATMENT

ICD-9: 364.61-364.64,364.8,376.30-376.36,376.40,376.42-376.47,376.81

CPT: 67405-67414,67420-67440,67875-67882,68500,68505,68540,68550,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 410

Diagnosis: PRIMARY AND OPEN ANGLE GLAUCOMA

Treatment: TRABECULECTOMY, CYCLOCRYOTHERAPY, LASER TRABECULOPLASTY

ICD-9: 365.10-365.11,365.13-365.14

CPT: 65820,65850,65855,66150,66155,66165,66170,66172,66185,66220,66225,66250,66700,66710-66711,66740,66762

Line: 411

Diagnosis: RUBEOSIS IRIDIS

Treatment: LASER SURGERY

ICD-9: 364.42,364.7

CPT: 65875,66170,66720,67228,67500,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 412

Diagnosis: SYMPATHETIC UVEITIS AND DEGENERATIVE DISORDERS AND CONDITIONS OF GLOBE

Treatment: ENUCLEATION

ICD-9: 360.11,360.14,360.20,360.23-360.29,360.32,360.4,360.8

CPT: 65091,65093,65105,65125,65150,65130,65135,65140,65155,65175,67218,67560,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 413

Diagnosis: CATARACT (See Guideline Note 21)

Treatment: EXTRACTION OF CATARACT

ICD-9: 366.0-366.3,366.45-366.46,366.8-366.9,V43.1

CPT: 65770,66250,66682,66825,66830,66840,66850-66852,66920-66984,66986-66990,67010,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 414

Diagnosis: AFTER CATARACT

Treatment: DISCISSION, LENS CAPSULE

ICD-9: 366.5

CPT: 66820-66825,66830,66985-66990,92012-92014

Line: 415

Diagnosis: CORNEAL OPACITY AND OTHER DISORDERS OF CORNEA

Treatment: KERATOPLASTY

ICD-9: 370.0,371.0-371.1,371.21,371.23,371.4-371.7

CPT: 65286,65400,65450,65710-65730,65750-65755,65772,65775-65782,65920,66250,66825,66985-66990,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S0820

Line: 416

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DEGENERATION OF MACULA AND POSTERIOR POLE

Treatment: VITRECTOMY, LASER SURGERY

ICD-9: 362.5

CPT: 66990,67038,67210,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 417

Diagnosis: GONOCOCCAL INFECTION OF EYE

Treatment: MEDICAL THERAPY

ICD-9: 098.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 418

Diagnosis: CHRONIC INFLAMMATORY DISORDER OF ORBIT

Treatment: MEDICAL THERAPY

ICD-9: 376.1

CPT: 67515,68200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 419

Diagnosis: PENETRATING WOUND OF ORBIT

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 376.6,870.3-870.4,870.8,870.9,950

CPT: 12011-12013,12051-12052,13132,13150-13152,67405,67412-67414,67420-67445,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 420

Diagnosis: RETAINED INTRAOCULAR FOREIGN BODY, MAGNETIC AND NONMAGNETIC

Treatment: FOREIGN BODY REMOVAL

ICD-9: 360.5-360.6

CPT: 65235,65260-65265,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 421

Diagnosis: RETINAL DETACHMENT AND OTHER RETINAL DISORDERS

Treatment: RETINAL REPAIR, VITRECTOMY

ICD-9: 361.0-361.2,361.31,361.8-361.9,379.25-379.26

CPT: 66990,67005-67112,67208,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 422

Diagnosis: VITREOUS DISORDERS

Treatment: VITRECTOMY

ICD-9: 379.21-379.23

CPT: 67036-67038,67040,67210,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 423

Diagnosis: ENTROPION

Treatment: REPAIR

ICD-9: 374.0

CPT: 67820-67850,67880-67882,67921-67924,67950,67961,67966,67971,67973-67975

Line: 424

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DYSTHYMIA  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.4-300.5  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S9480,S9484,T1013,T1016,T1023  
Line: 425

Diagnosis: SUBSTANCE-INDUCED DELUSIONAL AND MOOD DISORDERS; INTOXICATION  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 291.3-291.5,291.9,292.1-292.2,292.89,292.9,303.0  
CPT: 90801-90829,90846-90862,90882,90887,96100,97810-97814,99201-99275,99301-99316  
HCPCS: H0001,H0002,H0004,H0005,H0016,H0020,H0031,H0033,H0034,H0035,H0048,H2013,T1006,T1013,T1016  
Line: 426

Diagnosis: BORDERLINE PERSONALITY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 301.83  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846,90847,90853-90862,90882,90887,96100,99201-99275  
HCPCS: G0176,G0177,H0002,H0004,H0018,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 427

Diagnosis: IDENTITY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 313.82  
CPT: 90801,90802,90804-90807,90810-90813,90816-90819,90823-90827,90846-90857,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H0035,H0037,H0038,H2011,H2012,H2013,H2014,H2023,H2027,H2032,T1013,T1016,T1023  
Line: 428

Diagnosis: SCHIZOTYPAL PERSONALITY DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 295.0,301.22  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-99275  
HCPCS: G0176,G0177,H0002,H0004,H0018,H0031,H0032,H0034,H0035,H0037,H0038,H2011,H2012,H2013,H2014,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 429

Diagnosis: ACUTE OTITIS MEDIA  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 381.0,381.51,381.8-381.9,382.0,382.4,382.9,384.0,993.0  
CPT: 69210,69420-69421,69424,69433,69436,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 430

Diagnosis: SUPERFICIAL INJURIES WITH INFECTION  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 910.1,910.3,910.5,910.7,910.9,911.1,911.3,911.5,911.7,911.9,912.1,912.3,912.5,912.7,912.9,913.1,913.3,913.5,913.7,913.9,914.1,914.3,914.5,914.7,914.9,915.1,915.3,915.5,915.7,915.9,916.1,916.3,916.5,916.7,916.9,917.1,917.3,917.5,917.7,917.9,919.1,919.3,919.5,919.7,919.9,958.3  
CPT: 10120,10121,10140,10160,11000-11001,12001-12014,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 431

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ACROMEGALY AND GIGANTISM, OTHER AND UNSPECIFIED ANTERIOR PITUITARY HYPERFUNCTION, BENIGN NEOPLASM OF THYROID GLAND AND OTHER ENDOCRINE GLANDS  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY  
ICD-9: 226,227.0,227.4-227.9,253.0,253.1,253.6,253.9  
CPT: 60200-60240,60270-60271,60512,60600-60605,60650,61548,62100,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0242,G0243  
Line: 432

Diagnosis: CONVERSION DISORDER, CHILD  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.11  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 433

Diagnosis: FUNCTIONAL ENCOPRESIS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.7  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-99275  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 434

Diagnosis: AVOIDANT DISORDER OF CHILDHOOD OR ADOLESCENCE; ELECTIVE MUTISM  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 313.2  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 435

Diagnosis: PSYCHOLOGICAL FACTORS AGGRAVATING PHYSICAL CONDITION (EG. ASTHMA, CHRONIC GI CONDITIONS, HYPERTENSION)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 316  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S9125,S9480,S9484,S9485,T1013,T1016,T1023  
Line: 436

Diagnosis: NONINFLAMMATORY DISORDERS AND BENIGN NEOPLASMS OF OVARY, FALLOPIAN TUBES AND UTERUS, OVARIAN CYSTS  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 220,221.0,256.0,620.0-620.2,620.4,620.7-620.9  
CPT: 49322,58120,58140-58152,58260-58263,58290-58292,58545-58550,58559-58563,58660-58662,58700-58720,58800,58805,58900,58920,58925,58940,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 437

Diagnosis: STREAK OVARIES  
Treatment: OOPHORECTOMY, OVARIAN CYSTECTOMY  
ICD-9: 752.0  
CPT: 51702-51703,58660-58662,58720,58925,58940-58943,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 438

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: UROLOGIC INFECTIONS

Treatment: MEDICAL THERAPY

ICD-9: 590.0,590.80,590.9,595.0,595.2-595.3,595.8-595.9,598.00,599.0,601.0,604.0,604.90,  
604.99,608.0

CPT: 50391,51700,51702-51703,52260,53450,54700,90471-90472,90780-90799,90901-90937,90945-  
91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-  
92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-  
97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499

Line: 439

Diagnosis: FUNCTIONAL AND MECHANICAL DISORDERS OF THE GENITOURINARY SYSTEM INCLUDING BLADDER  
OUTLET OBSTRUCTION (See Coding Specification Below)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 595.1,596.0,596.3-596.5,596.7-596.9,598.1-598.9,599.82-599.89,600.01,600.11,600.21,  
600.91,607.3,608.1,608.83,608.87,939.0,939.1,939.3,939.9

CPT: 44200,50845,51040,51700,51702-51703,51715,51800-51845,51880-51980,52001,52010,52214-  
52240,52260-52285,52305-52315,52355-52400,52500,52510,52601,52606,52612-52648,53020,  
53040,53400-53500,53600-53621,53660-53665,54115,54152,54161,54220,54230-54231,54235,  
54240,54250,54430,54520,54640,54670,54680,54700,54820,54830-54861,54900-54901,55400,  
55450,55520,55600,55605,55650,55680,55801,55821,55862-55865,57220,57287,90471-90472,  
90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,  
92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,  
96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,  
99185-99362,99374-99375,99379-99440,99499

Line: 440

ICD-9-CM code 600, benign prostatic hypertrophy, is only included on this line when  
identified with a secondary diagnosis code of 596.0, bladder neck obstruction, or  
788.20, urinary retention, and when post-void residuals are at least 150 cc's.

Diagnosis: GUILLAIN-BARRE SYNDROME (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 357.0

CPT: 31600,31610,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-  
97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-  
99440,99499

Line: 441

Diagnosis: DEFICIENCIES OF CIRCULATING ENZYMES (ALPHA 1-ANTITRYPSIN DEFICIENCY); CYSTIC  
FIBROSIS; EMPHYSEMA (See Guideline Note 6)

Treatment: HEART-LUNG AND LUNG TRANSPLANT

ICD-9: 135,273.4,277.0,491.8,492.8,494-495,500-505,515,947.9,996.84

CPT: 32850-32856,33930-33935

HCPCS: S2060,S2061

Line: 442

Diagnosis: RESPIRATORY FAILURE DUE TO PRIMARY PULMONARY HYPERTENSION, PRIMARY PULMONARY  
FIBROSIS, LYMPHANGIOLEIOMYOMATOSIS, EISENMENGER'S DISEASE (See Guideline Note 6)

Treatment: HEART-LUNG AND LUNG TRANSPLANTS

ICD-9: 238.1,416.0,516.3,745.0,745.4,745.5,747.0,996.84

CPT: 32850-32856,33930-33935,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2060,S2061

Line: 443

Diagnosis: DIABETES MELLITUS WITH END STAGE RENAL DISEASE (See Coding Specification Below)  
(See Guideline Note 6)

Treatment: SIMULTANEOUS PANCREAS/KIDNEY (SPK) TRANSPLANT, PANCREAS AFTER KIDNEY (PAK)  
TRANSPLANT

ICD-9: 250.01,250.03,250.11,250.13,250.21,250.23,250.31,250.33,250.41,250.43,250.51,250.53,  
250.61,250.63,250.81,250.83,250.91,250.93,996.81,996.86

CPT: 48160,48550-48552,48554,48556,50300,50320-50329,50340,50360-50365

HCPCS: S2065

Line: 444

SPK included for type I diabetes mellitus with end stage renal disease (250.41,  
250.43), PAK only included for other type I diabetes mellitus with secondary  
diagnosis of V42.0.

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: HEREDITARY IMMUNE DEFICIENCIES (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 279.1-279.2,996.85

CPT: 36680,38204-38215,38240,38242

HCPCS: G0267,S2142,S2150

Line: 445

Diagnosis: CONSTITUTIONAL APLASTIC ANEMIAS (See Guideline Notes 2, 3 and 7)

Treatment: BONE MARROW TRANSPLANT

ICD-9: 284.0,996.85

CPT: 36680,38240

HCPCS: G0267,S2142,S2150

Line: 446

Diagnosis: ALCOHOLIC FATTY LIVER OR ALCOHOLIC HEPATITIS, CIRRHOSIS OF LIVER

Treatment: MEDICAL THERAPY

ICD-9: 571.0-571.3,571.5-571.6

CPT: 49080-49081,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 447

Diagnosis: VESICULAR FISTULA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 596.1-596.2

CPT: 51800-51845,51880-51980,53080,53085,53660-53661,57330,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 448

Diagnosis: DISORDERS OF PARATHYROID GLAND; BENIGN NEOPLASM OF PARATHYROID GLAND

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 227.1,252

CPT: 60500-60505,60512,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 449

Diagnosis: PITUITARY DISORDERS: PANHYPOPITUITARISM, IATROGENIC AND OTHER

Treatment: MEDICAL THERAPY

ICD-9: 253.2,253.4,253.7,253.8

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 450

Diagnosis: MULTIPLE SCLEROSIS AND OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM

Treatment: MEDICAL THERAPY

ICD-9: 334,340-341

CPT: 31600,31610,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 451

Diagnosis: HEREDITARY HEMORRHAGIC TELANGIECTASIA

Treatment: EXCISION

ICD-9: 448.0

CPT: 11400-11426,45382

Line: 452

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ARTHROPOD-BORNE VIRAL DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 060-066

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 453

Diagnosis: LYME DISEASE AND OTHER ARTHROPOD BORNE DISEASES (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 088

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 454

Diagnosis: DYSFUNCTION RESULTING IN LOSS OF ABILITY TO MAZIMIZE LEVEL OF INDEPENCE IN SELF-DIRECTED CARE CAUSED BY CHRONIC CONDITIONS THAT CAUSE NEUROLOGICAL DYSFUNCTION (See Guideline Note 1)

Treatment: MEDICAL THERAPY (SHORT TERM REHABILITATION WITH DEFINED GOALS)

ICD-9: 046,049,062-063,090.40,094,137.1,138,139.0,139.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.90-333.93,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,369,431-432,434,436,438,728.1,728.3,736,740-742,747.82,754.89,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851.03-851.06,851.1-851.3,851.43-851.46,851.5-851.7,851.83-851.86,851.9,852-854,905.0,907.0-907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 61215,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97542,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 455

Diagnosis: NEUROLOGICAL DYSFUNCTION IN COMMUNICATION CAUSED BY CHRONIC CONDITIONS (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 046,049,062-063,090.40,094,137.1,138,139.0,139.8,161.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,315.3,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.90-333.93,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,431-432,434,436,438,728.1,728.3,740-742,747.82,754.89,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851.03-851.06,851.1-851.3,851.43-851.46,851.5-851.7,851.83-851.86,851.9,852-854,905.0,907.0-907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 21084,31611,61215,70370-70371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 456

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PARALYSIS OF VOCAL CORDS OR LARYNX, OTHER DISEASES OF LARYNX; ABSCESS, CELLULITIS,  
AND LEUKOPLAKIA OF VOCAL CORDS  
Treatment: INCISION/EXCISION/ENDOSCOPY  
ICD-9: 478.3,478.5,478.7,748.3  
CPT: 31300,31360-31502,31511-31513,31530-31531,31540-31571,31577-31579,31580-31582,31587-  
31605,31820,31825,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-  
92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-  
93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,  
99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 457

Diagnosis: OTOSCLEROSIS  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 387  
CPT: 69650-69662,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 458

Diagnosis: MIGRAINE HEADACHES  
Treatment: MEDICAL THERAPY  
ICD-9: 346  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,98940-  
98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 459

Diagnosis: FISTULA INVOLVING FEMALE GENITAL TRACT  
Treatment: CLOSURE OF FISTULA  
ICD-9: 619  
CPT: 44660,46715,50650-50660,50930,51900-51920,57300-57311,57320,57330,90471-90472,90780-  
90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-  
92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-  
96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-  
99362,99374-99375,99379-99440,99499  
Line: 460

Diagnosis: STREPTOCOCCAL SORE THROAT AND SCARLET FEVER; VINCENT'S DISEASE; HYPERTROPHY OF  
TONSILS AND ADENOIDS; ULCER OF TONSIL (See Guideline Note 22)  
Treatment: MEDICAL THERAPY, TONSILLECTOMY/ADENOIDECTOMY  
ICD-9: 034,101,474.1,474.8  
CPT: 42820-42821,42825-42826,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 461

Diagnosis: EATING DISORDER NOS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.50,307.54,307.59  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-  
99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023  
Line: 462

Diagnosis: DISSOCIATIVE DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.10,300.12-300.15,300.6  
CPT: 90801-90829,90846-90862,90882,90887,96100,99201-99275  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023  
Line: 463

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CHRONIC ORGANIC MENTAL DISORDERS INCLUDING DEMENTIAS  
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION  
ICD-9: 290,291.2,292.82-292.84,293.8,294,299.00,299.10,299.8,310.1  
CPT: 90801,90804-90807,90816-90819,90823-90827,90846-90853,90862,90882,90887,96100,99201-99275,99301-99316  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 464

Diagnosis: LYMPHADENITIS  
Treatment: SURGICAL AND MEDICAL THERAPY  
ICD-9: 289.1,289.3,683  
CPT: 10060-10061,38300-38308,38505-38542,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 465

Diagnosis: SPONTANEOUS ABORTION  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 631,634.2-634.9  
CPT: 59812,59820,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 466

Diagnosis: MENSTRUAL BLEEDING DISORDERS (See Guideline Note 23)  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 621.7,626.2-626.6,627.0  
CPT: 58120,58150,58180,58260,58262,58290-58291,58353-58356,58550-58553,58561-58563,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 467

Diagnosis: DISORDERS INVOLVING THE IMMUNE SYSTEM  
Treatment: MEDICAL THERAPY  
ICD-9: 279,287.0,759.0  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 468

Diagnosis: FRACTURE OF SHAFT OF BONE, CLOSED (See Guideline Note 1)  
Treatment: OPEN OR CLOSED REDUCTION  
ICD-9: 733.1,733.93-733.95,812.2,813.2,813.8,818.0,821.0,823.2,823.8,827.0,905.2-905.5  
CPT: 20680,20690,20692-20694,20900,22610-22614,23600,24130,24500-24516,25500-25575,25600-25620,27236,27244,27409,27465-27466,27468,27496-27519,27656,27664,27712,27750-27759,27780-27792,27824-27829,27892-27894,29049-29131,29305-29445,29505,29515,29700-29710,29720-29740,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 469

Diagnosis: CLOSED FRACTURE OF PHYSIS OF LOWER EXTREMITIES (See Guideline Note 1)  
Treatment: OPEN OR CLOSED REDUCTION  
ICD-9: 732.1-732.2,820.01,821.22  
CPT: 20690,20692-20694,20900,27175-27178,27181,27465-27466,27468,27496-27499,27516-27519,27656,27824-27829,27892-27894,29305-29445,29505,29515,29700-29710,29720-29740,29855-29856,29897-29898,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 470

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CLOSED FRACTURE OF PHYSIS OF UPPER EXTREMITIES (See Guideline Note 1)

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 812.09,812.44,813.43

CPT: 20690,20692-20694,20900,25350-25375,25600-25620,26676,27465-27466,27468,27824-27829,27892-27894,29049-29131,29700-29710,29720-29740,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 471

Diagnosis: CHRONIC PANCREATITIS

Treatment: MEDICAL THERAPY

ICD-9: 577.1,577.8-577.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 472

Diagnosis: STRABISMUS AND OTHER DISORDERS OF BINOCULAR EYE MOVEMENTS; CONGENITAL ANOMALIES OF EYE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 368.0,378,743

CPT: 65780-65782,66820-66986,67311-67340,67343,67345,67901-67909,68135,68320,68325-68326,68328,68335,68340,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 473

Diagnosis: IMPERFORATE HYMEN; ABNORMALITIES OF VAGINAL SEPTUM

Treatment: SURGICAL TREATMENT

ICD-9: 621.4,623.2-623.3,626.8,752.40,752.42

CPT: 56700-56720,57130,57400,57500,58120

Line: 474

Diagnosis: CONGENITAL ABSENCE OF VAGINA

Treatment: ARTIFICIAL VAGINA

ICD-9: 752.49

CPT: 56800,57291-57292,57800

Line: 475

Diagnosis: PARKINSON'S DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 332

CPT: 61795,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 476

Diagnosis: MENIERE'S DISEASE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 386.0

CPT: 69666-69667,69805-69806,69915,69950,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 477

Diagnosis: STEREOTYPY/HABIT DISORDER AND SELF-ABUSIVE BEHAVIOR DUE TO NEUROLOGICAL DYSFUNCTION

Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION

ICD-9: 307.3

CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96100,99201-99215,99241-99245,99271-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H0035,H0036,H0037,H0038,H0039,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9125,S9480,S9484,T1013,T1016,T1023

Line: 478

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: BULLOUS DERMATOSES OF THE SKIN

Treatment: MEDICAL THERAPY

ICD-9: 694

CPT: 65780-65782,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 479

Diagnosis: CHOLESTEATOMA; INFECTIONS OF THE PINNA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 380.0,380.11,380.21,383.3,383.81,383.89,384.1,384.8,385

CPT: 21235,69220,69420-69450,69501-69505,69511,69530-69535,69601-69605,69610,69620-69646,69662,69670,69700,69905,69910,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 480

Diagnosis: ACUTE SINUSITIS (See Guideline Note 24)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 461

CPT: 31000-31090,31256,31276,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2342

Line: 481

Diagnosis: UTERINE LEIOMYOMA (See Guideline Note 25)

Treatment: TOTAL HYSTERECTOMY OR MYOMECTOMY

ICD-9: 218-219,621.0-621.2

CPT: 58120-58180,58260-58263,58290-58292,58545-58553,58559,58561,58670-58671,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2250

Line: 482

Diagnosis: DISLOCATION/DEFORMITY KNEE AND HIP (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 718.25-718.26,718.35-718.36,732.4,736.5,754.40-754.41,835.0,836.2-836.3,836.5

CPT: 27095,27097,27100-27122,27140-27170,27179,27185,27250-27258,27265-27275,27306-27307,27350,27420-27499,27550-27570,27656,27676,27715,27727-27742,27892-27894,29305-29445,29505,29515,29590-29740,29861-29863,29873,29881-29882,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2115

Line: 483

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISLOCATION/DEFORMITY OF ELBOW, HAND, ANKLE, FOOT, JAW, CLAVICLE AND SHOULDER (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 718.12,718.17,718.22-718.24,718.27,718.30-718.34,718.36-718.39,718.71-718.79,728.6,736.21-736.22,736.73-736.75,736.81,754.51-754.53,754.62,754.71,755.01,755.11-755.12,755.2-755.4,755.54-755.55,755.58,830.0,831.0,832.0,833.0,834.0,837.0,838.0,839.6,839.8

CPT: 20690-20694,20900,20920-20924,21480,23470,23520-23552,23650-23680,23700,24101,24300,24332,24343,24345-24346,24600-24640,25001,25024-25025,25259,25275,25320,25335-25337,25390-25394,25430-25431,25441-25445,25447,25450-25492,25660-25695,25810-25830,26035-26045,26060,26121-26180,26320,26340,26440,26596,26641-26715,26770-26776,26820,26841-26863,27580-27598,27600-27654,27658-27675,27680-27692,27698,27705,27830-27832,27840-27848,27860,28008-28010,28035-28072,28086-28092,28110-28118,28126-28160,28220-28280,28288-28289,28300-28305,28307-28341,28360,28540,28545-28546,28555,28570,28575-28576,28585,28600,28605-28606,28615,28630,28635-28636,28645,28660,28665-28666,28675,28705-28760,29049-29131,29345-29515,29700-29710,29720-29750,29891-29892,29894,64702-64704,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7810,D7820,D7830

Line: 484

Diagnosis: CLOSED DISLOCATIONS/FRACTURES OF NON-CERVICAL VERTEBRAL COLUMN WITHOUT SPINAL CORD INJURY (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 733.13,805.2,805.4,805.8,809.0,839.40,839.42,839.49,905.1

CPT: 20930-20938,22325-22328,22520-22534,22841-22844,29035-29046,29700,29710,29720,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2360,S2361

Line: 485

Diagnosis: FRACTURE OF JOINT, CLOSED (EXCEPT HIP) (See Guideline Note 1)

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 810.0,811.0,812.0,812.4,813.0,813.4,814.0,815.0,816.0,817.0,819.0,821.20-821.21,821.23-821.29,822.0,823.0,824.0,824.2,824.4,824.6,824.8,825.0,825.2,828.0

CPT: 20680,20690,20692-20694,20900,23500-23515,23570-23630,23665,23670,24530-24587,24620,24635,24650-24685,25119,25240,25210,25215,25230,25259,25320,25337,25350,25390-25393,25440-25447,25450,25455,25490-25492,25560-25575,25600-25652,25671,25800-25810,25820,25825,25830,26520,26600-26615,26645-26650,26676,26720-26770,27330,27350,27409,27424,27430,27435,27465-27466,27468,27496-27499,27501,27503,27508-27514,27520-27540,27610,27656,27760-27762,27766,27780-27792,27808-27823,27827-27828,27846-27848,27892-27894,28400-28531,28730,29035-29131,29240,29305-29445,29505,29515,29700-29710,29720-29740,29850-29856,29874-29879,29897-29898,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 486

Diagnosis: ACHALASIA, NON-NEONATAL

Treatment: SURGICAL AND MEDICAL THERAPY

ICD-9: 513.1,519.2,530.0,530.5

CPT: 39000-39010,43219-43220,43324-43325,43330-43331,43450,43456-43458,43460,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 487

Diagnosis: BRONCHIECTASIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 494

CPT: 32320,32480-32488,32501,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 488

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OCCUPATIONAL LUNG DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 495,500-505

CPT: 31600,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 489

Diagnosis: PULMONARY FIBROSIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 515-517

CPT: 31600-31603,31624,31820,31825,32997,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 490

Diagnosis: ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 751.6

CPT: 43262,43268,47400-47490,47510-47530,47554-47556,47564,47570,47600-47900,49422,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 491

Diagnosis: CHRONIC SINUSITIS (See Guideline Note 24)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 473

CPT: 30000-30020,30110-30140,30200-31230,31237-31240,31254-31256,31267,31276,31287-31299,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 492

Diagnosis: PITUITARY DWARFISM

Treatment: MEDICAL THERAPY

ICD-9: 253.3

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 493

Diagnosis: FOREIGN BODY IN CORNEA AND CONJUNCTIVAL SAC

Treatment: REMOVAL CONJUNCTIVAL FOREIGN BODY

ICD-9: 930.0-930.2,930.8-930.9

CPT: 65205-65222,67938,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 494

Diagnosis: GOUT AND CRYSTAL ARTHROPATHIES

Treatment: MEDICAL THERAPY

ICD-9: 274,712

CPT: 20605,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 495

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ENDOMETRIOSIS AND ADENOMYOSIS (See Guideline Note 26)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 617

CPT: 49200-49201,49322,58145-58150,58260-58263,58290-58292,58550,58552-58553,58660-58662,58740,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 496

Diagnosis: OVARIAN DYSFUNCTION, GONADAL DYSGENESIS, MENOPAUSAL MANAGEMENT

Treatment: OOPHORECTOMY, ORCHIECTOMY, HORMONAL REPLACEMENT FOR PURPOSES OTHER THAN INFERTILITY

ICD-9: 256.1,256.31,256.39,256.4,257,259.0,259.5,608.3,620.3,627.1-627.9,716.3,752.0,758.6-758.7

CPT: 54520,54690,58660-58661,58940,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 497

Diagnosis: PERIPHERAL NERVE INJURY WITH OPEN WOUND (See Guideline Note 1)

Treatment: NEUROPLASTY

ICD-9: 736.05-736.06,953.4-953.9,954-956,957.0-957.1,957.8-957.9

CPT: 23397,25295,25300-25301,25320,25335-25337,25390-25393,25441-25447,25450,25455,25490-25492,25810,25820,25825,25830,64702-64714,64718,64727,64732-64792,64820,64831-64862,64872-64876,64885-64907,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 498

Diagnosis: MYASTHENIA GRAVIS

Treatment: MEDICAL THERAPY, THYMECTOMY

ICD-9: 358

CPT: 60520-60522,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 499

Diagnosis: CANCER OF ESOPHAGUS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 27)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 150,195.2,230.1

CPT: 15734,31540,38542,38720-38724,38794,43100-43124,43216,43219-43227,43248-43250,43340-43341,43360-43361,43496,44139-44147,44206-44208,44300,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 500

Diagnosis: CANCER OF LIVER, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 27)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 155.0,155.2,197.7,235.3

CPT: 36260-36262,37204,37617,47120-47130,47370-47371,47380-47382,47562,47600-47620,47711-47712,48150,49080,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 501

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CANCER OF PANCREAS, WHERE TREATMENT WILL RESULT IN A GREATER THAN 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2, 3 and 27)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 157.0-157.3,157.8-157.9,230.9

CPT: 43219,43262,43267-43268,43271-43272,47721,47741,47760,47785,48140-48155,77261-77799,  
79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 502

Diagnosis: CANCER OF GALLBLADDER AND OTHER BILIARY, WHERE TREATMENT WILL RESULT IN A GREATER  
THAN 5% 5-YEAR SURVIVAL (See Guideline Notes 2, 3 and 27)

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 155.1,156,197.8,230.8

CPT: 43271,47564,47570,47600-47620,47711-47712,47741,47785,60540,77261-77799,79000-79900,  
90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 503

Diagnosis: NON-MALIGNANT OTITIS EXTERNA

Treatment: MEDICAL THERAPY

ICD-9: 112.82,380.10,380.12-380.13,380.15-380.16,380.22-380.23

CPT: 69020,69210,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 504

Diagnosis: ESOPHAGEAL VARICES

Treatment: MEDICAL THERAPY/SHUNT/SCLEROTHERAPY

ICD-9: 456.0-456.2,530.7

CPT: 37145,37160,37181,38100,43107-43108,43112-43113,43116-43124,43201,43204-43205,43227,  
43243-43244,43255,43400-43401,43410,43415,43460,90471-90472,90780-90799,90901-90937,  
90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,  
92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,  
97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,  
99379-99440,99499

Line: 505

Diagnosis: EPISCLERITIS

Treatment: MEDICAL THERAPY

ICD-9: 379.01-379.02

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 506

Diagnosis: DENTAL CONDITIONS (EG. DENTAL CARIES, FRACTURED TOOTH (See Guideline Note 28)

Treatment: BASIC RESTORATIVE

ICD-9: V72.2

CPT: 90788

CDT: D2140,D2150,D2160,D2161,D2330,D2331,D2332,D2335,D2390-D2394,D2930,D2931,D2932,D2933,  
D2951,D2955,D2970,D2980,D3310,D3320,D3330,D3331,D3332,D3333,D3346,D3410,D7450,D7451,  
D7465,D7530,D7540,D7550,D9310,D9930,D9999

Line: 507

Diagnosis: DENTAL CONDITIONS (EG. SEVERE TOOTH DECAY) (See Guideline Note 29)

Treatment: STABILIZATION OF PERIODONTAL HEALTH, COMPLEX RESTORATIVE, AND REMOVABLE  
PROSTHODONTICS

ICD-9: 523.2,V72.2

CPT: 41870,41872,90788

CDT: D2710,D2721,D2722,D2751,D2752,D2950,D2954,D2957,D3351,D3352,D3353,D3910,D3950,D4210,  
D4211,D4341,D4342,D5110,D5120,D5130,D5140,D5213,D5214,D5520,D5610,D5620,D5630,D5640,  
D5650,D5660,D5710,D5711,D5720,D5721,D5730,D5731,D5740,D5741,D5750,D5751,D5760,D5761,  
D5820,D5821,D5850,D5851,D6972,D6980,D7310,D7320,D7471,D7970

Line: 508

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISORDERS OF REFRACTION AND ACCOMMODATION

Treatment: MEDICAL THERAPY

ICD-9: 360.21,360.34,367,368.10-368.11,368.13-368.16,368.2-368.3,368.5-368.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 509

Diagnosis: CENTRAL PTERYGIUM

Treatment: EXCISION OR TRANSPOSITION OF PTERYGIUM WITHOUT GRAFT, RADIATION THERAPY

ICD-9: 372.43

CPT: 65420,65426,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 510

Diagnosis: HEARING LOSS - OVER AGE OF FIVE

Treatment: MEDICAL THERAPY INCLUDING HEARING AIDS

ICD-9: 388.00-388.01,388.1-388.2,388.4-388.5,389

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92510-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 511

Diagnosis: OPEN WOUND OF EAR DRUM

Treatment: TYMPANOPLASTY, MEDICAL THERAPY

ICD-9: 389.03,872.61

CPT: 69450,69610-69643,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-  
92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-  
93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,  
99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 512

Diagnosis: SENSORINEURAL HEARING LOSS - OVER AGE OF FIVE (See Guideline Note 30)

Treatment: COCHLEAR IMPLANT

ICD-9: 389.1

CPT: 69710-69718,69930,92510,92601-92617

Line: 513

Diagnosis: SOMATIZATION DISORDER; SOMATOFORM PAIN DISORDER; PREMENSTRUAL TENSION SYNDROMES

Treatment: CONSULTATION/BEHAVIORAL MANAGEMENT

ICD-9: 300.81-300.82,307.80,307.89,625.4

CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96100,  
99201-99215,99241-99245,99271-99275

HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H2011,H2013,H2021,  
H2022,H2023,H2027,S9484,T1013,T1016,T1023

Line: 514

Diagnosis: TRIGEMINAL AND OTHER NERVE DISORDERS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 350,352

CPT: 61450,61458,61790-61791,64573,64600-64610,64716,90471-90472,90780-90799,90901-90937,  
90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,  
92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,  
97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,  
99379-99440,99499

Line: 515

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISRUPTIONS OF THE LIGAMENTS AND TENDONS OF THE ARMS AND LEGS, EXCLUDING THE KNEE, GRADE II AND III (See Guideline Note 1)

Treatment: REPAIR

ICD-9: 726.5,727.59,727.62-727.65,727.67-727.69,728.83,728.89,840.0-840.3,840.5-840.9,841-843,845.0  
CPT: 23430,24340-24342,25310,26357-26392,26418-26437,26474,26497,26775-26776,27380-27386,27650-27654,27658-27659,27665,27675,27695-27698,28200-28210,29065-29280,29345,29355-29365,29405,29425,29440,29445,29505,29515-29540,29700,29705,29730,29740,29861-29863,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 516

Diagnosis: DISORDERS OF SHOULDER (See Guideline Note 1)

Treatment: REPAIR/RECONSTRUCTION

ICD-9: 718.01,718.11,718.21,718.31,718.51,718.81,726.0,726.10-726.11,726.19,726.2,727.61,840.4,840.7  
CPT: 20550,20600-20615,23000,23020,23105-23130,23190-23195,23395,23410-23420,23440-23466,23490-23491,23700,29807,29819-29827,29873,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 517

Diagnosis: INTERNAL DERANGEMENT OF KNEE AND LIGAMENOUS DISRUPTIONS OF THE KNEE, GRADE II AND III (See Guideline Note 1)

Treatment: REPAIR, MEDICAL THERAPY

ICD-9: 717.0-717.4,717.6-717.8,718.26,718.36,718.56,727.66,836.0-836.2,844  
CPT: 20610,27332-27340,27350,27380-27381,27403-27430,29345-29445,29505,29530,29705,29730,29740,29871-29889,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 518

Diagnosis: MALUNION AND NONUNION OF FRACTURE (See Guideline Note 1)

Treatment: SURGICAL TREATMENT

ICD-9: 733.8  
CPT: 20690-20694,20900,20902,20955-20975,21462,23472,23480-23485,24400,24410,24430-24435,25259,25400-25440,25628,26185,26546,26565,27125,27165-27170,27217,27465-27466,27468,27470-27472,27656,27720-27725,27824-27829,28315,28320-28322,28485,28725,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 519

Diagnosis: FOREIGN BODY IN UTERUS, VULVA AND VAGINA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 939.2  
CPT: 57410-57415,58120,58562,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 520

Diagnosis: UTERINE PROLAPSE; CYSTOCELE (See Guideline Note 31)

Treatment: SURGICAL REPAIR

ICD-9: 618  
CPT: 45560,51840,52270,52285,53000,53010,56810,57106,57120,57160,57220,57230,57240-57289,57545,57555-57556,58150,58152,58260-58280,58290-58294,58550-58553,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 521

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OSTEOARTHRITIS AND ALLIED DISORDERS (See Guideline Note 1)

Treatment: MEDICAL THERAPY, INJECTIONS

ICD-9: 713.5,715,716.0-716.1,716.5-716.6

CPT: 11042,25000,20600,20605,20610,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 522

Diagnosis: METABOLIC BONE DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 731.0,733.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 523

Diagnosis: SYMPTOMATIC IMPACTED TEETH

Treatment: SURGERY

ICD-9: 520.6,524.3-524.4

CPT: 41899

Line: 524

Diagnosis: UNSPECIFIED DISEASE OF HARD TISSUES OF TEETH (AVULSION)

Treatment: INTERDENTAL WIRING

ICD-9: 525.9

CPT: 21497

Line: 525

Diagnosis: CYSTS OF BARTHOLIN'S GLAND AND VULVA

Treatment: INCISION AND DRAINAGE, MEDICAL THERAPY

ICD-9: 616.2,616.5-616.9

CPT: 10060-10061,11004,53060,53270,56440,56501,56515,56740,57135,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 526

Diagnosis: CERVICITIS, ENDOCERVICITIS, HEMATOMA OF VULVA, AND NONINFLAMMATORY DISORDERS OF THE VAGINA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 616.0,623.6,623.8-623.9,624.5

CPT: 56405,56501,56515,57135,57200,57210,57511,57513,57520,57530,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 527

Diagnosis: DENTAL CONDITIONS (EG. TOOTH LOSS) (See Guideline Note 32)

Treatment: SPACE MAINTENANCE AND PERIODONTAL MAINTENANCE

ICD-9: V72.2

CPT: 90788

CDT: D1510,D1515,D1520,D1525,D4240,D4241,D4245,D4260,D4261,D4268,D4910,D4920

Line: 528

Diagnosis: URINARY INCONTINENCE (See Guideline Note 33)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 599.81,625.6,788.31-788.33,788.38

CPT: 20922,51840-51845,51990-51992,53446,53448,57160,57220,57260,57267,57280-57284,57287-57289,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 529

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: HYPOSPADIAS AND EPISPADIAS

Treatment: REPAIR

ICD-9: 752.6

CPT: 51715,53431,54230-54231,54235,54240,54250,54300-54390,54420-54440,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 530

Diagnosis: RESIDUAL FOREIGN BODY IN SOFT TISSUE

Treatment: REMOVAL

ICD-9: 374.86,729.6,883.1-883.2

CPT: 10120-10121,20520-20525,23330,24200-24201,25248,26080,27086-27087,27372,28190-28193,40804,41805,55120

Line: 531

Diagnosis: BRANCHIAL CLEFT CYST

Treatment: EXCISION, MEDICAL THERAPY

ICD-9: 744.41-744.46,744.49,759.2

CPT: 38550,38555,42810,42815,60000,60280-60281,69145,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 532

Diagnosis: EXFOLIATION OF TEETH DUE TO SYSTEMIC CAUSES; SPECIFIC DISORDERS OF THE TEETH AND SUPPORTING STRUCTURES

Treatment: EXCISION OF DENTOALVEOLAR STRUCTURE

ICD-9: 525.0,525.11,525.8

CPT: 40899,41820,41822-41830,41850,41874,41899,42299

Line: 533

Diagnosis: PTOSIS (ACQUIRED) WITH VISION IMPAIRMENT

Treatment: PTOSIS REPAIR

ICD-9: 374.2-374.3,374.41,374.43,374.46

CPT: 15822-15823,67875,67880,67900-67912,67961,67971,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 534

Diagnosis: SIMPLE AND SOCIAL PHOBIAS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.23,300.29

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1013,T1016,T1023

Line: 535

Diagnosis: RETAINED DENTAL ROOT

Treatment: EXCISION OF DENTOALVEOLAR STRUCTURE

ICD-9: 525.3

CPT: 40899,41822-41830,41874,41899,42299

Line: 536

Diagnosis: PERIPHERAL NERVE ENTRAPMENT

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 354.0,354.2,355.5,723.3,728.6

CPT: 20526,25111,25118,25447,26035-26045,26060,26121-26180,26320,26440-26498,28035,29125,29848,64702-64704,64718-64727,64774-64783,64788-64792,64856-64857,64872-64907,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 537

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: INCONTINENCE OF FECES

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 787.6

CPT: 46750-46762,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 538

Diagnosis: RECTAL PROLAPSE

Treatment: PARTIAL COLECTOMY

ICD-9: 569.1-569.2

CPT: 44139-44144,44206-44208,44701,45130,45135,45505-45541,45900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 539

Diagnosis: BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 223

CPT: 52224,52282,53260-53265,50542-50543,50562,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 540

Diagnosis: URETHRAL FISTULA

Treatment: EXCISION, MEDICAL THERAPY

ICD-9: 599.1-599.2,599.4

CPT: 45820,53230,53235,53240,53250,53520,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 541

Diagnosis: THROMBOSED AND COMPLICATED HEMORRHOIDS

Treatment: HEMORRHOIDECTOMY, INCISION

ICD-9: 455.1-455.2,455.4-455.5,455.7-455.8

CPT: 45320,45334,45339,46083,46220-46221,46250-46262,46320,46500,46608-46615,46934-46936,46945-46947,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 542

Diagnosis: VAGINITIS, TRICHOMONIASIS

Treatment: MEDICAL THERAPY

ICD-9: 112.1,131,616.1,623.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 543

Diagnosis: BALANOPOSTHITIS AND OTHER DISORDERS OF PENIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 607.1,607.81-607.83,607.85,607.89

CPT: 53431,54000-54001,54015,54110-54112,54200-54205,54230-54231,54235,54240,54250,54450,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 544

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CHRONIC ANAL FISSURE (See Guideline Note 34); ANAL FISTULA  
Treatment: SPHINCTEROTOMY, FISSURECTOMY, FISTULECTOMY, MEDICAL THERAPY  
ICD-9: 565.0-565.1  
CPT: 45905,45910,46030,46080,46200-46211,46270-46285,46288,46700,46706,46940-46942,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 545

Diagnosis: CHRONIC OTITIS MEDIA (See Guideline Note 35)  
Treatment: PE TUBES/ADENOIDECTOMY/TYMPANOPLASTY, MEDICAL THERAPY  
ICD-9: 380.5,381.1-381.8,382.1-382.3,382.9,383.1-383.2,383.30-383.31,383.9,384.2,384.8-384.9  
CPT: 42830-42831,42835-42836,69210,69220-69222,69310,69400-69410,69420-69421,69424,69433,69436,69440,69450,69501-69511,69601-69605,69610-69633,69635-69650,69700,69801-69802,69905,69910,69979,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 546

---

Funding Level as of 8/1/04

Diagnosis: ACUTE CONJUNCTIVITIS  
Treatment: MEDICAL THERAPY  
ICD-9: 077,372.00  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 547

Diagnosis: CERUMEN IMPACTION, FOREIGN BODY IN EAR AND NOSE  
Treatment: REMOVAL OF FOREIGN BODY  
ICD-9: 380.4,931-932  
CPT: 30300-30320,69200-69210,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
HCPCS: G0238  
Line: 548

Diagnosis: VERTIGINOUS SYNDROMES AND OTHER DISORDERS OF VESTIBULAR SYSTEM  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 379.54,386.1-386.2,386.4-386.9  
CPT: 69666-69667,69805-69806,69915,69950,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 549

Diagnosis: UNSPECIFIED URINARY OBSTRUCTION AND BENIGN PROSTATIC HYPERPLASIA WITHOUT OBSTRUCTION  
Treatment: MEDICAL THERAPY  
ICD-9: 599.6,600  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 550

Diagnosis: PHIMOSIS  
Treatment: SURGICAL TREATMENT  
ICD-9: 605  
CPT: 54150-54161  
Line: 551

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CONTACT DERMATITIS, ATOPIC DERMATITIS AND OTHER ECZEMA

Treatment: MEDICAL THERAPY

ICD-9: 691.8,692.0-692.6,692.70-692.74,692.79,692.8-692.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 552

Diagnosis: PSORIASIS AND SIMILAR DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 696.1-696.2,696.8

CPT: 11900-11901,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,  
92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,  
93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-  
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 553

Diagnosis: CYSTIC ACNE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 705.83,706.0-706.1

CPT: 10040-10061,11450-11471,11900-11901,17000,17340,17360,90471-90472,90780-90799,90901-  
90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-  
92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-  
96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-  
99375,99379-99440,99499

Line: 554

Diagnosis: CLOSED FRACTURE OF GREAT TOE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 826.0

CPT: 11740,28470,28490-28496,29550,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 555

Diagnosis: SYMPTOMATIC URTICARIA

Treatment: MEDICAL THERAPY

ICD-9: 708.0-708.1,708.5,708.8,995.7

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 556

Diagnosis: DYSFUNCTION OF NASOLACRIMAL SYSTEM; LACRIMAL SYSTEM LACERATION

Treatment: MEDICAL AND SURGICAL TREATMENT; CLOSURE

ICD-9: 370.33,375,870.2

CPT: 67880-67882,68440,68530,68700,68760-68761,68801-68840,90471-90472,90780-90799,90901-  
90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-  
92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-  
96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-  
99375,99379-99440,99499

Line: 557

Diagnosis: NASAL POLYPS, OTHER DISORDERS OF NASAL CAVITY AND SINUSES (See Guideline Note 24)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 471,478.1,993.1

CPT: 30000-30020,30110-30140,30200-31230,31237-31240,31254-31256,31267,31276,31287-31299,  
90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 558

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SIALOLITHIASIS, MUOCOCELE, DISTURBANCE OF SALIVARY SECRETION, OTHER AND UNSPECIFIED DISEASES OF SALIVARY GLANDS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 527.5-527.9

CPT: 40810-40816,42300,42305,42325-42326,42330,42335,42340,42408-42409,42410,42415-42425,42440-42510,42600,42650-42665,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7980,D7981,D7982

Line: 559

Diagnosis: DENTAL CONDITIONS (EG. BROKEN APPLIANCES)

Treatment: PERIODONTICS AND COMPLEX PROSTHETICS

ICD-9: 522.6,522.8,V72.2

CPT: 90788,99201-99215,99241-99275

CDT: D3347,D3348,D3430,D4320,D4321,D5850,D5851,D5860,D5861,D6211,D6241,D6242,D6251,D6252,D6545,D6751,D6752,D6791,D6792,D6970,D6971,D6973,D6975,D7281,D7960,D7970

Line: 560

Diagnosis: IMPULSE DISORDERS (See Guideline Note 36)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.31-312.39

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275

HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023

Line: 561

Diagnosis: BENIGN NEOPLASM BONE AND ARTICULAR CARTILAGE INCLUDING OSTEOID OSTEOMAS; BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 213,215,526.0-526.1,526.81,719.2,733.2

CPT: 11400-11446,12051-12052,13131,17106-17111,20150,20550-20551,20610,20615,20900,20930-20938,20955-20973,21025-21032,21040-21041,21046-21049,21181,21555-21556,21600,21930-21935,22548-22585,22851,23075-23076,23101,23140-23156,23200-23222,24075-24077,24105-24126,24420,24498,25000,25110-25136,25170,25210-25240,25295-25301,25320,25335-25337,25390-25393,25441-25447,25450,25455,25490-25492,25810-25830,26100-26116,26200-26215,26250-26262,26449,27025,27047-27049,27054,27065-27071,27075-27079,27187,27327-27328,27355-27358,27365,27465-27468,27495-27499,27630-27638,27645-27647,27656,27745,27892-27894,28043-28045,28100-28108,28122-28124,28171-28175,28820-28825,36680,63081-63103,64774,64792,79000-79999

HCPCS: G0242,G0243

Line: 562

Diagnosis: SEXUAL DYSFUNCTION

Treatment: PSYCHOTHERAPY, MEDICAL AND SURGICAL TREATMENT

ICD-9: 302.7,607.84

CPT: 54400-54417,90471-90472,90780-90799,90801-90807,90810-90813,90846,90847,90849,90853-90862,90882,90887,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0038,H2011,H2014,H2027,H2032,S9484,T1013,T1016,T1023

Line: 563

Diagnosis: STOMATITIS AND OTHER DISEASES OF ORAL SOFT TISSUES

Treatment: INCISION AND DRAINAGE/MEDICAL THERAPY

ICD-9: 528.0,528.9

CPT: 40650,40805,40810,40812,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97703-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 564

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: BELL'S PALSY, EXPOSURE KERATOCONJUNCTIVITIS

Treatment: TARSORRHAPHY

ICD-9: 351.0-351.1, 351.8-351.9, 370.34, 374.44, 374.45, 374.89

CPT: 15840-15842, 64864-64870, 67875, 67880-67882, 67911, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 565

Diagnosis: HORDEOLUM AND OTHER DEEP INFLAMMATION OF EYELID; CHALAZION

Treatment: INCISION AND DRAINAGE/MEDICAL THERAPY

ICD-9: 373.11-373.12, 373.2, 374.50, 374.54, 374.56, 374.84

CPT: 67700, 67800-67808, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 566

Diagnosis: ECTROPION, TRICHIASIS OF EYELID, BENIGN NEOPLASM OF EYELID

Treatment: ECTROPION REPAIR

ICD-9: 216.1, 224, 372.63, 374.1, 374.85

CPT: 17340, 21280, 21282, 67343, 67700-67808, 67820-67850, 67880-67882, 67914-67924, 67950, 67961, 67966, 67971, 67973-67975, 68110, 68115-68130, 68135, 68320, 68325-68326, 68328, 68330, 68335, 68340, 68362, 68440, 68705

Line: 567

Diagnosis: CHONDROMALACIA (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 733.92

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-97004, 97012-97014, 97022, 97032, 97036, 97110-97124, 97140-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 568

Diagnosis: DYSMENORRHEA (See Guideline Note 37)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 625.3

CPT: 58150, 58260, 58290, 58550-58553, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 569

Diagnosis: SPASTIC DIPLEGIA

Treatment: RHIZOTOMY

ICD-9: 343.0

CPT: 21720, 21725, 62350-62368, 63185-63190

Line: 570

Diagnosis: ATROPHY OF EDENTULOUS ALVEOLAR RIDGE

Treatment: VESTIBULOPLASTY, GRAFTS, IMPLANTS

ICD-9: 525.2

CPT: 15350, 15574, 20902, 21210, 21215, 21244-21249, 40840, 40842, 40845

CDT: D7340, D7350

Line: 571

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DEFORMITIES OF UPPER BODY AND ALL LIMBS

Treatment: REPAIR/REVISION/RECONSTRUCTION/RELOCATION/MEDICAL THERAPY

ICD-9: 718.02-718.05,718.13-718.15,718.52-718.56,718.65,718.82-718.86,728.79,732.3,732.6,  
732.8-732.9,733.90-733.91,736.00-736.04,736.07,736.09,736.1,736.20,736.29,736.30,  
736.39,736.4,736.6,736.76,736.79,736.89,736.9,738.6,738.8,754.42-754.44,754.61,  
754.8,755.50-755.53,755.56-755.57,755.59,755.60,755.63-755.64,755.69,755.8,756.82-  
756.83,756.89

CPT: 11041-11042,14040-14041,15120,15240,20150,20690-20694,20900,20920,20922,20924,21740-  
21743,24101,25320,25335-25337,25390-25393,25441-25450,25455,25490-25492,25810-25830,  
26035-26045,26060,26121-26180,26320,26440-26596,26820-26863,27095-27097,27100-27122,  
27140,27185,27306-27307,27435,27448-27455,27465-27468,27475-27485,27496-27499,27590,  
27656,27676,27685-27690,27705,27715,27727,27730-27742,27892-27894,29861-29863,64702-  
64704,64718-64727,64774-64783,64788-64792,64856-64857,64872-64907,90471-90472,90780-  
90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-  
92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-  
96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-  
99362,99374-99375,99379-99440,99499

Line: 572

Diagnosis: DEFORMITIES OF FOOT

Treatment: FASCIOTOMY/INCISION/REPAIR/ARTHRODESIS

ICD-9: 718.07,718.57,718.87,727.1,732.5,735,736.70-736.72,754.50,754.59,754.60,754.69,  
754.70,754.79,755.65-755.67

CPT: 20920,20922,20924,27612,27690-27692,28008,28010,28035,28050-28072,28086-28092,28110-  
28119,28126-28160,28220-28238,28240-28341,28360,28705-28760,29450,90471-90472,90780-  
90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-  
92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-  
96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-  
99362,99374-99375,99379-99440,99499

Line: 573

Diagnosis: PERITONEAL ADHESION

Treatment: SURGICAL TREATMENT

ICD-9: 568.0,568.82-568.89,568.9

CPT: 44005,44200,44603-44604,49423-49424,58660

Line: 574

Diagnosis: PELVIC PAIN SYNDROME, DYSPAREUNIA (See Guideline Note 38)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 300.81,614.1,614.6,620.6,625.0-625.2,625.5,625.8-625.9

CPT: 49322,58150,58260-58262,58290-58291,58400,58410,58550,58552-58553,58562,58660-58662,  
58700,58720,58740,58805,58925,64517,90471-90472,90780-90799,90901-90937,90945-91105,  
91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,  
93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,  
97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,  
99499

Line: 575

Diagnosis: TENSION HEADACHES

Treatment: MEDICAL THERAPY

ICD-9: 307.81,784.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,98940-  
98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 576

Diagnosis: CHRONIC BRONCHITIS

Treatment: MEDICAL THERAPY

ICD-9: 490,491.0,491.8-491.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 577

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISORDERS OF FUNCTION OF STOMACH AND OTHER FUNCTIONAL DIGESTIVE DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 536.0-536.3, 536.8-536.9, 537.1-537.2, 537.5-537.6, 537.89, 537.9, 564.0-564.7, 564.9  
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 578

Diagnosis: TMJ DISORDER

Treatment: TMJ SPLINTS

ICD-9: 524.6, 848.1  
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D7880

Line: 579

Diagnosis: URETHRITIS, NON-SEXUALLY TRANSMITTED

Treatment: MEDICAL THERAPY

ICD-9: 597.8, 599.3-599.5, 599.9  
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 580

Diagnosis: LESION OF PLANTAR NERVE; PLANTAR FASCIAL FIBROMATOSIS

Treatment: MEDICAL THERAPY, EXCISION

ICD-9: 355.6, 728.71  
CPT: 20550, 20605, 28008, 28060, 28080, 29893, 64726, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 581

Diagnosis: GRANULOMA OF MUSCLE, GRANULOMA OF SKIN AND SUBCUTANEOUS TISSUE

Treatment: REMOVAL OF GRANULOMA

ICD-9: 709.4, 728.82  
CPT: 21555-21556, 21930, 23075-23076, 24075-24076, 25075-25076, 26115-26116, 27047-27048, 27327-27328, 27618-27619, 28043, 28045, 28192, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 582

Diagnosis: DERMATOPHYTOSIS OF NAIL, GROIN, AND FOOT AND OTHER DERMATOMYCOSIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 110, 111  
CPT: 11720-11732, 11750, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 583

Diagnosis: INTERNAL DERANGEMENT OF JOINT OTHER THAN KNEE (See Guideline Note 1)

Treatment: REPAIR, MEDICAL THERAPY

ICD-9: 718.09, 718.19, 718.29, 718.59, 718.88-718.89, 719.81-719.85, 719.87-719.89  
CPT: 24006, 24102, 24149, 24155, 24470, 25085, 25105, 25107, 25119, 25240, 25210, 25215, 25230, 25320, 25337, 25390-25393, 25441-25447, 25450, 25455, 25490-25492, 25810, 25820, 25825, 25830, 27625-27626, 29834-29838, 29844-29847, 29897-29898, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-97004, 97012-97014, 97022, 97032, 97036, 97110-97124, 97140-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 584

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: STENOSIS OF NASOLACRIMAL DUCT (ACQUIRED)

Treatment: DACRYOCYSTORRHINOSTOMY

ICD-9: 375.02, 375.30, 375.32, 375.4, 375.56-375.57, 375.61, 771.6

CPT: 31238-31239, 68420, 68520, 68720-68750, 68770, 68801

Line: 585

Diagnosis: PERIPHERAL NERVE DISORDERS

Treatment: SURGICAL TREATMENT

ICD-9: 337.2, 353, 354.1, 354.3-354.9, 355.0, 355.3, 355.4, 355.7-355.8, 723.2

CPT: 23397, 64702-64719, 64722, 64726-64727, 64774-64792, 64820, 64856-64857, 64872-64907

Line: 586

Diagnosis: CAVUS DEFORMITY OF FOOT; FLAT FOOT; POLYDACTYLY AND SYNDACTYLY OF TOES

Treatment: MEDICAL THERAPY, ORTHOTIC

ICD-9: 734, 736.73, 755.00, 755.02, 755.10, 755.13-755.14

CPT: 28344-28345, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 587

Diagnosis: PERIPHERAL ENTHESOPATHIES

Treatment: SURGICAL TREATMENT

ICD-9: 726.12, 726.3-726.9, 728.81

CPT: 20550-20553, 20600-20610, 21032, 24105, 24350-24352, 24354, 24356, 25447, 26035-26045, 26060, 26121-26180, 26320, 26440-26596, 26820-26863, 27060-27062, 27095-27097, 27100-27122, 27140-27185, 27306-27307, 27448-27455, 27466-27468, 27475-27485, 27715, 27730-27742, 28119, 28899, 64550, 64702-64704, 64718-64727, 64774-64795, 64856-64857, 64872-64907

Line: 588

Diagnosis: PERIPHERAL ENTHESOPATHIES (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 726.12, 726.3-726.4, 726.6-726.9, 728.81

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-97004, 97012-97014, 97022, 97032, 97036, 97110-97124, 97140-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 589

Diagnosis: DISORDERS OF SOFT TISSUE

Treatment: MEDICAL THERAPY

ICD-9: 729.0-729.2, 729.31-729.39, 729.4-729.9

CPT: 11041-11042, 14040-14041, 20550, 20600-20610, 62350-62351, 62360-62362, 64550, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 590

Diagnosis: ENOPHTHALMOS

Treatment: ORBITAL IMPLANT

ICD-9: 372.64, 376.5

CPT: 20902, 21076-21077, 67550, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D5915, D5928

Line: 591

Diagnosis: MACROMASTIA

Treatment: SUBCUTANEOUS TOTAL MASTECTOMY, BREAST REDUCTION

ICD-9: 611.1

CPT: 19140, 19318

Line: 592

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: GALACTORRHEA, MASTODYNIA, ATROPHY, BENIGN NEOPLASMS AND UNSPECIFIED DISORDERS OF THE BREAST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 217,611.3,611.4,611.6,611.71,611.9,757.6

CPT: 19110,19125-19126,19290-19295,19324-19355,19357,19361,19364,19366-19396,19499,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 593

Diagnosis: ACUTE AND CHRONIC DISORDERS OF SPINE WITHOUT NEUROLOGIC IMPAIRMENT (See Guideline Notes 1 and 39)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 721.0,721.2-721.3,721.7-721.8,721.90,722.0-722.6,722.8-722.9,723.1,723.5-723.9,724.1-724.2,724.5-724.9,739,839.2,847

CPT: 20550,29220,62350-62351,62360-62362,64416,64445,64450,64550,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 594

Diagnosis: CYSTS OF ORAL SOFT TISSUES

Treatment: INCISION AND DRAINAGE

ICD-9: 527.1,528.4,528.8

CPT: 40800,41005-41009,41015-41018,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7460,D7461

Line: 595

Diagnosis: FEMALE INFERTILITY, MALE INFERTILITY

Treatment: ARTIFICIAL INSEMINATION, MEDICAL THERAPY

ICD-9: 606,628.4-628.9,629.9,V26.1-V26.2,V26.8-V26.9

CPT: 58321-58323,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 596

Diagnosis: INFERTILITY DUE TO ANNOVULATION

Treatment: MEDICAL THERAPY

ICD-9: 626.0-626.1,628.0,628.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 597

Diagnosis: POSTCONCUSSION SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 310.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 598

Diagnosis: SIMPLE AND UNSPECIFIED GOITER, NONTOXIC NODULAR GOITER

Treatment: MEDICAL THERAPY, THYROIDECTOMY

ICD-9: 240-241

CPT: 60210,60212,60220,60225,60240,60252,60254,60260,60270-60271,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 599

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CONDUCTIVE HEARING LOSS  
Treatment: AUDIANT BONE CONDUCTORS  
ICD-9: 389.0,389.2  
CPT: 69710-69711  
Line: 600

Diagnosis: CANCER OF LIVER AND INTRAHEPATIC BILE DUCTS (See Guideline Note 6)  
Treatment: LIVER TRANSPLANT  
ICD-9: 155.0-155.1,996.82  
CPT: 47133,47135-47147,77261-77799,79000-79900  
HCPCS: G0242,G0243  
Line: 601

Diagnosis: HYPOTENSION  
Treatment: MEDICAL THERAPY  
ICD-9: 458  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 602

Diagnosis: VIRAL HEPATITIS, EXCLUDING CHRONIC VIRAL HEPATITIS B AND VIRAL HEPATITIS C WITHOUT HEPATIC COMA  
Treatment: MEDICAL THERAPY  
ICD-9: 070.0-070.2,070.30-070.31,070.33,070.4,070.52-070.53,070.59,070.6-070.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 603

Diagnosis: BENIGN NEOPLASMS OF SKIN AND OTHER SOFT TISSUES  
Treatment: MEDICAL THERAPY  
ICD-9: 210,214,216,221,222.1,222.4,228.00-228.01,228.1,229,686.1,686.9  
CPT: 11300-11313,11400-11471,12031-12032,13100-13151,17000-17108,19120,40814,41116,41826,42104-42107,42160,42808,69145,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
CDT: D7450,D7451,D7460,D7981  
Line: 604

Diagnosis: REDUNDANT PREPUCE  
Treatment: ELECTIVE CIRCUMCISION  
ICD-9: 605,V50.2  
CPT: 54000-54001,54150-54164,54450,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358,92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 605

Diagnosis: BENIGN NEOPLASMS OF DIGESTIVE SYSTEM  
Treatment: SURGICAL TREATMENT  
ICD-9: 211.0-211.2,211.5-211.6,211.8-211.9  
CPT: 43202,43216-43217,43248-43251,43258,43450,44110-44120,44139-44145,44152,44204,44206-44208,44369,44392,45160,45308-45309,45333,45383-45385,46610,46937,44701,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 606

Diagnosis: OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS (See Statement of Intent)  
Treatment: MEDICAL THERAPY  
ICD-9: 558  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 607

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: FACTITIOUS DISORDERS

Treatment: CONSULTATION

ICD-9: 300.10,300.16,300.19,301.51

CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96100,  
99201-99215,99241-99245,99271-99275

HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H2011,H2013,H2021,H2022,S9484,  
T1013,T1016,T1023

Line: 608

Diagnosis: HYPOCHONDRIASIS; SOMATOFORM DISORDER, NOS AND UNDIFFERENTIATED

Treatment: CONSULTATION

ICD-9: 300.7,300.9,306

CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96100,  
99201-99215,99241-99245,99271-99275

HCPCS: H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H2011,H2013,  
H2021,H2022,S9484,T1013,T1016,T1023

Line: 609

Diagnosis: CONVERSION DISORDER, ADULT

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.11

CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96100,99201-99215,99241-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H2011,  
H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1013,T1016,T1023

Line: 610

Diagnosis: SPINAL DEFORMITY, NOT CLINICALLY SIGNIFICANT (See Guideline Note 40)

Treatment: ARTHRODESIS/REPAIR/RECONSTRUCTION, MEDICAL THERAPY

ICD-9: 721.5-721.6,723.0,724.0,731.0,737.0-737.3,737.8-737.9,738.4-738.5,754.1-754.2,756.1,  
756.3

CPT: 20930-20938,21720,21725,22210-22226,22590-22632,22554-22585,22800-22855,63050-63051,  
63295,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,98925-98929,  
98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 611

Diagnosis: ASYMPTOMATIC URTICARIA

Treatment: MEDICAL THERAPY

ICD-9: 708.2-708.4,708.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 612

Diagnosis: CIRCUMSCRIBED SCLERODERMA; SENILE PURPURA

Treatment: MEDICAL THERAPY

ICD-9: 287.2,287.8-287.9,701.0

CPT: 11900-11901,17000-17004,17340,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 613

Diagnosis: DERMATITIS DUE TO SUBSTANCES TAKEN INTERNALLY

Treatment: MEDICAL THERAPY

ICD-9: 693

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 614

Diagnosis: ALLERGIC RHINITIS AND CONJUNCTIVITIS, CHRONIC RHINITIS

Treatment: MEDICAL THERAPY

ICD-9: 372.01-372.05,372.14,372.54,372.56,472,477,995.3,V07.1

CPT: 30420,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-  
92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-  
95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,  
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 615

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PLEURISY

Treatment: MEDICAL THERAPY

ICD-9: 511.0,511.9

CPT: 32000,32200,32215,32220-32225,32310,32420,32650-32652,32655,32664-32665,32940,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 616

Diagnosis: CONJUNCTIVAL CYST

Treatment: EXCISION OF CONJUNCTIVAL CYST

ICD-9: 372.61-372.62,372.71-372.72,372.74-372.75

CPT: 68020,68040,68110,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 617

Diagnosis: HEMATOMA OF AURICLE OR PINNA AND HEMATOMA OF EXTERNAL EAR

Treatment: DRAINAGE

ICD-9: 380.3,380.8,738.7

CPT: 10140,69000-69005,69020,69140,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 618

Diagnosis: ACUTE NON-SUPPURATIVE LABYRINTHITIS

Treatment: MEDICAL THERAPY

ICD-9: 386.30-386.32,386.34-386.35

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 619

Diagnosis: INFECTIOUS MONONUCLEOSIS

Treatment: MEDICAL THERAPY

ICD-9: 075

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 620

Diagnosis: ASEPTIC MENINGITIS (See Statement of Intent)

Treatment: MEDICAL THERAPY

ICD-9: 047-049

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 621

Diagnosis: CONGENITAL ANOMALIES OF FEMALE GENITAL ORGANS EXCLUDING VAGINA

Treatment: SURGICAL TREATMENT

ICD-9: 752.0-752.3,752.41

CPT: 57135,57500,57720,58400,58540,58559-58562,58660,58700,58720,58740,58940,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 622

Diagnosis: CONGENITAL DEFORMITIES OF KNEE

Treatment: ARTHROSCOPIC REPAIR

ICD-9: 727.83,755.64

CPT: 27403-27429,29871-29889

Line: 623

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: UNCOMPLICATED HERNIA IN ADULTS AGE 18 OR OVER

Treatment: REPAIR

ICD-9: 550.9,553.0-553.2,553.8-553.9

CPT: 44050,49250,49505-49572,49585-49590,49650-49651,55540,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 624

Diagnosis: ACUTE ANAL FISSURE

Treatment: FISSURECTOMY, MEDICAL THERAPY

ICD-9: 565.0

CPT: 46200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 625

Diagnosis: CYST OF KIDNEY, ACQUIRED

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 593.2

CPT: 50390,50541,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 626

Diagnosis: PICA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.52

CPT: 90801-90807,90810-90813,90846-90857,90882,90887,96100,99201-99215,99241-99275  
HCPCS: G0177,H0002,H0004,H0031,H0032,H0034,H0035,T1013,T1016,T1023

Line: 627

Diagnosis: DISORDERS OF SLEEP WITHOUT SLEEP APNEA

Treatment: MEDICAL THERAPY

ICD-9: 307.41-307.45,307.47-307.49,333.99,780.50,780.52,780.54-780.56,780.58,780.59

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 628

Diagnosis: CYST, HEMORRHAGE, AND INFARCTION OF THYROID

Treatment: SURGERY - EXCISION

ICD-9: 246.2,246.3,246.9

CPT: 60001,60200,60210,60212,60220,60225,60270-60271,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 629

Diagnosis: DEVIATED NASAL SEPTUM, ACQUIRED DEFORMITY OF NOSE, OTHER DISEASES OF UPPER RESPIRATORY TRACT

Treatment: EXCISION OF CYST/RHINECTOMY/PROSTHESIS

ICD-9: 470,478.0,738.0,754.0

CPT: 14060,20912,21325-21335,30115-30117,30124-30320,30400-30430,30465,30520,30580,30620,30630,31020-31090,31200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7260

Line: 630

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: ERYTHEMA MULTIFORME

Treatment: MEDICAL THERAPY

ICD-9: 695.1

CPT: 65780-65782,68371,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 631

Diagnosis: HERPES SIMPLEX WITHOUT COMPLICATIONS, EXCLUDING GENITAL HERPES

Treatment: MEDICAL THERAPY

ICD-9: 054.2,054.6,054.73,054.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 632

Diagnosis: CONGENITAL ANOMALIES OF THE EAR WITHOUT IMPAIRMENT OF HEARING; UNILATERAL ANOMALIES OF THE EAR

Treatment: OTOPLASTY, REPAIR AND AMPUTATION

ICD-9: 744.00-744.04,744.09,744.1-744.3

CPT: 21086,21089,69110,69300

CDT: D5914,D5927

Line: 633

Diagnosis: BLEPHARITIS

Treatment: MEDICAL THERAPY

ICD-9: 373.0,373.8-373.9,374.87

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 634

Diagnosis: HYPERTELORISM OF ORBIT

Treatment: ORBITOTOMY

ICD-9: 376.41

CPT: 67405,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 635

Diagnosis: INFERTILITY DUE TO TUBAL DISEASE

Treatment: MICROSURGERY

ICD-9: 608.85,622.5,628.2-628.3,629.9,V26.0

CPT: 52402,54900-54901,55400,58120,58340,58345,58350,58700,58740-58770

Line: 636

Diagnosis: KERATODERMA, ACANTHOSIS NIGRICANS, STRIAE ATROPHICAE, AND OTHER HYPERTROPHIC OR ATROPHIC CONDITIONS OF SKIN

Treatment: MEDICAL THERAPY

ICD-9: 373.3,690,698,701.1-701.3,701.8,701.9

CPT: 11000-11057,11200-11201,11401-11406,11900,11950-11954,17000-17004,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 637

Diagnosis: LICHEN PLANUS

Treatment: MEDICAL THERAPY

ICD-9: 697

CPT: 11900-11901,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 638

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OBESITY

Treatment: NUTRITIONAL AND LIFE STYLE COUNSELING

ICD-9: 278.0

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 639

Diagnosis: MORBID OBESITY

Treatment: GASTROPLASTY

ICD-9: 278.01

CPT: 43644-43645,43842-43848,44238-44239

Line: 640

Diagnosis: CHRONIC DISEASE OF TONSILS AND ADENOIDS

Treatment: TONSILLECTOMY AND ADENOIDECTOMY

ICD-9: 474.0,474.1-474.2,474.9

CPT: 42820-42836,42860,42870,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 641

Diagnosis: HYDROCELE

Treatment: MEDICAL THERAPY, EXCISION

ICD-9: 603.0,603.8-603.9,608.84,629.1,778.6

CPT: 54840,55000,55040-55041,55060,55500,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 642

Diagnosis: KELOID SCAR; OTHER ABNORMAL GRANULATION TISSUE

Treatment: INTRALESIONAL INJECTIONS/DESTRUCTION/EXCISION, RADIATION THERAPY

ICD-9: 701.4-701.5

CPT: 11200-11201,11300-11446,11900-11901,12032,17000-17004,77261-77799,79000-79900

HCPCS: G0242,G0243

Line: 643

Diagnosis: NONINFLAMMATORY DISORDERS OF CERVIX; HYPERTROPHY OF LABIA

Treatment: MEDICAL THERAPY

ICD-9: 622.4,622.6-622.9,623.4,624.2-624.3,624.6-624.9

CPT: 56805,57061,57065,57200,57800,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 644

Diagnosis: SPRAINS OF JOINTS AND ADJACENT MUSCLES, GRADE I (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 355.1-355.3,355.9,717,718.26,718.36,718.56,836.0-836.2,840-843,844.0-844.3,844.8-844.9,845.00-845.03,845.1,846,848.3,848.40-848.42,848.49,848.5,848.8-848.9,905.7

CPT: 24341,27347,27590,29240,29260,29280,29520,29530,29540,29550,29580,29590,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,98925-98929,98940-98942,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 645

Diagnosis: SYNOVITIS AND TENOSYNOVITIS (See Guideline Note 1)

Treatment: MEDICAL THERAPY

ICD-9: 726.12,727.00,727.03-727.09

CPT: 20550-20553,20600-20610,25000,26055,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 646

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OTHER DISORDERS OF SYNOVIUM, TENDON AND BURSA, COSTOCHONDRITIS, AND CHONDRODYSSTROPHY  
Treatment: MEDICAL THERAPY

ICD-9: 719.5-719.6, 719.80, 719.86, 727.2-727.3, 727.50, 727.60, 727.82, 727.9, 733.5-733.7, 756.4  
CPT: 20550-20553, 20600, 20610, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060,  
92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662,  
93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750,  
97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 647

Diagnosis: DISEASE OF NAILS, HAIR AND HAIR FOLLICLES  
Treatment: MEDICAL THERAPY

ICD-9: 703.8-703.9, 704.0, 704.1-704.9, 706.3, 706.9, 757.4-757.5, V50.0  
CPT: 11000-11001, 11720-11765, 11900-11901, 17380, 90471-90472, 90780-90799, 90901-90937, 90945-  
91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-  
92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-  
97537, 97703-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-  
99440, 99499

Line: 648

Diagnosis: CANDIDIASIS OF MOUTH, SKIN AND NAILS  
Treatment: MEDICAL THERAPY

ICD-9: 112.0, 112.3, 112.9  
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371,  
92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075,  
95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-  
99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 649

Diagnosis: BENIGN LESIONS OF TONGUE  
Treatment: EXCISION

ICD-9: 529.1-529.6, 529.8-529.9  
CPT: 41110, 41112-41114, 41599, 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060,  
92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662,  
93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750,  
97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 650

Diagnosis: MINOR BURNS  
Treatment: MEDICAL THERAPY

ICD-9: 692.76, 941.0-941.2, 942.0-942.2, 943.0-943.2, 944.0-944.2, 945.0-945.2, 946.0-946.2,  
949.0-949.1  
CPT: 11000-11001, 11040-11044, 11960-11971, 16000-16030, 90471-90472, 90780-90799, 90901-90937,  
90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-92960,  
92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-96999,  
97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-99375,  
99379-99440, 99499

Line: 651

Diagnosis: MINOR HEAD INJURY: HEMATOMA/EDEMA WITH NO LOSS OF CONSCIOUSNESS  
Treatment: MEDICAL THERAPY

ICD-9: 800.00-800.01, 801.00-801.01, 803.00-803.01, 850.0, 850.9, 851.00-851.01, 851.09, 851.20-  
851.21, 851.29, 851.40-851.41, 851.49, 851.60-851.61, 851.69, 851.80-851.81, 851.89  
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371,  
92502-92504, 92511-92606, 92610-92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075,  
95115-95999, 96100-96117, 96400-96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-  
99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 652

Diagnosis: CONGENITAL DEFORMITY OF KNEE  
Treatment: MEDICAL THERAPY

ICD-9: 755.64  
CPT: 27435, 27465-27466, 27468, 27496-27499, 27656, 27892-27894, 90471-90472, 90780-90799, 90901-  
90937, 90945-91105, 91122-92060, 92070-92353, 92358-92371, 92502-92504, 92511-92606, 92610-  
92960, 92970-92977, 93000-93662, 93701-93790, 93875-95075, 95115-95999, 96100-96117, 96400-  
96999, 97504-97537, 97601-97750, 97799, 99050-99054, 99058-99078, 99175, 99185-99362, 99374-  
99375, 99379-99440, 99499

Line: 653

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PHLEBITIS AND THROMBOPHLEBITIS, SUPERFICIAL

Treatment: MEDICAL THERAPY

ICD-9: 451.0,451.2,451.82,451.84,451.89,451.9

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 654

Diagnosis: PROLAPSED URETHRAL MUCOSA

Treatment: SURGICAL TREATMENT

ICD-9: 599.3,599.5

CPT: 51840-51841,52270,52285,53000,53010,53275,57220,57230,57267-57270,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 655

Diagnosis: RUPTURE OF SYNOVIUM

Treatment: REMOVAL OF BAKER'S CYST

ICD-9: 727.51

CPT: 27345

Line: 656

Diagnosis: PERSONALITY DISORDERS EXCLUDING BORDERLINE, SCHIZOTYPAL AND ANTI-SOCIAL

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.0,301.10-301.12,301.20-301.21,301.3-301.4,301.50,301.59,301.6,301.81-301.82,301.84,301.89,301.9

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96100,99201-99215,99241-99245,99271-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9484,T1005,T1013,T1016,T1023

Line: 657

Diagnosis: GENDER IDENTIFICATION DISORDER, PARAPHILIAS AND OTHER PSYCHOSEXUAL DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 302.0-302.4,302.50,302.6,302.85,302.9

CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90882,90887,96100,99201-99215,99241-99245,99271-99275

HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H0035,H2011,H2014,H2027,H2032,S9484,T1013,T1016,T1023

Line: 658

Diagnosis: FINGERTIP AVULSION

Treatment: REPAIR WITHOUT PEDICLE GRAFT

ICD-9: 883.0

CPT: 12001-12002,14040-14041,14350

Line: 659

Diagnosis: ANOMALIES OF RELATIONSHIP OF JAW TO CRANIAL BASE, MAJOR ANOMALIES OF JAW SIZE, OTHER SPECIFIED AND UNSPECIFIED DENTOFACIAL ANOMALIES

Treatment: OSTEOPLASTY, MAXILLA/MANDIBLE

ICD-9: 524.0-524.2,524.5,524.7-524.8,524.9

CPT: 21120-21127,21145-21147,21150-21151,21154-21160,21193-21196,21198,21206-21209,21255,21295-21296,30520,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7940,D7941,D7943,D7944,D7945,D7946,D7947,D7948,D7949

Line: 660

Diagnosis: CERVICAL RIB

Treatment: SURGICAL TREATMENT

ICD-9: 756.2

CPT: 21615-21616,21705,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 661

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: GYNECOMASTIA  
Treatment: MASTECTOMY  
ICD-9: 611.1  
CPT: 19140  
Line: 662

Diagnosis: VIRAL, SELF-LIMITING ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS  
Treatment: MEDICAL THERAPY  
ICD-9: 056.0,056.71,323.8-323.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 663

Diagnosis: GALLSTONES WITHOUT CHOLECYSTITIS  
Treatment: MEDICAL THERAPY, CHOLECYSTECTOMY  
ICD-9: 574.2,575.8  
CPT: 43262,43264,43267-43268,47490,47564,47570,47600-47620,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 664

Diagnosis: BENIGN NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES  
Treatment: EXCISION, RECONSTRUCTION  
ICD-9: 212.0  
CPT: 30117-30150,30520,31020,31032,31201,31276,69145,69501-69540,69550-69554,69960  
Line: 665

Diagnosis: ACUTE TONSILLITIS OTHER THAN BETA-STREPTOCOCCAL  
Treatment: MEDICAL THERAPY  
ICD-9: 463  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 666

Diagnosis: EDEMA AND OTHER CONDITIONS INVOLVING THE INTEGUMENT OF THE FETUS AND NEWBORN  
Treatment: MEDICAL THERAPY  
ICD-9: 778.5,778.7-778.9  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 667

Diagnosis: ACUTE UPPER RESPIRATORY INFECTIONS AND COMMON COLD  
Treatment: MEDICAL THERAPY  
ICD-9: 460,465  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 668

Diagnosis: DIAPER RASH  
Treatment: MEDICAL THERAPY  
ICD-9: 691.0  
CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 669

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISORDERS OF SWEAT GLANDS

Treatment: MEDICAL THERAPY

ICD-9: 705.0-705.2,705.81-705.83,705.89,705.9,780.8

CPT: 11450-11471,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 670

Diagnosis: OTHER VIRAL INFECTIONS, EXCLUDING PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3 (See Statement of Intent)

Treatment: MEDICAL THERAPY

ICD-9: 052,055,056.79,056.8-056.9,057,072,074,078.0,078.2,078.4-078.8,079.0-079.6,079.88-079.89,079.9,480,487

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 671

Diagnosis: PHARYNGITIS AND LARYNGITIS AND OTHER DISEASES OF VOCAL CORDS

Treatment: MEDICAL THERAPY

ICD-9: 462,464.00,464.50,476,478.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 672

Diagnosis: CORNS AND CALLUSES

Treatment: MEDICAL THERAPY

ICD-9: 700

CPT: 11055-11057,17000-17004,17110,17340,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S0390

Line: 673

Diagnosis: VIRAL WARTS EXCLUDING VENEREAL WARTS

Treatment: MEDICAL AND SURGICAL TREATMENT, CRYOSURGERY

ICD-9: 078.0,078.10,078.19

CPT: 11055-11057,11420-11424,11900-11901,17000-17004,17110-17111,17340,28043,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 674

Diagnosis: OLD LACERATION OF CERVIX AND VAGINA

Treatment: MEDICAL THERAPY

ICD-9: 621.5,622.3,624.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 675

Diagnosis: TONGUE TIE AND OTHER ANOMALIES OF TONGUE

Treatment: FRENOTOMY, TONGUE TIE

ICD-9: 529.5,750.0-750.1

CPT: 40806,40819,41010,41115

Line: 676

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: OPEN WOUND OF INTERNAL STRUCTURES OF MOUTH WITHOUT COMPLICATION

Treatment: REPAIR SOFT TISSUES

ICD-9: 525.10,525.12,525.13,525.19,873.6

CPT: 12001-12057,13131-13133,13151-13153,40831,41250-41251,42180,42182,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 677

Diagnosis: CENTRAL SEROUS RETINOPATHY

Treatment: LASER SURGERY

ICD-9: 362.40-362.41,362.6-362.7

CPT: 67210

Line: 678

Diagnosis: SEBORRHEIC KERATOSIS, DYSCHROMIA, AND VASCULAR DISORDERS, SCAR CONDITIONS, AND FIBROSIS OF SKIN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 278.1,702.1-702.8,709.1-709.3,709.8-709.9

CPT: 11000,11040-11042,11055-11057,11300-11313,11400-11406,11420-11446,13100-13160,14000-14300,15120,15240,15780-15793,15810-15811,15831-15839,15876-15879,17000-17004,17106-17108,17340,17360,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 679

Diagnosis: UNCOMPLICATED HEMORRHOIDS

Treatment: HEMORRHOIDECTOMY, MEDICAL THERAPY

ICD-9: 455.0,455.3,455.6,455.9

CPT: 45320,45334,45339,46083,46220-46262,46320,46500,46610-46615,46934-46936,46945-46947,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 680

Diagnosis: GANGLION

Treatment: EXCISION

ICD-9: 727.02,727.4

CPT: 10140,10160,20551-20553,20600-20612,25111-25112,26160,28090,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 681

Diagnosis: CHRONIC CONJUNCTIVITIS, BLEPHAROCONJUNCTIVITIS

Treatment: MEDICAL THERAPY

ICD-9: 372.10-372.13,372.2-372.3,372.53,372.73,374.55

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 682

Diagnosis: TOXIC ERYTHEMA, ACNE ROSACEA, DISCOID LUPUS

Treatment: MEDICAL THERAPY

ICD-9: 695.0,695.2-695.9

CPT: 17340,17360,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 683

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: PERIPHERAL NERVE DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 337.2,353,354.1,354.3-354.9,355.0,355.3,355.7-355.8,357.5-357.9,723.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 684

Diagnosis: OTHER COMPLICATIONS OF A PROCEDURE (See Guideline Note 1)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 371.82,457.0,998.81,998.9

CPT: 38300-38308,38380-38382,38542-38555,38571-38572,38700-38760,49062,49323,49423-49424,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-97004,97012-97014,97022,97032,97036,97110-97124,97140-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 685

Diagnosis: RAYNAUD'S SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 443.0,443.89,443.9

CPT: 64821-64823,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 686

Diagnosis: TMJ DISORDERS

Treatment: TMJ SURGERY

ICD-9: 524.5,524.6,718.08,718.18,718.28,718.38,718.58

CPT: 20910,20926,21010,21050-21070,21210,21215,21230-21235,21240-21243,21480,21485,21490,21499,29800-29804,29999,30520,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7852,D7854,D7856,D7858,D7860,D7865,D7870,D7871,D7872,D7873,D7874,D7875,D7876,D7877,D7899,D7955,D7991

Line: 687

Diagnosis: VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER OR INFLAMMATION

Treatment: STRIPPING/SCLEROTHERAPY

ICD-9: 454.8,454.9,459.0,459.10,459.19,459.2,459.30,459.39,459.8,607.82

CPT: 36468-36479,37700,37720-37735,37760,37766,37780-37799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 688

Diagnosis: VULVAL VARICES

Treatment: VASCULAR SURGERY

ICD-9: 456.6

CPT: 37799,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 689

Diagnosis: CHRONIC PANCREATITIS

Treatment: SURGICAL TREATMENT

ICD-9: 577.1

CPT: 48000,48180

Line: 690

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: CHRONIC PROSTATITIS, OTHER DISORDERS OF PROSTATE

Treatment: MEDICAL THERAPY

ICD-9: 601.1,601.3,601.9,602

CPT: 55801,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 691

Diagnosis: MUSCULAR CALCIFICATION AND OSSIFICATION

Treatment: MEDICAL THERAPY

ICD-9: 728.1

CPT: 27036,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 692

Diagnosis: CANCER OF VARIOUS SITES WHERE TREATMENT WILL NOT RESULT IN A 5% 5-YEAR SURVIVAL  
(See Guideline Notes 2 and 3)

Treatment: CURATIVE MEDICAL AND SURGICAL TREATMENT

ICD-9: 140-208

CPT: 11600-11646,36260-36262,36522,38720-38724,41110-41114,41130,42120,42842-42845,43228,43248-43250,47610,47420-47425,47741,47785,57460,58951,60600-60605,60650,61500,61510,61517-61521,61546-61548,61586,61793,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 693

Diagnosis: AGENESIS OF LUNG

Treatment: MEDICAL THERAPY

ICD-9: 748.5

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 694

Diagnosis: DISEASE OF CAPILLARIES

Treatment: EXCISION

ICD-9: 448.1-448.9

CPT: 11400-11426

Line: 695

Diagnosis: BENIGN POLYPS OF VOCAL CORDS

Treatment: MEDICAL THERAPY, STRIPPING

ICD-9: 478.4

CPT: 31540-31541,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 696

Diagnosis: FRACTURES OF RIBS AND STERNUM, CLOSED

Treatment: MEDICAL THERAPY

ICD-9: 805.6,807.0,807.2,839.41

CPT: 27200,27202,29200,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 697

Diagnosis: CLOSED FRACTURE OF ONE OR MORE PHALANGES OF THE FOOT, NOT INCLUDING THE GREAT TOE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 826.0

CPT: 28510,28515

Line: 698

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DISEASES OF THYMUS GLAND

Treatment: MEDICAL THERAPY

ICD-9: 254

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 699

Diagnosis: DENTAL CONDITIONS WHERE TREATMENT RESULTS IN MARGINAL IMPROVEMENT (See Guideline  
Note 41)

Treatment: ELECTIVE DENTAL SERVICES

ICD-9: 520.7,V72.2

CPT: 99201-99215,99241-99275

CDT: D1204,D1205,D2542,D2543,D2544,D2720,D2740,D2750,D2780,D2781,D2782,D2783,D2790,D2791,  
D2792,D2799,D2952,D2953,D3421,D3425,D3426,D3450,D3470,D3920,D4249,D4263,D4264,D4270,  
D4271,D4273,D4274,D4381,D5211,D5212,D6212,D6780,D6781,D6782,D6783,D6940,D6976,D6977,  
D7220,D7230,D7240,D7241,D7250,D7272,D7971,D9910,D9911,D9940,D9951,D9952

Line: 700

Diagnosis: ANTI-SOCIAL PERSONALITY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.7

CPT: 90801,90804-90807,90846-90853,90882,90887,96100,99201-99215,99241-99245,99271-99275  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H2011,H2014,H2027,H2032,S9484,T1013,T1016,  
T1023

Line: 701

Diagnosis: SEBACEOUS CYST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 685.1,706.2,744.47

CPT: 10060-10061,11400-11446,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,  
92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,  
93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,  
97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 702

Diagnosis: CENTRAL RETINAL ARTERY OCCLUSION

Treatment: PARACENTESIS OF AQUEOUS

ICD-9: 362.31-362.33

CPT: 67015,67500-67505

Line: 703

Diagnosis: ORAL APHTHAE

Treatment: MEDICAL THERAPY

ICD-9: 528.2

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 704

Diagnosis: SUBLINGUAL, SCROTAL, AND PELVIC VARICES

Treatment: VENOUS INJECTION, VASCULAR SURGERY

ICD-9: 456.3-456.5

CPT: 36470,37799,55530-55535,55550,90471-90472,90780-90799,90901-90937,90945-91105,91122-  
92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-  
93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-  
97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 705

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: SUPERFICIAL WOUNDS WITHOUT INFECTION AND CONTUSIONS

Treatment: MEDICAL THERAPY

ICD-9: 910.0,910.2,910.4,910.6,910.8,911.0,911.2,911.4,911.6,911.8,912.0,912.2,912.4,912.6,912.8,913.0,913.2,913.4,913.6,913.8,914.0,914.2,914.4,914.6,914.8,915.0,915.2,915.4,915.6,915.8,916.0,916.2,916.4,916.6,916.8,917.0,917.2,917.4,917.6,917.8,919.0,919.2,919.4,919.6,919.8,920-924,959.0,959.11-959.12,959.14-959.19,959.2-959.8

CPT: 10120,10140,11740,11760,11762,12001-12014,28190,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 706

Diagnosis: UNSPECIFIED RETINAL VASCULAR OCCLUSION

Treatment: LASER SURGERY

ICD-9: 362.30

CPT: 67228

Line: 707

Diagnosis: BENIGN NEOPLASM OF EXTERNAL FEMALE GENITAL ORGANS

Treatment: EXCISION

ICD-9: 221.1-221.9

CPT: 56440-56441,56501,57130-57135

Line: 708

Diagnosis: BENIGN NEOPLASM OF MALE GENITAL ORGANS: TESTIS, PROSTATE, EPIDIDYMIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 222.0,222.2,222.3,222.8,222.9

CPT: 52606,54231,54512,54522,54900-54901,55200,55600,55605,55650,55680,55801,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 709

Diagnosis: XEROSIS

Treatment: MEDICAL THERAPY

ICD-9: 706.8

CPT: 11010-11044,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 710

Diagnosis: CONGENITAL CYSTIC LUNG - SEVERE

Treatment: LUNG RESECTION

ICD-9: 748.4

CPT: 32140-32141,32500,32663

Line: 711

Diagnosis: ICHTHYOSIS

Treatment: MEDICAL THERAPY

ICD-9: 757.1

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 712

Diagnosis: LYMPHEDEMA

Treatment: MEDICAL THERAPY, OTHER OPERATION ON LYMPH CHANNEL

ICD-9: 457.1-457.9,757.0

CPT: 38300-38308,38380-38382,38542-38555,38571-38572,38700-38760,49062,49323,49423-49424,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 713

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: DERMATOLOGICAL CONDITIONS WITH NO EFFECTIVE TREATMENT OR NO TREATMENT NECESSARY  
Treatment: MEDICAL AND SURGICAL TREATMENT  
ICD-9: 696.3-696.5,709.0,757.2-757.3,757.8-757.9  
CPT: 11055-11057,11301,11920-11922,17000,17003,90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499  
Line: 714

Diagnosis: INFECTIOUS DISEASES WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 071,136.0,136.9  
CPT: 99201-99275  
Line: 715

Diagnosis: RESPIRATORY CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 519.3,519.9,748.60,748.69,748.9  
CPT: 99201-99275  
Line: 716

Diagnosis: GENITOURINARY CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 593.0-593.1,593.6,607.9,608.3,608.9,621.6,621.8-621.9,626.9,629.2,629.8,752.9  
CPT: 99201-99275  
Line: 717

Diagnosis: CARDIOVASCULAR CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 429.3,429.81-429.82,429.89,429.9,747.9  
CPT: 99201-99275  
Line: 718

Diagnosis: MUSCULOSKELETAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 716.9,718.00,718.10,718.20,718.50,718.60,718.80,718.9,719.7,719.9,728.5,728.84,728.87,728.9,731.2,738.2-738.3,738.9,744.5-744.9,748.1,755.9,756.9  
CPT: 99201-99275  
Line: 719

Diagnosis: INTRACRANIAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 348.2,377.01,377.02,377.2,377.3,377.5,377.7,437.7-437.8  
CPT: 99201-99275  
Line: 720

Diagnosis: SENSORY ORGAN CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 360.30-360.31,360.33,362.37,362.42-362.43,362.8-362.9,363.21,364.5,364.60,364.9,371.20,371.22,371.24,371.3,371.81,371.89,371.9,372.40-372.42,372.44-372.45,372.50-372.52,372.55,372.8-372.9,374.52-374.53,374.81-374.83,374.9,376.82,376.89,376.9,377.03,377.1,377.4,377.6,379.24,379.29,379.4-379.8,380.9,388.3  
CPT: 99201-99275  
Line: 721

Diagnosis: ENDOCRINE AND METABOLIC CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 251.1-251.2,259.4,259.8-259.9,277.3,759.1  
CPT: 99201-99275  
Line: 722

Diagnosis: GASTROINTESTINAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 527.0,569.9,573.9  
CPT: 99201-99275  
Line: 723

PRIORITIZED LIST OF HEALTH SERVICES  
OCTOBER 1, 2005

Diagnosis: MENTAL DISORDERS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY

Treatment: EVALUATION

ICD-9: 313.1,313.3,313.83

CPT: 99201-99215

HCPCS: T1023

Line: 724

Diagnosis: NEUROLOGIC CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY

Treatment: EVALUATION

ICD-9: 333.82,333.84,333.91,333.93

CPT: 99201-99275

Line: 725

Diagnosis: DENTAL CONDITIONS (EG. ORTHODONTICS)

Treatment: COSMETIC DENTAL SERVICES

ICD-9: 520.0-520.5,520.8-520.9,521.1-521.9,522.3,V72.2

CPT: 99201-99215,99241-99275

CDT: D2410,D2420,D2430,D2510,D2520,D2530,D2610,D2620,D2630,D2642,D2643,D2644,D2650,D2651,  
D2652,D2662,D2663,D2664,D2720,D2750,D2790,D2791,D2792,D2952,D2960,D2961,D2962,D2999,  
D3120,D3460,D3999,D4271,D4999,D5281,D5810,D5820,D5862,D5867,D5875,D5899,D5999,D6010,  
D6020,D6040,D6050,D6055,D6056,D6057,D6058,D6059,D6060,D6061,D6062,D6063,D6064,D6065,  
D6066,D6067,D6068,D6069,D6070,D6071,D6072,D6073,D6074,D6075,D6076,D6077,D6078,D6079,  
D6080,D6090,D6095,D6100,D6199,D6210,D6240,D6245,D6250,D6548,D6600,D6601,D6602,D6603,  
D6604,D6605,D6606,D6607,D6608,D6609,D6610,D6611,D6612,D6613,D6614,D6615,D6720,D6721,  
D6722,D6740,D6750,D6790,D6920,D6950,D6999,D7280,D7290,D7291,D7410,D7420,D7840,D7850,  
D7995,D7996,D7999,D8010,D8020,D8030,D8040,D8050,D8060,D8070,D8080,D8090,D8210,D8220,  
D8660,D8670,D8680,D8690,D8691,D8692,D8999,D9941,D9950,D9970,D9971,D9972,D9973,D9974,  
D9999

Line: 726

Diagnosis: TUBAL DYSFUNCTION AND OTHER CAUSES OF INFERTILITY

Treatment: IN-VITRO FERTILIZATION, GIFT

ICD-9: 256

CPT: 58970-58976

HCPCS: S4013,S4014,S4017,S4023,S4037,S4040

Line: 727

Diagnosis: HEPATORENAL SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 572.4

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 728

Diagnosis: SPASTIC DYSPHONIA

Treatment: MEDICAL THERAPY

ICD-9: 478.79

CPT: 90471-90472,90780-90799,90901-90937,90945-91105,91122-92060,92070-92353,92358-92371,  
92502-92504,92511-92606,92610-92960,92970-92977,93000-93662,93701-93790,93875-95075,  
95115-95999,96100-96117,96400-96999,97504-97537,97601-97750,97799,99050-99054,99058-  
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2340,S2341

Line: 729

Diagnosis: DISORDERS OF REFRACTION AND ACCOMODATION

Treatment: RADIAL KERATOTOMY

ICD-9: 367,368.1-368.9

CPT: 65760,65771

Line: 730

# **STATEMENTS OF INTENT**

STATEMENTS OF INTENT FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

Most acute viral infections are self-limited (e.g. colds, infectious mononucleosis, gastroenteritis). However, some viral infections such as viral pneumonia, aseptic meningitis, or severe gastroenteritis may require hospitalization to treat the complications of the primary disease.

Accepted coding practices insist that the underlying condition in these cases be the principle diagnosis. For example, complicated viral pneumonia requiring respiratory support with a ventilator would have a principle diagnosis of viral pneumonia and a secondary diagnosis of respiratory failure. Since the ICD-9-CM code for viral pneumonia has historically appeared only on a non-funded line, treatment has not been reimbursable regardless of the severity of the disease. In contrast, the code for viral gastroenteritis appears on line 296 and any necessary outpatient or inpatient services would be covered.

The Commission has added the following statements to indicate their intent that reimbursement for the treatment of certain conditions appearing low on the Prioritized List should be provided in severe cases of the disease.

Diagnosis: OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS

Treatment: MEDICAL THERAPY

Line: 607

Treatment of non-infectious gastroenteritis of significant severity that is associated with dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

Diagnosis: ASEPTIC MENINGITIS

Treatment: MEDICAL THERAPY

Line: 621

Treatment of aseptic meningitis of significant severity that is associated with either obtundation or dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

Diagnosis: OTHER VIRAL INFECTIONS, EXCLUDING PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3

Treatment: MEDICAL THERAPY

Line: 671

Treatment of viral pneumonia of significant severity that is associated with either respiratory failure or dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

# **PRACTICE GUIDELINES**

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 1, REHABILITATIVE THERAPIES

On Lines 1, 19, 21, 24, 26, 29, 31, 35, 37, 38, 40, 42, 52, 89, 95, 96, 97, 98, 101, 102, 103, 104, 105, 106, 112, 113, 114, 115, 132, 133, 134, 136, 143, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 165, 168, 175, 177, 180, 191, 198, 199, 209, 215, 216, 219, 240, 241, 248, 261, 264, 286, 287, 288, 289, 290, 294, 299, 313, 318, 319, 323, 324, 325, 330, 336, 371, 374, 375, 382, 383, 384, 388, 441, 454, 455, 456, 469, 470, 471, 483, 484, 485, 486, 498, 516, 517, 518, 519, 522, 568, 584, 589, 594, 645, 646, 685

Physical, occupational and speech therapy, and cardiac and vascular rehabilitation, are covered for diagnoses paired with the respective CPT codes, depending on medical necessity, for up to 3 months after the initiation of the therapies. Thereafter, the following number of combined physical and occupational therapy visits are allowed per year, depending on medical necessity.

- Ages < 8: 24
- Age 8-12: 12
- Age > 12: 2

Following 3 months of acute therapy, the following number of speech therapy visits are allowed per year, depending on medical necessity (with the exception of swallowing disorders, for which limits do not apply):

- Age < 3: 4
- Age 3-7: 24
- Age 8-12: 12
- Age > 12: 2

An additional 6 visits of speech, and/or an additional 6 visits of physical or occupational therapy are allowed, regardless of age, whenever there is a change in status, such as surgery, botox injection, an acute exacerbation OR for evaluation/training for an assistive communication device.

No limits apply while in a skilled nursing facility for the primary purpose of rehabilitation, an inpatient hospital, or an inpatient rehabilitation unit.

GUIDELINE NOTE 2, ERYTHROPOIETIN

On Lines 2, 4, 27, 118, 119, 120, 122, 123, 124, 125, 137, 140, 166, 178, 182, 183, 193, 194, 195, 196, 200, 201, 212, 213, 222, 227, 228, 229, 231, 232, 233, 234, 235, 236, 237, 249, 250, 252, 265, 273, 274, 275, 276, 277, 278, 279, 280, 314, 329, 349, 445, 446, 500, 501, 502, 503, 693

1. Indicated for anemia (Hgb < 10gm/dl or Hct < 30%) induced by cancer chemotherapy, in the setting of myelodysplasia, or in chronic renal failure, with or without dialysis.
  - A. Endogenous erythropoietin levels of < 200 IU/L are required for treatment, except in chronic renal failure.
  - B. Reassessment should be made after 8 weeks of treatment. If no response, treatment should be discontinued. If response is demonstrated, EPO should be titrated to maintain a level between 10 and 12.
2. Indicated for anemia (Hgb < 10gm/dl or Hct < 30%) associated with HIV/AIDS.
  - A. An endogenous erythropoietin level < 500 IU/L is required for treatment, and patient may not be receiving zidovudine (AZT) > 4200 mg/week.
  - B. Reassessment should be made after 8 weeks of treatment. If no response is demonstrated, treatment should be discontinued. If response is demonstrated, EPO should be titrated to maintain a level between 10 and 12.

GUIDELINE NOTE 3, COLONY STIMULATING FACTOR (CSF)

On Lines 27, 118, 119, 120, 122, 123, 124, 125, 137, 140, 182, 183, 193, 194, 195, 196, 200, 201, 212, 213, 227, 228, 229, 231, 232, 233, 234, 235, 236, 237, 265, 273, 274, 275, 276, 277, 278, 279, 280, 329, 349, 445, 446, 500, 501, 502, 503, 693

1. CSF are not indicated for primary prophylaxis of febrile neutropenia unless the primary chemotherapeutic regimen is potentially curative, and is known to produce febrile neutropenia at least 40% of the time. Even for these regimens, dose reduction should be considered instead of using CSF, as no improvement in survival has been documented by use of CSF.
2. For secondary prophylaxis, dose reduction should be considered the primary therapeutic option after an episode of severe or febrile neutropenia except in the setting of curable tumors (e.g., germ cell), as no disease free or overall survival benefits have been documented using dose maintenance and CSF.

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 3, COLONY STIMULATING FACTOR (CSF) (Cont.)

3. CSF are not indicated in patients who are acutely neutropenic but afebrile.
4. CSF are not indicated in the treatment of febrile neutropenia except in high-risk patients, as no overall clinical benefit has been documented. High-risk patients include those with ANC < 100, uncontrolled primary disease, pneumonia, hypotension, multi-organ dysfunction and invasive fungal infection.
5. CSF are not indicated to increase chemotherapy dose-intensity or schedule, except in cases where improved outcome from such increased intensity has been documented in a clinical trial.
6. CSF are indicated in the setting of progenitor cell transplantation, to mobilize peripheral blood progenitor cells, and after their infusion.
7. CSF are NOT indicated in patients receiving concomitant chemotherapy and radiation therapy.
8. There is no evidence of clinical benefit in the routine, continuous use of CSF in myelodysplastic syndromes. CSF may be indicated for some patients with severe neutropenia and recurrent infections, but should be used only if significant response is documented.

GUIDELINE NOTE 4, PET SCANS

*On Lines 27, 120, 123, 124, 140, 275*

PET Scans are indicated for diagnosis and staging of the following cancers:

- Solitary pulmonary nodules and non-small cell lung cancer
- Lymphoma
- Melanoma

For diagnosis, PET is covered only when it will avoid an invasive diagnostic procedure, or will assist in determining the optimal anatomic location to perform an invasive diagnostic procedure.

For staging, PET is covered in the following situations:

- The stage of the cancer remains in doubt after standard diagnostic work up

OR

- PET replaces one or more conventional imaging studies when they are insufficient for clinical management of the patient

AND

- Clinical management of the patient will differ depending on the stage of the cancer identified

PET Scans are NOT indicated for routine follow up of cancer treatment.

GUIDELINE NOTE 5, FETOSCOPIC LASER SURGERY

*On Line 55*

Fetoscopic repair of urinary tract obstruction (S2401) is only covered for placement of a urethral shunt.

GUIDELINE NOTE 6, SECOND SOLID ORGAN TRANSPLANTS

*On Lines 110, 128, 157, 179, 442, 443, 444, 601*

Second solid organ transplants are not covered except for acute graft failure that occurs during the original hospitalization for transplantation.

GUIDELINE NOTE 7, SECOND BONE MARROW TRANSPLANTS, NON-MYELOABLATIVE STEM CELL TRANSPLANTS

*On Lines 118, 120, 122, 124, 125, 182, 183, 200, 445, 446*

Second bone marrow transplants are not covered except for tandem autologous transplants for multiple myeloma. Non-myeloablative transplants (mini-transplants) are not covered.

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 8, DISORDERS OF SPINE WITH NEUROLOGIC IMPAIRMENT

*On Line 143*

Neurologic impairment is defined as objective evidence of one or more of the following:

- a) Reflex loss
- b) Dermatomal muscle weakness
- c) Dermatomal sensory loss
- d) EMG or NCV evidence of nerve root impingement
- e) Cauda equina syndrome
- f) Neurogenic bowel or bladder

GUIDELINE NOTE 9, TESTICULAR CANCER

*On Line 182*

The treatment of testicular cancer with bone marrow/stem cell rescue and transplant in conjunction with high-dose chemotherapy is included only after multiple (at least 2) recurrences after standard chemotherapy.

GUIDELINE NOTE 10, TOBACCO DEPENDENCE

*On Line 185*

Persons are eligible for tobacco dependence counseling if a documented quit date has been established.

GUIDELINE NOTE 11, BREAST CANCER SURVEILLANCE

*On Line 228*

1. History and physical exam is indicated every 3 to 6 months for the first three years after primary therapy, then every 6-12 months for the next 2 years, then annually thereafter.
2. Mammography is indicated annually, and patients treated with breast conserving therapy, initial mammogram of the affected breast should be 6 months after completion of radiotherapy.
3. No other surveillance testing is indicated.

GUIDELINE NOTE 12, MINIMALLY INVASIVE CORONARY ARTERY BYPASS SURGERY

*On Line 264*

Minimally invasive coronary artery bypass surgery indicated only for single vessel disease.

GUIDELINE NOTE 13, COMFORT CARE

*On Line 265*

Comfort care includes the provision of services or items that gives comfort and/or relieve symptoms to patients with a terminal illness.

This category of care does not include services that are diagnostic, curative or focused on active treatment of the primary condition and intended to prolong life. Examples of comfort care include:

- 1) Pain medication and/or pain management devices
- 2) In-home and day care services and hospice services as defined by OMAP
- 3) Medical equipment and supplies (beds, wheelchairs, bedside commodes, etc.)
- 4) Palliative services for specific symptom relief
- 5) Physician aid-in-dying under ORS 127.800-127.897 (Oregon Death with Dignity Act), to include but not be limited to the attending physician visits, consulting physician confirmation, mental health counseling, and prescription medications.

(NOTE: Services related to physician aid-in-dying are not priced as part of the list and only state funds will be used for their provision)

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 14, COLON CANCER SURVEILLANCE

On Line 273

1. History and physical exam is indicated every 3 to 6 months for the first three years after primary therapy, then annually thereafter.
2. CEA testing should be performed every 2-3 months after colon resection for at least 2 years in patients with stage II or III disease for whom resection of liver metastases is clinically indicated.
3. Colonoscopy is indicated every 3 to 5 years.
4. No other surveillance testing is indicated.

GUIDELINE NOTE 15

On Line 301

Dental cleaning and fluoride limited to once per calendar year. Additional provision of prophylaxis for persons with disabilities who cannot perform adequate daily oral health care, severe periodontal disease and/or rampant caries, by report (CDT codes D0120, D0150, D1110, D1120, D1201, D1204, D1205). Used up to 4 times per year (maximum once per week) for patients over 18 who are mentally disabled or are truly dental phobic in order to determine the need to use IV or GA sedation to render necessary treatment (CDT code D9920).

GUIDELINE NOTE 16

On Line 303

Children will be considered candidates for cochlear implants if the following criteria are met:

- a) Profound sensorineural hearing loss in both ears
- b) Child has reached the age of 1
- d) No medical contraindications
- e) High motivation and appropriate expectations (both child, when appropriate, and family)

GUIDELINE NOTE 17

On Line 327

Clinically significant scoliosis is defined as curvature greater than or equal to 25 degrees or curvature with a documented rapid progression. Clinically significant spinal stenosis is defined as having MRI evidence of moderate to severe spinal stenosis in addition to a history of neurogenic claudication, or objective evidence of neurologic impairment consistent with MRI findings (see Guideline Note 8).

GUIDELINE NOTE 18

On Line 350

Surgery for sleep apnea is only covered after documented failure of both CPAP and an oral appliance.

GUIDELINE NOTE 19

On Line 359

Treatment only for symptomatic dental pain, infection, bleeding or swelling (CDT codes D7220, D7230, D7240, D7241, D7250).

GUIDELINE NOTE 20, CONDUCT DISORDER

On Lines 376

Conduct disorder rarely occurs in isolation from other psychiatric diagnosis, thus the patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 21, CATARACT

On Line 414

Cataract extraction is covered for binocular visual acuity of 20/50 or worse OR monocular visual acuity of 20/50 or worse with the recent development of symptoms related to poor vision (headache, etc).

GUIDELINE NOTE 22, TONSILLECTOMY

On Line 461

Tonsillectomy is an appropriate treatment in a case with:

- 1) Three documented attacks of strep tonsillitis in a year where an attack is considered a positive culture/screen and where 10 days of continuous antibiotic therapy has been completed;
- 2) Second occurrence of peritonsillar abscess, or if first abscess, has to be drained under general anesthesia;
- 3) Airway obstruction with presence of right ventricular hypertrophy or cor-pulmonale; and/or,
- 4) 4+ tonsils, which result in obstruction of breathing, swallowing and/or speech.

GUIDELINE NOTE 23, MENSTRUAL BLEEDING DISORDERS

On Line 467

Endometrial ablation or hysterectomy for abnormal uterine bleeding in premenopausal women may be indicated when all of the following are documented (1-3):

1. Patient history of (a, b, c, d, and e):
  - a. Excessive uterine bleeding evidence by (1 and 2):
    - 1) Profuse bleeding lasting more than 7 days and repetitive periods at less than 21-day intervals
    - 2) Anemia due to acute or chronic blood loss (hemoglobin less than 10)
  - b. Failure of hormonal treatment for a six-month trial period or contraindication to hormone use
  - c. No current medication use that may cause bleeding, or contraindication to stopping those medications
  - d. Endometrial sampling performed
  - e. No evidence of remedial pathology by (1 or 2 or 3):
    - 1) Sonohysterography
    - 2) Hysteroscopy
    - 3) Hysterosalpingography
2. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized
3. Nonmalignant cervical cytology, if cervix is present

GUIDELINE NOTE 24, SINUS SURGERY

On Lines 481, 492, 558

Sinus surgery indicated in the following circumstances:

1. 4 or more episodes of acute rhinosinusitis in one year
- OR
2. Failure of medical therapy of chronic sinusitis including all of the following:
    - Several courses of antibiotics AND
    - Trial of inhaled and/or oral steroids AND
    - Allergy assessment and treatment when indicated
- AND
- One or more of the following:
- Findings of obstruction of active infection on CT scan
  - Obstructive symptoms due to polyposis that persist or recur after steroid treatment
  - Symptomatic mucocele
  - Negative CT scan but significant disease found on nasal endoscopy
- OR
3. Bilateral extensive and massive obstructive nasal polyposis with complications
- OR
4. Complications of sinusitis including subperiosteal or orbital abscess, Pott's puffy tumor, brain abscess or meningitis
- OR
5. Invasive or allergic fungal sinusitis
- OR
6. Tumor of nasal cavity or sinuses
- OR
7. CSF rhinorrhea

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 25, UTERINE LEIOMYOMA

On Line 482

Hysterectomy for leiomyomata may be indicated when all of the following are documented (1-4):

1. One of the following (a or b):
  - a. Patient history of 2 out of 3 of the following (1, 2 and 3):
    - 1) Leiomyomata enlarging the uterus to a size of 12 weeks or greater gestation
    - 2) Pelvic discomfort cause by myomata (i or ii or iii):
      - i. Chronic lower abdominal, pelvic or low back pressure
      - ii. Bladder dysfunction not due to urinary tract disorder or disease
      - iii. Rectal pressure and bowel dysfunction not related to bowel disorder or disease
    - 3) Rapid enlargement causing concern for sarcomatous changes of malignancy
  - b. Leiomyomata as probable cause of excessive uterine bleeding evidenced by (1, 2, and 3):
    - 1) Profuse bleeding lasting more than 7 days or repetitive periods at less than 21-day intervals
    - 2) Anemia due to acute or chronic blood loss (hemoglobin less than 10)
    - 3) Documentation of mass by sonography
2. Nonmalignant cervical cytology, if cervix is present
3. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
4. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized

GUIDELINE NOTE 26, ENDOMETRIOSIS AND ADENOMYOSIS

On Line 496

A. Hysterectomy, with or without adnexectomy, for endometriosis may be appropriate when all of the following are documented (1-4):

1. Patient history of (a and b):
  - a. Prior detailed operative description or histologic diagnosis of endometriosis
  - b. Presence of pain for more than 6 months with negative effect on patient's quality of life
2. Failure of a 3-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
  - a. Hormonal therapy (1 or 2):
    - 1) Oral contraceptives
    - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
  - b. Nonsteroidal anti-inflammatory drugs
3. Nonmalignant cervical cytology, if cervix is present
4. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized

B. Hysterectomy, with or without adnexectomy, for adenomyosis may be appropriate when all of the following are documented (1-6):

1. Patient history of dysmenorrhea, pelvic pain or abnormal uterine bleeding for more than six months with a negative effect on quality of life
2. Failure of a six-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
  - a. Hormonal therapy (1 or 2):
    - 1) Oral contraceptives
    - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
  - b. Nonsteroidal anti-inflammatory drugs
3. Age > 30 years
4. One of the following (a or b):
  - a. Endovaginal ultrasound suspicious for adenomyosis (presence of abnormal hypochoic myometrial echogenicity or presence of small myometrial cysts)
  - b. MRI showing thickening of the junctional zone > 12mm
5. Nonmalignant cervical cytology, if cervix is present
6. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 27, CANCERS OF ESOPHAGUS, LIVER, PANCREASE, GALLBLADDER, AND OTHER BILIARY

On Lines 500, 501, 502, 503

Retreatment with chemotherapy after failure from the first full course of chemotherapy places the patient in the less than 5% chance of survival category. See line 674, Medical Conditions Where Treatment Will Not Result in a 5% 5-Year Survival.

GUIDELINE NOTE 28, BASIC RESTORATIVE DENTAL CARE

On Line 507

Composites for posterior teeth will be reimbursed at the same rate as amalgams and choice of material left to provider (CDT codes D2391, D2392, D2393, D2394).

GUIDELINE NOTE 29, STABILIZATION OF PERIODONTAL HEALTH, COMPLEX RESTORATIVE, AND REMOVABLE PROSTHODONTICS

On Line 508

Only for the treatment of severe drug-induced hyperplasia (CDT code D4210, D4211). To be used in conjunction with making a prosthesis (CDT codes D7471, D7970). Limited to two reimbursements (CDT codes D5850, D5851). Must have four or more missing posterior teeth per arch with resulting space equivalent to that loss demonstrating inability to masticate (CDT codes D5110, D5120, D5130, D5140, D5213, D5214). By Report (CDT codes D4210). Payable once every two years (CDT codes D5730, D5731, D5740, D5741, D5750, D5751, D5760, D5761). Payable only when there are pockets of 5 mm or greater (CDT code 04341).

GUIDELINE NOTE 30, COCHLEAR IMPLANTS, OVER AGE 5

On Line 513

Children will be considered candidates for cochlear implants if the following criteria are met:

- a) Profound sensorineural hearing loss in both ears
- b) Child has reached the age of 1
- c) Receive little or no useful benefit from hearing aids
- d) No medical contraindications
- e) High motivation and appropriate expectations (both child, when appropriate, and family)

Postlinguistic adults will be considered candidates for cochlear implants if the following criteria are met:

- a) Severe to profound sensorineural hearing loss in both ears
- b) Hearing loss acquired after learning oral speech and language development (postlinguistic hearing loss)
- c) Receive limited benefit from appropriately fit hearing aids; i.e., scores of 40% or less on sentence recognition test in the best-aided listening condition
- d) No medical contraindications

Prelinguistic adults will be considered candidates for cochlear implants if the following criteria are met:

- a) Profound sensorineural hearing loss in both ears
- b) Hearing loss acquired before learning oral speech and language development (prelinguistic hearing loss)
- c) Receive no benefit from hearing aids
- d) No medical contraindications
- e) A desire to be a part of the hearing world

GUIDELINE NOTE 31, UTERINE PROLAPSE

On Line 521

Hysterectomy for pelvic organ prolapse may be indicated when all of the following are documented (1-5):

1. Patient history of symptoms of pelvic prolapse such as:
  - a. Complaints of the pelvic organs prolapsing at least to the introitus
  - b. Low back discomfort or pelvic pressure
  - c. Difficulty in defecating
  - d. Difficulty in voiding

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 31, UTERINE PROLAPSE (Cont.)

2. Nonmalignant cervical cytology, if cervix is present
3. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
4. Physical examination is consistent with patient's symptoms of pelvic support defects indicating either symptomatic prolapse of the cervix, enterocele, cystocele, rectocele or prolapse of the vaginal vault
5. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

GUIDELINE NOTE 32, DENTAL SERVICES FOR SPACE MAINTENANCE AND PERIODONTAL MAINTENANCE

On Line 528

By Report (CDT codes D4240, D4260)

GUIDELINE NOTE 33, URINARY INCONTINENCE

On Line 529

Surgery for genuine stress urinary incontinence (ICD-9-CM code 625.6 may be indicated when all of the following are documented (1-7):

1. Patient history of (a, b, and c):
  - a. Involuntary loss of urine with exertion
  - b. Identification and treatment of transient causes of urinary incontinence, if present (e.g., delirium, infection, pharmaceutical causes, psychological causes, excessive urine production, restricted mobility, and stool impaction)
  - c. Involuntary loss of urine on examination during stress (provocative test with direct visualization of urine loss) and low or absent post void residual
2. Patient's voiding habits
3. Physical or laboratory examination evidence of either (a or b):
  - a. Urethral hypermobility
  - b. Intrinsic sphincter deficiency
4. Diagnostic workup to rule out urgency incontinence
5. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized
6. Nonmalignant cervical cytology, if cervix is present
7. Patient required to have 3 months alternative therapy (e.g., pessaries or physical therapy, including bladder training, pelvic floor exercises, biofeedback, and/or electrical stimulation, as available)

GUIDELINE NOTE 34, CHRONIC ANAL FISSURE

On Line 545

Chronic anal fissure (ICD-9 code 565.0) is included in this line with one or more of the following:

- 1) Condition unresponsive to six to eight weeks of continuous treatment;
- 2) Condition progresses in spite of six to eight weeks of treatment;
- 3) Presence of pectenosis; and/or,
- 4) Fissures that have previously healed but have recurred three or more times.

GUIDELINE NOTE 35, CHRONIC OTITIS MEDIA

On Line 546

Observation OR antibiotic therapy are treatment options for children with effusion that has been present less than 4 to 6 months and at any time in children without a 20-decibel hearing threshold level or worse in the better-hearing ear.

For the child who has had bilateral effusion for a total of 3 months and who has a bilateral hearing deficiency (defined as a 20-decibel hearing threshold level or worse in the better-hearing ear), bilateral myringotomy with tube insertion recommended after a total of 4 to 6 months of bilateral effusion with a bilateral hearing deficit.

Adenoidectomy is an appropriate surgical treatment for serous otitis media with persistent effusion in children over 4 years with their second set of tubes. First time tubes are not an indication for an adenoidectomy.

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 36, IMPULSE DISORDERS

On Line 561

Impulse disorders rarely occur in isolation from other psychiatric diagnosis, thus the Patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

GUIDELINE NOTE 37, DYSMENORRHEA

On Line 569

Hysterectomy for dysmenorrhea may be indicated when all of the following are documented (1-7):

1. Patient history of:
  - a. No remediable pathology found on laporoscopic examination
  - b. Pain for more than 6 months with negative effect on patient's quality of life
2. Failure of a six-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
  - a. Hormonal therapy (1 or 2):
    - 1) Oral contraceptives
    - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
  - b. Nonsteroidal anti-inflammatory drugs
3. Evaluation of the following systems as possible sources of pelvic pain:
  - a. Urinary
  - b. Gastrointestinal
  - c. Musculoskeletal
4. Evaluation of the patient's psychologic and psychosexual status for nonsomatic cause of symptoms
5. Nonmalignant cervical cytology, if cervix is present
6. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
7. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

GUIDELINE NOTE 38, PELVIC PAIN SYNDROME

On Line 575

- A. Diagnostic MRI may be indicated for evaluation of pelvic pain to assess for adenomyosis and to assist in the management of these challenging patients when all of the following are documented:
  1. Patient history of dysmenorrhea, pelvic pain or abnormal uterine bleeding for more than six months with a negative effect on her quality of life.
  2. Failure of a six-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
    - a. Hormonal therapy (1 or 2):
      - 1) Oral contraceptives of Depro-Provera
      - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
    - b. Nonsteroidal anti-inflammatory drugs
  3. Age > 30 years
  4. An endovaginal ultrasound within the past 12 months that shows no other suspected gynecological pathology if diagnostic MRI shows > 12mm thickening of the junctional zone, the Presumptive diagnosis of adenomyosis is fulfilled. See guideline note 28.
- B. Hysterectomy for chronic pelvic pain in the absence of significant pathology may be Indicated when all of the following are documented (1-7):
  1. Patient history of:
    - a. No remediable pathology found on laporoscopic examination
    - b. Pain for more than 6 months with negative effect on patient's quality of life
  2. Failure of a six-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
    - a. Hormonal therapy (1 or 2):
      - 1) Oral contraceptives
      - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
    - b. Nonsteroidal anti-inflammatory drugs

GUIDELINE NOTES FOR THE OCTOBER 1, 2005 PRIORITIZED LIST OF HEALTH SERVICES

GUIDELINE NOTE 38, PELVIC PAIN SYNDROME (Cont.)

3. Evaluation of the following systems as possible sources of pelvic pain:
  - a. Urinary
  - b. Gastrointestinal
  - c. Musculoskeletal
4. Evaluation of the patient's psychologic and psychosexual status for nonsomatic cause of symptoms
5. Nonmalignant cervical cytology, if cervix is present
6. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
7. Negative preoperative pregnancy test unless patient is postmenopausal or as been previously sterilized

GUIDELINE NOTE 39, ACUTE AND CHRONIC DISORDERS OF SPINE WITHOUT NEUROLOGIC IMPAIRMENT

*On Line 594*

Disorders of spine without neurologic impairment include any conditions represented on this line for which objective evidence of one or more of the criteria stated in the guideline note 8 is not available.

GUIDELINE NOTE 40, SPINAL DEFORMITY, NOT CLINICALLY SIGNIFICANT

*On Line 611*

Scoliosis not defined as clinically significant included curvature less than 25 degrees that does not have a documented progression of at least 10 degrees.

GUIDELINE NOTE 41, ELECTIVE DENTAL SERVICES

*On Line 700*

Treatment not related to symptomatic pain, infection, bleeding or swelling (CDT codes D7220, D7230, D7240, D7241, D7250).

# **PREVENTION TABLES**

# Birth to 10 Years

---

## Interventions Considered and Recommended for the Periodic Health Examination

## Leading Causes of Death Conditions originating in perinatal period Congenital anomalies Sudden infant death syndrome (SIDS) Unintentional injuries (non-motor vehicle) Motor vehicle injuries

---

### Interventions for the General Population

---

#### SCREENING

Height and weight [Ch 21]  
Blood pressure [Ch 3]  
Vision screen (3-4 yr) [Ch 33]  
Hemoglobinopathy screen (birth)<sup>1</sup> [Ch 43]  
Phenylalanine level (birth)<sup>2</sup> [Ch 44]  
T<sub>4</sub> and/or TSH (birth)<sup>3</sup> [Ch 45]  
Effects of STDs  
FAS, FAE, drug affected infants<sup>4</sup>  
Infant motor, hearing, developmental screens  
  
Learning and attention disorders<sup>5</sup>  
Signs of child abuse, neglect, family violence

#### COUNSELING

**Injury Prevention** [Ch 57, 58]  
Child safety car seats (age <5 yr)  
Lap-shoulder belts (age >5 yr)  
Bicycle helmet; avoid bicycling near traffic  
Smoke detector, flame retardant sleepwear  
Hot water heater temperature <120-130°F  
Window/stair guards, pool fence, walkers  
Safe storage of drugs, toxic substances, firearms and matches  
Syrup of ipecac, poison control phone number  
CPR training for parents/caretakers  
Infant sleeping position

#### Diet and Exercise

Breast-feeding, iron-enriched formula and foods (infants and toddlers) [Ch 22, 56]

Limit fat and cholesterol; maintain caloric balance; emphasize  
grains, fruits, vegetables (age >2 yr) [Ch 56]  
Regular physical activity\* [Ch 55]

#### Substance User [Ch 54]

Effects of passive smoking\*  
Anti-tobacco message\*

#### Dental Health [Ch 61]

Regular visits to dental care provider\*  
Floss, brush with fluoride toothpaste daily\*  
Advice about baby bottle tooth decay\*

#### Mental Health/Chemical Dependency

Parent education regarding:

- Child development
- Attachment/bonding
- Behavior management
- Effects of excess TV watching
- Special needs of child and family due to:
  - Familial stress or disruption
  - Health problems
  - Temperamental incongruence with parent
  - Environmental stressors such as community violence or disaster, immigration, minority status, homelessness
- Referral for MHCD and other family support services as indicated

---

<sup>1</sup>Whether screening should be universal or targeted to high-risk groups will depend on the proportion of high-risk individuals in the screening area, and other considerations (See Ch 43). <sup>2</sup>If done during first 24 hr of life, repeat by age 2 wk. <sup>3</sup>Optimally between day 2 and 6, but in all cases before newborn nursery discharge. <sup>4</sup>Parents with alcohol and/or drug use. Children with history of intrauterine addiction. Physical and behavioral indicators: hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, neurological disorders, intrauterine growth retardation, mood swings, difficulty concentrating, inappropriateness, irritability or agitation, depression, bizarre behavior, abuse and neglect, behavior problems. <sup>5</sup>Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting.

\*The ability of clinical counseling to influence this behavior is unproven.

## Birth to 10 Years (Cont'd)

---

### Interventions for the General Population (Cont'd)

---

#### IMMUNIZATIONS [Ch 65]

Diphtheria-tetanus-pertussis (DTP)<sup>1</sup>

Oral poliovirus (OPV)<sup>2</sup>

Measles-mumps-rubella (MMR)<sup>3</sup>

*H. influenzae* type b (Hib) conjugate<sup>4</sup>

Hepatitis B<sup>5</sup>

Varicella<sup>6</sup>

#### CHEMOPROPHYLAXIS

Ocular prophylaxis (birth) [Ch 27]

---

<sup>1</sup>2, 4, 6, and 12-18 mo; once between ages 4-6 yr (DTaP may be used at 15 mo and older). <sup>2</sup>2, 4, 6-18 mo; once between ages 4-6 yr. <sup>3</sup>12-15 mo and 4-6 yr. <sup>4</sup>2, 4, 6 and 12-15 mo; no dose needed at 6 mo if PRP-OMP vaccine is used for first 2 doses. <sup>5</sup>Birth, 1 mo, 6 mo; or, 0-2 mo, 1-2 mo later, and 6-18 mo. If not done in infancy: current visit, and 1 and 6 mo later <sup>6</sup>12-18 mo; or any child without history of chickenpox or previous immunization. Include information on risk in adulthood, duration of immunity, and potential need for booster doses.

---

### Interventions for the High-Risk Population

---

#### POPULATION

Preterm or low birth

Infants of mothers at risk for HIV

Low income; immigrants

TB contacts

Native American/Alaska Native

Residents of long-term care facilities

Certain chronic medical conditions

Increased individual or community lead exposure

Inadequate water fluoridation

Family h/o skin cancer; nevi; fair skin, eyes, hair

History of multiple injuries

High risk for mental health disorders

#### POTENTIAL INTERVENTIONS

(See detailed high-risk definitions)

Hemoglobin/hematocrit (HR1)

HIV testing

Hemoglobin/hematocrit (HR1); PPD (HR3)

PPD (HR3)

Hemoglobin/hematocrit (HR1); PPD (HR3); hepatitis A vaccine (HR4); pneumococcal vaccine (HR5)

PPD (HR3); hepatitis A vaccine (HR4); influenza vaccine (HR6)

Blood lead level (HR7)

Daily fluoride supplement (HR8)

Avoid excess/midday sun, use protective clothing\* (HR9)

Screen for child abuse, neurological, mental health conditions

Increased well-child visits (HR10)

---

### High Risk Groups

---

**HR1** = Infants age 6-12 mo who are: living in poverty, black, Native American or Alaska Native, immigrants from developing countries, preterm and low birth weight infants, infants whose principal dietary intake is unfortified cow's milk (see Ch. 22).

**HR2** = Infants born to high-risk mothers whose HIV status is unknown. Women at high risk include: past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual, or HIV-positive sex partners currently or in past; persons seeking treatment for STDs; blood transfusion during 1978-1985 (see Ch. 28).

**HR3** = Persons infected with HIV, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), residents of long-term care facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

## Birth to 10 Years (Cont'd)

---

**HR4** = Persons >2 yr living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities). Consider for institutionalized children aged >2 yr. Clinicians should also consider local epidemiology (see Ch. 65-67).

**HR5** = Immunocompetent persons >2 yr with certain medical conditions, including chronic cardiac or pulmonary disease, diabetes mellitus, and anatomic asplenia. Immunocompetent persons >2 yr living in high-risk environments or social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

**HR6** = Annual vaccination of children >6 mo who are residents of chronic care facilities or who have chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression, or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

**HR7** = Children about age 12 mo who: 1) live in communities in which the prevalence of lead levels requiring individual intervention, including residential lead hazard control or chelation, is high or undefined; 2) live in or frequently visit a home built before 1950 with dilapidated paint or with recent or ongoing renovation or remodeling; 3) have close contact with a person who has an elevated lead level; 4) live near lead industry or heavy traffic; 5) live with someone whose job or hobby involves lead exposure; 6) use lead-based pottery; or 7) take traditional ethnic remedies that contain lead (see Ch. 23).

**HR8** = Children living in areas with inadequate water fluoridation (<0.6 ppm) (see Ch. 61).

**HR9** = Persons with a family history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

**HR10** = Having a: chronically mentally ill parent; substance abusing parent; mother who began parenting as a teen. Living at or below poverty. Having: parents involved in criminal behavior; experienced an out-of-home placement(s), multiple moves, failed adoption(s). Being homeless. Having suffered physical, emotional or sexual abuse, or severe neglect. Having: a chronic health problem in the family; an absence of a family support system. Being substance affected at birth.

## Ages 11-24 Years

---

### Interventions Considered and Recommended for the Periodic Health Examination

### Leading Causes of Death

- Motor vehicle/other unintentional injuries
- Homicide
- Suicide
- Malignant neoplasms
- Heart diseases

---

### Interventions for the General Population

---

#### SCREENING

Height and weight [Ch 21]  
Blood pressure<sup>1</sup> [Ch 3]  
Papanicolaou (Pap) test<sup>2</sup> [Ch 9]  
Chlamydia screen<sup>3</sup> (females <25 yr)  
Rubella serology or vaccination hx<sup>4</sup>  
(females >12 yr) [Ch 32]  
Learning and attention disorders<sup>5</sup>  
Signs of child abuse, neglect, family violence  
Alcohol, inhalant, illicit drug use<sup>6</sup> [Ch 52]  
Eating disorders<sup>7</sup>  
Anxiety and mood disorders<sup>8</sup>  
Suicide risk factors<sup>9</sup>

#### COUNSELING

**Injury Prevention** [Ch 57,58]  
Lap/shoulder belts  
Bicycle/motorcycle/ATV helmet\*  
Smoke detector\*  
Safe storage/removal of firearms\* [Ch 50, 59]  
Smoking near bedding or upholstery

#### Substance Use

Avoid tobacco use [Ch 54]  
Avoid underage drinking and illicit drug use\*  
[Ch 52, 53]  
Avoid alcohol/drug use while driving, swimming,  
boating, etc.\* [Ch 57, 58]

#### Sexual Behavior [Ch 62, 63]

---

STD prevention: abstinence\*; avoid high-risk  
behavior\*; condoms/female barrier with spermicide\*  
Unintended pregnancy: contraception

#### Diet and Exercise

Limit fat and cholesterol; maintain caloric  
balance; emphasize grains, fruits, vegetables [Ch 56]  
Adequate calcium intake (females) [Ch 56]  
Regular physical activity\* [Ch 55]

#### Dental Health [Ch 61]

Regular visits to dental care provider\*  
Floss, brush with fluoride toothpaste daily\*

#### Mental Health/Chemical Dependency

Parent education regarding:

- Adolescent development
- Behavior management
- Effects of excess TV watching
- Special needs of child and family due to:
  - Familial stress or disruption
  - Health problems
  - Temperamental incongruence with parent
  - Environmental stressors such as  
community violence or disaster,  
immigration, minority status,  
homelessness
- Referral for MHCD and other family support  
services as indicated

<sup>1</sup>Periodic BP for persons aged > 21 yr. <sup>2</sup>If sexually active at present or in the past: q < 3 yr. If sexual history is unreliable, begin Pap test at age 18 yr.  
<sup>3</sup>If sexually active. <sup>4</sup>Serologic testing, documented vaccination history, and routine vaccination against rubella (preferably with MMR) are equally  
acceptable alternatives. <sup>5</sup>Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with  
significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting.  
<sup>6</sup>Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological  
disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood  
swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering  
gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile  
accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. <sup>7</sup>Persons with a weight  
>10% below ideal body weight, parotid gland hypertrophy or erosion of tooth enamel. Females with a chemical dependency. <sup>8</sup>In women who are at  
increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription  
drug utilization, medical and reproductive history. <sup>9</sup>Recent divorce, separation, unemployment, depression, alcohol or other drug abuse, serious  
medical illness, living alone, homelessness, or recent bereavement.

\*The ability of clinical counseling to influence this behavior is unproven.

## Ages 11-24 Years (Cont'd)

### Interventions for the General Population (Cont'd)

#### IMMUNIZATIONS [Ch 65, 66]

Tetanus-diphtheria (Td) boosters (11-16 yr)

Hepatitis B<sup>1</sup>

MMR (11-12 yr)<sup>2</sup>

Varicella (11-12 yr)<sup>3</sup>

Rubella<sup>4</sup> (females >12 yr) [Ch 32]

#### CHEMOPROPHYLAXIS

Multivitamin with folic acid (females planning/capable of pregnancy) [Ch 42]

<sup>1</sup>If not previously immunized: current visit, 1 and 6 mo later. <sup>2</sup>If no previous second dose of MMR. <sup>3</sup>If susceptible to chickenpox. <sup>4</sup>Serologic testing, documented vaccination history, and routine vaccination against rubella (preferably with MMR) are equally acceptable alternatives.

### Interventions for the High-Risk Population

#### POPULATION

High-risk sexual behavior

Injection or street drug use

TB contacts; immigrants; low income

Native American/Alaska Native

Certain chronic medical conditions

Settings where adolescents and young adults congregate

Susceptible to varicella, measles, mumps

Blood transfusion between 1975-85

Institutionalized persons

Family h/o skin cancer; nevi; fair skin, eyes, hair

Prior pregnancy with neural tube defect

Inadequate water fluoridation

History of multiple injuries

High risk for mental health disorders

#### POTENTIAL INTERVENTIONS

(See detailed high-risk definitions)

RPR/VDRL (HR1); screen for gonorrhea (female) (HR2),

HIV (HR3), chlamydia (female) (HR4); hepatitis A vaccine (HR5)

RPR/VDRL (HR1); HIV screen (HR3); hepatitis A vaccine (HR5); PPD (HR6); advice to reduce infection risk (HR7)

PPD (HR3)

Hepatitis A vaccine (HR5); PPD (HR6); pneumococcal vaccine (HR8)

PPD (HR6); pneumococcal vaccine (HR8);

influenza vaccine (HR9)

Second MMR (HR10)

Varicella vaccine (HR11); MMR (HR12)

HIV screen (HR3)

Hepatitis A vaccine (HR5); PPD (HR6); influenza vaccine (HR9)

Avoid excess/midday sun, use protective clothing\* (HR9)

Folic acid 4.0 mg (HR14)

Daily fluoride supplement (HR8)

Screen for child abuse, neurological, mental health conditions

Increased well-child/adolescent visits (HR16)

### High Risk Groups

**HR1** = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

**HR2** = Females who have: two or more sex partners in the last year; a sex partner with multiple sexual contacts; exchanged sex for money or drugs; or a history of repeated episodes of gonorrhea. Clinicians should also consider local epidemiology (see Ch. 27).

## Ages 11-24 Years (Cont'd)

---

**HR3** = Males who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-85; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

**HR4** = Sexually active females with multiple risk factors including: history of prior STD; new or multiple sex partners; age < 25; nonuse or inconsistent use of barrier contraceptives; cervical ectopy. Clinicians should consider local epidemiology of the disease in identifying other high-risk groups (see Ch. 29).

**HR5** = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Vaccine may be considered for institutionalized persons. Clinicians should also consider local epidemiology (see Ch. 66, 67).

**HR6** = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

**HR7** = Persons who continue to inject drugs (see Ch. 53).

**HR8** = Immunocompetent persons with certain medical conditions, including chronic cardiopulmonary disorders, diabetes mellitus, and anatomic asplenia. Immunocompetent persons who live in high-risk environments/social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

**HR9** = Annual vaccination of: residents of chronic care facilities; persons with chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression, or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

**HR10** = Adolescents and young adults in settings where such individuals congregate (e.g., high schools and colleges), if they have not previously received a second dose (see Ch. 65, 66).

**HR11** = Healthy persons aged >13 yr without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible persons aged >13 yr (see Ch. 65, 66).

**HR12** = Persons born after 1956 who lack evidence of immunity to measles or mumps (e.g., documented receipt of live vaccine on or after the first birthday, laboratory evidence of immunity, or a history of physician-diagnosed measles or mumps) (see Ch. 65, 66).

**HR13** = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

**HR14** = Women with prior pregnancy affected by neural tube defect planning a pregnancy (see Ch. 42).

## **Ages 11-24 Years (Cont'd)**

---

**HR15** = Persons aged <17 yr living in areas with inadequate water fluoridation (<0.6 ppm) (see Ch. 61).

**HR16** = Having a: chronically mentally ill parent; substance abusing parent; mother who began parenting as a teen. Living at or below poverty. Having: parents involved in criminal behavior; experienced an out-of-home placement(s), multiple moves, failed adoption(s). Being homeless. Having suffered physical, emotional or sexual abuse, or severe neglect. Having: a chronic health problem in the family; an absence of a family support system. Being substance affected at birth.

## Ages 25-64 Years

---

### Interventions Considered and Recommended for the Periodic Health Examination

### Leading Causes of Death Malignant neoplasms Heart diseases Motor vehicle/other unintentional injuries Human immunodeficiency virus infection Suicide and homicide

---

### Interventions for the General Population

---

#### SCREENING

Blood pressure [Ch 3]  
Height and weight [Ch 21]  
High-density lipoprotein cholesterol (HDL-C) and total blood cholesterol (men age 35-64, women age 45-64)  
Papanicolaou (Pap) test<sup>1</sup> [Ch 9]  
Fecal occult blood test<sup>2</sup> and/or sigmoidoscopy (>50 yr) [Ch 8]  
Mammogram + clinical breast exam<sup>3</sup> (women 40-49 yr)  
Mammogram + clinical breast exam<sup>4</sup> (women >50 yr)  
Rubella serology or vaccination hx<sup>5</sup> (women of childbearing age) [Ch 32]  
Learning and attention disorders<sup>6</sup>  
Signs of child abuse, neglect, family violence  
Alcohol, inhalant, illicit drug use<sup>7</sup> [Ch 52]  
Eating disorders<sup>8</sup>  
Anxiety and mood disorders<sup>9</sup>  
Suicide risk factors<sup>10</sup>  
Somatoform disorders<sup>11</sup>  
Environmental stressors<sup>12</sup>

#### COUNSELING

##### Substance Use

Tobacco cessation [Ch 54]  
Avoid alcohol/drug use while driving, swimming, boating, etc.\* [Ch 57, 58]

##### Diet and Exercise

Limit fat and cholesterol; maintain caloric balance; emphasize grains, fruits, vegetables [Ch 56]  
Adequate calcium intake (women) [Ch 56]  
Regular physical activity\* [Ch 55]

##### Injury Prevention [Ch 57,58]

Lap/shoulder belts  
Bicycle/motorcycle/ATV helmet\*  
Smoke detector\*  
Safe storage/removal of firearms\* [Ch 50, 59]  
Smoking near bedding or upholstery

##### Sexual Behavior [Ch 62, 63]

STD prevention: abstinence\*; avoid high-risk behavior\*; condoms/female barrier with spermicide\*  
Unintended pregnancy: contraception

##### Dental Health [Ch 61]

Regular visits to dental care provider\*  
Floss, brush with fluoride toothpaste daily\*

#### IMMUNIZATIONS [Ch 32, 66]

Tetanus-diphtheria (Td) boosters  
Rubella<sup>5</sup> (women of childbearing age)

#### CHEMOPROPHYLAXIS

Multivitamin with folic acid (females planning or capable of pregnancy) [Ch 42]  
Discuss hormone prophylaxis (peri- and postmenopausal women) [Ch 68]

---

<sup>1</sup>Women who are or have been sexually active and who have a cervix: q < 3 yr. <sup>2</sup>Annually. <sup>3</sup>The screening decision for women 40-49 should be a mutual decision between a woman and her clinician. If a decision to proceed with mammography is made, it should be done every 1-2 years in combination with an annual clinical breast examination. <sup>4</sup>For women of age 50 and older, screening mammography should be performed every 1-2 years in combination with an annual clinical breast examination. <sup>5</sup>Serologic testing, documented vaccination history, and routine vaccination (preferably with MMR) are equally acceptable. <sup>6</sup>Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting. <sup>7</sup>Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. <sup>8</sup>Persons with a weight >10% below ideal body weight, parotid gland hypertrophy or erosion of tooth enamel. Females with a chemical dependency. <sup>9</sup>In women who are at increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription drug utilization, medical and reproductive history. <sup>10</sup>Recent divorce, separation, unemployment, depression, alcohol or other drug abuse, serious medical illness, living alone, homelessness, or recent bereavement. <sup>11</sup>Multiple unexplained somatic complaints. <sup>12</sup>Community violence or disaster, immigration, homelessness, family medical problems.

\*The ability of clinical counseling to influence this behavior is unproven.

## Ages 25-64 Years (Cont'd)

---

### Interventions for the High-Risk Population

---

POPULATION	POTENTIAL INTERVENTIONS (See detailed high-risk definitions)
High-risk sexual behavior	RPR/VDRL (HR1); screen for gonorrhea (female) (HR2), HIV (HR3), chlamydia (female) (HR4); hepatitis B vaccine (HR5); hepatitis A vaccine (HR6)
Injection or street drug use	RPR/VDRL (HR1); HIV screen (HR3); hepatitis B vaccine (HR5); hepatitis A vaccine (HR6); PPD (HR7) advice to reduce Infection risk (HR8)
Low income; TB contacts; immigrants; alcoholics Native American/Alaska Native	PPD (HR7) Hepatitis A vaccine (HR6); PPD (HR7); pneumococcal vaccine (HR9)
Certain chronic medical conditions	PPD (HR7); pneumococcal vaccine (HR9); influenza vaccine (HR10)
Blood product recipients Susceptible to varicella, measles, mumps Institutionalized persons	HIV screen (HR3); hepatitis B vaccine (HR5) MMR (HR11); varicella vaccine (HR12) Hepatitis A vaccine (HR6); PPD (HR7); pneumococcal vaccine (HR9); influenza vaccine (HR10)
Family h/o skin cancer; fair skin, eyes, hair	Avoid excess/midday sun, use protective clothing* (HR13) Folic acid 4.0 mg (HR14)
Previous pregnancy with neural tube defect	

---

### High Risk Groups

---

**HR1** = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

**HR2** = Women who exchange sex for money or drugs, or who have had repeated episodes of gonorrhea. Clinicians should also consider local epidemiology (see Ch. 27).

**HR3** = Males who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

**HR4** = Sexually active women with multiple risk factors including: history of STD; new or multiple sex partners; nonuse or inconsistent use of barrier contraceptives; cervical ectopy. Clinicians should consider local epidemiology (see Ch. 29).

**HR5** = Blood product recipients (including hemodialysis patients), men who have sex with men, injection drug users and their sex partners, persons with multiple recent sex partners, persons with other STDs (including HIV) (see Ch. 66).

**HR6** = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Consider for institutionalized persons. Clinicians should also consider local epidemiology (see Ch. 66, 67).

## **Ages 25-64 Years (Cont'd)**

---

**HR7** = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

**HR8** = Persons who continue to inject drugs (see Ch. 53).

**HR9** = Immunocompetent institutionalized persons >50 yr and immunocompetent with certain medical conditions, including chronic cardiac or pulmonary disease, diabetes mellitus, and anatomic asplenia. Immunocompetent persons who live in high-risk environments or social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

**HR10** = Annual vaccination of residents of chronic care facilities; persons with chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

**HR11** = Persons born after 1956 who lack evidence of immunity to measles or mumps (e.g., documented receipt of live vaccine on or after the first birthday, laboratory evidence of immunity, or a history of physician-diagnosed measles or mumps) (see Ch. 66).

**HR12** = Healthy adults without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible adults (see Ch. 65, 66).

**HR13** = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

**HR14** = Women with previous pregnancy affected by neural tube defect who are planning pregnancy (see Ch. 42).

# Age 65 and Older

---

## Interventions Considered and Recommended for the Periodic Health Examination

## Leading Causes of Death

- Heart diseases
- Malignant neoplasms (lung, colorectal, breast)
- Cerebrovascular disease
- Chronic obstructive pulmonary disease
- Pneumonia and influenza

---

## Interventions for the General Population

---

### SCREENING

Blood pressure [Ch 3]  
Height and weight [Ch 21]  
Fecal occult blood test<sup>1</sup> and/or sigmoidoscopy [Ch 8]  
Mammogram + clinical breast exam<sup>2</sup>  
Papanicolaou (Pap) test<sup>3</sup> [Ch 9]  
Vision screening [Ch 33]  
Assess for hearing impairment [Ch 35]  
Signs of elder abuse, neglect, family violence  
Alcohol, inhalant, illicit drug use<sup>4</sup> [Ch 52]  
Anxiety and mood disorders<sup>5</sup>  
Somatoform disorders<sup>6</sup>  
Environmental stressors<sup>7</sup>

### COUNSELING

#### Substance Use

Tobacco cessation [Ch 54]  
Avoid alcohol/drug use while driving, swimming, boating, etc.\* [Ch 57, 58]

#### Diet and Exercise

Limit fat and cholesterol; maintain caloric balance; emphasize grains, fruits, vegetables [Ch 56]  
Adequate calcium intake (women) [Ch 56]  
Regular physical activity\* [Ch 55, 58]  
Assess eating environment

### Injury Prevention [Ch 57,58]

Lap/shoulder belts  
Motorcycle and bicycle helmets\*  
Fall prevention\*  
Safe storage/removal of firearms\* [Ch 50, 59]  
Smoke detector\*  
Set hot water heater to <120-130°F  
CPR training for household members  
Smoking near bedding or upholstery

### Dental Health [Ch 61]

Regular visits to dental care provider\*  
Floss, brush with fluoride toothpaste daily\*

### Sexual Behavior

STD prevention: avoid high-risk sexual behavior\*;  
use condoms [Ch 62]

### IMMUNIZATIONS [Ch 66]

Pneumococcal vaccine  
Influenza<sup>1</sup>  
Tetanus-diphtheria (Td) boosters

### CHEMOPROPHYLAXIS

Discuss hormone prophylaxis (peri- and postmenopausal women) [Ch 68]

---

<sup>1</sup>Annually. <sup>2</sup>Screening mammography should be performed every 1-2 years in combination with an annual clinical breast examination. <sup>3</sup>All women who are or have been sexually active and who have a cervix. Consider discontinuation of testing after age 65 yr if previous regular screening with consistently normal results. <sup>4</sup>Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. <sup>5</sup>In women who are at increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription drug utilization, medical and reproductive history. <sup>6</sup>Multiple unexplained somatic complaints. <sup>7</sup>Community violence or disaster, immigration, homelessness, family medical problems.

\*The ability of clinical counseling to influence this behavior is unproven.

## Age 65 and Older (Cont'd)

---

### Interventions for the High-Risk Population

---

POPULATION	POTENTIAL INTERVENTIONS (See detailed high-risk definitions)
Institutionalized persons	PPD (HR1); hepatitis A vaccine (HR2); amantadine/ rimantadine (HR4) PPD (HR1)
Chronic medical conditions; TB contacts; low income; immigrants; alcoholics	
Persons >75 yr; or >70 yr with risk factors for falls	Fall prevention intervention (HR5)
Cardiovascular disease risk factors	Consider cholesterol screening (HR6)
Family h/o skin cancer; fair skin, eyes, hair	Avoid excess/midday sun, use protective clothing* (HR7) PPD (HR1); hepatitis A vaccine (HR2)
Native American/Alaska Native	HIV screen (HR3); hepatitis B vaccine (HR8)
Blood product recipients	Hepatitis A vaccine (HR2); HIV screen (HR3); hepatitis B vaccine (HR8); RPR/VDRL (HR9)
High-risk sexual behavior	PPD (HR1); hepatitis A vaccine (HR2); HIV screen (HR3); hepatitis B vaccine (HR8); RPR/VDRL (HR9); advice to reduce Infection risk (HR10)
Injection or street drug use	Varicella vaccine (HR11) Refer to meal and social support resources
Persons susceptible to varicella	
Persons living alone and with poor nutrition	

---

### High Risk Groups

---

**HR1** = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

**HR2** = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Consider for institutionalized. Clinicians should also consider local epidemiology (see Ch. 66, 67).

**HR3** = Men who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

**HR4** = Consider for persons who have not received influenza vaccine or are vaccinated late; when the vaccine may be ineffective due to major antigenic changes in the virus; to supplement protection provided by vaccine in persons who are expected to have a poor antibody response; and for high-risk persons in whom the vaccine is contraindicated (see Ch. 66).

**HR5** = Persons aged 75 years and older; or aged 70-74 with one or more additional risk factors including: use of certain psychoactive and cardiac medications (e.g., benzodiazepines, antihypertensives); use of >4 prescription medications; impaired cognition, strength, balance, or gait. Intensive individualized home-based multifactorial fall prevention intervention is recommended in settings where adequate resources are available to deliver such services (see Ch. 58).

**HR6** = Although evidence is insufficient to recommend routine screening in elderly persons, clinicians should consider cholesterol screening on a case-by-case basis for persons ages 65-75 with additional risk factors (e.g., smoking, diabetes, or hypertension) (see Ch. 2).

## **Age 65 and Older (Cont'd)**

---

**HR7** = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

**HR8** = Blood product recipients (including hemodialysis patients), men who have sex with men, injection drug users and their sex partners, persons with multiple recent sex partners, persons with other STDs (including HIV) (see Ch. 66).

**HR9** = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

**HR10** = Persons who continue to inject drugs (see Ch. 53).

**HR11** = Healthy adults without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible adults (see Ch. 65, 66).

# Pregnant Women\*\*

---

## Interventions Considered and Recommended for the Periodic Health Examination

---

### Interventions for the General Population

---

#### SCREENING

##### First visit

Blood pressure [Ch 3, 37]

Hemoglobin/hematocrit [Ch 22]

Hepatitis B surface antigen (HBsAg) [Ch 24]

RPR/VDRL [Ch 26]

Chlamydia screen (<25 yr) [Ch 29]

Rubella serology or vaccination history [Ch 32]

D(Rh) typing, antibody screen [Ch 38]

Offer CVS (<13 wk)<sup>1</sup> or amniocentesis (15-18 wk)<sup>1</sup> (age>35 yr) [Ch 41]

Offer hemoglobinopathy screening [Ch 43]

Assess for problem or risk drinking [Ch 52]

Offer HIV screening<sup>2</sup> [Ch 28]

##### Follow-up visits

Blood pressure [Ch 3, 37]

Urine culture (12-16 wk) [Ch 31]

Offer amniocentesis (15-18 wk)<sup>1</sup> (age>35 yr) [Ch 41]

Offer multiple marker testing<sup>1</sup> (15-18 wk) [Ch 41]

Offer serum  $\alpha$ -fetoprotein<sup>1</sup> (16-18 wk) [Ch 42]

#### COUNSELING

Tobacco cessation; effects of passive smoking [Ch 54]

Alcohol/other drug use [Ch 52, 53]

Nutrition, including adequate calcium intake [Ch 56]

Encourage breastfeeding [Ch 22, 56]

Lap/shoulder belts [Ch 57]

Infant safety car seats [Ch 57]

STD prevention: avoid high-risk sexual behavior\*; use condoms\* [Ch 62]

#### CHEMOPROPHYLAXIS

Multivitamin with folic acid<sup>3</sup> [Ch 42]

---

<sup>1</sup>Women with access to counseling and follow-up services, reliable standardized laboratories, skilled high-resolution ultrasound, and, for those receiving serum marker testing, amniocentesis capabilities. <sup>2</sup>Universal screening is recommended for areas (states, counties, or cities) with an increased prevalence of HIV infection among pregnant women. In low-prevalence areas, the choice between universal and targeted screening may depend on other considerations (see Ch. 28). <sup>3</sup>Beginning at least 1 mo before conception and continuing through the first trimester.

\*The ability of clinical counseling to influence this behavior is unproven.

\*\*See tables for ages 11-24 and 25-64 for other preventive services recommended for women of these age groups.

## Pregnant Women (Cont'd)

---

### Interventions for the High-Risk Population

---

#### POPULATION

High-risk sexual behavior

Blood transfusion 1978-85

Injection drug use

Unsensitized D-negative women

Risk factors for Down syndrome

Previous pregnancy with neural tube defect

High risk for child abuse

#### POTENTIAL INTERVENTIONS

(See detailed high-risk definitions)

Screen for chlamydia (1st visit) (HR1), gonorrhea (1st visit) (HR2), HIV (1st visit) (HR3); HBsAg (3rd trimester) (HR4); RPR/VDRL (3rd trimester) (HR5)

HIV screen (1st visit) (HR3)

HIV screen (HR3); ABsAg (3rd trimester) (HR4); advice to reduce infection risk (HR6)

D(Rh) antibody testing (24-28 wk) (HR7)

Offer CVS<sup>1</sup> (1st trimester), amniocentesis<sup>1</sup> (15-18 wk) (HR8)

Offer amniocentesis<sup>1</sup> (15-18 wk), folic acid 4.0 mg<sup>3</sup> (HR9)

Targeted case management

---

## High Risk Groups

---

**HR1** = Women with history of STD or new or multiple sex partners. Clinicians should also consider local epidemiology. Chlamydia screen should be repeated in 3rd trimester if at continued risk (see Ch. 29).

**HR2** = Women under age 25 with two or more sex partners in the last year, or whose sex partner has multiple sexual contacts; women who exchange sex for money or drugs; and women with a history of repeated episodes of gonorrhea. Clinicians should also consider local epidemiology. Gonorrhea screen should be repeated in the 3rd trimester if at continued risk (see Ch. 27).

**HR3** = In areas where universal screening is not performed due to low prevalence of HIV infection, pregnant women with the following individual risk factors should be screened: past or present injection drug use; women who exchange sex for money or drugs; injection drug-using, bisexual, or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs (see Ch. 28).

**HR4** = Women who are initially HBsAg negative who are at high risk due to injection drug use, suspected exposure to hepatitis B during pregnancy, multiple sex partners (see Ch. 24).

**HR5** = Women who exchange sex for money or drugs, women with other STDs (including HIV), and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 66).

**HR6** = Women who continue to inject drugs (see Ch. 53).

**HR7** = Unsensitized D-negative women (see Ch. 38).

**HR8** = Prior pregnancy affected by Down syndrome, advanced maternal age (>35 yr), known carriage of chromosome rearrangement (see Ch. 41).

**HR9** = Women with previous pregnancy affected by neural tube defect (see Ch. 42).