

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: RUMINATION DISORDER OF INFANCY  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.53  
CPT: 90816-90819,90823-90827,90846-90849,90887,99051,99060,99217-99239,99251-99255  
HCPCS: H0035,H0038,H2011,H2027,S9125,S9484  
Line: 91

Diagnosis: ANOREXIA NERVOSA  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.1  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 142

Diagnosis: REACTIVE ATTACHMENT DISORDER OF INFANCY OR EARLY CHILDHOOD  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 313.89  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,  
T1005,T1013,T1016,T1023  
Line: 143

Diagnosis: SCHIZOPHRENIC DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 295.1-295.9,298.4,299.1,299.9  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 159

Diagnosis: MAJOR DEPRESSION, RECURRENT  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 296.30-296.36,298.0  
CPT: 90801-90829,90846-90862,90870,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 160

Diagnosis: BIPOLAR DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 296.0-296.1,296.4-296.8,296.99,301.13  
CPT: 90801-90829,90846-90862,90870,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 161

Diagnosis: TOBACCO DEPENDENCE (See Guideline Note 13)  
Treatment: MEDICAL THERAPY/BRIEF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS  
ICD-9: 305.1  
CPT: 96150-96154,97810-97814,99071,99078,99201-99215,99372  
HCPCS: D1320,G9016,S9075,S9453  
Line: 182

Diagnosis: ABUSE OR DEPENDENCE OF PSYCHOACTIVE SUBSTANCE  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 291.1,303.9,304,305.0,305.2-305.9  
CPT: 90801-90829,90846-90862,90882,90887,96101,97810-97814,99051,99060,99201-99255  
HCPCS: H0001,H0002,H0004,H0005,H0006,H0012,H0016,H0020,H0031,H0033,H0034,H0035,H0048,H2010,  
H2013,H2033,H2035,T1006,T1013,T1016,T1502  
Line: 184

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: DEPRESSION AND OTHER MOOD DISORDERS, MILD OR MODERATE (See Guideline Note 14)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 296.2,296.90,298.0,311  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 185

Diagnosis: OTHER PSYCHOTIC DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 297.3,298.1-298.3,298.9,299.8  
CPT: 90801-90815,90821,90822,90828,90829,90846-90862,90882,90887,96101,99051,99060,99201-  
99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,  
S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 186

Diagnosis: ATTENTION DEFICIT DISORDERS WITH HYPERACTIVITY OR UNDIFFERENTIATED (See Guideline  
Note 15)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 314  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99251-  
99255  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,  
H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,  
T1023  
Line: 187

Diagnosis: ACUTE STRESS DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 308  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846,90847,90849,90853,90857,90862,  
90882,90887,96101,99051,99060,99201-99255  
HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,  
H2013,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 241

Diagnosis: SEPARATION ANXIETY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 309.21  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,  
99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,  
H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,H2033,H0045,S9484,T1005,T1013,  
T1016,T1023  
Line: 242

Diagnosis: SUBSTANCE-INDUCED DELIRIUM  
Treatment: MEDICAL THERAPY  
ICD-9: 291.0,291.3,291.8-291.9,292.0,292.8  
CPT: 90816-90819,90823-90827,90862,97810-97814,99217-99223,99231-99239,99251-99263  
HCPCS: H0001,H0002,H0033,H0035,H0048,H2013  
Line: 260

Diagnosis: ADJUSTMENT DISORDERS (See Coding Specification Below) (See Guideline Note 19)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 309.0,309.1,309.23-309.29,309.3-309.4,309.82,309.83,309.89,309.9,V61.20,V62.82  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,  
99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,  
H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S5151,S9125,S9484,T1005,T1013,  
T1016,T1023  
Line: 263

ICD-9-CM codes V61.20, Counseling for Parent-Child Problem, Unspecified, and V62.82, Bereavement, Uncomplicated, are only included in this line when identified as secondary diagnoses with a primary diagnosis of 309.89, Other Specified Adjustment Reactions.

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: OPPOSITIONAL DEFIANT DISORDER (See Guideline Note 20)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 312.9, 313.81  
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 96150-96154, 99051, 99060, 99201-99215, 99241-99255  
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2014, H2021, H2022, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023  
Line: 264

Diagnosis: TOURETTE'S DISORDER AND TIC DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.2  
CPT: 58957-58958, 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 96150-96154, 99051, 99060, 99201-99215, 99241-99255  
HCPCS: G0176, G0177, H0002, H0004, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2027, H2032, S9484, T1013, T1016, T1023  
Line: 265

Diagnosis: POSTTRAUMATIC STRESS DISORDER (See Guideline Note 24)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 309.81, 995.52-995.54  
CPT: 90801-90807, 90810-90813, 90816-90819, 90823-90827, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99255, 99304-99318  
HCPCS: G0176, G0177, H0002, H0004, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023  
Line: 301

Diagnosis: OBSESSIVE-COMPULSIVE DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.3  
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99255  
HCPCS: G0176, G0177, H0002, H0004, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, H0045, S9480, S9484, T1013, T1016, T1023  
Line: 302

Diagnosis: PANIC DISORDER; AGORAPHOBIA  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.01, 300.21-300.22  
CPT: 90801-90807, 90810-90813, 90816-90819, 90823-90827, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99255  
HCPCS: G0176, G0177, H0002, H0004, H0018, H0019, H0031, H0032, H0033, H0034, H0035, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023  
Line: 337

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER (See Guideline Note 29)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 312.0-312.2, 312.4, 312.8  
CPT: 90801-90807, 90810-90813, 90846-90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99255  
HCPCS: G0176, G0177, H0002, H0004, H0017, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2014, H2021, H2022, H2023, H2027, H2032, H2033, S5151, S9125, S9480, S9484, T1005, T1013, T1016, T1023  
Line: 371

Diagnosis: OVERANXIOUS DISORDER; GENERALIZED ANXIETY DISORDER; ANXIETY DISORDER, UNSPECIFIED  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.00, 300.02-300.09, 307.46, 313.0  
CPT: 90801-90807, 90810-90813, 90846, 90847, 90849, 90853, 90857, 90862, 90882, 90887, 96101, 99051, 99060, 99201-99215, 99241-99245  
HCPCS: G0176, G0177, H0002, H0004, H0018, H0019, H0031, H0032, H0033, H0034, H0036, H0037, H0038, H0039, H0045, H2010, H2011, H2012, H2013, H2014, H2021, H2022, H2023, H2027, H2032, H2033, S5151, S9125, S9484, T1005, T1013, T1016, T1023  
Line: 372

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: BULIMIA NERVOSA  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.51,307.54  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023  
Line: 373

Diagnosis: DELUSIONAL DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 297.0-297.2,297.8-297.9  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,  
H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,  
S9480,S9484,T1005,T1013,T1016,T1023  
Line: 384

Diagnosis: CHRONIC DEPRESSION  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.4-300.5  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,  
99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H2011,H2012,  
H2014,H2021,H2022,H2023,H2027,H2032,S9480,S9484,T1013,T1016,T1023  
Line: 417

Diagnosis: SUBSTANCE-INDUCED DELUSIONAL AND MOOD DISORDERS; INTOXICATION  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 291.3-291.5,291.9,292.1-292.2,292.89,292.9,303.0  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,97810-97814,99201-99255  
HCPCS: H0001,H0002,H0004,H0005,H0016,H0020,H0031,H0033,H0034,H0035,H0048,H2013,T1006,T1013,  
T1016  
Line: 418

Diagnosis: BORDERLINE PERSONALITY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 301.83  
CPT: 90801-90807,90810-90813,90816-90827,90846,90847,90853-90862,90882,90887,96101,99051,  
99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,  
H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,  
S9484,T1005,T1013,T1016,T1023  
Line: 419

Diagnosis: SCHIZOTYPAL PERSONALITY DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 295.0,301.22  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,  
99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,  
H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,  
S9484,T1005,T1013,T1016,T1023  
Line: 420

Diagnosis: CONVERSION DISORDER, CHILD  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.11  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-  
99255  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,  
H2013,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 424

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: FUNCTIONAL ENCOPIRESIS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.7  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 425

Diagnosis: AVOIDANT DISORDER OF CHILDHOOD OR ADOLESCENCE; ELECTIVE MUTISM  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 313.2  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 426

Diagnosis: PSYCHOLOGICAL FACTORS AGGRAVATING PHYSICAL CONDITION (EG. ASTHMA, CHRONIC GI CONDITIONS, HYPERTENSION)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 316  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-99255  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 427

Diagnosis: EATING DISORDER NOS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.50,307.54,307.59  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 453

Diagnosis: DISSOCIATIVE DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.10,300.12-300.15,300.6  
CPT: 90801-90829,90846-90862,90882,90887,96101,99051,99060,99201-99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9480,S9484,T1005,T1013,T1016,T1023  
Line: 454

Diagnosis: CHRONIC ORGANIC MENTAL DISORDERS INCLUDING DEMENTIAS  
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION  
ICD-9: 290,291.2,292.82-292.84,293.8,294,299.00,299.10,299.8,310.1  
CPT: 90801,90804-90807,90816-90819,90823-90827,90846-90853,90862,90882,90887,96101,96118,99051,99060,99201-99255,99304-99318  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,T1013,T1016,T1023  
Line: 455

Diagnosis: STEREOTYPY/HABIT DISORDER AND SELF-ABUSIVE BEHAVIOR DUE TO NEUROLOGICAL DYSFUNCTION  
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION  
ICD-9: 307.3  
CPT: 90801-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H0035,H0036,H0037,H0038,H0039,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9125,S9480,S9484,T1013,T1016,T1023  
Line: 467

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: SOMATIZATION DISORDER; SOMATOFORM PAIN DISORDER; PREMENSTRUAL TENSION SYNDROMES  
Treatment: CONSULTATION/BEHAVIORAL MANAGEMENT  
ICD-9: 300.81-300.82,307.80,307.89,625.4  
CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,  
99051,99060,99201-99215,99241-99245  
HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0038,H0039,H2011,H2013,H2021,H2022,  
H2023,H2027,S9484,T1013,T1016,T1023  
Line: 502

Diagnosis: SIMPLE AND SOCIAL PHOBIAS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.23,300.29  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,  
99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2011,H2012,  
H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 520

Diagnosis: IMPULSE DISORDERS (See Guideline Note 48)  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 312.31-312.39  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-  
99255  
HCPCS: G0176,G0177,H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0036,H0037,H0038,  
H0039,H0045,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9125,S9484,T1005,  
T1013,T1016,T1023  
Line: 545

Diagnosis: SEXUAL DYSFUNCTION  
Treatment: PSYCHOTHERAPY, MEDICAL AND SURGICAL TREATMENT  
ICD-9: 302.7,607.84  
CPT: 54400-54417,90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,  
93980-93981,99024,99051,99060,99070,99078,99201-99362,99374-99375,99379-99440  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0038,H2011,H2014,H2027,H2032,  
S9484,T1013,T1016,T1023  
Line: 547

Diagnosis: FACTITIOUS DISORDERS  
Treatment: CONSULTATION  
ICD-9: 300.10,300.16,300.19,301.51  
CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,  
99051,99060,99201-99215,99241-99245  
HCPCS: H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H2011,H2013,H2021,H2022,S9484,  
T1013,T1016,T1023  
Line: 590

Diagnosis: HYPOCHONDRIASIS; SOMATOFORM DISORDER, NOS AND UNDIFFERENTIATED  
Treatment: CONSULTATION  
ICD-9: 300.7,300.9,306  
CPT: 90801,90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,  
99051,99060,99201-99215,99241-99245  
HCPCS: H0002,H0004,H0017,H0018,H0019,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H2011,H2013,  
H2021,H2022,S9484,T1013,T1016,T1023  
Line: 591

Diagnosis: CONVERSION DISORDER, ADULT  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 300.11  
CPT: 90801-90807,90810-90813,90846-90862,90882,90887,96101,99051,99060,99201-99215,99241-  
99255  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H2011,  
H2013,H2014,H2021,H2022,H2023,H2027,H2032,S9484,T1013,T1016,T1023  
Line: 592

Diagnosis: PICA  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 307.52  
CPT: 90801-90807,90810-90813,90846-90857,90882,90887,96101,99051,99060,99201-99215,99241-  
99255  
HCPCS: G0177,H0002,H0004,H0031,H0032,H0034,H0035,T1013,T1016,T1023  
Line: 609

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

Diagnosis: PERSONALITY DISORDERS EXCLUDING BORDERLINE, SCHIZOTYPAL AND ANTI-SOCIAL  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 301.0,301.10-301.12,301.20-301.21,301.3-301.4,301.50,301.59,301.6,301.81-301.82,  
301.84,301.89,301.9  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,99051,  
99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,  
H2014,H2021,H2022,H2023,H2027,H2032,S5151,S9484,T1005,T1013,T1016,T1023  
Line: 638

Diagnosis: GENDER IDENTIFICATION DISORDER, PARAPHILIAS AND OTHER PSYCHOSEXUAL DISORDERS  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 302.0-302.4,302.50,302.6,302.85,302.9  
CPT: 90801-90807,90810-90813,90846,90847,90849,90853,90857,90882,90887,96101,99051,99060,  
99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H0035,H2011,H2014,H2027,H2032,S9484,T1013,  
T1016,T1023  
Line: 639

Diagnosis: ANTI-SOCIAL PERSONALITY DISORDER  
Treatment: MEDICAL/PSYCHOTHERAPY  
ICD-9: 301.7  
CPT: 90801,90804-90807,90846-90853,90882,90887,96101,99051,99060,99201-99215,99241-99245  
HCPCS: G0176,G0177,H0002,H0004,H0031,H0032,H0034,H2011,H2014,H2027,H2032,S9484,T1013,T1016,  
T1023  
Line: 682

Diagnosis: MENTAL DISORDERS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY  
Treatment: EVALUATION  
ICD-9: 313.1,313.3,313.82-313.83  
CPT: 99201-99215  
HCPCS: T1023  
Line: 705

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

GUIDELINE NOTE 13, TOBACCO DEPENDENCE

On Line 182

Persons are eligible for tobacco dependence counseling if a documented quit date has been established.

GUIDELINE NOTE 14, MOOD DISORDERS IN EARLY CHILDHOOD

On Line 185

The use of 296.90, Unspecified Episodic Mood Disorder, is appropriate only when the following apply:

- For children five years old and under.
- In the presence of significant difficulty with emotional regulation that causes functional impairment.

Use of 296.90 for children five years old and under is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, H0004
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 15, ATTENTION DEFICIT AND HYPERACTIVITY DISORDERS IN EARLY CHILDHOOD

On Line 187

When using 314.9, Unspecified Hyperkinetic Syndrome, in children age 5 and under, it is appropriate only when the following apply:

- Child does not meet the full criteria for the full diagnosis because of their age.
- For children age 3 and under, when the child exhibits functional impairment due to hyperactivity that is clearly in excess of the normal activity range for age (confirmed by the evaluating clinician's observation, not only the parent/caregiver report), and when the child is very limited in his/her ability to have the sustained periods of calm, focused activity which would be expected for the child's age.

For children age 3 and under, it is especially important that psychosocial interventions, including parent skills training and/or parent-child therapy, and environmental modifications, be tried prior to medication. For children over the age of 3, psychosocial interventions are important, whether the child is on medications or not.

Use of 314.9 for children age five and younger is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 19, ADJUSTMENT REACTIONS IN EARLY CHILDHOOD

On Line 263

The use of V61.20, Counseling for Parent-Child Problem, Unspecified, must involve all of the following:

- Child must be five years of age or younger.
- Clinically significant impact on the child.
- Rating of 40 or below on the PIR-GAS (Parent-Infant Relationship Global Assessment Scale).

V62.82, Bereavement, Uncomplicated, is only included in this line when identified as a secondary diagnosis with a primary diagnosis of ICD-9-CM 309.89, Other Specified Adjustment Reactions. The use of V62.82 is only appropriate when a child birth through five years old exhibits a change in functioning subsequent to the loss of a primary caregiver, exhibits at least three of the following eight symptoms AND symptoms are present for most of the day, for more days than not,

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

GUIDELINE NOTE 19, ADJUSTMENT REACTIONS IN EARLY CHILDHOOD (Cont'd)

for at least 2 weeks:

- Crying, calling and/or searching for the absent primary caregiver;
- Refusing attempts of others to provide comfort;
- Emotional withdrawal manifesting in lethargy, sad facial expression, and lack of interest in age-appropriate activities that do not meet mood disorder criteria;
- Disruptions in eating and sleeping that do not meet criteria for feeding and eating disorders of infancy or early childhood;
- Regression in or loss of previously achieved developmental milestones not attributable to other health or mental health conditions;
- Constricted range of affect not attributable to a mood disorder or PTSD;
- Detachment, seeming indifference toward, or selective "forgetting" of the lost caregiver and/or of reminders of the lost caregiver;
- Acute distress or extreme sensitivity in response to any reminder of the caregiver or to any change in a possession, activity, or place related to the lost caregiver.

Intervention should include persons significantly involved in the child's care and include psychoeducation and developmentally specific guidance.

V61.20 and V62.82, used as secondary diagnosis codes to 309.89, in children age five and younger are limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Group therapy: 90853, 90857, H2032
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005,
- Case Management: 90882, T1016
- Interpreter Service: T1013
- For V62.82, Individual counseling and therapy: 90810, 90812
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

309.89, Other Specified Adjustment Reactions, may be used in children age five and younger when the child demonstrates some symptoms of PTSD (such as disruption of his or her usual sleeping or eating patterns, or more increased irritability / lower frustration tolerance) but does not meet the full criteria for PTSD or any other disorder.

- Cessation of the traumatic exposure must be the first priority.
- Infants and toddlers may benefit from parental guidance regarding management of the child's symptoms, guidance around enhancing safety and stability in the child's environment, and therapeutic support for the parents.

Use of 309.89 in children age 5 and under, without a secondary diagnosis of V61.20 or V62.82, is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual counseling and therapy: 90810, 90812
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

GUIDELINE NOTE 20, DISRUPTIVE BEHAVIOR DISORDERS IN EARLY CHILDHOOD

On Line 264

The use of 312.9, Unspecified Disturbance of Conduct, is appropriate only for children five years old and under who display sustained patterns of disruptive behavior beyond what is developmentally appropriate.

- Interventions should prioritize parent skills training in effective behavior management strategies or focus on other relational issues.

Use of 312.9 is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, 90814, H0004
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES  
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES  
October 1, 2007

GUIDELINE NOTE 24, MENTAL HEALTH PROBLEMS IN EARLY CHILDHOOD RELATED TO NEGLECT OR ABUSE

*On Line 301*

995.52, Child Neglect (Nutritional), 995.53, Child Sexual Abuse, and 995.54, Child Physical Abuse, may be used in children age five and younger when there is evidence or suspicion of abuse or neglect. These codes are to be used when the focus of treatment is on the alleged child victim. This can include findings by child welfare of abuse or neglect; or statements of abuse or neglect by the child, the perpetrator, or a caregiver or collateral report. Although these diagnoses can be used preventively, i.e. for children who are not yet showing symptoms, presence of symptoms should be demonstrated for interventions beyond evaluation or a short-term child or family intervention.

GUIDELINE NOTE 24, MENTAL HEALTH PROBLEMS IN EARLY CHILDHOOD RELATED TO NEGLECT OR ABUSE (Cont'd)

Use of 995.52-995.54 is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual counseling and therapy: 90810, 90812
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

GUIDELINE NOTE 29, CONDUCT DISORDER

*On Lines 371*

Conduct disorder rarely occurs in isolation from other psychiatric diagnosis, the patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

GUIDELINE NOTE 42, IMPULSE DISORDERS

*On Line 545*

Impulse disorders rarely occur in isolation from other psychiatric diagnosis, thus the Patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).