

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SEVERE/MODERATE HEAD INJURY; HEMATOMA/EDEMA WITH LOSS OF CONSCIOUSNESS
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 850.1-850.5, 851.02-851.06, 851.1, 851.22-851.26, 851.3, 851.42-851.46, 851.5, 851.62-851.66, 851.7, 851.82-851.86, 851.9
CPT: 61108, 61313-61315, 62140-62141, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 1

Diagnosis: TYPE I DIABETES MELLITUS
Treatment: MEDICAL THERAPY
ICD-9: 250.01, 250.03, 250.11, 250.13, 250.21, 250.23, 250.31, 250.33, 250.61, 250.63, 250.91, 250.93, 251.3
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 2

Diagnosis: PERITONITIS
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 567, 569.83, 777.6
CPT: 10180, 44120, 44602, 44626, 49021, 49040-49061, 49080-49081, 49420, 49423-49424, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 3

Diagnosis: ACUTE GLOMERULONEPHRITIS: WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS
Treatment: MEDICAL THERAPY INCLUDING DIALYSIS
ICD-9: 580.4
CPT: 36821, 36831-36833, 36835, 36870, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 4

Diagnosis: PNEUMOTHORAX AND HEMOTHORAX
Treatment: TUBE THORACOSTOMY/THORACOTOMY, MEDICAL THERAPY
ICD-9: 511.8, 512, 860
CPT: 32002, 32020, 32200-32215, 32310, 32420, 32500, 32650-32652, 32655, 32664-32665, 33015, 33020, 33025, 33030-33031, 33050, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 5

Diagnosis: HERNIA WITH OBSTRUCTION AND/OR GANGRENE
Treatment: REPAIR
ICD-9: 550.0-550.1, 551-552
CPT: 32800, 39502-39541, 39560, 39561, 43280, 43330-43331, 44050, 44120, 44346, 49491-49496, 49500-49611, 49650, 49651, 49900, 51500, 55540, 57556, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 6

Diagnosis: TORSION OF OVARY
Treatment: OOPHORECTOMY, OVARIAN CYSTECTOMY
ICD-9: 620.5
CPT: 58660, 58661, 58662, 58720, 58770, 58925, 58940-58943, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 7

Diagnosis: TORSION OF TESTIS
Treatment: ORCHIECTOMY, REPAIR
ICD-9: 608.2
CPT: 54512-54535, 54600, 54620, 54640, 54660, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 8

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ADDISON'S DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 255.4, 255.5

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 9

Diagnosis: INJURY TO INTERNAL ORGANS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 861.0-861.1, 861.20-861.22, 861.30-861.32, 862.0-862.1, 862.21, 862.29, 862.3, 862.9, 863-869, 958.4, 958.7

CPT: 31775, 32110, 32120, 32124, 32658, 32820, 32653-32654, 33300-33335, 33960-33961, 39501, 39545, 44139-44140, 44625, 45562-45563, 47361-47362, 47900, 50740, 50750, 50947-50948, 52310, 52315, 53502, 53505, 53510, 53515, 58520, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 10

Diagnosis: FLAIL CHEST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 807.4

CPT: 21750, 21800-21825, 32110, 32120, 32124, 32820, 32905-32906, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 11

Diagnosis: APPENDICITIS

Treatment: APPENDECTOMY

ICD-9: 289.2, 540-543

CPT: 44900-44960, 44970, 49020

Line: 12

Diagnosis: RUPTURED SPLEEN

Treatment: REPAIR/SPLENECTOMY/INCISION

ICD-9: 865

CPT: 38100, 38115, 38120

Line: 13

Diagnosis: TUBERCULOSIS

Treatment: MEDICAL THERAPY

ICD-9: 010-012, 031.0, V71.2

CPT: 32662, 32906, 32960, 33015, 33020, 33025, 33030-33031, 33050, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 14

Diagnosis: DEEP OPEN WOUND OF NECK, INCLUDING LARYNX; FRACTURE OF LARYNX OR TRACHEA, OPEN

Treatment: REPAIR

ICD-9: 807.5-807.6, 874

CPT: 11010-11012, 12001-12007, 13101, 13131-13150, 20100, 21493-21495, 31528-31529, 31766, 31780-31781, 31584-31586, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 15

Diagnosis: CROUP SYNDROME, EPIGLOTTITIS, ACUTE LARYNGOTRACHEITIS

Treatment: MEDICAL THERAPY, INTUBATION, TRACHEOTOMY

ICD-9: 464.01, 464.1-464.4, 464.51

CPT: 31500, 31600-31605, 31820-31830, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 16

Diagnosis: PNEUMOCOCCAL PNEUMONIA, OTHER BACTERIAL PNEUMONIA, BRONCHOPNEUMONIA

Treatment: MEDICAL THERAPY

ICD-9: 073.0, 481-483, 485-486, 507

CPT: 31500, 31603, 31645-31646, 32000, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 17

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PERTUSSIS AND DIPHTHERIA

Treatment: MEDICAL THERAPY

ICD-9: 032-033

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 18

Diagnosis: RUPTURE OF PAPILLARY MUSCLE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 429.5-429.6

CPT: 33425, 33430, 33542, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 19

Diagnosis: COAGULATION DEFECTS

Treatment: MEDICAL THERAPY

ICD-9: 286.0-286.5, 286.7-286.9, 719.1, V83.01, V83.02

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 20

Diagnosis: DISSECTING OR RUPTURED AORTIC ANEURYSM

Treatment: SURGICAL TREATMENT

ICD-9: 441.0-441.1, 441.3, 441.5-441.6

CPT: 32110, 32120, 32124, 32820, 33320-33335, 33690, 33860-33877, 33916, 34520, 35081-35103, 35301-35311, 35331-35351, 35450-35515, 35526-35531, 35536-35551, 35560-35563, 35601-35616, 35626-35647, 35651, 35663, 35820, 35840, 35870-35876, 35905, 35907, 36825-36830, 36834, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 21

Diagnosis: INJURY TO MAJOR BLOOD VESSELS OF EXTREMITIES

Treatment: LIGATION

ICD-9: 903-904

CPT: 35189-35190, 35206-35207, 35236, 35266, 35500, 37618

Line: 22

Diagnosis: INTUSSUSCEPTION, VOLVULUS, INTESTINAL OBSTRUCTION, AND FOREIGN BODY IN STOMACH, INTESTINES, COLON, & RECTUM

Treatment: EXCISION, MEDICAL THERAPY

ICD-9: 560.0, 560.2, 560.8-560.9, 935.2, 936-938

CPT: 43247, 43870, 44005-44010, 44020-44025, 44050, 44110-44130, 44139-44144, 44200, 44370, 44379, 44383, 44390, 44397, 45327, 45337, 45345, 45387, 45915, 49085, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 23

Diagnosis: NON-DISSECTING ANEURYSM WITHOUT RUPTURE

Treatment: SURGICAL TREATMENT

ICD-9: 441.2, 441.4, 441.7, 441.9, 442

CPT: 33320-33335, 33860-33877, 33916, 34800-34832, 35001-35081, 35091, 35102, 35111-35162, 35188, 35301-35311, 35331-35351, 35450-35515, 35526-35531, 35536-35551, 35560-35563, 35601-35616, 35626-35647, 35651, 35663, 35682-35683, 35820, 35840, 35905, 35907, 35875-35876, 36825-36830, 36834, 37565-37606, 37618, 61680-61700, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 24

Diagnosis: RUPTURED VISCUS

Treatment: REPAIR

ICD-9: 530.4, 568.81, 569.3, 569.49, 569.89, 862.22

CPT: 43405, 44602-44605, 45334, 45379, 45382, 45500, 45560, 45915, 57268-57270, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 25

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ACUTE BACTERIAL MENINGITIS

Treatment: MEDICAL THERAPY

ICD-9: 036.320

CPT: 61000-61070,61107,61210-61215,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 26

Diagnosis: HODGKIN'S DISEASE

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 201

CPT: 38100,38120,49200,49220,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 27

Diagnosis: ACUTE PYELONEPHRITIS, RENAL & PERINEPHRIC ABSCESS

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 590.1-590.3

CPT: 49423-49424,50020-50021,50220,50520,50525-50526,50544-50546,50548,50575,50947-50948,52332,52334,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 28

Diagnosis: ARTERIAL EMBOLISM/THROMBOSIS: ABDOMINAL AORTA, THORACIC AORTA

Treatment: SURGICAL TREATMENT

ICD-9: 443.1,444.0-444.1,444.8

CPT: 33320-33335,33916,34001,34051,34101,34201-34203,35081,35331,35363-35390,35473,35536-35551,35560,35623,35626,35631,35636,35641,35646-35647,35651,35681-35683,35691-35695,35741,35761,35800,35875-35876,35901,36825-36830,36834,37201-37202,37204-37205,37209

Line: 29

Diagnosis: LIVER ABSCESS

Treatment: MEDICAL THERAPY

ICD-9: 572.0-572.3,572.8

CPT: 47011-47015,49423-49424,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99185-99362,99374-99375,99379-99440,99499

Line: 30

Diagnosis: SUBARACHNOID AND INTRACEREBRAL HEMORRHAGE/HEMATOMA; COMPRESSION OF BRAIN

Treatment: BURR HOLES, CRANIECTOMY/CRANIOTOMY

ICD-9: 348.4-348.5,349.81,430-432,437.3,852-853

CPT: 61120,61150-61151,61154,61210,61304,61312-61315,61522-61710,62100,62220-62223,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 31

Diagnosis: FOREIGN BODY IN PHARYNX, LARYNX, TRACHEA, BRONCHUS & ESOPHAGUS

Treatment: REMOVAL OF FOREIGN BODY

ICD-9: 933.0-933.1,934,935.0-935.1

CPT: 31511-31512,31530-31531,31635,32150-32151,40804,42809,43020,43045,43215,43247,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 32

Diagnosis: NEOPLASMS OF ISLETS OF LANGERHANS

Treatment: EXCISION OF TUMOR

ICD-9: 157.4,211.7

CPT: 48140,60699

Line: 33

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: NON-DIABETIC HYPOGLYCEMIC COMA

Treatment: MEDICAL THERAPY

ICD-9: 251.0

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 34

Diagnosis: ACUTE OSTEOMYELITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 526.4, 730.0, 730.3

CPT: 20150, 20955-20957, 20960, 20962, 20969-20973, 21026, 23105, 23130, 23220-23222, 23405-23406, 24150-24153, 24420, 24498, 25085, 25119, 25240, 25210, 25215, 25230, 27025, 27054, 27065-27067, 27187, 27745, 21025, 21510, 27705-27709, 42000, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 35

Diagnosis: ACUTE MASTOIDITIS

Treatment: MASTOIDECTOMY, MEDICAL THERAPY

ICD-9: 383.0, 383.2

CPT: 69420-69421, 69433-69436, 69501-69540, 69601-69646, 69670, 69700, 69801-69802, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 36

Diagnosis: PYOGENIC ARTHRITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 711.0, 711.9

CPT: 24000, 25040, 26070-26080, 27030, 27310, 27610, 29843, 29848, 29861-29863, 29871, 29894, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 37

Diagnosis: ACUTE INFLAMMATION OF THE HEART DUE TO RHEUMATIC FEVER

Treatment: MEDICAL THERAPY

ICD-9: 391, 392.0

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 38

Diagnosis: BUDD-CHIARI SYNDROME, AND OTHER VENOUS EMBOLISM AND THROMBOSIS

Treatment: THROMBECTOMY/LIGATION

ICD-9: 453

CPT: 34101, 34401, 34471, 34490, 34501-34502, 34510-34530, 35201-35286, 35681, 35761, 35800, 35820, 35840, 35875-35876, 35905, 35907, 37140, 37160, 37202, 37205-37209, 37620, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 39

Diagnosis: BURN, PARTIAL THICKNESS GREATER THAN 30% OF BODY SURFACE

Treatment: FREE SKIN GRAFT, MEDICAL THERAPY

ICD-9: 941.26-941.27, 942.20-942.24, 942.29, 943.2, 944.20-944.24, 944.26-944.28, 945.20-945.21, 945.23-945.29, 946.2, 949.2

CPT: 11000, 11040-11042, 11960-11971, 14020, 14040-14041, 15000-15121, 15200, 15220, 15240, 15260, 15342-15401, 15570-15574, 15770, 16010-16036, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 40

Diagnosis: CHOANAL ATRESIA

Treatment: REPAIR OF CHOANAL ATRESIA

ICD-9: 748.0

CPT: 30520, 30540, 30545, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 41

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: BURN, PARTIAL THICKNESS WITH VITAL SITE; FULL THICKNESS WITH VITAL SITE, LESS THAN 10% OF BODY SURFACE
Treatment: FREE SKIN GRAFT, MEDICAL THERAPY
ICD-9: 941.20-941.25, 941.28-941.29, 941.30-941.35, 941.38-941.39, 942.25, 942.35, 944.25, 944.35, 945.22, 945.32, 946.2-946.3, 949.2-949.3
CPT: 11000, 11040-11042, 11970, 14020, 14040-14041, 15000-15121, 15200, 15220, 15240, 15260, 15342-15401, 15570-15574, 15756-15758, 15770, 16010-16036, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 42

Diagnosis: THROMBOCYTOPENIA
Treatment: MEDICAL AND SURGICAL THERAPY
ICD-9: 287.1, 287.3-287.5
CPT: 38100, 38102, 38120, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 43

Diagnosis: INTRA-ABDOMINAL ABSCESS
Treatment: DRAIN ABSCESS, MEDICAL THERAPY
ICD-9: 569.5
CPT: 44799, 45308-45315, 49020, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 44

Diagnosis: PERIPHERAL VASCULAR DISEASE, LIMB THREATENING INFECTIONS, AND VASCULAR COMPLICATIONS
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 040.0, 250.7, 440.2-440.3, 728.86, 785.4
CPT: 11000-11057, 23900-23921, 23930, 24350-24356, 24495, 24900-24940, 25020-25028, 25900-25931, 26025-26030, 26037-26045, 26910-26952, 26990-26991, 27025, 27290-27295, 27301, 27305, 27496-27499, 27590-27598, 27600-27603, 27880-27894, 28001-28003, 28008, 28800-28825, 29893, 35500, 35682-35683, 35860, 35875-35876, 35903, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 45

Diagnosis: RUPTURE OF BLADDER, NONTRAUMATIC
Treatment: MEDICAL AND SURGICAL THERAPY
ICD-9: 596.6, 599.8
CPT: 51860-51865, 53080, 53085, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 46

Diagnosis: ERYSIPELAS
Treatment: MEDICAL THERAPY
ICD-9: 035
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 47

Diagnosis: SEPTICEMIA
Treatment: MEDICAL THERAPY
ICD-9: 002, 003.1, 038, 054.5, 079.81, 098.89, 771.8, 785.59
CPT: 49002, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 48

Diagnosis: RICKETTSIAL AND OTHER ARTHROPOD-BORNE DISEASES
Treatment: MEDICAL THERAPY
ICD-9: 080-083, 085.0, 085.5, 085.9
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 49

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ACUTE ORBITAL CELLULITIS

Treatment: MEDICAL THERAPY

ICD-9: 376.0

CPT: 67414, 67445, 68400, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 50

Diagnosis: ANAPHYLACTIC SHOCK

Treatment: MEDICAL THERAPY

ICD-9: 995.0, 995.2, 995.4, 995.6

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 51

Diagnosis: DEFORMITIES OF HEAD AND COMPOUND/DEPRESSED FRACTURES OF SKULL

Treatment: CRANIOTOMY/CRANIECTOMY

ICD-9: 733.3, 738.0-738.1, 756.0, 800.02-800.99, 801.02-801.99, 803.02-803.99, 804

CPT: 11010-11012, 11971, 14041, 21076-21077, 21100-21110, 21137-21180, 21182-21188, 21256-21275, 21300, 49906, 61312-61330, 61340, 61345, 61550-61559, 61575-61576, 62000-62010, 62115-62121, 62141, 62146-62147, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D5915, D5919, D5924, D5925, D5928, D5929, D5931, D5933

Line: 52

Diagnosis: CONGENITAL, PRIMARY, AND SECONDARY SYPHILIS

Treatment: MEDICAL THERAPY

ICD-9: 090-092

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 53

Diagnosis: BIRTH CONTROL

Treatment: CONTRACEPTION MANAGEMENT

ICD-9: V24.2, V25.0-V25.1, V25.4-V25.9, V26.3-V26.4

CPT: 11975-11977, 57170, 58300-58301, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: FPS01, FPS02, S4981, S4989

Line: 54

Diagnosis: PREGNANCY

Treatment: MATERNITY CARE

ICD-9: 640-677, V22.0-V22.1, V23.0-V23.1, V23.3-V23.9, V24, V27-V28, V72.4

CPT: 12021, 57022, 57700, 58520, 59000, 59012, 59015, 59020, 59025, 59030, 59050-59051, 59100-59622, 59830, 59871, 59001, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G9012, MCD01, MCD02, MCD03, MCD04, MCM01, MCM02, MCM03, MCM04, MCM05, MCM06, MCM07, MCM08, MCM09, S8055

Line: 55

Diagnosis: BIRTH OF INFANT

Treatment: NEWBORN CARE

ICD-9: 763, 765.29, 779.81-779.89, V30-V37

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 56

Diagnosis: ECTOPIC PREGNANCY

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 633

CPT: 57020, 58520, 58661, 58673, 58700, 58720, 58770, 59120-59151, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175-99175, 99185-99362, 99375-99440, 99499

Line: 57

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 777.5

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 58

Diagnosis: NEONATAL THYROTOXICOSIS

Treatment: MEDICAL THERAPY

ICD-9: 775.3

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 59

Diagnosis: OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 748.2-748.3, 769, 770.0-770.6, 770.8-770.9

CPT: 39501, 39503, 39520, 39530-39531, 39545, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 60

Diagnosis: DRUG REACTIONS & INTOXICATIONS SPECIFIC TO NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.4

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 61

Diagnosis: TETANUS NEONATORUM

Treatment: MEDICAL THERAPY

ICD-9: 771.3

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 62

Diagnosis: HYDROPS FETALIS

Treatment: MEDICAL THERAPY

ICD-9: 773.3, 778.0

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 63

Diagnosis: GALACTOSEMIA

Treatment: MEDICAL THERAPY

ICD-9: 271.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 64

Diagnosis: CONGENITAL HYPOTHYROIDISM

Treatment: MEDICAL THERAPY

ICD-9: 243

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 65

Diagnosis: PHENYLKETONURIA (PKU)

Treatment: MEDICAL THERAPY

ICD-9: 270.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 66

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: NEONATAL MYASTHENIA GRAVIS

Treatment: MEDICAL THERAPY

ICD-9: 775.2

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 67

Diagnosis: CONVULSIONS AND OTHER CEREBRAL IRRITABILITY IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.0-779.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 68

Diagnosis: HEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 775.1, 776.0-776.3

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 69

Diagnosis: CEREBRAL DEPRESSION, COMA, & OTHER ABNORMAL CEREBRAL SIGNS OF NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.2

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 70

Diagnosis: LOW BIRTH WEIGHT (UNDER 2500 GRAMS)

Treatment: MEDICAL THERAPY

ICD-9: 765.0-765.1, 765.20-765.28, 772.1-772.2, 778.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 71

Diagnosis: CONDITIONS INVOLVING THE TEMPERATURE REGULATION OF NEWBORNS

Treatment: MEDICAL THERAPY

ICD-9: 778.2-778.4

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 72

Diagnosis: ADRENAL OR CUTANEOUS HEMORRHAGE OF FETUS OR NEONATE

Treatment: MEDICAL THERAPY

ICD-9: 772.5-772.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 73

Diagnosis: OMPHALITIS OF THE NEWBORN AND NEONATAL INFECTIVE MASTITIS

Treatment: MEDICAL THERAPY

ICD-9: 771.4-771.5

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 74

Diagnosis: BIRTH TRAUMA FOR BABY

Treatment: MEDICAL THERAPY

ICD-9: 767-768

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 75

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: POLYCYTHEMIA NEONATORUM, SYMPTOMATIC

Treatment: MEDICAL THERAPY

ICD-9: 776.4

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 76

Diagnosis: ANEMIA OF PREMATURITY OR TRANSIENT NEONATAL NEUTROPENIA

Treatment: MEDICAL THERAPY

ICD-9: 776.6-776.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 77

Diagnosis: CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM AND ABDOMINAL WALL EXCLUDING NECROSIS;
CHRONIC INTESTINAL PSEUDO-OBSTRUCTION

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 750.5, 751.0-751.5, 751.7-751.9, 756.6-756.7, 770.1, 777.1-777.4, 777.8-777.9, 996.86

CPT: 31750, 31760, 32905-32906, 43500-43510, 43520, 43620-43638, 43640, 43653, 43760, 43800-43832, 43840, 43850, 43860, 43870-43880, 44005, 44010, 44015, 44020-44021, 44050-44055, 44110-44130, 44139-44201, 44300-44900, 44950, 44955, 45000-45123, 45130-45150, 45300, 45307-45385, 45800, 46040-46045, 46060, 46070-46080, 46270, 46275, 46600, 46608-46614, 46705-46754, 46762, 47010-47011, 47300, 47500-47556, 47600-47620, 47700-47701, 47715-48000, 48120-48146, 48150, 48180-48556, 49200-49201, 49215, 49220, 49250, 49422-49424, 49605, 49905, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 78

Diagnosis: CONGENITAL INFECTIOUS DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 771.0-771.2

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 79

Diagnosis: DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT

Treatment: MEDICAL THERAPY

ICD-9: 766

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 80

Diagnosis: FEEDING PROBLEMS IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.3

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 81

Diagnosis: HEMOLYTIC DISEASE DUE TO ISOIMMUNIZATION, ANEMIA DUE TO TRANSPLACENTAL HEMORRHAGE,
AND FETAL AND NEONATAL JAUNDICE

Treatment: MEDICAL THERAPY

ICD-9: 277.4, 772.0, 772.3-772.4, 773.0-773.2, 773.4-773.5, 774.0-774.4, 774.6-774.7, 776.5

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 82

Diagnosis: NEONATAL CONJUNCTIVITIS, DACRYOCYSTITIS AND CANDIDA INFECTION

Treatment: MEDICAL THERAPY

ICD-9: 771.6-771.7

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 83

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DRUG WITHDRAWAL SYNDROME IN NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 779.5

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 84

Diagnosis: HYPOCALCEMIA, HYPOMAGNESEMIA AND OTHER ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN

Treatment: MEDICAL THERAPY

ICD-9: 775.4-775.5, 775.7-775.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 85

Diagnosis: ADRENOGENITAL DISORDERS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 255.2, 752.7

CPT: 50700, 56800, 56805, 56810, 57335, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 86

Diagnosis: ENCEPHALOCELE; CONGENITAL HYDROCEPHALUS

Treatment: SHUNT

ICD-9: 331.3-331.4, 348.2, 742.0, 742.3-742.4

CPT: 20664, 61020, 61070, 61107, 61210, 62100, 62120-62121, 62272, 63740-63746, 62180-62258

Line: 87

Diagnosis: SPINA BIFIDA

Treatment: SURGICAL TREATMENT

ICD-9: 741

CPT: 27036, 61343, 63700-63710, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 88

Diagnosis: CONGENITAL DISLOCATION OF HIP; COXA VARA & VALGA

Treatment: SURGICAL TREATMENT

ICD-9: 736.31-736.32, 754.3, 755.62, 755.61

CPT: 27179, 27181, 27185, 27256-27259, 29861-29863

Line: 89

Diagnosis: SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL HYPOGLYCEMIA

Treatment: MEDICAL THERAPY

ICD-9: 775.0, 775.6

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 90

Diagnosis: CONGENITAL CYSTIC LUNG - MILD AND MODERATE

Treatment: LUNG RESECTION, MEDICAL THERAPY

ICD-9: 518.89, 748.4, 748.61

CPT: 32140-32141, 32480, 32482, 32484-32486, 32488, 32500-32501, 32662, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 91

Diagnosis: RUMINATION DISORDER OF INFANCY

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.53

CPT: 90801-90899, 99201-99275, 99301-99316, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA135, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 92

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: STERILIZATION
Treatment: VASECTOMY
ICD-9: V25.2
CPT: 55200,55250
Line: 93

Diagnosis: STERILIZATION
Treatment: TUBAL LIGATION
ICD-9: V25.2
CPT: 58600-58615,58670,58671
Line: 94

Diagnosis: COARCTATION OF THE AORTA
Treatment: SURGICAL/EXCISION
ICD-9: 747.10,747.2-747.3
CPT: 33720,33722,33802-33803,33840-33852
Line: 95

Diagnosis: ATRIAL SEPTAL DEFECT, PRIMUM
Treatment: REPAIR SEPTAL DEFECT
ICD-9: 745.61,745.9
CPT: 33641,33660-33665,33735-33737,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92990-92993,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 96

Diagnosis: VENTRICULAR SEPTAL DEFECT
Treatment: CLOSURE
ICD-9: 745.4,745.7
CPT: 33545,33610,33665,33681-33688,33690,33735-33737,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92992-92993,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 97

Diagnosis: SUBVALVULAR AORTIC STENOSIS, RIGHT VENTRICULAR INFUNDIBULAR OBSTRUCTION AND OTHER SPECIFIED ANOMALIES OF HEART
Treatment: RESECTION, REPAIR
ICD-9: 746.8
CPT: 32661,33404,33415-33417,33476,33478,33732,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 98

Diagnosis: CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT, EXCLUDING TONGUE
Treatment: MEDICAL AND SURGICAL THERAPY
ICD-9: 530.84,750.2-750.9
CPT: 31750,31760,43112-43118,43121-43124,43300-43352,43360-43361,43450,43453,43496,43520,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 99

Diagnosis: CONGENITAL ANOMALIES OF URINARY SYSTEM
Treatment: RECONSTRUCTION
ICD-9: 752.8,753.0-753.1,753.3-753.9
CPT: 14020,15000-15738,36145,45820,50040-50045,50100,50125,50135,50220-50290,50390,50540,50544-50546,50548,50553,50572,50722,50725,50727-50728,50825-50840,50845,50947-50948,50970,51000-51597,51715,51800-51980,52214,52290,52300,53020-53025,53080,53085,53210-53215,53400-53460,53621,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 100

Diagnosis: CORONARY ARTERY ANOMALY
Treatment: REIMPLANTATION OF CORONARY ARTERY
ICD-9: 746.85
CPT: 33500-33510
Line: 101

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: COMPLETE, CORRECTED AND OTHER TRANSPOSITION OF GREAT VESSELS

Treatment: REPAIR

ICD-9: 745.10,745.12,745.19

CPT: 33735,33737,33750,33764,33770-33781,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92992,92997-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 102

Diagnosis: TETRALOGY OF FALLOT (TOF)

Treatment: TOTAL REPAIR TETRALOGY

ICD-9: 745.2,746.09,746.87,746.9,747.3,747.42,747.49

CPT: 33606,33692-33697,33735-33737,33750,33764,33924,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92990,92997-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 103

Diagnosis: PATENT DUCTUS ARTERIOSUS; AORTIC PULMONARY FISTULA

Treatment: LIGATION

ICD-9: 417.0,746.85,747.0,747.83

CPT: 33500-33504,33702-33710,33813-33814,33820-33824,37204,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92997-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 104

Diagnosis: TOTAL ANOMALOUS PULMONARY VENOUS CONNECTION

Treatment: COMPLETE REPAIR

ICD-9: 747.41

CPT: 33730,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 105

Diagnosis: OTHER AND UNSPECIFIED TYPE ENDOCARDIAL CUSHION DEFECTS

Treatment: REPAIR ATRIOVENTRICULAR

ICD-9: 745.60,745.69,745.8

CPT: 33670,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 106

Diagnosis: BILIARY ATRESIA

Treatment: LIVER TRANSPLANT

ICD-9: 751.61,996.82

CPT: 47133-47136

Line: 107

Diagnosis: CYSTIC FIBROSIS

Treatment: MEDICAL THERAPY

ICD-9: 277.0

CPT: 31500,31600,31603,31624,31646,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 108

Diagnosis: END STAGE RENAL DISEASE

Treatment: RENAL TRANSPLANT

ICD-9: 250.4,272.7,274.1,282.6,283.11,287.0,403.01,403.11,403.91,446.21,446.0,446.4,580.4,580.8,581-585,587,590.0,592.0,593.7,593.81,593.89,710.0,710.1,753.0,753.12-753.15,753.16,753.2,753.6,756.71,759.89,996.81

CPT: 50300,50320,50340,50360,50365,50370,50547

Line: 109

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CIRRHOSIS OF LIVER OR BILIARY TRACT; BUDD-CHIARI SYNDROME; HEPATIC VEIN THROMBOSIS;
INTRAHEPATIC VASCULAR MALFORMATIONS; POLYCYSTIC LIVER DISEASE INCLUDING CAROLI'S
DISEASE (See Coding Specification Below)

Treatment: LIVER TRANSPLANT, LIVER-KIDNEY TRANSPLANT
ICD-9: 277.03,453.0,571.2,571.5-571.6,751.62,774.4,777.8,996.82
CPT: 47133-47136,50300,50340,50360,50365
Line: 110

Liver-kidney transplant only covered for a documented diagnosis of Caroli's disease
(751.62).

Diagnosis: CLEFT PALATE WITH AIRWAY OBSTRUCTION, PIERRE ROBIN DEFORMITY

Treatment: SURGICAL, ORTHODONTICS, AND MEDICAL THERAPY
ICD-9: 519.1,519.4,519.8,748.3,749.0
CPT: 30140,30520,30620,31527,31641,33800,41510,42820-42836,90471-90472,90780-90799,90901-
90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-
95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-
99375,99379-99440,99499
CDT: D8010-D8999
Line: 111

Diagnosis: MYOCARDITIS (NONVIRAL), PERICARDITIS (NONVIRAL) AND ENDOCARDITIS

Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 420.90,420.99,421.0,421.9,422.90,422.92-422.99,423,429.0-429.1
CPT: 31750,31760,32659-32661,33011,33015,33020,33025,33030-33031,33050,90471-90472,90780-
90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-
92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-
99362,99374-99375,99379-99440,99499
Line: 112

Diagnosis: CERVICAL VERTEBRAL DISLOCATIONS/FRACTURES, OPEN OR CLOSED; OTHER VERTEBRAL
DISLOCATIONS/FRACTURES, OPEN; SPINAL CORD INJURIES WITH OR WITHOUT EVIDENCE OF
VERTEBRAL INJURY

Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 805.0-805.1,805.3,805.5,805.7,805.9,806,839.0-839.1,839.3,839.5,839.7,839.9,952
CPT: 11010-11012,20690,20692-20694,20900,20930-20938,22548,22100-22116,22305-22328,22505,
22554,22556,22558,22585,22590-22632,22802,22810,22840-22855,27215-27216,27202,63001-
63091,63170-63173,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 113

Diagnosis: FRACTURE OF PELVIS, OPEN AND CLOSED

Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 728.81,808
CPT: 11010-11012,20690,20692-20694,20900,27280,27282,27033,27193-27194,27215-27228,90471-
90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-
92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,
99175,99185-99362,99374-99375,99379-99440,99499
Line: 114

Diagnosis: INJURY TO BLOOD VESSELS OF THE THORACIC CAVITY

Treatment: REPAIR
ICD-9: 901
CPT: 37616,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-
92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 115

Diagnosis: TOXIC EPIDERMAL NECROLYSIS AND STAPHYLOCOCCAL SCALDED SKIN SYNDROME; STEVENS-JOHNSON
SYNDROME; ECZEMA HERPETICUM

Treatment: MEDICAL THERAPY
ICD-9: 054.0,695.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 116

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ACQUIRED HEMOLYTIC ANEMIAS
Treatment: MEDICAL THERAPY
ICD-9: 283
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 117

Diagnosis: ACUTE LEUKEMIAS, MYELODYSPLASTIC SYNDROME
Treatment: BONE MARROW TRANSPLANT
ICD-9: 204.0, 205.0, 206.0, 207.0, 208.0, 238.7
CPT: 36680, 38230-38241, 77261-77799
HCPCS: G0242, G0243
Line: 118

Diagnosis: ACUTE LYMPHOCYTIC LEUKEMIA (CHILD)
Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 204.0
CPT: 62350-62368, 77261-77799, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
HCPCS: G0242, G0243
Line: 119

Diagnosis: HODGKIN'S DISEASE
Treatment: BONE MARROW TRANSPLANT
ICD-9: 201, 996.85
CPT: 36680, 38230-38241, 77261-77799
HCPCS: G0242, G0243, S2150
Line: 120

Diagnosis: CONSTITUTIONAL APLASTIC ANEMIA
Treatment: MEDICAL THERAPY
ICD-9: 284.0
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 121

Diagnosis: OTHER SPECIFIED APLASTIC ANEMIAS
Treatment: BONE MARROW TRANSPLANT
ICD-9: 284.8-284.9, 996.85
CPT: 36680, 38240
Line: 122

Diagnosis: NON-HODGKIN'S LYMPHOMAS
Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 200, 202.0-202.3, 202.6, 202.8-202.9, 238.5-238.7
CPT: 38100, 38120, 38510-38525, 38720, 49080-49081, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
HCPCS: G0242, G0243
Line: 123

Diagnosis: NON-HODGKIN'S LYMPHOMAS
Treatment: BONE MARROW TRANSPLANT
ICD-9: 200, 202.0-202.2, 202.8-202.9, 996.85
CPT: 36680, 38230-38241, 77261-77799
HCPCS: S2150
Line: 124

Diagnosis: THALASSEMIA, OSTEOPETROSIS AND HEMOGLOBINOPATHIES
Treatment: BONE MARROW RESCUE AND TRANSPLANT
ICD-9: 282.4, 282.6-282.7, 756.52, 996.85
CPT: 36680, 38230-38241, 77261-77799
HCPCS: G0242, G0243, S2150
Line: 125

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HYDATIDIFORM MOLE

Treatment: D & C, HYSTERECTOMY

ICD-9: 630

CPT: 58120,58150,58180,58550,59100,59135,59870,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 126

Diagnosis: ACUTE VASCULAR INSUFFICIENCY OF INTESTINE

Treatment: SURGICAL TREATMENT

ICD-9: 557.0

CPT: 34151,34421,34451,44140,44120-44125,44139,44141-44160,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 127

Diagnosis: ADULT RESPIRATORY DISTRESS SYNDROME; RESPIRATORY CONDITIONS DUE TO PHYSICAL AND CHEMICAL AGENTS

Treatment: MEDICAL THERAPY

ICD-9: 506,508.0,518.4-518.5

CPT: 31500,31600-31603,31646,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 128

Diagnosis: RUPTURE OF LIVER

Treatment: SUTURE/REPAIR

ICD-9: 573.4,573.8,864.04

CPT: 47350-47362,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 129

Diagnosis: SUBACUTE MENINGITIS (EG. TUBERCULOSIS, CRYPTOCOCCOSIS)

Treatment: MEDICAL THERAPY

ICD-9: 013,117.5,117.9,130.8,322

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 130

Diagnosis: FRACTURE OF JOINT, OPEN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 810.1,811.1,812.1,812.5,813.1,813.5,814.1,815.1,816.1,817.1,819.1,820.10,820.12-820.19,820.3,820.9,821.30-821.31,821.33-821.39,822.1,823.1,824.1,824.3,824.5,824.7,824.9,825.1,825.3,826.1,828.1

CPT: 11010-11012,11760,12001-12057,20650,20663,20670-20694,20900,22848-22855,23395,23515,23585,23615,23630,24545-24546,24575,24579,24586-24587,24640,24665-24666,24685,25119,25210-25240,25320,25337,25390-25392,25441-25447,25450,25455,25490-25492,25560-25565,25620,25628,25810-25825,26615,26727-26735,26746,26765,26785,27235-27236,27244,27248,27350,27430,27435,27496-27499,27502,27514,27524,27535-27536,27540,27610,27656,27766,27784,27792,27814,27822-27829,27892-27894,28415-28420,28445,28465,28485,28505,28525,28531,28730,29855-29856,29874-29879,29888-29898,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 131

Diagnosis: FRACTURE OF SHAFT OF BONE, OPEN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 809.1,812.3,813.3,813.9,818.1,821.1,823.3,823.9,827.1

CPT: 11010-11012,20150,20650,20663,20670,20680,20690,20692-20694,20900,23395,23400,24130,24515-24516,25515,25525-25526,25545,25574-25575,27465-27466,27468,27496-27499,27506-27507,27511,27513,27656,27712,27756-27759,27824-27829,27892-27894,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 132

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OPEN FRACTURE OF EPIPHYSIS OF LOWER EXTREMITIES

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 820.11, 821.32

CPT: 11010-11012, 20650, 20663, 20670-20690, 20692-20694, 20900, 23395, 27465-27466, 27468, 27496-27499, 27519, 27656, 27824-27829, 27892-27894, 29855-29856, 29897-29898, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 133

Diagnosis: DISEASES OF PHARYNX INCLUDING RETROPHARYNGEAL ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 478.21-478.22, 478.24-478.26, 478.29

CPT: 31610, 31612-31613, 42700-42725, 42808-42972, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 134

Diagnosis: CHOLESTEATOMA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 383.3, 383.81, 383.89, 384.1, 384.8, 385

CPT: 69220, 69420-69450, 69501-69505, 69511, 69530-69535, 69601-69605, 69610, 69620-69646, 69662, 69670, 69700, 69905, 69910, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 135

Diagnosis: ARTERIAL ANEURYSM OF NECK

Treatment: REPAIR

ICD-9: 442.81-442.82, 442.89

CPT: 35321, 35516-35518, 35691-35695, 35800, 35820, 35875-35876, 35901, 35905

Line: 136

Diagnosis: CHRONIC LEUKEMIAS; POLYCYTHEMIA RUBRA VERA

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY, RADIATION AND RADIONUCLIDE THERAPY

ICD-9: 238.4, 202.4, 203.1, 204.1-204.9, 205.1-205.9, 206.1-206.9, 207.1-207.8, 208.1-208.9

CPT: 36822, 77261-77799, 79100, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G0242, G0243

Line: 137

Diagnosis: HYPOTHERMIA

Treatment: MEDICAL THERAPY, EXTRACORPOREAL CIRCULATION

ICD-9: 991.6

CPT: 33960-33961, 36822, 49080, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 138

Diagnosis: BENIGN NEOPLASM OF THE BRAIN

Treatment: CRANIOTOMY/CRANIECTOMY, LINEAR ACCELERATOR, MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY

ICD-9: 225.0, 225.2-225.4, 228.02, 228.04, 377.04

CPT: 12034, 14300, 61312-61330, 61333-61480, 61500-61512, 61516-61521, 61524-61530, 61534, 61536-61564, 61571-61576, 61600-61626, 61793, 62100, 62223, 62350-62368, 63265, 63276, 63281, 63615, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G0242, G0243

Line: 139

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: MALIGNANT MELANOMA OF SKIN, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 172

CPT: 11600-11646,12001-13102,13120-14001,14020-14061,14300,14350,15000-15770,17999,21015,21555-21557,21632,21930-21935,23075-23077,24075-24077,25075-25077,26115-26117,27047-27049,27075-27079,27327-27329,27615-27619,28043-28046,38562-38564,38700-38780,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 140

Diagnosis: MULTIPLE ENDOCRINE NEOPLASIA

Treatment: THYROIDECTOMY

ICD-9: 193,194.8,237.4,246.0,258,758.5

CPT: 60210,60212,60220,60225,60240,60270-60271,60512

Line: 141

Diagnosis: DIABETES INSIPIDUS

Treatment: MEDICAL THERAPY

ICD-9: 253.5

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 142

Diagnosis: DISORDERS OF SPINE WITH NEUROLOGIC IMPAIRMENT (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 344.6,721.1,721.4,721.91,722.0-722.2,722.7,723.4,724.4,742.59

CPT: 20931,20938,22548-22585,22612,22630-22632,22808,22840,22845,22851,55870,62284,62287,62290-62291,62362,63001-63091,63170-63252,63300-63308,63600,63610,63650-63655,63685,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 143

Diagnosis: PREVENTIVE SERVICES, BIRTH TO 10 YEARS OF AGE (See Guideline Note)

Treatment: MEDICAL THERAPY

ICD-9: V01.0-V01.2,V01.4-V01.9,V02-V03,V04.0,V04.2-V04.6,V04.8,V05-V06,V07.0,V07.2,V07.31,V17-V20,V65.41-V65.45,V71.09,V73-V75,V77-V82

CPT: 90471-90472,90780-90799,90801,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499,BA008,BA009,BA010,BA135,BA310,BA371,BA382,PHB01,PHB02

Line: 144

Diagnosis: ANOREXIA NERVOSA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.1

CPT: 90801-90899,96100,97780-97781,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 145

Diagnosis: REACTIVE ATTACHMENT DISORDER OF INFANCY OR EARLY CHILDHOOD

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.89

CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA135,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 146

Diagnosis: COARCTATION OF THE AORTA

Treatment: BALLOON DILATION

ICD-9: 747.10

CPT: 35452,35472,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 147

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: COMPLICATIONS OF A PROCEDURE ALWAYS REQUIRING TREATMENT

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 323.5,414.12,443.21-443.29,519.01,519.09,536.41,569.61,996.0-996.2,996.39,996.4,996.51,996.56,996.6-996.9,997.0-997.5,997.62,997.7,998.0,998.11,998.2-998.3,998.5-998.6,999.1,999.3-999.4,999.8

CPT: 10040,10180,10121,13160,20670-20680,20694,22852,27266,36831,49021,50370,62230,62258,69990,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 148

Diagnosis: CRUSH INJURIES: TRUNK, UPPER LIMBS, LOWER LIMB INCLUDING BLOOD VESSELS

Treatment: SURGICAL TX

ICD-9: 728.0,862.8,900,902-904,925-928,929.0,958.5-958.6,958.8

CPT: 11730,11760,15100-15241,20101-20103,20972-20973,21627,21630,21740,23395,24495,25020,25023,25274,25295,25300-25301,25320,25335,25337,25390,25392,25391,25393,25441-25447,25450,25455,25490-25492,25810,25820,25825,25830,26357-26358,26370,26372-26373,26390,26437,27465-27466,27468,27496-27499,27600-27602,27656,27658-27659,27665,27695-27696,27698,27892-27894,35141,35206-35207,35236,35266,35521,37615-37618

Line: 149

Diagnosis: CONGENITAL MITRAL VALVE STENOSIS

Treatment: MITRAL VALVE REPLACEMENT

ICD-9: 746.5

CPT: 33420-33430,33496,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986-92990,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 150

Diagnosis: COMMON TRUNCUS

Treatment: TOTAL REPAIR/REPLANT ARTERY

ICD-9: 745.0

CPT: 33608,33690,33786,33788,33813-33814,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 151

Diagnosis: CONGENITAL TRICUSPID ATRESIA AND STENOSIS

Treatment: REPAIR

ICD-9: 746.1

CPT: 33460,33463-33464,33496,33615,33617,33735,33750,33766,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92993,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 152

Diagnosis: BULBUS CORDIS ANOMALIES & ANOMALIES OF CARDIAC SEPTAL CLOSURE: DOUBLE OUTLET RIGHT VENTRICLE

Treatment: SHUNT/REPAIR

ICD-9: 745.11

CPT: 33611-33612,33684,33750-33766,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92992-92993,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 153

Diagnosis: COMMON VENTRICLE

Treatment: TOTAL REPAIR

ICD-9: 745.3

CPT: 33600,33602,33610,33615,33617,33690,33692-33694,33735,33750,33764,33766-33767,33924,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 154

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CONGENITAL PULMONARY VALVE ATRESIA

Treatment: SHUNT/REPAIR

ICD-9: 746.00-746.01

CPT: 33470-33474,33608,33750-33766,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986-92990,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 155

Diagnosis: INTERRUPTED AORTIC ARCH

Treatment: TRANSVERSE ARCH GRAFT

ICD-9: 747.11

CPT: 33608,33852-33853,33870,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 156

Diagnosis: CONGESTIVE HEART FAILURE, CARDIOMYOPATHY, TRANSPOSITION OF GREAT VESSELS, HYPOPLASTIC LEFT HEART SYNDROME

Treatment: CARDIAC TRANSPLANT

ICD-9: 135,412,414,422,425,428,429.1,674.8,745.1,745.3,746.7,996.83

CPT: 33940,33945,33975-33978,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92984,92995-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 157

Diagnosis: DISORDERS OF BILE DUCT

Treatment: EXCISION, REPAIR

ICD-9: 576.4-576.9

CPT: 43262,43267-43269,43272,47015,47420-47460,47510-47530,47554-47556,47600-47900,49422,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 158

Diagnosis: ASTHMA

Treatment: MEDICAL THERAPY

ICD-9: 493

CPT: 31500,31600-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 159

Diagnosis: PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3

Treatment: MEDICAL THERAPY

ICD-9: 480.1

CPT: 31500,31600-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 160

Diagnosis: RESPIRATORY FAILURE

Treatment: MEDICAL THERAPY

ICD-9: 518.81-518.84

CPT: 31500,31502,31600,31603,31820,31825,36822,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 161

Diagnosis: SCHIZOPHRENIC DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 295.1-295.9,298.4,299.1,299.9

CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 162

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: MAJOR DEPRESSION, RECURRENT

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 296.30-296.36,298.0

CPT: 90801-90899,96100,97780-97781,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 163

Diagnosis: BIPOLAR DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 296.0-296.1,296.4-296.8,296.99,301.13

CPT: 90801-90899,96100,97780-97781,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 164

Diagnosis: BURN FULL THICKNESS GREATER THAN 10% OF BODY SURFACE

Treatment: FREE SKIN GRAFT, MEDICAL THERAPY

ICD-9: 906.5-906.9,940,941.30-941.35,941.4-941.5,942.35,942.4-942.5,943.4-943.5,944.35,944.4-944.5,945.32,945.4-945.5,946.3-946.5,947,949.4-949.5

CPT: 11000,11040-11042,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,15770,16000-16036,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 165

Diagnosis: PEMPHIGUS

Treatment: MEDICAL THERAPY

ICD-9: 694.4

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 166

Diagnosis: DISORDERS OF FLUID, ELECTROLYTE, AND ACID-BASE BALANCE

Treatment: MEDICAL THERAPY, DIALYSIS

ICD-9: 276,785.50

CPT: 36832,36821,36835,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 167

Diagnosis: THYROTOXICOSIS WITH OR WITHOUT GOITER, ENDOCRINE EXOPHTHALMOS; CHRONIC THYROIDITIS

Treatment: MEDICAL AND SURGICAL TREATMENT, INCLUDING RADIATION THERAPY

ICD-9: 242,245.1-245.9,246.8,376.2

CPT: 60210,60212,60220,60225,60240,60270-60271,60512,67414,67440-67445,67599,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 168

Diagnosis: HYPERTENSIVE HEART AND RENAL DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 404,405.01,405.11,405.91

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 169

Diagnosis: BENIGN CEREBRAL CYSTS

Treatment: DRAINAGE

ICD-9: 348.0,349.2

CPT: 61120-61130,61150-61151,61314-61315,61522-61524,61680-61710

Line: 170

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HIV DISEASE (INCLUDING ACQUIRED IMMUNODEFICIENCY SYNDROME) AND RELATED OPPORTUNISTIC INFECTIONS

Treatment: MEDICAL THERAPY

ICD-9: 042.V08

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 171

Diagnosis: OPPORTUNISTIC INFECTIONS IN IMMUNOCOMPROMISED HOSTS; CANDIDIASIS OF STOMA; PERSONS RECEIVING CONTINUOUS ANTIBIOTIC THERAPY

Treatment: MEDICAL THERAPY

ICD-9: 003.9, 007.2, 007.4, 007.5, 007.9, 031.2, 031.9, 039, 053-054, 078.5, 110, 111.1, 112.0, 112.2, 112.84, 115, 117.5, 118, 130, 136.3

CPT: 11720-11721, 17110-17111, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 172

Diagnosis: EMPYEMA AND ABSCESS OF LUNG

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 510, 511.1, 513.0

CPT: 32000-32036, 32200, 32215-32225, 32310-32320, 32420, 32500, 32650-32652, 32655-32656, 32664-32665, 32810, 32815, 32906, 32940, 33015, 33020, 33025, 33030-33031, 33050, 33253, 39220, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 173

Diagnosis: ANEMIAS DUE TO DISEASE OR TREATMENT AND OTHER APLASTIC ANEMIAS

Treatment: MEDICAL THERAPY

ICD-9: 284.8-284.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 174

Diagnosis: MALARIA AND RELAPSING FEVER

Treatment: MEDICAL THERAPY

ICD-9: 084, 086.1-086.5, 086.9, 087, 285.21-285.29

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 175

Diagnosis: HEART FAILURE

Treatment: MEDICAL THERAPY

ICD-9: 416, 428, 514

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 176

Diagnosis: HEREDITARY ANEMIAS, HEMOGLOBINOPATHIES, AND DISORDERS OF THE SPLEEN

Treatment: MEDICAL THERAPY

ICD-9: 282, 285.8, 289.0, 289.4-289.6

CPT: 38100-38102, 38120, 47562, 47563, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 177

Diagnosis: LIFE-THREATENING CARDIAC ARRHYTHMIAS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 427.1, 427.4-427.5, 428.20-428.43, 428.9, 429.4, 746.86

CPT: 31500, 31603, 31605, 32160, 33200-33261, 33820, 33973-33974, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92961, 92970-92984, 92995-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 178

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: END STAGE RENAL DISEASE
Treatment: MEDICAL THERAPY INCLUDING DIALYSIS
ICD-9: 250.4,583.8-583.9
CPT: 36821,36831-36833,36835,36870,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 179

Diagnosis: ACUTE AND SUBACUTE NECROSIS OF LIVER; SPECIFIED INBORN ERRORS OF METABOLISM (EG. MAPLE SYRUP URINE DISEASE, TYROSINEMIA)
Treatment: LIVER TRANSPLANT
ICD-9: 270.0,270.2-270.4,270.6,270.9,271.0,271.8,272.0,275.0,275.1,277.6,570,571.49,996.82
CPT: 47133-47136
Line: 180

Diagnosis: FRACTURE OF HIP, CLOSED
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 820.00,820.02-820.09,820.2,820.8
CPT: 20680,20900,27125,27132,27230-27232,27235-27240,27244-27248,27496-27499,27656,27892-27894,29305,29325,29710,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 181

Diagnosis: HEREDITARY ANGIOEDEMA; ANGIONEUROTIC EDEMA
Treatment: MEDICAL THERAPY
ICD-9: 277.6,995.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 182

Diagnosis: PEDIATRIC SOLID MALIGNANCIES (See Coding Specification Below)
Treatment: BONE MARROW RESCUE AND TRANSPLANT
ICD-9: 170,171,188,189.0,191.6-191.7,194.0,186.9
CPT: 36680,38230-38241,77261-77799
HCPCS: G0242,G0243,S2150
Line: 183

Morphology codes indicating a diagnosis of Medulloblastoma (M9470/3,M9471/3, M9472/3), Neuroblastoma (M9490/3,M9500/3 M9501/3,M9502/3,M9503/3,M9504/3,M9522/23), Rhabdomyo-sarcoma (M8900/3,M8901/3,M8902/3,M8910/3,M8920/3), Ewing's Sarcoma (M9260/3) or Seminoma (M9061/3,M9062/3,M9063/3) must be documented to ensure a covered diagnosis. The treatment of seminoma with bone marrow/stem cell rescue and transplant in conjunction with high-dose chemotherapy is included only after selection within a randomized trial.

Diagnosis: CHRONIC NON-LYMPHOCYTIC LEUKEMIA
Treatment: BONE MARROW TRANSPLANT
ICD-9: 205.1,206.1,996.85
CPT: 36680,38230-38241,77261-77799
HCPCS: G0242,G0243,S2150
Line: 184

Diagnosis: PREVENTIVE SERVICES WITH PROVEN EFFECTIVENESS, OVER AGE OF 10 (See Guideline Note)
Treatment: MEDICAL THERAPY
ICD-9: V01.0-V01.2,V01.4-V01.9,V02-V03,V04.0,V04.2-V04.6,V04.8,V05-V06,V07.0,V07.2,V07.4, V17-V19,V65.41-V65.45,V70.0,V71.09,V72.0-V72.1,V72.3,V73-V82
CPT: 90471-90472,90780-90799,90801,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499,BA108,BA109,BA110,BA150, BA310,BA371,BA382
HCPCS: G0117,G0118
Line: 185

Diagnosis: TOBACCO DEPENDENCE (See Guideline Note)
Treatment: MEDICAL THERAPY/BREIF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS
ICD-9: 305.1
CPT: 97780-97781,99071,99078,99201-99215,99372,BA330,BA331,BA332,BA333,BA334
CDT: D1320
Line: 186

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PREVENTIVE FOOT CARE IN HIGH RISK PATIENTS
Treatment: MEDICAL AND SURGICAL TREATMENT OF TOENAILS AND HYPERKERATOSES OF FOOT
ICD-9: 250.6-250.7,356,357.2,357.5,440.2,443.1
CPT: 11040,11719-11732,11750
Line: 187

Diagnosis: ABUSE OR DEPENDENCE OF PSYCHOACTIVE SUBSTANCE
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.1,303.9,304,305.0,305.2-305.9
CPT: 90801-90899,96100,97780-97781,99201-99275,99301-99316,BA310,BA311,BA312,BA313,BA314,BA315,BA316,BA317,BA318,BA319,BA321,BA340,BA370,BA371,BA372,BA373,BA374,BA375,BA376,BA377,BA378,BA381,BA382,BA383,BA384,BA385,BA386,BA387,BA388,BA389
Line: 188

Diagnosis: MAJOR DEPRESSION; SINGLE EPISODE OR MILD
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.2,298.0,311
CPT: 90801-90899,96100,97780-97781,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 189

Diagnosis: BRIEF REACTIVE PSYCHOSIS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 297.3,298.1-298.3,298.9,299.8
CPT: 90801-90899,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 190

Diagnosis: ATTENTION DEFICIT DISORDERS WITH HYPERACTIVITY OR UNDIFFERENTIATED
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 314
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 191

Diagnosis: HYPERTENSION AND HYPERTENSIVE DISEASE
Treatment: MEDICAL THERAPY
ICD-9: 401-402,405.09,405.19,405.99,437.2
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 192

Diagnosis: ULCERS, GASTRITIS AND DUODENITIS
Treatment: MEDICAL THERAPY
ICD-9: 531-535,569.84,569.85
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 193

Diagnosis: CANCER OF THYROID, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 193
CPT: 38510,60200,60210,60212,60220-60225,60252-60260,60270-60271,60512,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D5984
HCPCS: G0242,G0243
Line: 194

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CANCER OF TESTIS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 186,236.4

CPT: 38564,38780,54512-54535,54690,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 195

Diagnosis: CANCER OF UTERUS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 179,182,233.2,236.0,621.3

CPT: 38770,38780,49201,57500,58120,58150-58285,58346,58953-58954,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 196

Diagnosis: CANCER OF EYE & ORBIT, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY

ICD-9: 190,234.0,238.8

CPT: 11401-11402,11420,11440,13132,15756-15758,20969,65091,65101-65105,65110-65114,65900,66600,66605,66770,67218,67414,67445,68135,68320,68325-68326,68328,68335,68340,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 197

Diagnosis: ULCERS, GI HEMORRHAGE

Treatment: SURGICAL TREATMENT

ICD-9: 530.7,531-534,537.84,569.84,569.85,578

CPT: 43204-43205,43241,43243-43244,43255,43501-43502,43610-43641,43651,43652,43820-43840,43850-43855,43865,45308-45320,45333-45339,64680,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 198

Diagnosis: CONGENITAL STENOSIS AND INSUFFICIENCY OF AORTIC VALVE

Treatment: SURGICAL VALVE REPLACEMENT/VALVULOPLASTY

ICD-9: 746.3-746.4

CPT: 33400,33405-33417,33496,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986-92990,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 199

Diagnosis: BURN, PARTIAL THICKNESS WITHOUT VITAL SITE, 10-30% OF BODY SURFACE

Treatment: FREE SKIN GRAFT, MEDICAL THERAPY

ICD-9: 941.26-941.27,941.36-941.37,942.20-942.24,942.29-942.34,942.39,943.2-943.3,944.20-944.24,944.26-944.28,944.30-944.34,944.36-944.38,945.20-945.21,945.23-945.29,945.30-945.31,945.33-945.39,946.2-946.3,949.2-949.3

CPT: 11000,11040-11042,11960-11971,14020,14040-14041,15000-15121,15200,15220,15240,15260,15342-15401,15570-15574,16000-16036,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 200

Diagnosis: AGRANULOCYTOSIS

Treatment: BONE MARROW TRANSPLANTATION

ICD-9: 288.0,996.85

CPT: 36680,38240,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2150

Line: 201

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CHRONIC GRANULOMATOUS DISEASE
Treatment: MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY
ICD-9: 288.1-288.2
CPT: 77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 202

Diagnosis: BOTULISM
Treatment: MEDICAL THERAPY
ICD-9: 005.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 203

Diagnosis: DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM (NON PKU)
Treatment: MEDICAL THERAPY
ICD-9: 270.0,270.2-270.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 204

Diagnosis: CHRONIC RESPIRATORY DISEASE ARISING IN THE NEONATAL PERIOD
Treatment: MEDICAL THERAPY
ICD-9: 770.7
CPT: 31601-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 205

Diagnosis: GONOCOCCAL INFECTIONS AND OTHER SEXUALLY TRANSMITTED DISEASES
Treatment: MEDICAL THERAPY
ICD-9: 054.11-054.13,098.0-098.3,098.5-098.7,098.81-098.86,099.0-099.2,099.4-099.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 206

Diagnosis: HERPES SIMPLEX AND HERPES ZOSTER WITH NEUROLOGICAL & OPHTHALMOLOGICAL COMPLICATIONS
Treatment: MEDICAL THERAPY
ICD-9: 053,054.3-054.4,054.72,136.2,331.81
CPT: 69676,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-
92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97781,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 207

Diagnosis: PNEUMOCYSTIS CARINII PNEUMONIA
Treatment: MEDICAL THERAPY
ICD-9: 136.3
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 208

Diagnosis: HYPOPLASIA AND DYSPLASIA OF LUNG
Treatment: MEDICAL THERAPY
ICD-9: 748.5
CPT: 31601-31603,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 209

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CARDIOMYOPATHY, HYPERTROPHIC MUSCLE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 086.0,425

CPT: 21630,33010,33216,33218-33220,33223,33240-33246,33249,33414-33416,33510-33514,33516-33519,33521-33523,33530,33973-33974,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92984,92995-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 210

Diagnosis: GLYCOGENOSIS

Treatment: MEDICAL THERAPY

ICD-9: 271.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 211

Diagnosis: CHRONIC OSTEOMYELITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 730.1-730.2,730.30,730.34,730.9

CPT: 11000-11044,15734,20000,20005,20150,20692,20900,20930-20938,20955-20957,20960,20962,20969-20973,21620,21627,22548,22554,22556,22558,22585,22851,23035,23105,23130,23170-23182,23184,23220-23222,23395,23935,24134-24147,24150-24153,24420,24498,25035,25085,25119,25145-25151,25210,25215,25230,25240,25320,25337,26034,26230-26236,26951,26992,27070-27071,27075-27079,27187,27303,27360,27465-27466,27468,27607,27620,27640-27641,27745,28005,28120-28124,28820,63081-63091,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 212

Diagnosis: ACUTE LYMPHOCYTIC LEUKEMIAS (ADULT) AND MULTIPLE MYELOMA

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 203.0,203.8,204.0

CPT: 62350-62368,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 213

Diagnosis: MULTIPLE MYELOMA

Treatment: BONE MARROW TRANSPLANT

ICD-9: 203,996.85

CPT: 36680,38230-38241

HCPCS: S2150

Line: 214

Diagnosis: PHLEBITIS & THROMBOPHLEBITIS, DEEP

Treatment: MEDICAL THERAPY

ICD-9: 451.1,451.81,451.83

CPT: 11042,32661,37660,35700,35860,35875-35876,35903,37650,37720,37735,37760,37785,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 215

Diagnosis: DISEASES OF ENDOCARDIUM

Treatment: MEDICAL THERAPY

ICD-9: 424

CPT: 32660,33496,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 216

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: IDIOPATHIC OR VIRAL MYOCARDITIS AND PERICARDITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 420.91,422.91

CPT: 31750,31760,32659-32661,33010-33011,33015,33020,33025,33030-33031,33050,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 217

Diagnosis: INTRASPINAL AND INTRACRANIAL ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 324-325,386.33

CPT: 20930-20938,22840-22855,61105-61321,61501,61514,61522,61570-61571,62140-62147,62268,63045-63048,63075-63091,63265-63273,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 218

Diagnosis: FRACTURE OF RIBS AND STERNUM, OPEN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 807.1,807.3

CPT: 11010-11012,21805,21810,21825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 219

Diagnosis: NEUROLOGICAL DYSFUNCTION IN BREATHING, EATING, SWALLOWING, BOWEL, OR BLADDER CONTROL CAUSED BY CHRONIC CONDITIONS

Treatment: MEDICAL AND SURGICAL TREATMENT (EG. G-TUBES, J-TUBES, RESPIRATORS, TRACHEOSTOMY, UROLOGICAL PROCEDURES)

ICD-9: 046,049,062-063,090.40,094.0-094.2,094.8-094.9,137.1,138,139.0,139.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.9,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,431-432,434,436,438,564.81,728.1,728.3,740-742,747.82,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851-854,905.0,907.0-907.3,907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 15845,31502,31600-31656,31730,31750,31755,31760,31820,31825,31830,43246,43653,43750,43810-43830,43832,44130,44139-44160,44300-44320,44372,46750-46760,51040,51797,51880,51960,52277,53431-53442,53445,53670-53675,62350,77401-77499,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5937

Line: 220

Diagnosis: ESOPHAGEAL STRICTURE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 530.3

CPT: 32110,32120,32124,32820,43219-43220,43226,43245-43246,43330,43410,43415,43420,43425,43450-43456,43653,43830,43832,44300,44372-44373,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 221

Diagnosis: SPONTANEOUS ABORTION COMPLICATED BY INFECTION AND/OR HEMORRHAGE, MISSED ABORTION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 632,634.0-634.1

CPT: 58520,59812,59820-59830,64435,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 222

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: TRANSIENT NEPHROTIC SYNDROME WITH LESION OF MINIMAL CHANGE GLOMERULONEPHRITIS
Treatment: MEDICAL THERAPY
ICD-9: 581.3
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 223

Diagnosis: DISORDERS OF PANCREATIC ENDOCRINE SECRETION
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 251.4-251.9
CPT: 48155, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 224

Diagnosis: ERYTHROPLAKIA, LEUKOEDEMA OF MOUTH OR TONGUE
Treatment: INCISION/EXCISION, MEDICAL THERAPY
ICD-9: 230.0, 528.7
CPT: 41000-41018, 41110-41599, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 225

Diagnosis: LEUKOPLAKIA OF ORAL MUCOSA, INCLUDING TONGUE
Treatment: INCISION/EXCISION, MEDICAL THERAPY
ICD-9: 528.6
CPT: 41000-41018, 41110-41599, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 226

Diagnosis: DYSTROPHY OF VULVA
Treatment: MEDICAL THERAPY
ICD-9: 624.0-624.1
CPT: 56501, 56515, 56620, 57452, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 227

Diagnosis: CANCER OF SOFT TISSUE, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 164.1, 171, 238.1
CPT: 14040, 15100-15101, 15732-15736, 21121, 21555-21557, 21930-21935, 23075-23077, 24075-24077, 25075-25077, 26115-26117, 27047-27049, 27075-27079, 27327-27329, 27615-27619, 27899, 28043-28046, 32522, 33120, 33130, 64774-64783, 77261-77799, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
HCPCS: G0242, G0243
Line: 228

Diagnosis: CANCER OF BREAST, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY, RADIATION THERAPY AND BREAST RECONSTRUCTION
ICD-9: 174-175, 233.0, 238.3, V50.42
CPT: 11401-11402, 11623, 13102, 13122, 13132, 13133, 13153, 17999, 19110, 19120, 19125-19126, 19160-19200, 19240, 19290-19295, 19324-19369, 32000, 38525-38530, 38740-38745, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
HCPCS: G0242, G0243
Line: 229

Diagnosis: CANCER OF OVARY, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 183.0, 198.6, 236.2
CPT: 44110, 44120, 44140, 58180, 58550, 58740, 58940-58943, 58950-58960, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
HCPCS: G0242, G0243
Line: 230

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: UNDESCENDED TESTICLE

Treatment: SURGICAL TREATMENT

ICD-9: 752.5

CPT: 54512-54535,54550,54560,54620,54640,54650,54660,54690,54692,55200

Line: 231

Diagnosis: CANCER OF PENIS AND OTHER MALE GENITAL ORGANS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 187,233.5-233.6,236.6

CPT: 11623,11960-11971,15574,52240,54120-54135,54220,54065,55150-55180,58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 232

Diagnosis: CANCER OF VAGINA, VULVA AND OTHER FEMALE GENITAL ORGANS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 183.2-183.9,184,233.3,236.1,236.3

CPT: 56501,56515,56620,56625,56630-56640,57065,57106-57112,57520,57530,57550,58150,58180,58200,58210,58240,58260,58275,58285,58943-58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 233

Diagnosis: CHORIOCARCINOMA, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 181

CPT: 58120,58150,58180-58200,58953,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 234

Diagnosis: CANCER OF BONES, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 170,198.5,238.0

CPT: 14001,17002,20931,20938,20955-20957,20962-20973,21025-21026,21034,21044-21045,21081,21610,21620,22548-22585,22851,23140,23200-23222,23900,24150-24153,24498,24900-24931,25110-25119,25210-25240,25320,25335,25337,25391-25393,25441-25447,25450-25492,25505,25810-25931,26200,26910-26952,27025,27054,27065-27067,27187,27290,27365,27465-27468,27496-27499,27590-27598,27656,27745,27880-27894,28800-28825,31200-31201,31225,32900,36680,63081-63091,63276,69970,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5934,D5935,D5984,D7440,D7441

HCPCS: G0242,G0243

Line: 235

Diagnosis: CANCER OF BLADDER AND URETER, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 188,189.2,198.1,233.7,236.7

CPT: 50125,50220-50290,50340,50544-50548,50553,50572,50650-50660,50825-50840,50976,50978,51530,51550-51597,51700,51720,52224,52234-52240,52250,52281-52282,52327,52355,52500,53210-53220,53670,58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 236

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CANCER OF RETROPERITONEUM, PERITONEUM, OMENTUM & MESENTERY, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 158,197.6,197.8,235.4-235.5
CPT: 39010,44820-44899,49081,49255,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 237

Diagnosis: CANCER OF ORAL CAVITY, PHARYNX, NOSE AND LARYNX, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 140-149,160-161,231.0,231.8,235.0-235.1,235.6,235.9
CPT: 13132,13151,14040-14061,15570,15732-15734,15756-15758,15760,20955-20957,30117-30118,30520,31075-31090,31200-31205,31225-31230,31300,31360-31368,31370,31380-31395,31540-31541,31600-31603,31611,31820,31825,38724,40500-40530,40810-40816,40819,40899,41110-41116,41120-41155,41820,41825-41827,41850,42104-42120,42280-42281,42842,42845,42410-42450,42500,42826,42880,43496,69150,69155,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D5983,D5984,D5985,D7440,D7441,D7920,D7981
HCPCS: G0242,G0243
Line: 238

Diagnosis: PORTAL VEIN THROMBOSIS
Treatment: SURGICAL AND MEDICAL THERAPY
ICD-9: 452
CPT: 37140,37180,49425-49429,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 239

Diagnosis: PARALYTIC ILEUS
Treatment: MEDICAL THERAPY
ICD-9: 560.1,560.31
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 240

Diagnosis: TRAUMATIC AMPUTATION OF LEG(S) (COMPLETE) (PARTIAL) W/ & W/O COMPLICATION
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 897.0-897.7,905.9
CPT: 11010-11012,20920,20922,20924,27290-27295,27590-27598,27880-27886,27889,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 241

Diagnosis: TRAUMATIC AMPUTATION OF ARM(S), HAND(S), THUMB(S), AND FINGER(S) (COMPLETE) (PARTIAL) WITH AND WITHOUT COMPLICATION
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 885-887
CPT: 11000-11001,11010-11012,11042-11044,15050,20802,20805,20808,20816-20924,20972-20973,23900,23920,23921,24900,24920,24925,24930,24931,24935,24940,25900-25909,26350-26356,26410-26418,26551-26556,26910-26952,64831-64832,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 242

Diagnosis: IRON DEFICIENCY ANEMIA AND OTHER NUTRITIONAL DEFICIENCIES
Treatment: MEDICAL THERAPY
ICD-9: 260-268,269.0-269.3,280,285.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 243

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PHYSICAL AND SEXUAL ABUSE INCLUDING RAPE

Treatment: MEDICAL THERAPY

ICD-9: 959.9,994.2-994.3,995.5,995.80-995.85,V61.11,V61.21,V71.5

CPT: 46700,56800,56810,57023,57200,57210,57410,57415,90471-90472,90780-90799,90901-90937,
90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,
95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,
99379-99440,99499

Line: 244

Diagnosis: ACUTE STRESS DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 308

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,
BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,
BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,
BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,
ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 245

Diagnosis: SEPARATION ANXIETY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 309.21

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,
BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA135,BA150,BA152,BA153,BA154,
BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,
ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 246

Diagnosis: PERITONSILLAR ABSCESS

Treatment: INCISION AND DRAINAGE OF ABSCESS, MEDICAL THERAPY

ICD-9: 475

CPT: 10160,42700,42820-42826,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 247

Diagnosis: CANCRUM ORIS

Treatment: MEDICAL THERAPY

ICD-9: 528.1

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 248

Diagnosis: OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES

Treatment: THROMBOENDARTERECTOMY

ICD-9: 433

CPT: 34001,35301,35390,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 249

Diagnosis: ACUTE GLOMERULONEPHRITIS AND OTHER ACUTE RENAL FAILURE

Treatment: MEDICAL THERAPY INCLUDING DIALYSIS

ICD-9: 580.0,580.8-580.9,583.0-583.7,584

CPT: 36145,36800-36819,36821,36831-36833,36835,36870,90471-90472,90780-90799,90901,90937,
90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,
95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,
99379-99440,99499

Line: 250

Diagnosis: NEPHROTIC SYNDROME AND OTHER RENAL DISORDERS

Treatment: MEDICAL THERAPY INCLUDING DIALYSIS

ICD-9: 403,581.0-581.2,581.8-581.9,582,593.9,585,587-589

CPT: 36145,36800-36819,36821,36831-36833,36835,36870,49420-49421,90471-90472,90780-90799,
90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,
93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,
99374-99375,99379-99440,99499

Line: 251

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CYSTICERCOSIS, OTHER CESTODE INFECTION, TRICHINOSIS

Treatment: MEDICAL THERAPY

ICD-9: 123.1-123.9,124

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 252

Diagnosis: POISONING BY INGESTION, INJECTION, AND NON-MEDICINAL AGENTS

Treatment: MEDICAL THERAPY

ICD-9: 278.2,278.4,960-989,995.86

CPT: 43241-43247,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,
92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 253

Diagnosis: METABOLIC DISORDERS INCLUDING HYPERLIPIDEMIA

Treatment: MEDICAL THERAPY

ICD-9: 202.5,272,277.1,277.5,277.9,330.1,374.51

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 254

Diagnosis: HEREDITARY FRUCTOSE INTOLERANCE, INTESTINAL DISACCHARIDASE AND OTHER DEFICIENCIES

Treatment: MEDICAL THERAPY

ICD-9: 271.2-271.9

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 255

Diagnosis: INTESTINAL MALABSORPTION

Treatment: MEDICAL THERAPY

ICD-9: 040.2,579

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 256

Diagnosis: DELIRIUM DUE TO MEDICAL CAUSES

Treatment: MEDICAL THERAPY

ICD-9: 293.0-293.1

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 257

Diagnosis: PERNICIOUS AND SIDEROBLASTIC ANEMIA

Treatment: MEDICAL THERAPY

ICD-9: 281,285.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 258

Diagnosis: DISSEMINATED INTRAVASCULAR COAGULATION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 286.6

CPT: 11040-11041,15200,15220,15240,15260,25900-25905,25915-25920,25927,26910-26952,27598,
27880-27882,27888-27889,28800-28825,30150,54130-54135,69110-69120,90471-90472,90780-
90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-
92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-
99362,99374-99375,99379-99440,99499

Line: 259

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DIVERTICULITIS OF COLON
Treatment: COLON RESECTION, MEDICAL THERAPY
ICD-9: 562.0-562.1
CPT: 44005,44139-44141,44143-44147,44160,44200,44204-44205,44320,44620-44625,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 260

Diagnosis: CYST AND PSEUDOCYST OF PANCREAS
Treatment: DRAINAGE OF PANCREATIC CYST
ICD-9: 577.2
CPT: 43240,48001,48005,48020,48120-48148,48152-48154,48180,48500-48540,49423-49424,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 261

Diagnosis: ACUTE POLIOMYELITIS
Treatment: MEDICAL THERAPY
ICD-9: 045
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 262

Diagnosis: SYSTEMIC SCLEROSIS
Treatment: MEDICAL THERAPY
ICD-9: 710.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 263

Diagnosis: SUBSTANCE-INDUCED DELIRIUM
Treatment: MEDICAL THERAPY
ICD-9: 291.0,291.3,291.8-291.9,292.0,292.8
CPT: 90801-90899,97780-97781,99201-99275,99301-99316,BA310,BA312,BA313,BA314,BA315,BA316,BA317,BA318,BA319,BA321,BA340,BA370,BA372,BA373,BA374,BA375,BA376,BA377,BA378,BA381,BA383,BA384,BA385,BA386,BA387,BA388,BA389
Line: 264

Diagnosis: ACUTE AND SUBACUTE ISCHEMIC HEART DISEASE, MYOCARDIAL INFARCTION
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 277.7,410-414,429.2,429.4,429.71,429.79,747.89,785.51
CPT: 33200-33201,33206-33208,33210,33212-33223,33233-33238,33261,33400-33417,33420,33422,33425-33427,33430,33465,33475,33500,33510-33542,33572,33681,33922,33967,33970-33974,33979-33989,35001,35182,35189,35226,35286,35600,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92961,92970-92984,92995-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 265

Diagnosis: TERMINAL ILLNESS REGARDLESS OF DIAGNOSIS
Treatment: COMFORT CARE (See Guideline Note)
ICD-9: V66.7
CPT: 27035,44370,44379,44383,44397,45327,45387,50947-50948,52341-52346,52355,62350-62368,64400-64450,64620,67570,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97781,97799,99025-99054,99058-99078,99175,99185-99362,99374-99440,99499
HCPCS: G0242,G0243
Line: 266

Diagnosis: ADJUSTMENT DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.0,309.1,309.23-309.29,309.3-309.4,309.82,309.83,309.9
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 267

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OPPOSITIONAL DEFIANT DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.81

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA135, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 268

Diagnosis: TOURETTE'S DISORDER AND TIC DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.0, 307.2

CPT: 90801-90899, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 269

Diagnosis: ANAL, RECTAL AND COLONIC POLYPS

Treatment: EXCISION OF POLYP

ICD-9: 211.3-211.4, 569.0

CPT: 44150, 45170, 45308-45309, 45333-45334, 45383-45385

Line: 270

Diagnosis: TRANSIENT CEREBRAL ISCHEMIA

Treatment: MEDICAL THERAPY

ICD-9: 362.34, 388.02, 435

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 271

Diagnosis: DYSPLASIA OF CERVIX AND CERVICAL CARCINOMA IN SITU, CERVICAL CONDYLOMA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 078.11, 233.1, 622.0-622.2, 623.0-623.1, 623.7, 795.0

CPT: 57061-57065, 57150, 57180, 57400, 57452, 57460, 57505, 57510-57522, 57530, 57540, 57550, 57555-57556, 58120, 58150, 58260, 58262-58263, 58550, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 272

Diagnosis: CANCER OF COLON, RECTUM, SMALL INTESTINE AND ANUS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 152-154, 197.5, 230.3-230.6, 235.5

CPT: 31540-31541, 43248, 43249-43250, 43631-43634, 44120-44121, 44139-44150, 44204, 44345, 44620-44625, 45110-45113, 45123, 45126, 45136, 45170, 45190, 45384-45385, 45333, 45505, 45550, 46917, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G0242, G0243

Line: 273

Diagnosis: CANCER OF CERVIX, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 180

CPT: 38770, 44320, 44700, 53444, 57155, 57500, 57505, 57460, 57520, 57522, 57531, 57540, 57545, 57550, 57820, 58150, 58200, 58210, 58953-58954, 77261-77799, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G0242, G0243

Line: 274

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CANCER OF LUNG, BRONCHUS, PLEURA, TRACHEA, MEDIASTINUM & OTHER RESPIRATORY ORGANS, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 162-163,164.2-164.9,165,195.1,197.0,197.2-197.3,231.1-231.2,231.9,235.7-235.8
CPT: 19260-19272,21610,22900,31600-31603,31640-31645,31770,31775,31785-31786,31820,31825,31899,32000,32020,32320,32480-32488,32440-32445,32500-32540,32662,32657,32900-32906,38542,38794,39000-39010,39200,39220,39400,46917,49421,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 275

Diagnosis: CANCER OF PROSTATE GLAND, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 185,233.4,236.5
CPT: 38564,38780,51700,52010,52234,52240,52281,52340,52400,52510,52601,52612-52648,53600-53601,54530,55810-55845,55859-55865,55899,58960,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 276

Diagnosis: CANCER OF ENDOCRINE SYSTEM, EXCLUDING THYROID, TREATABLE; CARCINOID SYNDROME
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INLCUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 164.0,194,198.7,234.8,237.0-237.4,259.2
CPT: 38510,60512,60540-60545,60600-60605,60650,64788,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 277

Diagnosis: CANCER OF KIDNEY AND OTHER URINARY ORGANS, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 189.0-189.1,189.3-189.9,198.0,233.9,236.9
CPT: 50125,50220-50290,50340,50545,50553,50572,50650-50660,50825-50840,51530,51550-51597,51700,51720,52224,52234-52240,52250,52281-52282,52500,53210-53220,53670,58200,58960,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 278

Diagnosis: CANCER OF STOMACH, TREATABLE
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 151,230.2,235.2
CPT: 43122,43248-43250,43620-43638,44110-44130,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 279

Diagnosis: CANCER OF BRAIN AND NERVOUS SYSTEM, TREATABLE
Treatment: LINEAR ACCELERATOR, MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
ICD-9: 191-192,198.3-198.4,237.5-237.9
CPT: 61312-61321,61500-61501,61510-61512,61516-61521,61530,61586,61750-61751,61770,61793,61795,62140-62147,62223,62350-62368,63265,63275-63290,63300-63308,63615,64784-64792,64802-64818,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
HCPCS: G0242,G0243
Line: 280

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ANAEROBIC INFECTIONS REQUIRING HYPERBARIC OXYGEN

Treatment: HYPERBARIC OXYGEN

ICD-9: 040.0,526.4,526.89,639.0,639.6,670.02,670.04,673.0,686.0,709.3,728.0,730.2,730.30,
730.9,785.4,958.0,990,996.52,996.7,999.1

CPT: 99183

Line: 281

Diagnosis: BENIGN NEOPLASM OF PITUITARY GLAND

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY

ICD-9: 227.3,349.81

CPT: 61070,61305,61545-61548,62100,77261-77799,79000-79900,90471-90472,90780-90799,90901-
90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-
95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-
99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 282

Diagnosis: CUSHING'S SYNDROME; HYPERALDOSTERONISM, OTHER CORTICOADRENAL OVERACTIVITY,
MEDULLOADRENAL HYPERFUNCTION

Treatment: MEDICAL THERAPY/ADRENALECTOMY

ICD-9: 255.0,255.1,255.3,255.6,255.8-255.9,259.1,259.3,349.81

CPT: 60540-60545,60650,61546,62100,90471-90472,90780-90799,90901-90937,90945-92060,92070-
92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-
97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 283

Diagnosis: CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 491.1-491.2,492,496,508.1-508.9,518.2,518.3

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97781,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 284

Diagnosis: DISORDERS OF MINERAL METABOLISM

Treatment: MEDICAL THERAPY

ICD-9: 275

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 285

Diagnosis: INTRACEREBRAL HEMORRHAGE

Treatment: MEDICAL THERAPY

ICD-9: 431

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 286

Diagnosis: STROKE

Treatment: MEDICAL THERAPY

ICD-9: 434,436,437.0,437.1,437.6,747.81

CPT: 37195,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-
92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 287

Diagnosis: ACUTE PULMONARY HEART DISEASE AND PULMONARY EMBOLI

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 415,958.1

CPT: 33916,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-
92508,92511-92960,92970-92984,92995-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 288

Diagnosis: DISLOCATION KNEE & HIP, OPEN

Treatment: SURGICAL TREATMENT

ICD-9: 835.1,836.2,836.4,836.6

CPT: 27253-27258,27275,27350,27430,27435,27496-27499,27556-27558,27560,27562,27566,27830-
27832,27892-27894,29861-29863,29882

Line: 289

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DISLOCATION OF ELBOW, HAND, ANKLE, FOOT, CLAVICLE AND SHOULDER, OPEN

Treatment: SURGICAL TREATMENT

ICD-9: 830.1, 831.1, 832.1, 833.1, 834.1, 837.1, 838.1

CPT: 21485-21490, 23395, 23530-23532, 23550-23552, 23660, 23670, 23680, 24300, 24332, 24343, 24345-24346, 24586, 24615, 24635, 25275, 25394, 25430-25431, 25670, 25676, 25685, 25695, 26340, 26645, 26665, 26685-26686, 26715, 26775-26776, 27695-27696, 27698, 27830-27832, 27846-27848, 28540, 28545-28546, 28555, 28570, 28575-28576, 28585, 28600, 28605-28606, 28615, 28630, 28635-28636, 28645, 28660, 28665-28666, 28675, 29891-29892

Line: 290

Diagnosis: ACUTE BRONCHITIS AND BRONCHIOLITIS

Treatment: MEDICAL THERAPY

ICD-9: 466

CPT: 31600-31603, 31820, 31825, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 291

Diagnosis: ACUTE PELVIC INFLAMMATORY DISEASE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 614.0, 614.2-614.5, 614.7-614.9, 615

CPT: 44960, 46020, 57010, 58150, 58660, 58700, 58720, 58740, 58820-58823, 58925, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 292

Diagnosis: URINARY FISTULA

Treatment: SURGICAL TREATMENT

ICD-9: 593.81-593.82

CPT: 45820, 50040-50045, 50395-50398, 50520, 50525-50526, 50686-50688, 50900, 50920, 50930, 50961, 50970, 50980, 52234, 53080, 53085, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 293

Diagnosis: ANEURYSM OF PULMONARY ARTERY

Treatment: SURGICAL TREATMENT

ICD-9: 417.0, 417.1, 417.8-417.9, 901.41

CPT: 32480-32486, 32488, 32500-32501, 32520, 32522, 32525, 32540, 33910-33915, 33917-33920, 33922, 33973-33974, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 294

Diagnosis: EPILEPSY AND FEBRILE CONVULSIONS

Treatment: MEDICAL THERAPY

ICD-9: 345, 780.3

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 295

Diagnosis: REGIONAL ENTERITIS, IDIOPATHIC PROCTOCOLITIS, ULCERATION OF INTESTINE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 555, 556, 557.1, 557.9, 569.41, 569.81-569.82, 569.86

CPT: 44110, 44120-44121, 44139-44160, 44202-44205, 44300-44316, 44345, 44625-44626, 44650, 45112-45113, 45119, 45123, 45136, 45307-45309, 45315, 45320-45321, 45332-45334, 45337-45339, 45379, 45382-45385, 45805, 45825, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 296

Diagnosis: ENTERIC INFECTIONS AND OTHER BACTERIAL FOOD POISONING

Treatment: MEDICAL THERAPY

ICD-9: 001, 003.0, 003.8-003.9, 004, 005.0, 005.2-005.9, 008.0-008.8, 009

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 297

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: GIANT CELL ARTERITIS, KAWASAKI DISEASE, HYPERSENSITIVITY ANGIITIS; THROMBOANGIITIS
OBLITERANS
Treatment: MEDICAL THERAPY
ICD-9: 443.1,446.1-446.2,446.5
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 298

Diagnosis: COMPLICATIONS OF A PROCEDURE USUALLY REQUIRING TREATMENT
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 349.0,519.00,519.02,536.40,536.42,536.49,569.60,569.62,569.69,990,996.30-996.32,
996.52-996.54,996.59,997.60-997.61,997.69,997.91,997.99,998.12-998.13,998.4,998.7,
998.82-998.89,999.2,999.5-999.7
CPT: 10040,15000,20680,27570,31630,36860,36861,43246,43760,62273,64788,69990,90471-90472,
90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,
92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,
99185-99362,99374-99375,99379-99440,99499
Line: 299

Diagnosis: TERMINATION OF PREGNANCY (Note: This line item is not priced as part of the list.)
Treatment: INDUCED ABORTION
ICD-9: 635-639,655,779.6,V25.3
CPT: 58520,58611,59100,59160,59200,59840-59841,59850-59852,59855-59857,59866,90471-90472,
90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,
92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,
99185-99362,99374-99375,99379-99440,99499,TAS01,TAS02,TAS03,TAS04,TAS05,TAS06,TAS07,
TAS08
HCPCS: S2260
Line: 300

Diagnosis: PREVENTIVE DENTAL SERVICES (See Guideline Note)
Treatment: CLEANING AND FLUORIDE
ICD-9: 520.0-520.6,520.8-520.9,521-523,V72.2
CPT: 90788,99201-99215,99245-99275
HCPCS: D0120,D0140,D0150,D0160,D0170,D1110,D1120,D1201,D1203,D1204,D1205,D1330,D1351,D4355,
D5982,D5986,D9610,D9920
Line: 301

ICD-9-CM codes will only be required on dental claims for FQHCs, RHCs, and tribal health clinics.

Diagnosis: HEARING LOSS - AGE 5 OR UNDER
Treatment: MEDICAL THERAPY INCLUDING HEARING AIDS
ICD-9: 388.00,388.02,388.1-388.2,388.4-388.5,388.8,389
CPT: 69424,69433,69436,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 302

Diagnosis: SENSORINEURAL HEARING LOSS - AGE 5 OR UNDER
Treatment: COCHLEAR IMPLANT
ICD-9: 389.1
CPT: 69710-69718,69930,92510
Line: 303

Diagnosis: POSTTRAUMATIC STRESS DISORDER
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.81,309.89
CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,
BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,
BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,
BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,
ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,
ECC95
Line: 304

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OBSESSIVE-COMPULSIVE DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.3

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 305

Diagnosis: BILATERAL ANOMALIES OF EXTERNAL EAR W/ IMPAIRMENT OF HEARING

Treatment: RECONSTRUCT OF EAR CANAL

ICD-9: 380.5,744.00-744.05,744.09

CPT: 15120,69310-69320,69631-69637,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 306

Diagnosis: GENERALIZED CONVULSIVE OR PARTIAL EPILEPSY WITHOUT MENTION OF IMPAIRMENT OF CONSCIOUSNESS

Treatment: SINGLE FOCAL SURGERY

ICD-9: 040.82,345.1,345.4-345.5

CPT: 61531,61533-61536,61543,61720,61735,61760,61850-61888

Line: 307

Diagnosis: CANDIDIASIS OF LUNG, DISSEMINATED CANDIDIASIS, CANDIDAL ENDOCARDITIS AND MENINGITIS

Treatment: MEDICAL THERAPY

ICD-9: 112.4-112.5,112.81,112.83-112.85,112.89

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 308

Diagnosis: COCCIDIOIDOMYCOSIS, HISTOPLASMOSIS, BLASTOMYCOTIC INFECTION, OPPORTUNISTIC AND OTHER MYCOSES

Treatment: MEDICAL THERAPY

ICD-9: 114-116,117.0-117.4,117.6-117.8,118,518.6

CPT: 33405-33417,33420-33430,33973-33974,35180,35182,35184,32662,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 309

Diagnosis: TETANUS

Treatment: MEDICAL THERAPY

ICD-9: 037

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 310

Diagnosis: EBSTEIN'S ANOMALY

Treatment: REPAIR SEPTAL DEFECT/VALVULOPLASTY/REPLACEMENT

ICD-9: 746.2

CPT: 33460,33465,33468,33641-33647,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 311

Diagnosis: DISSEMINATED INFECTIONS WITH LOCALIZED SITES

Treatment: MEDICAL THERAPY

ICD-9: 003.2,006.3-006.8,014-018,040.81-040.82,093-097,137.0,137.2-137.4

CPT: 47015,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 312

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DISEASES AND DISORDERS OF AORTIC VALVE

Treatment: AORTIC VALVE REPLACEMENT, VALVULOPLASTY, MEDICAL THERAPY

ICD-9: 395.424.1,710.0,720.0,745.0,747.21,759.82

CPT: 33400-33405,33410-33413,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 313

Diagnosis: TYPE II DIABETES MELLITUS

Treatment: MEDICAL THERAPY

ICD-9: 250.00,250.02,250.10,250.12,250.20,250.22,250.30,250.32,250.40,250.42,250.50,250.52,250.60,250.62,250.70,250.72,250.80,250.82,250.90,250.92

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 314

Diagnosis: POLYARTERITIS NODOSA AND ALLIED CONDITIONS

Treatment: MEDICAL THERAPY

ICD-9: 136.1,437.4-437.5,446.0,446.6-446.7

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 315

Diagnosis: SARCOIDOSIS

Treatment: MEDICAL THERAPY

ICD-9: 135

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 316

Diagnosis: DERMATOMYOSITIS, POLYMYOSITIS

Treatment: MEDICAL THERAPY

ICD-9: 710.3-710.5

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 317

Diagnosis: ATRIAL SEPTAL DEFECT, SECUNDUM

Treatment: REPAIR SEPTAL DEFECT

ICD-9: 745.5

CPT: 33641,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92992-92993,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 318

Diagnosis: DISEASES OF MITRAL VALVE

Treatment: VALVULOPLASTY, MITRAL VALVE REPLACEMENT, MEDICAL THERAPY

ICD-9: 391.1,394,396,424.0,746.5-746.6,746.89

CPT: 33420,33422,33426-33427,33430,33425,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986-92990,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 319

Diagnosis: ATELECTASIS (COLLAPSE OF LUNG)

Treatment: MEDICAL THERAPY

ICD-9: 518.0-518.1

CPT: 31645,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 320

Diagnosis: TOXIC EFFECT OF GASES, FUMES, AND VAPORS REQUIRING HYPERBARIC OXYGEN

Treatment: HYPERBARIC OXYGEN

ICD-9: 986-987,993.3

CPT: 99183

Line: 321

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ACQUIRED HYPOTHYROIDISM, DYSHORMONOGENIC GOITER

Treatment: MEDICAL THERAPY

ICD-9: 244,246.1

CPT: 60210,60212,60220,60225,60240,60270-60271,60512,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 322

Diagnosis: CARDIAC ARRHYTHMIAS

Treatment: MEDICAL THERAPY, PACEMAKER

ICD-9: 426,427.0,427.2-427.3,427.6,427.8-427.9,429.4

CPT: 33200-33201,33206-33208,33210,33211-33223,33233-33238,33250-33253,33261,33973-33974,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92961,92970-92984,92995-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 323

Diagnosis: TRAUMATIC AMPUTATION OF FOOT/FEET (COMPLETE) (PARTIAL) W/ & W/O COMPLICATION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 896,897.6-897.7

CPT: 11010-11012,20838,20920,20922,20924,27888,28800-28805,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 324

Diagnosis: BRACHIAL PLEXUS LESIONS

Treatment: MEDICAL THERAPY

ICD-9: 353.0

CPT: 21615-21616,21700,21705,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 325

Diagnosis: SPINAL DEFORMITY, CLINICALLY SIGNIFICANT (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 721.5-721.6,723.0,724.0,732.0,737.0-737.3,737.8-737.9,754.1-754.2,756.13-756.17,756.19,756.3

CPT: 20930-20938,21720,21725,22210-22226,22548,22554-22585,22590-22632,22800-22855,29000,29010,29015,29020,29025,29035,29040,29044,29046,29710,29715,29720,62284,62287,62290-62291,63001-63091,63170-63252,63300-63308,63600,63610,63650-63655,63685,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 326

Diagnosis: DISORDERS OF PLASMA PROTEIN METABOLISM

Treatment: MEDICAL THERAPY

ICD-9: 273

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 327

Diagnosis: ACUTE NON-LYMPHOCYTIC LEUKEMIAS

Treatment: MEDICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 205.0,206.0,207.0,208.0

CPT: 38100,38120,38760,62350-62368,77261-77799,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 328

Diagnosis: CHRONIC RHEUMATIC PERICARDITIS, RHEUMATIC MYOCARDITIS

Treatment: MEDICAL THERAPY

ICD-9: 393,398

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 329

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ACUTE NECROSIS OF LIVER

Treatment: MEDICAL THERAPY

ICD-9: 570,573.3

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 330

Diagnosis: CHRONIC HEPATITIS, INCLUDING VIRAL HEPATITIS B AND C

Treatment: MEDICAL THERAPY

ICD-9: 070.32,070.51,070.54,571.4,571.8-571.9,573.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 331

Diagnosis: ACUTE PANCREATITIS

Treatment: MEDICAL THERAPY

ICD-9: 577.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 332

Diagnosis: DERMATOLOGICAL PREMALIGNANT LESIONS AND CARCINOMA IN SITU

Treatment: DESTRUCT/EXCISION/MEDICAL THERAPY

ICD-9: 232,607.0,692.75,702.0

CPT: 11300-11313,11400-11446,11600-11646,13100-13160,14000-14350,17000-17108,17304,69110,
69120,69300,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,
92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 333

Diagnosis: ESOPHAGITIS

Treatment: FUNDOPLICATION

ICD-9: 530.10,530.11,530.19,530.6,530.81-530.83,530.89

CPT: 43030,43130,43135,43280,43324

Line: 334

Diagnosis: NEUROLOGICAL DYSFUNCTION IN POSTURE AND MOVEMENT CAUSED BY CHRONIC CONDITIONS
(See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT (EG. DURABLE MEDICAL EQUIPMENT AND ORTHOPEDIC
PROCEDURE)

ICD-9: 046,049,062-063,090.40,094.0-094.2,094.8-094.9,137.1,138,139.0,139.8,191-192,225,
237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-
277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,315.4,317-319,323.8-
323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.9,334-335,336.0-
336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,
345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,
359.0-359.4,359.8-359.9,431-432,434,436,438,718.49,727.81,728.1,728.3-728.4,740-742,
747.82,756.5,758,759.4-759.5,759.7-759.9,760-762,764-765,767.0,767.4,768.2-768.9,
770.1,771-773,779.7,781.8,797,850.4,851.03-851.06,851.1-851.3,851.43-851.46,851.5-
851.7,851.83-851.86,851.9,852-854,905.0,907.0-907.3,907.5,907.9,909,952-953,958.0-
958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-
994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 20550,20664,21610,23020,23800-23802,24301-24331,24800-24802,25280-25290,25310-25316,
25320,25330-25332,25337,25800-25805,25830,27000-27006,27036,27097-27122,27140,27306-
27307,27315-27320,27390-27400,27435,27605-27606,27612,27676-27692,27870-27871,28010-
28011,28030,28130,28220-28234,28240,28300-28312,28705-28725,28737-28760,29895,32501,
62360-62362,63600,63610,63650-63655,63685,64614,64763,90471-90472,90780-90799,90901-
90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-
95075,95115-97537,97601-97750,97780-97799,98925-98929,98940-98942,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99499

Line: 335

Diagnosis: ACUTE THYROIDITIS

Treatment: MEDICAL THERAPY

ICD-9: 245.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 336

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SYSTEMIC LUPUS ERYTHEMATOSUS, OTHER DIFFUSE DISEASES OF CONNECTIVE TISSUE
Treatment: MEDICAL THERAPY
ICD-9: 710.0,710.8,710.9
CPT: 20610,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 337

Diagnosis: WEGENER'S GRANULOMATOSIS
Treatment: MEDICAL THERAPY
ICD-9: 446.3-446.4
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 338

Diagnosis: PANIC DISORDER; AGORAPHOBIA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.01,300.21-300.22
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 339

Diagnosis: DISORDERS OF ARTERIES, VISCERAL
Treatment: BYPASS GRAFT
ICD-9: 445.81-445.89,447.0,447.2-447.9,593.81,747.82
CPT: 35501-35515,35526-35531,35536-35551,35560-35563,35601-35616,35626-35646,35663,37607,62294,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 340

Diagnosis: LEPTOSPIROSIS
Treatment: MEDICAL THERAPY
ICD-9: 100
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 341

Diagnosis: AMEBIASIS
Treatment: MEDICAL THERAPY
ICD-9: 006.0-006.2,006.9,007.0,007.3,007.8,136.4-136.5,136.8
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 342

Diagnosis: ZONOTIC BACTERIAL DISEASES
Treatment: MEDICAL THERAPY
ICD-9: 020-027,073.7-073.9,078.3,V71.82-V71.83
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 343

Diagnosis: FRACTURE OF FACE BONES; INJURY TO OPTIC AND OTHER CRANIAL NERVES
Treatment: SURGERY
ICD-9: 802,950-951
CPT: 10121,11010-11012,20670,20680,21085,21210,21215,21310-21339,21340-21348,21355-21360,21365-21366,21385-21395,21400-21401,21406-21408,21421-21423,21431-21454,21461,21462,21465,21470,21499,30450,31292-31294,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D5988
Line: 344

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS

Treatment: LOBECTOMY, MEDICAL THERAPY, WHICH INCLUDES RADIATION THERAPY

ICD-9: 212

CPT: 19260-19272,21627,21630,21740,31512,31541,31599,31770,31775,32320,32480-32488,32540,32657,32661-32662,33120,33130,39000-39010,39220,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 345

Diagnosis: DYSTONIA (UNCONTROLLABLE)

Treatment: MEDICAL THERAPY

ICD-9: 333.0-333.7,333.81,333.83,333.89,333.90,333.92,333.99

CPT: 64612-64613,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 346

Diagnosis: ATHEROSCLEROSIS, AORTIC AND RENAL

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 440.0-440.1

CPT: 35471,35501-35515,35526-35531,35536-35551,35560-35563,35601-35616,35626-35647,35654,35663,35820,35840,35875-35876,35905,35907,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 347

Diagnosis: CANCER OF SKIN, EXCLUDING MALIGNANT MELANOMA, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 173,176,198.2,238.2

CPT: 11000-11044,11300,11400-11446,11600-11646,12001-12057,13100-13153,13160,14000-14061,14300,14350,15000,15100,15221,15240-15261,15350,15400,15570-15770,17000-17108,17260-17310,17340,21555-21557,21930-21935,23075-23077,24075-24077,25075-25077,26115-26117,27047-27048,27327-27329,27615-27619,28043-28046,38562-38564,38700-38745,38760-38765,67950,67961,67966,67971,67973-67975,69120,69145,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99499

HCPCS: G0242,G0243

Line: 348

Diagnosis: SLEEP APNEA

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 347,780.51,780.53,780.57

CPT: 21193-21235,30117,30140,30520,31600-31610,31820,31825,42140,42145,42160,42820-42836,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 349

Diagnosis: DEFICIENCIES OF CIRCULATING ENZYMES INCLUDING ALPHA 1-ANTITRYPSIN DEFICIENCY

Treatment: MEDICAL THERAPY

ICD-9: 277.6

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 350

Diagnosis: LIFE-THREATENING EPISTAXIS

Treatment: SEPTOPLASTY/REPAIR/CONTROL HEMORRHAGE

ICD-9: 784.7

CPT: 30520,30540,30545,30560,30620-30802,30901-30906,30915-30930,31238,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 351

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SIALOADENITIS, ABSCESS, FISTULA OF SALIVARY GLANDS

Treatment: SURGERY

ICD-9: 527.2-527.4

CPT: 40810-40816,42300-42320,42325-42330,42335,42340,42408,42410,42415-42420,42440-42509,
42600,42650-42665,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7980,D7981,D7982,D7983

Line: 352

Diagnosis: CHRONIC ULCER OF SKIN

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 454.0-454.8,459.11-459.19,459.31-459.39,707

CPT: 10060-10061,11000-11044,14000-15770,15920-15958,90471-90472,90780-90799,97601-97750,
90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,
93000-95075,95115-97537,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,
99379-99440,99499

CDT: D7920

Line: 353

Diagnosis: ABSCESS AND CELLULITIS, NON-ORBITAL

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 040.3,040.89,373.13,527.3,566,597.0,607.2,608.4,680-682,684,686.8,703.0,744.41,
744.46,744.49

CPT: 10060-10061,10160,11043,11730-11752,20102,21501,21502,26010,26011,27301,46020,46040,
46050,46270,55100,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 354

Diagnosis: BREAST CYSTS AND OTHER DISORDERS OF THE BREAST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 610,611.0,611.2,611.5,611.8

CPT: 19000-19126,19295,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 355

Diagnosis: PILONIDAL CYST WITH ABSCESS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 685.0

CPT: 10080-10081,11770-11772,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 356

Diagnosis: DENTAL CARIES (PERIAPICAL INFECTION)

Treatment: SURGERY

ICD-9: 521.0,523.9

CPT: 41899

Line: 357

Diagnosis: DENTAL CONDITIONS (EG. INFECTIONS) (See Guideline Note)

Treatment: URGENT AND EMERGENT DENTAL SERVICES

ICD-9: 521.0,522.0-522.1,522.4-522.9,523.0-523.5,523.8,526,V72.2

CPT: 41000,41800,90788,99201-99215,99241-99275

CDT: D0130,D1550,D2910,D2920,D2940,D3110,D3120,D3220,D3221,D3230,D3240,D5410,D5411,D5421,
D5422,D5510,D5951,D6930,D7110,D7120,D7130,D7210,D7220,D7230,D7240,D7241,D7250,D7260,
D7270,D7510,D7520,D7610,D7620,D7630,D7640,D7650,D7660,D7670,D7680,D7710,D7720,D7730,
D7740,D7750,D7760,D7770,D7780,D7910,D7911,D7997,D9110,D9410,D9420,D9440

Line: 358

Diagnosis: ABSCESS OF BURSA OR TENDON

Treatment: INCISION AND DRAINAGE

ICD-9: 727.89

CPT: 20600-20610,23030,23031,23405,23406,23930,25000,25031,25085,25118,26020,26025,26030,
26034,26990,27301,27603,28001,90471-90472,90780-90799,90901-90937,90945-92060,92070-
92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-
97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 359

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ABSCESS OF PROSTATE

Treatment: TURP, DRAIN ABSCESS

ICD-9: 601.2, 601.8

CPT: 52450, 52601, 52606, 52647-52648, 52700, 53080, 53085, 55720-55725, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 360

Diagnosis: OTHER ANEURYSM OF PERIPHERAL ARTERY

Treatment: SURGICAL TREATMENT

ICD-9: 442.0, 442.3, 442.9

CPT: 24900-24931, 25900-25931, 26910-26952, 27590-27598, 27880-27889, 28800-28825, 35001-35002, 35011, 35013-35021, 35141-35162, 35875-35876, 35903, 35682-35683, 37609, 64802-64818

Line: 361

Diagnosis: PYODERMA; DERMATOPHYTOSIS: SCALP, HAND, BODY, DEEP-SEATED

Treatment: MEDICAL THERAPY

ICD-9: 110.0, 110.2, 110.5-110.6, 686.0-686.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 362

Diagnosis: URINARY TRACT CALCULUS; HEMATURIA

Treatment: CYSTOURETHROSCOPY W/FRAGMENTATION OF CALCULUS, MEDICAL THERAPY

ICD-9: 592.1, 592.9, 594.9, 599.7, 692.77

CPT: 50392, 50553, 50561, 50572, 50590, 50600-50630, 50900, 50945, 50961, 50970, 50976-50980, 52310-52318, 52320, 52325, 52330, 52332, 52334, 52352-52353, 53020, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 363

Diagnosis: CONDITIONS INVOLVING EXPOSURE TO NATURAL ELEMENTS (EG. LIGHTNING STRIKE, HEATSTROKE)

Treatment: MEDICAL THERAPY, BURN TREATMENT

ICD-9: 991.0-991.5, 991.8-991.9, 992, 993.2, 994.0-994.1, 994.4-994.9, 995.89

CPT: 11000, 11040-11041, 11960-11971, 14020, 14040-14041, 15000-15121, 15200, 15220, 15240, 15260, 15350, 15400, 15570-15574, 15770, 16000-16042, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 364

Diagnosis: VESICoureTERAL REFLUX

Treatment: MEDICAL THERAPY, REIMPLANTATION

ICD-9: 593.7

CPT: 50760-50820, 50845, 50860, 50947-50948, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 365

Diagnosis: CALCULUS OF BLADDER OR KIDNEY

Treatment: OPEN RESECTION, PERCUTANEOUS NEPHROSTOLITHOTOMY, NEPHROLITHOTOMY, LITHOTRIPSY

ICD-9: 592.0, 594.0-594.1, 594.8

CPT: 50060-50081, 50130, 50392-50393, 50580-50590, 50700-50715, 52310-52318, 52330, 52332, 52334, 52352-52353, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 366

Diagnosis: CHOLELITHIASIS, CHOLECYSTITIS, COMMON BILIARY DUCT STONE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 574.0-574.1, 574.3-574.9, 575.0-575.6, 575.8-575.9, 576.0-576.3

CPT: 43262, 43264-43268, 47420-47460, 47480-47490, 47510-47530, 47554-47556, 47562-47570, 47600-47630, 47900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 367

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: URETERAL STRICTURE OR OBSTRUCTION; HYDRONEPHROSIS; HYDROURETER

Treatment: SURGICAL AND MEDICAL THERAPY

ICD-9: 591.5, 593.3-593.5, 593.89, 594.2

CPT: 50060-50081, 50100, 50400, 50553, 50557, 50559, 50572, 50575, 50576, 50590, 50700-50715, 50722, 50725, 50727-50728, 50845, 50900, 50940, 50959, 50970, 50972, 52276, 52290, 52301, 52310, 52320-52334, 52341-52346, 52352-52354, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 368

Diagnosis: CONGENITAL HYDRONEPHROSIS

Treatment: NEPHRECTOMY/REPAIR

ICD-9: 753.2

CPT: 50100, 50230, 50400-50500, 50540, 50553, 50572, 50575, 50722, 50725, 50727-50728, 50845, 50900, 50970, 52301, 52290, 52334, 52341-52346, 52352-52354, 52400, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 369

Diagnosis: ATHEROSCLEROSIS, PERIPHERAL

Treatment: SURGICAL TREATMENT

ICD-9: 440.2-440.9, 444.2, 445.01-445.02, 447.1

CPT: 20605, 27590, 34101, 34111, 34201, 35081, 35361, 35371, 35381, 35452, 35470-35475, 35500, 35516-35521, 35533, 35556-35558, 35565-35587, 35606, 35621, 35623, 35646-35661, 35665-35671, 35682-35686, 35701, 35721, 35741, 35761, 35860, 35875-35881, 35903, 36002, 37205-37209, 37609, 64802-64818, 64821-64823, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 370

Diagnosis: CONGENITAL PULMONARY VALVE STENOSIS

Treatment: PULMONARY VALVE REPAIR

ICD-9: 746.02

CPT: 33470, 33478, 33496, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 92986-92990, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 371

Diagnosis: RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS

Treatment: MEDICAL THERAPY, INJECTIONS

ICD-9: 099.3, 714.716.2, 716.4, 716.8, 719.3, 720.0-720.2, 720.89, 720.9

CPT: 20550, 20600, 20605, 20610, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 98925-98929, 98940-98942, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 372

Diagnosis: RHEUMATOID ARTHRITIS, OSTEOARTHRITIS, OSTEOCHONDRITIS DISSECANS, AND ASEPTIC NECROSIS OF BONE

Treatment: ARTHROPLASTY/RECONSTRUCTION

ICD-9: 714.0, 714.3, 715.1-715.3, 715.9, 716.1, 732.7, 733.4

CPT: 20610, 20692, 23120, 23470-23472, 23800-23802, 24102, 24130, 24160, 24164, 24360-24366, 24800-24802, 25115-25119, 25240, 25270, 25320, 25337, 25390-25393, 25441-25450, 25455, 25490-25492, 25800, 25810-25830, 26320, 26516-26536, 26850, 26990-26992, 27036, 27090-27091, 27122-27132, 27284-27286, 27358, 27437-27454, 27457, 27580, 27620-27626, 27641, 27700-27704, 27870-27871, 28104, 28114-28116, 28122, 28725, 28740-28750, 29819-29826, 29834-29838, 29843-29848, 29861-29863, 29871-29879, 29884-29887, 29894-29898, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 373

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER (See Guideline Note)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.0-312.2, 312.4, 312.8

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA135, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 374

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OVERANXIOUS DISORDER; GENERALIZED ANXIETY DISORDER; ANXIETY DISORDER, UNSPECIFIED

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.00,300.02-300.09,307.46,313.0

CPT: 90801-90899,96100,99201-99275,97780-97781,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 375

Diagnosis: BULIMIA NERVOSA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.51,307.54

CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 376

Diagnosis: ESOPHAGITIS

Treatment: MEDICAL THERAPY

ICD-9: 530.1-530.2,530.6,530.81-530.83,530.89,530.9

CPT: 43248-43249,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 377

Diagnosis: DEEP OPEN WOUNDS

Treatment: REPAIR

ICD-9: 870.0-870.1,872.0-872.1,872.62-872.69,872.7-872.9,873.0-873.5,873.7-873.9,875-884,890-894,906.0-906.1,958.2-958.3

CPT: 10120-10121,11000-11044,11730-11732,11750,11760,12001-13160,15000-15401,15570-15576,15600-15620,15630,15650,15732-15770,15845,20102-20103,20150,20525,24341,25260-25272,25922,26350-26510,27372,27830-27831,42180,42182,49002,54670,56800,57210,64400-64450,64856-64857,64890,67930-67935,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7912,D7920

Line: 378

Diagnosis: EPIDERMOLYSIS BULLOSA

Treatment: MEDICAL THERAPY

ICD-9: 757.39

CPT: 11000-11001,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 379

Diagnosis: CLEFT PALATE WITH CLEFT LIP

Treatment: EXCISION & REPAIR VESTIBULE OF MOUTH, ORTHODONTICS

ICD-9: 749.2

CPT: 14060,21079-21080,21082-21083,30462,40700-40701,40810-40899,42145,42260,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5932,D5933,D5954,D5955,D5958,D5959,D5960,D5987,D7340,D7350,D7912,D8010-D8999

Line: 380

Diagnosis: CLEFT PALATE

Treatment: REPAIR & PALATOPLASTY, ORTHODONTICS

ICD-9: 749.0

CPT: 20900,21079-21080,21082-21083,42145,42200-42227,42235-42281,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5932,D5933,D5934,D5955,D5958,D5959,D5960,D7110,D7120,D7210,D7250,D7340,D7350,D8010-D8999

Line: 381

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CLEFT LIP, CONGENITAL FISTULA OF LIP

Treatment: LIP EXCISION AND REPAIR

ICD-9: 749.1,750.25

CPT: 30600,40500-40520,40650-40720,40761,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D5987,D7260

Line: 382

Diagnosis: TRACHOMA

Treatment: MEDICAL THERAPY

ICD-9: 076,085.1-085.4,139.1

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 383

Diagnosis: HISTIOCYTOSIS

Treatment: MEDICAL THERAPY

ICD-9: 277.8

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 384

Diagnosis: LEPROSY, YAWS, PINTA

Treatment: MEDICAL THERAPY

ICD-9: 030,031.1,040.1,040.3,102-104

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 385

Diagnosis: RHEUMATIC FEVER

Treatment: MEDICAL THERAPY

ICD-9: 390,392.9

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 386

Diagnosis: UNSPECIFIED DISEASES DUE TO MYCOBACTERIA, ACTINOMYCOTIC INFECTIONS, AND TOXOPLASMOSIS

Treatment: MEDICAL THERAPY

ICD-9: 031.8-031.9,039,130

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 387

Diagnosis: ACUTE, SUBACUTE, CHRONIC AND OTHER TYPES OF IRIDOCYCLITIS

Treatment: MEDICAL THERAPY

ICD-9: 360.12,364.0-364.3

CPT: 67515,68200,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 388

Diagnosis: BODY INFESTATIONS (EG. LICE, SCABIES)

Treatment: MEDICAL THERAPY

ICD-9: 132-134

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 389

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PARANOID (DELUSIONAL) DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 297.0-297.2,297.8-297.9

CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 390

Diagnosis: RECURRENT EROSION OF THE CORNEA

Treatment: CORNEAL TATTOO, REMOVAL OF CORNEAL EPITHELIUM; WITH OR WITHOUT CHEMOCAUTERIZATION

ICD-9: 371.42

CPT: 65435-65436,65600,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 391

Diagnosis: GIARDIASIS, INTESTINAL HELMINTHIASIS

Treatment: MEDICAL THERAPY

ICD-9: 007.1,120-122,123.0,125-129

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 392

Diagnosis: HYPHEMA

Treatment: REMOVAL OF BLOOD CLOT

ICD-9: 362.81,364.41

CPT: 65805-65815,65930

Line: 393

Diagnosis: WOUND OF EYE GLOBE

Treatment: SURGICAL REPAIR

ICD-9: 871

CPT: 65270,65272-65273,65280-65285,65290,66680,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 394

Diagnosis: DIABETIC AND OTHER RETINOPATHY

Treatment: LASER SURGERY

ICD-9: 228.03,250.5,362.1-362.2,363

CPT: 67208-67210,67220-67228,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 395

Diagnosis: GLAUCOMA

Treatment: MEDICAL THERAPY

ICD-9: 365.0-365.1,365.3-365.9

CPT: 67500,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 396

Diagnosis: PRIMARY AND OTHER ANGLE-CLOSURE GLAUCOMA

Treatment: IRIDECTOMY, LASER SURGERY

ICD-9: 365.20-365.24

CPT: 65860,65865,65870,65875,65880,66150,66160,66165,66180,66250,66500-66505,66625-66635,66761-66762,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 397

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: RETINAL TEAR
Treatment: LASER PROPHYLAXIS
ICD-9: 361.30,361.32-361.33
CPT: 67141-67145,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 398

Diagnosis: RETROLENTAL FIBROPLASIA
Treatment: CRYOSURGERY
ICD-9: 362.21
CPT: 67101-67121
Line: 399

Diagnosis: VENOUS TRIBUTARY (BRANCH) OCCLUSION; CENTRAL RETINAL VEIN OCCLUSION
Treatment: LASER SURGERY
ICD-9: 362.35-362.36
CPT: 67228,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 400

Diagnosis: SICCA SYNDROME; POLYMYALGIA RHEUMATICA
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 710.2,725
CPT: 68760-68761,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 401

Diagnosis: PURULENT ENDOPHTHALMITIS
Treatment: VITRECTOMY
ICD-9: 360.0,360.13
CPT: 65800,66020,66030,67005-67036,67515,68200,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 402

Diagnosis: KERATOCONJUNCTIVITS, CORNEAL ABSCESS AND NEOVASCULARIZATION
Treatment: MEDICAL AND SURGICAL THERAPY
ICD-9: 370.2-370.9,371.43-371.44,371.48
CPT: 67515,68200,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 403

Diagnosis: SCLERITIS
Treatment: MEDICAL THERAPY
ICD-9: 379.00,379.03-379.09,379.11-379.16
CPT: 66130,66220,66225,66250,67250,67255,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 404

Diagnosis: APHAKIA AND OTHER DISORDERS OF LENS
Treatment: INTRAOCULAR LENS
ICD-9: 379.3
CPT: 65750,65765,65767,66985-66986,66825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 405

Diagnosis: CORNEAL ULCER; SUPERFICIAL INJURY OF EYE AND ADNEXA
Treatment: CONJUNCTIVAL FLAP; MEDICAL THERAPY
ICD-9: 370.0,370.35,918
CPT: 65275,65430,65600,67505,67515,68200,68360,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 406

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: GLAUCOMA ASSOCIATED WITH DISORDERS OF THE LENS

Treatment: EXTRACTION OF CATARACT

ICD-9: 360.19,365.5

CPT: 66920-66984,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 407

Diagnosis: EXOPHTHALMOS AND CYSTS OF THE EYE AND ORBIT

Treatment: SURGICAL TREATMENT

ICD-9: 364.61-364.64,364.8,376.30-376.36,376.40,376.42-376.47,376.81

CPT: 67405-67414,67420-67440,67875-67882,68500,68505,68540,68550,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 408

Diagnosis: PRIMARY AND OPEN ANGLE GLAUCOMA

Treatment: TRABECULECTOMY, CYCLOCRYOTHERAPY, LASER TRABECULOPLASTY

ICD-9: 365.10-365.11,365.13-365.14

CPT: 65820,65850,65855,66150,66155,66165,66170,66172,66185,66220,66225,66250,66700,66710,66740,66762

Line: 409

Diagnosis: RUBEOSIS IRIDIS

Treatment: LASER SURGERY

ICD-9: 364.42,364.7

CPT: 66170,66720,67228,67500,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 410

Diagnosis: SYMPATHETIC UVEITIS AND DEGENERATIVE DISORDERS AND CONDITIONS OF GLOBE

Treatment: ENUCLEATION

ICD-9: 360.11,360.14,360.20,360.23-360.29,360.32,360.4,360.81,360.89

CPT: 65091,65093,65105,65125,65150,65130,65135,65140,65155,65175,67218,67560,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 411

Diagnosis: CATARACT

Treatment: EXTRACTION OF CATARACT

ICD-9: 250.5,366.0-366.3,366.45-366.46,366.8-366.9,743.3,V43.1

CPT: 65770,66250,66682,66825,66830,66840,66850-66852,66920-66984,66986,67010,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 412

Diagnosis: AFTER CATARACT

Treatment: DISCISSION, LENS CAPSULE

ICD-9: 366.5,V43.1

CPT: 66820-66825,66830,66986

Line: 413

Diagnosis: CORNEAL OPACITY AND OTHER DISORDERS OF CORNEA

Treatment: KERATOPLASTY

ICD-9: 370.0,371.0-371.1,371.21,371.23,371.4-371.7

CPT: 65286,65400,65450,65710-65730,65750-65755,65772,65775,65920,66250,66825,66985-66986,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 414

Diagnosis: DEGENERATION OF MACULA AND POSTERIOR POLE

Treatment: VITRECTOMY, LASER SURGERY

ICD-9: 362.5

CPT: 67038,67210,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 415

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: GONOCOCCAL INFECTION OF EYE
Treatment: MEDICAL THERAPY
ICD-9: 098.4
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 416

Diagnosis: CHRONIC INFLAMMATORY DISORDER OF ORBIT
Treatment: MEDICAL THERAPY
ICD-9: 376.1
CPT: 67515, 68200, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 417

Diagnosis: PENETRATING WOUND OF ORBIT
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 376.6, 870.3-870.4, 870.8, 870.9, 950
CPT: 12011-12013, 12051-12052, 13132, 13150-13152, 67405, 67412-67414, 67420-67445, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 418

Diagnosis: RETAINED INTRAOCULAR FOREIGN BODY, MAGNETIC & NONMAGNETIC
Treatment: FOREIGN BODY REMOVAL
ICD-9: 360.5-360.6
CPT: 65235, 65260-65265, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 419

Diagnosis: RETINAL DETACHMENT AND OTHER RETINAL DISORDERS
Treatment: RETINAL REPAIR, VITRECTOMY
ICD-9: 361.0-361.2, 361.31, 361.8-361.9, 379.25-379.26
CPT: 67005-67112, 67208, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 420

Diagnosis: VITREOUS DISORDERS
Treatment: VITRECTOMY
ICD-9: 379.21-379.23
CPT: 67036, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 421

Diagnosis: ENTROPION
Treatment: REPAIR
ICD-9: 374.0
CPT: 67820-67850, 67880-67882, 67921-67924, 67950, 67961, 67966, 67971, 67973-67975
Line: 422

Diagnosis: DYSTHYMIA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.4-300.5
CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95
Line: 423

Diagnosis: SUBSTANCE-INDUCED DELUSIONAL AND MOOD DISORDERS; INTOXICATION
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.3-291.5, 291.9, 292.1-292.2, 292.89, 292.9, 303.0
CPT: 90801-90899, 99201-99275, 99301-99316, BA310, BA312, BA313, BA314, BA315, BA316, BA317, BA318, BA319, BA321, BA340, BA370, BA372, BA373, BA374, BA375, BA376, BA377, BA378, BA381, BA383, BA384, BA385, BA386, BA387, BA388, BA389
Line: 424

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: BORDERLINE PERSONALITY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.83

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 425

Diagnosis: IDENTITY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.82

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 426

Diagnosis: SCHIZOTYPAL PERSONALITY DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 295.0, 301.22

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 427

Diagnosis: ACUTE OTITIS MEDIA

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 381.0, 381.51, 381.8-381.9, 382.0, 382.4, 382.9, 384.0, 993.0

CPT: 69210, 69420-69421, 69424, 69433, 69436, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 428

Diagnosis: SUPERFICIAL INJURIES WITH INFECTION

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 910.1, 910.3, 910.5, 910.7, 910.9, 911.1, 911.3, 911.5, 911.7, 911.9, 912.1, 912.3, 912.5, 912.7, 912.9, 913.1, 913.3, 913.5, 913.7, 913.9, 914.1, 914.3, 914.5, 914.7, 914.9, 915.1, 915.3, 915.5, 915.7, 915.9, 916.1, 916.3, 916.5, 916.7, 916.9, 917.1, 917.3, 917.5, 917.7, 917.9, 919.1, 919.3, 919.5, 919.7, 919.9, 958.3

CPT: 10120, 10140, 10160, 11000-11001, 12001-12014, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 429

Diagnosis: ACROMEGALY & GIGANTISM, OTHER & UNSPECIFIED ANTERIOR PITUITARY HYPERFUNCTION, BENIGN NEOPLASM OF THYROID GLAND & OTHER ENDOCRINE GLANDS

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY

ICD-9: 226, 227.0, 227.4-227.9, 253.0, 253.1, 253.6, 253.9

CPT: 60200-60240, 60270-60271, 60512, 60600-60605, 60650, 61548, 62100, 77261-77799, 79000-79900, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

HCPCS: G0242, G0243

Line: 430

Diagnosis: CONVERSION DISORDER, CHILD

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.11

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA135, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 431

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: FUNCTIONAL ENCOPRESIS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.7

CPT: 90801-90899,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA135,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 432

Diagnosis: AVOIDANT DISORDER OF CHILDHOOD OR ADOLESCENCE; ELECTIVE MUTISM

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.2

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA135,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 433

Diagnosis: PSYCHOLOGICAL FACTORS AGGRAVATING PHYSICAL CONDITION (EG. ASTHMA, CHRONIC GI CONDITIONS, HYPERTENSION)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 316

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 434

Diagnosis: NONINFLAMMATORY DISORDERS AND BENIGN NEOPLASMS OF OVARY, FALLOPIAN TUBES AND UTERUS, OVARIAN CYSTS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 220,221.0,256.0,620.0-620.2,620.4,620.7-620.9

CPT: 49322,58120,58140-58152,58260-58263,58550-58551,58559-58563,58660-58662,58700-58720,58800,58805,58900,58920,58925,58940,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 435

Diagnosis: STREAK OVARIES

Treatment: OOPHORECTOMY, OVARIAN CYSTECTOMY

ICD-9: 752.0

CPT: 58660-58662,58720,58925,58940-58943,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 436

Diagnosis: UROLOGIC INFECTIONS

Treatment: MEDICAL THERAPY

ICD-9: 590.0,590.80,590.9,595.0,595.2-595.3,595.8-595.9,598.00,599.0,601.0,604.0,604.90,604.99,608.0

CPT: 52260,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 437

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: FUNCTIONAL AND MECHANICAL DISORDERS OF THE GENITOURINARY SYSTEM INCLUDING BLADDER
OUTLET OBSTRUCTION (See Coding Specification Below)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 595.1,596.0,596.3-596.5,596.7-596.9,598.1-598.9,599.1-599.4,599.8,600,607.3,608.1,
608.83,608.87,939.0,939.3,939.9

CPT: 44200,50845,51040,51700,51715,51800-51845,51880-51980,52001,52010,52214-52240,52260-
52285,52305,52315,52355-52400,52510,52601,52606,52612-52648,53020,53040,53400-53425,
53600-53621,53640,53660-53670,53675,54115,54152,54160-54161,54220,54230-54231,54235,
54240,54250,54430,54520,54640,54670,54680,54700,54820,54830-54861,54900-54901,55400,
55450,55520,55600,55605,55650,55680,55801,55821,55862-55865,57220,57287,90471-90472,
90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,
92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,
99185-99362,99374-99375,99379-99440,99499

Line: 438

ICD-9-CM code 600, benign prostatic hypertrophy, is only included on this line when
identified with a secondary diagnosis code of 596.0, bladder neck obstruction, or
788.20, urinary retention, and when post-void residuals are at least 150 cc's.

Diagnosis: GUILLAIN-BARRE SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 357.0

CPT: 31600,31610,36520,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 439

Diagnosis: DEFICIENCIES OF CIRCULATING ENZYMES (ALPHA 1-ANTITRYPSIN DEFICIENCY); CYSTIC
FIBROSIS; EMPHYSEMA

Treatment: HEART-LUNG AND LUNG TRANSPLANT

ICD-9: 135,277.0,277.6,491.8,492.8,494-495,500-505,515,947.9,996.84

CPT: 32850-32854,33930,33935

Line: 440

Diagnosis: RESPIRATORY FAILURE DUE TO PRIMARY PULMONARY HYPERTENSION, PRIMARY PULMONARY
FIBROSIS, LYMPHANGIOLEIOMYOMATOSIS, EISENMENGER'S DISEASE

Treatment: HEART-LUNG AND LUNG TRANSPLANTS

ICD-9: 238.1,416.0,516.3,745.0,745.4,745.5,747.0,996.84

CPT: 32850-32854,33930,33935,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 441

Diagnosis: ALCOHOLIC FATTY LIVER OR ALCOHOLIC HEPATITIS, CIRRHOSIS OF LIVER

Treatment: MEDICAL THERAPY

ICD-9: 571.0-571.3,571.5-571.6

CPT: 49080-49081,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,
92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 442

Diagnosis: VESICULAR FISTULA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 596.1-596.2

CPT: 51800-51845,51880-51980,53080,53085,53660-53661,53670,57330,90471-90472,90780-90799,
90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,
93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,
99374-99375,99379-99440,99499

Line: 443

Diagnosis: DISORDERS OF PARATHYROID GLAND; BENIGN NEOPLASM OF PARATHYROID GLAND

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 227.1,252

CPT: 60500-60505,60512,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 444

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PITUITARY DISORDERS: PANHYPOPITUITARISM, IATROGENIC AND OTHER

Treatment: MEDICAL THERAPY

ICD-9: 253.2,253.4,253.7,253.8

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 445

Diagnosis: MULTIPLE SCLEROSIS AND OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM

Treatment: MEDICAL THERAPY

ICD-9: 334,340-341

CPT: 31600,31610,36520,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 446

Diagnosis: HEREDITARY HEMORRHAGIC TELANGIECTASIA

Treatment: EXCISION

ICD-9: 448.0

CPT: 11400-11426,45382

Line: 447

Diagnosis: ARTHROPOD-BORNE VIRAL DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 060-066

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 448

Diagnosis: LYME DISEASE AND OTHER ARTHROPOD BORNE DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 088

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 449

Diagnosis: DYSFUNCTION RESULTING IN LOSS OF ABILITY TO MAXIMIZE LEVEL OF INDEPENDENCE IN SELF-DIRECTED CARE CAUSED BY CHRONIC CONDITIONS THAT CAUSE NEUROLOGICAL DYSFUNCTION

Treatment: MEDICAL THERAPY (SHORT TERM REHABILITATION WITH DEFINED GOALS)

ICD-9: 046,049,062-063,090.40,094,137.1,138,139.0,139.8,191-192,225,237.5-237.7,243,250.6,
250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,
290,294.1,294.8,299.0-299.1,299.8,310,317-319,323.8-323.9,326,330.0-330.1,330.8-
330.9,331-332,333.0,333.4-333.7,333.9,334-335,336.0-336.1,336.8-336.9,337.0,337.3,
340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-
348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,369,431-432,
434,436,438,728.1,728.3,736,740-742,747.82,756.5,758,759.4-759.5,759.7-759.9,760-
762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851.03-
851.06,851.1-851.3,851.43-851.46,851.5-851.7,851.83-851.86,851.9,852-854,905.0,
907.0-907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-
971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 450

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: NEUROLOGICAL DYSFUNCTION IN COMMUNICATION CAUSED BY CHRONIC CONDITIONS

Treatment: MEDICAL THERAPY

ICD-9: 046,049,062-063,090.40,094,137.1,138,139.0,139.8,161.8,191-192,225,237.5-237.7,243,250.6,250.8,263.2,270,271.0-271.1,271.9,272.7-272.9,275.1,277.1-277.2,277.5,277.8-277.9,290,294.1,294.8,299.0-299.1,299.8,310,315.3,317-319,323.8-323.9,326,330.0-330.1,330.8-330.9,331-332,333.0,333.4-333.7,333.9,334-335,336.0-336.1,336.8-336.9,337.0,337.3,340-344,345.01,345.11,345.41,345.51,345.61,345.71,345.81,345.91,348.0-348.1,348.3-348.9,349.82,349.89,349.9,356,357.0,357.5-357.9,359.0-359.4,359.8-359.9,434,436,438,728.1,728.3,740-742,747.82,756.5,758,759.4-759.5,759.7-759.9,431-432,760-762,764-765,767.0,767.4,768.2-768.9,770.1,771-773,779.7,781.8,797,850.4,851.03-851.06,851.1-851.3,851.43-851.46,851.5-851.7,851.83-851.86,851.9,852-854,905.0,907.0-907.5,907.9,909,952-953,958.0-958.1,958.4,958.6,961.1-961.2,964.0,965.0,966-971,974,980,982,984-985,989,994.0-994.1,994.7-994.8,995.0-995.6,995.8,997.0,998.0

CPT: 21084,31611,70370-70371,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 451

Diagnosis: PARALYSIS OF VOCAL CORDS OR LARYNX, OTHER DISEASES OF LARYNX; ABSCESS, CELLULITIS, AND LEUKOPLAKIA OF VOCAL CORDS

Treatment: INCISION/EXCISION/ENDOSCOPY

ICD-9: 478.3,478.5-478.7,748.3

CPT: 31300,31360-31502,31511-31513,31530-31531,31540-31571,31577-31579,31580-31582,31587-31605,31820,31825,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 452

Diagnosis: OPEN WOUND OF EAR DRUM

Treatment: TYMPANOPLASTY, MEDICAL THERAPY

ICD-9: 389.03,872.61

CPT: 69450,69610-69643,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 453

Diagnosis: OTOSCLEROSIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 387

CPT: 69650-69662,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 454

Diagnosis: MIGRAINE AND TENSION HEADACHES

Treatment: MEDICAL THERAPY

ICD-9: 307.81,346,784.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 455

Diagnosis: FISTULA INVOLVING FEMALE GENITAL TRACT

Treatment: CLOSURE OF FISTULA

ICD-9: 619

CPT: 44660,46715,50650-50660,50930,51900-51920,57300-57311,57320,57330,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 456

Diagnosis: STREPTOCOCCAL SORE THROAT AND SCARLET FEVER; HYPERTROPHY OF TONSILS AND ADENOIDS; ULCER OF TONSIL (See Guideline Note)

Treatment: MEDICAL THERAPY, TONSILLECTOMY/ADENOIDECTOMY

ICD-9: 034,474.1,474.8

CPT: 42820-42821,42825-42826,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 457

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: EATING DISORDER NOS
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.50,307.54,307.59
CPT: 90801-90899,96100,99201-99275,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 458

Diagnosis: DISSOCIATIVE DISORDERS: DEPERSONALIZATION DISORDER; MULTIPLE PERSONALITY DISORDER; DISSOCIATIVE DISORDER NOS; PSYCHOGENIC AMNESIA; PSYCHOGENIC FUGUE
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.10,300.12-300.15,300.6
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 459

Diagnosis: CHRONIC ORGANIC MENTAL DISORDERS INCLUDING DEMENTIAS
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION
ICD-9: 290,291.2,292.82-292.84,293.8,294.0-294.1,294.8,294.9,299.00,299.10,299.8,310.1
CPT: 90862,96100,99241,99271,99301-99316,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 460

Diagnosis: LYMPHADENITIS
Treatment: SURGICAL AND MEDICAL THERAPY
ICD-9: 289.1,289.3,683
CPT: 10060-10061,38300-38308,38505-38542,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 461

Diagnosis: SPONTANEOUS ABORTION
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 631,634.2-634.9
CPT: 59812,59820,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 462

Diagnosis: MENSTRUAL BLEEDING DISORDERS (See Guideline Note)
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 621.7,626.2-626.6,627.0
CPT: 58120,58150,58180,58260,58262,58353,58550,58561-58563,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 463

Diagnosis: IMPERFORATE HYMEN, ABNORMALITIES OF VAGINAL SEPTUM
Treatment: HYMENECTOMY
ICD-9: 621.4,623.2-623.3,626.8,752.40,752.42
CPT: 56700-56720,57130,57400,57500,58120
Line: 464

Diagnosis: DISORDERS INVOLVING THE IMMUNE SYSTEM
Treatment: MEDICAL THERAPY
ICD-9: 279,287.0,759.0
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 465

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: FRACTURE OF SHAFT OF BONE, CLOSED

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 733.1, 733.93-733.95, 812.2, 813.2, 813.8, 818.0, 821.0, 823.2, 823.8, 827.0, 905.2-905.5
CPT: 20680, 20690, 20692-20694, 20900, 23600, 24130, 24500-24516, 25500-25575, 25600-25620, 27236, 27409, 27465-27466, 27468, 27496-27507, 27656, 27664, 27712, 27750-27759, 27780-27792, 27824-27829, 27892-27894, 29055, 29065, 29075, 29085, 29105, 29125, 29126, 29345, 29355, 29358, 29365, 29440, 29445, 29700, 29705, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 466

Diagnosis: CLOSED FRACTURE OF PHYSIS OF LOWER EXTREMITIES

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 732.1-732.2, 820.01, 821.22
CPT: 20690, 20692-20694, 20900, 27175-27178, 27181, 27465-27466, 27468, 27496-27499, 27516-27519, 27656, 27824-27829, 27892-27894, 29855-29856, 29897-29898, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 467

Diagnosis: CLOSED FRACTURE OF PHYSIS OF UPPER EXTREMITIES

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 812.09, 812.44, 813.43
CPT: 20690, 20692-20694, 20900, 25350-25375, 25600-25620, 27465-27466, 27468, 27824-27829, 27892-27894, 29065, 29075, 29085, 29105, 29125, 29126, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 468

Diagnosis: HEREDITARY IMMUNE DEFICIENCIES

Treatment: BONE MARROW TRANSPLANT

ICD-9: 279.1-279.2, 996.85

CPT: 36680, 38240

HCPCS: S2150

Line: 469

Diagnosis: CHRONIC PANCREATITIS

Treatment: MEDICAL THERAPY

ICD-9: 577.1, 577.8-577.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 470

Diagnosis: FOREIGN BODY IN UTERUS, VULVA AND VAGINA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 939.1-939.2

CPT: 57410-57415, 58120, 58562, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 471

Diagnosis: STRABISMUS AND OTHER DISORDERS OF BINOCULAR EYE MOVEMENTS; CONGENITAL ANOMALIES OF EYE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 368.0, 378, 743

CPT: 67311-67340, 67343, 67345, 67901-67909, 68135, 68320, 68325-68326, 68328, 68335, 68340, 90471-90472, 90780-90799, 90901-90937, 90945-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 472

Diagnosis: CONGENITAL ABSENCE OF VAGINA

Treatment: ARTIFICIAL VAGINA

ICD-9: 752.49

CPT: 56800, 57291-57292, 57800

Line: 473

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PARKINSON'S DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 332

CPT: 61795,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 474

Diagnosis: STEREOTYPY/HABIT DISORDER & SELF-ABUSIVE BEHAVIOR DUE TO NEUROLOGICAL DYSFUNCTION

Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION

ICD-9: 307.3

CPT: 96100,99241,99271,90862,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 475

Diagnosis: NON-PEMPHIGUS BULLOUS DERMATOSES OF THE SKIN

Treatment: MEDICAL THERAPY

ICD-9: 694.0-694.3,694.5-694.9

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 476

Diagnosis: VINCENT'S DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 101

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 477

Diagnosis: INFECTIVE OTITIS EXTERNA

Treatment: MEDICAL THERAPY

ICD-9: 112.82,380.0-380.2

CPT: 69210,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 478

Diagnosis: ACUTE SINUSITIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 461

CPT: 31000-31090,31276,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: S2342

Line: 479

Diagnosis: UTERINE LEIOMYOMA (See Guideline Note)

Treatment: TOTAL HYSTERECTOMY OR MYOMECTOMY

ICD-9: 218-219,621.0-621.2

CPT: 58120-58180,58260-58263,58550,58551,58559,58670-58671,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 480

Diagnosis: DISLOCATION / DEFORMITY KNEE & HIP

Treatment: SURGICAL TREATMENT

ICD-9: 718.25-718.26,718.35-718.36,732.4,736.5,754.40-754.44,835.0,836.2-836.3,836.5

CPT: 27095,27097,27100-27122,27140-27170,27179,27185,27250-27258,27265-27275,27306-27307,27350,27420,27422-27425,27430,27435,27448-27455,27465-27468,27475-27485,27496-27499,27550-27558,27560,27562,27566,27570,27656,27676,27715,27727-27742,27892-27894,29861-29863,29881-29882,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 481

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DISLOCATION/DEFORMITY OF ELBOW, HAND, ANKLE, FOOT, JAW, CLAVICLE AND SHOULDER

Treatment: SURGICAL TREATMENT

ICD-9: 718.12, 718.17, 718.22-718.24, 718.27, 718.30-718.34, 718.36-718.39, 718.71-718.79, 728.6, 735.5, 736.21-736.22, 736.73-736.75, 736.81, 754.51-754.53, 754.61-754.62, 754.71, 755.01, 755.11-755.12, 755.2-755.4, 755.54-755.55, 755.58, 830.0, 831.0, 832.0, 833.0, 834.0, 837.0, 838.0, 839.6, 839.8, 905.6

CPT: 20690-20694, 20900, 20920-20924, 21480, 23470, 23520-23552, 23650-23680, 23700, 24101, 24300, 24332, 24343, 24345-24346, 24600-24640, 25001, 25024-25025, 25259, 25275, 25320, 25335-25337, 25390-25394, 25430-25431, 25441-25445, 25447, 25450-25492, 25660-25695, 25810-25830, 26035-26060, 26121-26180, 26320, 26340, 26440-26596, 26641-26715, 26770-26776, 26820, 26841-26863, 27425-27692, 27698, 27715, 27730-27742, 27830-27832, 27840-27848, 27860, 28008-28010, 28035-28072, 28086-28092, 28110-28118, 28126-28160, 28220-28341, 28360, 28540, 28545-28546, 28555, 28570, 28575-28576, 28585, 28600, 28605-28606, 28615, 28630, 28635-28636, 28645, 28660, 28665-28666, 28675, 28705-28760, 29450, 29891-29892, 29894, 64702-64704, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D7810, D7820, D7830

Line: 482

Diagnosis: ACHALASIA, NON-NEONATAL

Treatment: SURGICAL AND MEDICAL THERAPY

ICD-9: 513.1, 519.2, 530.0, 530.5

CPT: 39000-39010, 43219-43220, 43324-43325, 43330-43331, 43450, 43456-43458, 43460, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 483

Diagnosis: ACQUIRED HYPERTROPHIC PYLORIC STENOSIS AND OTHER DISORDERS OF THE STOMACH AND DUODENUM

Treatment: SURGICAL TREATMENT

ICD-9: 537

CPT: 43324, 43631, 43635, 43520, 43640, 43800, 43820, 43825, 43830-43832, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 484

Diagnosis: BRONCHIECTASIS

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 494

CPT: 32320, 32480-32488, 32501, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 485

Diagnosis: CLOSED DISLOCATIONS/FRACTURES OF NON-CERVICAL VERTEBRAL COLUMN WITHOUT SPINAL CORD INJURY

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 805.2, 805.4, 805.6, 805.8, 809.0, 839.40-839.42, 839.49, 905.1

CPT: 27200, 27202, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 486

Diagnosis: OCCUPATIONAL LUNG DISEASES

Treatment: MEDICAL THERAPY

ICD-9: 495, 500-505

CPT: 31600, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 487

Diagnosis: PULMONARY FIBROSIS

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 515-517

CPT: 31600-31603, 31624, 31820, 31825, 32997, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 488

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 751.6

CPT: 43262,43268,47400-47490,47510-47530,47554-47556,47564,47570,47600-47900,49422,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 489

Diagnosis: SEVERE RHINITIS (See Guideline Note), CHRONIC SINUSITIS, NASAL POLYPS, OTHER DISORDERS OF NASAL CAVITY AND SINUSES

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 471,472.0,473,477.0,477.8-477.9,478.1,993.1,V07.1

CPT: 30000-30020,30110-30140,30200-31230,31237-31240,31254-31256,31267,31276,31287-31299,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97781,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 490

Diagnosis: FECAL IMPACTION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 560.30,560.39

CPT: 44139-44147,45915,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 491

Diagnosis: MULTIPLE VALVULAR DISEASE

Treatment: SURGICAL TREATMENT

ICD-9: 396-397

CPT: 33400-33478,33496,33973-33974,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,92986-92990,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 492

Diagnosis: PITUITARY DWARFISM

Treatment: MEDICAL THERAPY

ICD-9: 253.3

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 493

Diagnosis: FOREIGN BODY IN CORNEA AND CONJUNCTIVAL SAC

Treatment: REMOVAL CONJUNCTIVAL FOREIGN BODY

ICD-9: 372.54,372.56,930.0-930.2,930.8-930.9

CPT: 65205-65222,67938,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 494

Diagnosis: GOUT AND CRYSTAL ARTHROPATHIES

Treatment: MEDICAL THERAPY

ICD-9: 274,712

CPT: 20605,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 495

Diagnosis: ENDOMETRIOSIS (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 617

CPT: 49322,58145-58150,58260-58263,58400,58410,58550,58660-58662,58740,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 496

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: THROMBOSED AND COMPLICATED HEMORRHOIDS

Treatment: HEMORRHOIDECTOMY, INCISION

ICD-9: 455.1-455.2, 455.4-455.5, 455.7-455.8

CPT: 10140, 45320, 45334, 45339, 46083, 46220-46221, 46250-46262, 46320, 46500, 46608-46615, 46934-46936, 46945-46946, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 497

Diagnosis: OVARIAN DYSFUNCTION, GONADAL DYSGENESIS, MENOPAUSAL MANAGEMENT

Treatment: OOPHORECTOMY, ORCHIECTOMY, HORMONAL REPLACEMENT FOR PURPOSES OTHER THAN INFERTILITY

ICD-9: 256.1, 256.31, 256.39, 256.4, 257, 259.0, 608.3, 620.3, 627.1-627.9, 716.3, 752.0, 758.6-758.7

CPT: 54520, 54690, 58660-58661, 58940, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 498

Diagnosis: PERIPHERAL NERVE INJURY WITH OPEN WOUND

Treatment: NEUROPLASTY

ICD-9: 736.05-736.06, 953.4-953.9, 954-956, 957.0-957.1, 957.8-957.9

CPT: 23397, 25295, 25300-25301, 25320, 25335, 25337, 25390-25393, 25441-25447, 25450, 25455, 25490-25492, 25810, 25820, 25825, 25830, 64702-64727, 64732-64792, 64820, 64831-64876, 64885-64907, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 499

Diagnosis: PSORIASIS AND SIMILAR DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 696.0-696.2, 696.8

CPT: 11900-11901, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 500

Diagnosis: TRIGEMINAL AND OTHER NERVE DISORDERS

Treatment: MEDICAL & SURGICAL TREATMENT

ICD-9: 350, 352

CPT: 61450, 61458, 61790-61791, 64400, 64573, 64600-64610, 64716, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 501

Diagnosis: MYASTHENIA GRAVIS

Treatment: MEDICAL THERAPY, THYMECTOMY

ICD-9: 358

CPT: 60520-60522, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 502

Diagnosis: FRACTURE OF JOINT, CLOSED (EXCEPT HIP)

Treatment: OPEN OR CLOSED REDUCTION

ICD-9: 810.0, 811.0, 812.0, 812.4, 813.0, 813.4, 814.0, 815.0, 816.0, 817.0, 819.0, 821.20-821.21, 821.23-821.29, 822.0, 823.0, 824.0, 824.2, 824.4, 824.6, 824.8, 825.0, 825.2, 828.0

CPT: 20690, 20692-20694, 20900, 23500-23515, 23570-23630, 24530-24587, 24650-24685, 25119, 25240, 25210, 25215, 25230, 25259, 25320, 25337, 25350, 25390-25393, 25440-25447, 25450, 25455, 25490-25492, 25574, 25600-25652, 25671, 25800-25810, 25820, 25825, 25830, 26520, 26600-26615, 26645-26650, 26720-26770, 27330, 27350, 27409, 27424, 27430, 27435, 27465-27466, 27468, 27496-27499, 27501, 27503, 27508-27514, 27520-27540, 27610, 27656, 27760-27762, 27780-27792, 27808-27823, 27846-27848, 27892-27894, 28400-28531, 28730, 29049, 29058, 29075-29125, 29130, 29131, 29710, 29850-29856, 29874-29879, 29897-29898, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 503

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CHRONIC OTITIS MEDIA (See Guideline Note)

Treatment: PE TUBES/ADENOIDECTOMY/TYMPANOPLASTY, MEDICAL THERAPY

ICD-9: 380.5,381.1-381.8,382.1-382.3,382.9,383.1-383.2,383.30-383.31,383.9,384.2,384.8-384.9

CPT: 42830-42831,42835-42836,69210,69220-69222,69310,69400-69410,69420-69421,69424,69433,69436,69440,69450,69501-69511,69601-69605,69610-69633,69635-69650,69700,69801-69802,69905,69910,69979,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 504

Diagnosis: ESOPHAGEAL VARICES

Treatment: MEDICAL THERAPY/SHUNT/SCLEROTHERAPY

ICD-9: 456.0-456.2,530.7

CPT: 37145,37160,37181,38100,43107-43108,43112-43113,43116-43124,43204-43205,43227,43243-43244,43255,43400-43401,43410,43415,43460,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 505

Diagnosis: EPISCLERITIS AND ACUTE CONJUNCTIVITIS

Treatment: MEDICAL THERAPY

ICD-9: 077,372.00,379.01-379.02

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 506

Diagnosis: DENTAL CONDITIONS (EG. DENTAL CARIES, FRACTURED TOOTH) (See Guideline Note)

Treatment: BASIC RESTORATIVE

ICD-9: V72.2

CPT: 90788

CDT: D2110,D2120,D2130,D2131,D2140,D2150,D2160,D2161,D2330,D2331,D2332,D2335,D2336,D2337,D2930,D2931,D2932,D2933,D2951,D2955,D2970,D2980,D3310,D3320,D3330,D3331,D3332,D3333,D3346,D3347,D3348,D3410,D7450,D7451,D7465,D7530,D7540,D7550,D9310,D9930,D9999

Line: 507

Diagnosis: DENTAL CONDITIONS (EG. SEVERE TOOTH DECAY) (See Guideline Note)

Treatment: STABILIZATION OF PERIODONTAL HEALTH, COMPLEX RESTORATIVE, AND REMOVABLE PROSTHODONTICS

ICD-9: V72.2

CPT: 41870,41872,90788

CDT: D2710,D2721,D2722,D2751,D2752,D2950,D2954,D2957,D3351,D3352,D3353,D3910,D3950,D4210,D4211,D4341,D5110,D5120,D5130,D5140,D5213,D5214,D5520,D5610,D5620,D5630,D5640,D5650,D5660,D5710,D5711,D5720,D5721,D5730,D5731,D5740,D5741,D5750,D5751,D5760,D5761,D5820,D5821,D5850,D5851,D6972,D6980,D7310,D7320,D7471,D7970

Line: 508

Diagnosis: DISORDERS OF REFRACTION AND ACCOMMODATION

Treatment: MEDICAL THERAPY

ICD-9: 360.21,360.34,367,368.10-368.11,368.13-368.16,368.2-368.3,368.5-368.9

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 509

Diagnosis: CERUMEN IMPACTION, FOREIGN BODY IN EAR & NOSE

Treatment: REMOVAL OF FOREIGN BODY

ICD-9: 380.4,931-932

CPT: 69200-69210,30300-30320,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 510

Diagnosis: HEARING LOSS - OVER AGE OF FIVE

Treatment: MEDICAL THERAPY INCLUDING HEARING AIDS

ICD-9: 388.00-388.01,388.1-388.5,389

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92510-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 511

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SENSORINEURAL HEARING LOSS - OVER AGE OF FIVE

Treatment: COCHLEAR IMPLANT

ICD-9: 389.1

CPT: 69710-69718, 69930, 92510

Line: 512

Diagnosis: SOMATIZATION DISORDER; SOMATOFORM PAIN DISORDER; PREMENSTRUAL TENSION SYNDROMES

Treatment: CONSULTATION/BEHAVIORAL MANAGEMENT

ICD-9: 300.81-300.82, 307.80, 307.89, 625.4

CPT: 90801, 96100, 99201-99202, 99211-99212, 99241, 99271, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 513

Diagnosis: SIMPLE PHOBIA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.29

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 514

Diagnosis: SOCIAL PHOBIA

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.23

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA011, BA013, BA015, BA016, BA017, BA019, BA021, BA023, BA024, BA025, BA026, BA040, BA045, BA046, BA047, BA108, BA109, BA110, BA111, BA112, BA113, BA114, BA115, BA116, BA117, BA118, BA119, BA120, BA121, BA122, BA125, BA126, BA135, BA140, BA146, BA147, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 515

Diagnosis: DISRUPTIONS OF THE LIGAMENTS AND TENDONS OF THE ARMS AND LEGS, EXCLUDING THE KNEE, GRADE II AND III

Treatment: REPAIR

ICD-9: 726.5, 727.59, 727.62-727.69, 728.83, 728.89, 840.0-840.3, 840.5-840.9, 841-843, 845.0

CPT: 23430, 24340-24342, 26357-26358, 26370, 26372-26373, 26390, 26392, 26418-26420, 26426, 26428, 26432-26434, 26437, 26497, 26775-26776, 27380-27386, 27650-27654, 27658-27659, 27665, 27675, 27695-27696, 27698, 28200, 28202, 28208, 28210, 29861-29863, 29880-29883, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 516

Diagnosis: DISORDERS OF SHOULDER

Treatment: REPAIR/RECONSTRUCTION

ICD-9: 718.01, 718.11, 718.21, 718.31, 718.41, 718.51, 718.81, 726.0, 726.10-726.11, 726.19, 726.2, 727.61, 840.4, 840.7

CPT: 20550, 20600-20615, 23000, 23020, 23105-23125, 23130, 23190, 23195, 23395, 23410-23420, 23440-23466, 23490-23491, 23700, 29807, 29819-29826, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 98925-98929, 98940-98942, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 517

Diagnosis: INTERNAL DERANGEMENT OF KNEE AND LIGAMENTOUS DISRUPTIONS OF THE KNEE, GRADE II AND III

Treatment: REPAIR, MEDICAL THERAPY

ICD-9: 717.0-717.4, 717.6-717.8, 718.26, 718.36, 718.46, 718.56, 836.0-836.2, 844

CPT: 20610, 27332-27335, 27340, 27347-27350, 27380-27381, 27430, 29871-29889, 27403-27429, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 518

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: MALUNION & NONUNION OF FRACTURE

Treatment: SURGICAL TREATMENT

ICD-9: 733.8

CPT: 20690,20692-20694,20900,20955-20957,20960,20962,20969-20975,23480-23485,24400,24410,24430-24435,25259,25400-25440,26185,26546,26565,27125,27165-27170,27217,27465-27466,27468,27470-27472,27656,27720-27725,27824-27829,28315,28320-28322,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 519

Diagnosis: VAGINITIS, TRICHOMONIASIS

Treatment: MEDICAL THERAPY

ICD-9: 112.1,131,616.1,623.5

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 520

Diagnosis: ANOGENITAL VIRAL WARTS EXCLUDING CONDYLOMA ACUMINATUM

Treatment: MEDICAL THERAPY

ICD-9: 078.10,078.19

CPT: 11420-11426,17000-17004,46900-46924,54050-54065,56501,56515,57061,57065,57150,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 521

Diagnosis: SYMPTOMATIC HYDROCELE

Treatment: MEDICAL THERAPY, EXCISION

ICD-9: 603,608.84

CPT: 54840,55000,55040-55041,55060,55500,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 522

Diagnosis: UTERINE PROLAPSE; CYSTOCELE (See Guideline Note)

Treatment: SURGICAL REPAIR

ICD-9: 618

CPT: 45560,51840,52270,52285,53000,53010,56810,57108,57120,57160,57220,57230,57240-57289,57545,57555-57556,58150,58152,58260-58280,58550,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 523

Diagnosis: DIABETES MELLITUS WITH END STAGE RENAL DISEASE (See Coding Specification Below)

Treatment: SIMULTANEOUS PANCREAS/KIDNEY (SPK) TRANSPLANT, PANCREAS AFTER KIDNEY (PAK) TRANSPLANT

ICD-9: 250.01,250.03,250.11,250.13,250.21,250.23,250.31,250.33,250.41,250.43,250.51,250.53,250.61,250.63,250.81,250.83,250.91,250.93,996.81,996.86

CPT: 48160,48550,48554,48556,50300,50320,50340,50360-50365

HCPCS: S2065

Line: 524

SPK INCLUDED FOR TYPE I DIABETES MELLITUS WITH END STAGE RENAL DISEASE (250.41, 250.43), PAK ONLY INCLUDED FOR OTHER TYPE I DIABETES MELLITUS WITH SECONDARY DIAGNOSIS OF V42.0.

Diagnosis: CONSTITUTIONAL APLASTIC ANEMIAS

Treatment: BONE MARROW TRANSPLANT

ICD-9: 284.0,996.85

CPT: 36680,38240

HCPCS: S2150

Line: 525

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OSTEOARTHRITIS AND ALLIED DISORDERS

Treatment: MEDICAL THERAPY, INJECTIONS

ICD-9: 713.5,715,716.0-716.1,716.5-716.6

CPT: 20600,20605,20610,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 526

Diagnosis: SYMPTOMATIC IMPACTED TEETH

Treatment: SURGERY

ICD-9: 520.6,524.3-524.4

CPT: 41899

Line: 527

Diagnosis: UNSPECIFIED DISEASE OF HARD TISSUES OF TEETH (AVULSION)

Treatment: INTERDENTAL WIRING

ICD-9: 525.9

CPT: 21497

Line: 528

Diagnosis: ABSCESSSES AND CYSTS OF BARTHOLIN'S GLAND AND VULVA

Treatment: INCISION AND DRAINAGE, MEDICAL THERAPY

ICD-9: 616.2-616.9

CPT: 10060-10061,53060,53270,56405,56420,56440,56501,56515,56740,57135,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 529

Diagnosis: CERVICITIS, ENDOCERVICITIS, HEMATOMA OF VULVA, AND NONINFLAMMATORY DISORDERS OF THE VAGINA

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 616.0,623.6,623.8-623.9,624.5,626.7

CPT: 56405,56501,56515,57135,57200,57210,57511,57513,57520,57530,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 530

Diagnosis: DENTAL CONDITIONS (EG. TOOTH LOSS) (See Guideline Note)

Treatment: SPACE MAINTENANCE AND PERIODONTAL MAINTENANCE

ICD-9: V72.2

CPT: 90788

CDT: D1510,D1515,D1520,D1525,D4220,D4240,D4245,D4260,D4268,D4910,D4920

Line: 531

Diagnosis: CLOSED FRACTURE OF GREAT TOE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 826.0

CPT: 11740,28470,28490-28496,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 532

Diagnosis: STOMATITIS, CELLULITIS AND ABSCESS OF ORAL SOFT TISSUE, AND DISEASES OF LIPS

Treatment: INCISION AND DRAINAGE, MEDICAL THERAPY

ICD-9: 528.0,528.3,528.5,528.9,529.0

CPT: 10060-10061,20000,20005,40650,40801,40805,40810,40812,41800,42000,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 533

Diagnosis: BALANOPOSTHITIS AND OTHER DISORDERS OF PENIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 607.1,607.81-607.83,607.89

CPT: 53431,54000-54001,54015,54110-54112,54200-54205,54230-54231,54235,54240,54250,54450,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 534

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HYPOSPADIAS AND EPISPADIAS

Treatment: REPAIR

ICD-9: 752.6

CPT: 51715,53431,54230-54231,54235,54240,54250,54300-54390,54420-54440,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 535

Diagnosis: METABOLIC BONE DISEASE

Treatment: MEDICAL THERAPY

ICD-9: 731.0,733.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 536

Diagnosis: RESIDUAL FOREIGN BODY IN SOFT TISSUE

Treatment: REMOVAL

ICD-9: 374.86,729.6,883.1-883.2

CPT: 10120-10121,20520-20525,23040-23044,23107,23330-23332,24000,24101,24200-24201,25040,25101,25248,26070-26080,27033,27086-27087,27310,27331,27372,27610,27620,28020-28024,28190-28193,40804,41805-41806,55120

Line: 537

Diagnosis: BRANCHIAL CLEFT CYST

Treatment: EXCISION, MEDICAL THERAPY

ICD-9: 744.41-744.49,759.2

CPT: 38550,38555,42810,42815,60000,60280-60281,69145,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 538

Diagnosis: EXFOLIATION OF TEETH DUE TO SYSTEMIC CAUSES

Treatment: EXCISION OF DENTOALVEOLAR STRUCTURE

ICD-9: 525.0,525.11

CPT: 40899,41822-41830,41874,41899,42299

Line: 539

Diagnosis: PTOSIS (ACQUIRED) WITH VISION IMPAIRMENT

Treatment: PTOSIS REPAIR

ICD-9: 374.2-374.3,374.41,374.43,374.46

CPT: 15822-15823,67875,67880,67900-67904,67906,67908-67909,67911,67961,67971,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 540

Diagnosis: RETAINED DENTAL ROOT

Treatment: EXCISION OF DENTOALVEOLAR STRUCTURE

ICD-9: 525.3

CPT: 40899,41822,41823,41825-41828,41830,41874,41899,42299

Line: 541

Diagnosis: SPECIFIC DISORDERS OF THE TEETH AND SUPPORTING STRUCTURES

Treatment: EXCISION OF DENTOALVEOLAR STRUCTURE

ICD-9: 525.8

CPT: 40899,41820,41822,41823,41830,41874,41825-41827,41828,41850,41899,42299

Line: 542

Diagnosis: OPHTHALMIC INJURY: LACRIMAL SYSTEM LACERATION

Treatment: CLOSURE

ICD-9: 870.2

CPT: 68700,68760-68761,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 543

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PERIPHERAL NERVE ENTRAPMENT
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 354.0,354.2,355.5,723.3,728.6
CPT: 20526,25111,25118,25447,26035-26060,26121-26180,26320,26440-26498,29125,29848,64702-64704,64718-64727,64774-64783,64788-64792,64856-64857,64872-64907,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 544

Diagnosis: RECTAL PROLAPSE
Treatment: PARTIAL COLECTOMY
ICD-9: 569.1-569.2
CPT: 44139-44144,45505-45541,45900,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 545

Diagnosis: UNCOMPLICATED HERNIA
Treatment: REPAIR
ICD-9: 550.9,553,728.84
CPT: 32800,39502-39541,43330-43331,44050,44346,49250,49500-49611,49650-49651,51500,55540,57556,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 546

Diagnosis: BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 223
CPT: 52224,52282,53260-53265,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 547

Diagnosis: INCONTINENCE OF FECES
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 787.6
CPT: 46750-46762,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 548

Diagnosis: URETHRAL FISTULA
Treatment: EXCISION, MEDICAL THERAPY
ICD-9: 599.1-599.2,599.4
CPT: 45820,53040,53230,53235,53240,53250,53520,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97703-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 549

Diagnosis: URINARY INCONTINENCE (See Guideline Note)
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 625.6,788.31-788.33
CPT: 51840-51845,51990-51992,53446,53448,57160,57220,57280-57289,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 550

Diagnosis: VERTIGINOUS SYNDROMES AND OTHER DISORDERS OF VESTIBULAR SYSTEM
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 379.54,386.0-386.2,386.4-386.9,438.6-438.7,438.83-438.85
CPT: 69666-69667,69805-69806,69915,69950,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 551

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HYPOPLASTIC LEFT HEART SYNDROME

Treatment: REPAIR

ICD-9: 746.7

CPT: 33615,33617,33619,33750,33766,33767

Line: 552

Diagnosis: TRAUMATIC AMPUTATION OF TOE (COMPLETE) (PARTIAL) W/ & W/O COMPLICATION

Treatment: SURGICAL TREATMENT

ICD-9: 895

CPT: 11010-11012,14040-14041,28810-28825,90471-90472,90780-90799,90901-90937,90945-92060,
92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,
97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,
99499

Line: 553

Diagnosis: CANCER OF ESOPHAGUS, TREATABLE

Treatment: MEDICAL AND SURGICAL THERAPY, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 150,195.2,230.1

CPT: 15734,38542,38720-38724,38794,43100-43124,43216,43219-43227,43248-43250,43340-43341,
43360-43361,43496,44139-44147,44300,77261-77799,79000-79900,90471-90472,90780-90799,
90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,
93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,
99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 554

Diagnosis: CANCER OF LIVER, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 155,197.7,235.3

CPT: 36260-36262,37204,37617,48150,47120-47130,47370-47371,47380-47382,47600-47620,47711-
47712,49080,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,
92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,
97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,
99499

HCPCS: G0242,G0243

Line: 555

Diagnosis: CANCER OF PANCREAS, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 157.0-157.3,157.8-157.9,230.9

CPT: 43219,43262,43267-43268,43271,43272,47721,47741,47760,47785,77261-77799,79000-79900,
90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 556

Diagnosis: CANCER OF GALLBLADDER AND OTHER BILIARY, TREATABLE

Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

ICD-9: 156,197.8,230.8

CPT: 43271,47564,47570,47600-47620,47711-47712,47741,47785,60540,77261-77799,79000-79900,
90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 557

Diagnosis: PTERYGIUM

Treatment: EXCISION OR TRANSPOSITION OF PTERYGIUM W/O GRAFT, RADIATION THERAPY

ICD-9: 372.42-372.45

CPT: 65420,65426,77261-77799,79000-79900,90471-90472,90780-90799,90901-90937,90945-92060,
92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,
97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,
99499

HCPCS: G0242,G0243

Line: 558

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SIALOLITHIASIS, MUCOCELE, DISTURBANCE OF SALIVARY SECRETION, OTHER AND UNSPECIFIED DISEASES OF SALIVARY GLANDS
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 527.5-527.9
CPT: 40810-40816, 42300, 42305, 42325-42326, 42330, 42335, 42340, 42408-42409, 42410, 42415-42425, 42440-42508, 42509-42510, 42600, 42650-42665, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
CDT: D7980, D7981, D7982
Line: 559

Diagnosis: BENIGN NEOPLASM BONE & ARTICULAR CARTILAGE INCLUDING OSTEOID OSTEOMAS; BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 213, 215, 526.0-526.1, 526.81, 719.2, 733.2
CPT: 10060-10061, 11400-11446, 12052, 13131, 17106-17111, 19125-19126, 20150, 20550, 20615, 20900, 20930-20938, 20955-20973, 21029-21032, 21040-21041, 21181, 21555-21556, 21600, 21930-21935, 22548-22585, 22851, 23075-23077, 23101, 23140-23156, 23200-23222, 24075-24077, 24105-24126, 24420, 24498, 25000, 25110-25136, 25170, 25210-25240, 25295-25301, 25320, 25335, 25337, 25390-25393, 25441-25447, 25450, 25455, 25490-25492, 25810-25830, 26100-26117, 26200-26215, 26250-26262, 26449, 27025, 27047-27049, 27054, 27065-27071, 27075-27079, 27187, 27327-27329, 27355-27358, 27365, 27465-27468, 27495-27499, 27630-27638, 27645-27647, 27656, 27745, 27892-27894, 28043-28046, 28100-28108, 28122-28124, 28171-28175, 28820-28825, 36680, 63081-63091, 64774, 64792, 69140, 77261-77799, 79000-79999
CDT: D7480
HCPCS: G0242, G0243
Line: 560

Diagnosis: UNSPECIFIED URINARY OBSTRUCTION AND BENIGN PROSTATIC HYPERPLASIA WITHOUT OBSTRUCTION
Treatment: MEDICAL THERAPY
ICD-9: 599.6, 600
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 561

Diagnosis: PHIMOSIS
Treatment: SURGICAL TREATMENT
ICD-9: 605
CPT: 54152, 54161
Line: 562

Diagnosis: CYSTIC ACNE
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 705.83, 706.0-706.1
CPT: 10040-10061, 11450-11471, 11900-11901, 17000, 17340, 17360, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 563

Diagnosis: CONTACT DERMATITIS, ATOPIC DERMATITIS AND OTHER ECZEMA
Treatment: MEDICAL THERAPY
ICD-9: 691.8, 692.0-692.6, 692.70-692.74, 692.79, 692.8-692.9
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 564

Diagnosis: SYMPTOMATIC URTICARIA
Treatment: MEDICAL THERAPY
ICD-9: 708.0-708.1, 708.5, 708.8, 995.7
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 565

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DYSFUNCTION OF NASOLACRIMAL SYSTEM

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 370.33,375

CPT: 67880-67882,68440,68530,68760-68761,68801-68840,90471-90472,90780-90799,90901-90937,
90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,
95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,
99379-99440,99499

Line: 566

Funding line as of October 1, 2002

Diagnosis: CHRONIC ANAL FISSURE (See Guideline Note); ANAL FISTULA

Treatment: SPHINCTEROTOMY, FISSURECTOMY, FISTULECTOMY, MEDICAL THERAPY

ICD-9: 565.0-565.1

CPT: 45905,45910,46030,46080,46200-46211,46270-46285,46288,46700,46940-46942,90471-90472,
90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,
92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,
99185-99362,99374-99375,99379-99440,99499

Line: 567

Diagnosis: DENTAL CONDITIONS (EG. BROKEN APPLIANCES)

Treatment: PERIODONTICS AND COMPLEX PROSTHETICS

ICD-9: 522.6,522.8,V72.2

CPT: 90788,99201-99215,99241-99275

CDT: D3430,D4320,D4321,D5850,D5851,D5860,D5861,D6211,D6241,D6242,D6251,D6252,D6545,D6751,
D6752,D6791,D6792,D6970,D6971,D6973,D6975,D7281,D7960,D7970

Line: 568

Diagnosis: IMPULSE DISORDERS (See Guideline Note)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.31-312.39

CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA011,BA013,BA015,BA016,BA017,BA019,
BA021,BA023,BA024,BA025,BA026,BA040,BA045,BA046,BA047,BA108,BA109,BA110,BA111,BA112,
BA113,BA114,BA115,BA116,BA117,BA118,BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,
BA146,BA147,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,
ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 569

Diagnosis: SEXUAL DYSFUNCTION

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 302.7,607.84

CPT: 54400-54417,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,
92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 570

Diagnosis: SEXUAL DYSFUNCTION

Treatment: PSYCHOTHERAPY

ICD-9: 302.7

CPT: 90801-90899,96100,BA108,BA109,BA110,BA111,BA112,BA113,BA114,BA115,BA116,BA117,BA118,
BA119,BA120,BA121,BA122,BA125,BA126,BA135,BA140,BA146,BA147,ECC10,ECC11,ECC12,ECC13,
ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 571

Diagnosis: BELL'S PALSY, EXPOSURE KERATOCONJUNCTIVITIS

Treatment: TARSORRHAPHY

ICD-9: 351.0-351.1,351.8-351.9,370.34,374.44,374.45,374.89

CPT: 15840-15842,67875,67880-67882,67911,90471-90472,90780-90799,90901-90937,90945-92060,
92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,
97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,
99499

Line: 572

Diagnosis: HORDEOLUM AND OTHER DEEP INFLAMMATION OF EYELID; CHALAZION

Treatment: INCISION AND DRAINAGE/MEDICAL THERAPY

ICD-9: 373.11-373.12,373.2,374.50,374.54,374.56,374.84

CPT: 67700,67800-67808,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 573

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ECTROPION, TRICHIASIS OF EYELID, BENIGN NEOPLASM OF EYELID

Treatment: ECTROPION REPAIR

ICD-9: 216.1,224,372.63,374.1,374.85

CPT: 17340,21280,21282,67343,67700-67808,67820-67850,67880-67882,67914-67924,67950,67961,67966,67971,67973-67975,68110,68115-68130,68135,68320,68325-68326,68328,68330,68335,68340,68362,68440,68705

Line: 574

Diagnosis: CHONDROMALACIA

Treatment: MEDICAL THERAPY

ICD-9: 733.92

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 575

Diagnosis: DYSMENORRHEA (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 625.3

CPT: 58150,58260,58550,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 576

Diagnosis: SPASTIC DIPLEGIA

Treatment: RHIZOTOMY

ICD-9: 343.0

CPT: 21720,21725,62350-62368,63185-63190

Line: 577

Diagnosis: ATROPHY OF EDENTULOUS ALVEOLAR RIDGE

Treatment: VESTIBULOPLASTY, GRAFTS, IMPLANTS

ICD-9: 525.2

CPT: 15350,15574,20902,21210,21215,21244-21249,40840,40842,40845

CDT: D7340,D7350

Line: 578

Diagnosis: DEFORMITIES OF UPPER BODY & ALL LIMBS

Treatment: REPAIR/REVISION/RECONSTRUCTION/RELOCATION/MEDICAL THERAPY

ICD-9: 718.02-718.05,718.13-718.15,718.42-718.46,718.52-718.56,718.65,718.82-718.86,728.79,732.3,732.6,732.8-732.9,733.90-733.91,736.00-736.04,736.07,736.09,736.1,736.20,736.29,736.30,736.39,736.4,736.6,736.76,736.79,736.89,736.9,738.6,738.8,754.8,755.50-755.53,755.56-755.57,755.59,755.60,755.63-755.64,755.69,755.8,756.82-756.83,756.89

CPT: 11041-11042,14040-14041,15120,15240,20150,20690,20692-20694,20900,20920,20922,20924,24101,25320,25335,25337,25390-25393,25441-25450,25455,25490-25492,25810,25820,25825,25830,26035-26060,26121-26180,26320,26440-26596,26820-26863,27095-27097,27100-27122,27140-27185,27306-27307,27435,27448-27455,27465-27468,27475-27485,27496-27499,27656,27676,27685-27690,27715,27727,27730-27742,27892-27894,29861-29863,64702-64704,64718-64727,64774-64783,64788-64792,64856-64857,64872-64907,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 579

Diagnosis: DEFORMITIES OF FOOT

Treatment: FASCIOTOMY/INCISION/REPAIR/ARTHRODESIS

ICD-9: 718.07,718.47,718.57,718.87,727.1,732.5,735.0-735.2,735.3-735.9,736.70-736.71,754.50,754.59,754.60,754.69,754.70,754.79,755.65-755.67

CPT: 20920,20922,20924,27690-27692,28008,28010,28035,28050-28072,28086-28092,28110-28119,28126-28160,28220-28238,28240-28341,28360,28705-28760,29450,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 580

Diagnosis: PERITONEAL ADHESION

Treatment: SURGICAL TREATMENT

ICD-9: 568.0,568.82-568.89,568.9

CPT: 44005,44200,44603-44604,49423-49424,58660

Line: 581

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PELVIC PAIN SYNDROME, DYSPAREUNIA (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 300.81, 614.1, 614.6, 620.6, 625.0-625.2, 625.5, 625.8-625.9

CPT: 49322, 58150, 58260-58262, 58400, 58410, 58550, 58551, 58562, 58660-58662, 58700, 58720, 58740, 58805, 58925, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 582

Diagnosis: CHRONIC BRONCHITIS

Treatment: MEDICAL THERAPY

ICD-9: 490, 491.0, 491.8-491.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 583

Diagnosis: DISORDERS OF FUNCTION OF STOMACH AND OTHER FUNCTIONAL DIGESTIVE DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 536.0-536.3, 536.8-536.9, 564.0-564.7, 564.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 584

Diagnosis: TMJ DISORDER

Treatment: TMJ SPLINTS

ICD-9: 524.6, 848.1

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D7880

Line: 585

Diagnosis: URETHRITIS, NON-SEXUALLY TRANSMITTED

Treatment: MEDICAL THERAPY

ICD-9: 597.8, 599.3-599.5, 599.7-599.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 586

Diagnosis: LESION OF PLANTAR NERVE; PLANTAR FASCIAL FIBROMATOSIS

Treatment: MEDICAL THERAPY, EXCISION

ICD-9: 355.6, 728.71

CPT: 20550, 20605, 28008, 28060, 28080, 29893, 64726, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 587

Diagnosis: GRANULOMA OF MUSCLE, GRANULOMA OF SKIN & SUBCUTANEOUS TISSUE

Treatment: REMOVAL OF GRANULOMA

ICD-9: 709.4, 728.82

CPT: 21555-21556, 21930, 23075-23076, 24075-24076, 25075-25076, 26115-26116, 27047-27048, 27327-27328, 27618-27619, 28043, 28045, 28192, 37203, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 588

Diagnosis: DERMATOPHYTOSIS OF NAIL, GROIN, AND FOOT AND OTHER DERMATOMYCOSIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 110.0-110.6, 110.8-110.9, 111

CPT: 11720-11732, 11750, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 589

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: EQUINUS DEFORMITY OF FOOT, ACQUIRED

Treatment: ARTHROTOMY

ICD-9: 736.72

CPT: 27612, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 590

Diagnosis: INTERNAL DERANGEMENT OF JOINT OTHER THAN KNEE

Treatment: REPAIR, MEDICAL THERAPY

ICD-9: 718.09, 718.19, 718.29, 718.48, 718.59, 718.88-718.89, 719.81-719.85, 719.87-719.89

CPT: 24006, 24102, 24149, 24155, 24470, 25085, 25105, 25107, 25119, 25240, 25210, 25215, 25230, 25320, 25337, 25390-25393, 25441-25447, 25450, 25455, 25490-25492, 25810, 25820, 25825, 25830, 27625-27626, 29834-29838, 29844-29847, 29850-29851, 29897-29898, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 591

Diagnosis: STENOSIS OF NASOLACRIMAL DUCT (ACQUIRED)

Treatment: DACRYOCYSTORHINOSTOMY

ICD-9: 375.02, 375.30, 375.32, 375.4, 375.56-375.57, 375.61, 771.6

CPT: 31238-31239, 68420, 68520, 68720-68750, 68770, 68801

Line: 592

Diagnosis: PERIPHERAL NERVE DISORDERS

Treatment: SURGICAL TREATMENT

ICD-9: 337.2, 353, 354.1, 354.3-354.9, 355.0, 355.3, 355.4, 355.7-355.8, 723.2

CPT: 23397, 64702-64722, 64726-64727, 64774-64792, 64820, 64856-64857, 64872-64907

Line: 593

Diagnosis: CAVUS DEFORMITY OF FOOT; FLAT FOOT; POLYDACTYLY AND SYNDACTYLY OF TOES

Treatment: MEDICAL THERAPY, ORTHOTIC

ICD-9: 734, 736.73, 755.00, 755.02, 755.10, 755.13-755.14

CPT: 28344-28345, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 594

Diagnosis: PERIPHERAL ENTHESOPATHIES

Treatment: SURGICAL TREATMENT

ICD-9: 726.12, 726.3-726.9, 728.81

CPT: 20550-20553, 20600-20610, 21032, 24105, 24350-24352, 24354, 24356, 25447, 26035-26060, 26121-26180, 26320, 26440-26596, 26820-26863, 27060-27062, 27095-27097, 27100-27122, 27140-27185, 27306-27307, 27448-27455, 27466-27468, 27475-27485, 27715, 27730-27742, 28119, 28899, 64550, 64702-64704, 64718-64727, 64774-64795, 64856-64857, 64872-64907

Line: 595

Diagnosis: PERIPHERAL ENTHESOPATHIES

Treatment: MEDICAL THERAPY

ICD-9: 726.12, 726.3-726.4, 726.6-726.9, 728.81

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 596

Diagnosis: DISORDERS OF SOFT TISSUE

Treatment: MEDICAL THERAPY

ICD-9: 728.0, 729

CPT: 11401-11042, 14040-14041, 20550, 20600-20610, 62350-62351, 62360-62362, 64550, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 597

Diagnosis: ENOPHTHALMOS

Treatment: ORBITAL IMPLANT

ICD-9: 372.64, 376.5

CPT: 20902, 21076-21077, 67550, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D5915, D5928

Line: 598

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: MACROMASTIA

Treatment: SUBCUTANEOUS TOTAL MASTECTOMY, BREAST REDUCTION

ICD-9: 611.1

CPT: 19140,19318

Line: 599

Diagnosis: GALACTORRHEA, MASTODYNIA, ATROPHY, BENIGN NEOPLASMS AND UNSPECIFIED DISORDERS OF THE BREAST

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 217, 611.3, 611.4, 611.6, 611.71, 611.9, 757.6

CPT: 19110,19125-19126,19290-19295,19324-19355,19357,19361,19364,19366-19396,19499,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 600

Diagnosis: ACUTE AND CHRONIC DISORDERS OF SPINE WITHOUT NEUROLOGIC IMPAIRMENT (See Guideline Note)

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 721.0,721.2-721.3,721.7-721.8,721.90,722.0-722.6,722.8-722.9,723.1,723.5-723.9,724.1-724.2,724.5-724.9,739,839.2,847

CPT: 20550,29220,62350-62351,62360-62362,64445-64450,64520-64530,64550,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 601

Diagnosis: CYSTS OF ORAL SOFT TISSUES

Treatment: INCISION & DRAINAGE

ICD-9: 527.1,528.4,528.8

CPT: 40800,41005-41009,41015-41018,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

CDT: D7460,D7461

Line: 602

Diagnosis: FEMALE INFERTILITY, MALE INFERTILITY

Treatment: ARTIFICIAL INSEMINATION, MEDICAL THERAPY

ICD-9: 606,628.4-628.9,629.9,V26.1-V26.2,V26.8-V26.9

CPT: 52347,58321-58323,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 603

Diagnosis: INFERTILITY DUE TO ANNOVULATION

Treatment: MEDICAL THERAPY

ICD-9: 626.0-626.1,628.0,628.1

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 604

Diagnosis: POSTCONCUSSION SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 310.2

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 605

Diagnosis: SIMPLE AND UNSPECIFIED GOITER, NONTOXIC NODULAR GOITER

Treatment: MEDICAL THERAPY, THYROIDECTOMY

ICD-9: 240-241

CPT: 60210,60212,60220,60225,60240,60252,60254,60260,60270-60271,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 606

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CONDUCTIVE HEARING LOSS
Treatment: AUDIANT BONE CONDUCTORS
ICD-9: 389.0,389.2
CPT: 69710-69711
Line: 607

Diagnosis: CANCER OF LIVER AND INTRAHEPATIC BILE DUCTS
Treatment: LIVER TRANSPLANT
ICD-9: 155.0-155.1,996.82
CPT: 47133-47136,77261-77799,79000-79900
HCPCS: G0242,G0243
Line: 608

Diagnosis: HYPOTENSION
Treatment: MEDICAL THERAPY
ICD-9: 458
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 609

Diagnosis: VIRAL HEPATITIS, EXCLUDING CHRONIC VIRAL HEPATITIS B AND VIRAL HEPATITIS C WITHOUT HEPATIC COMA
Treatment: MEDICAL THERAPY
ICD-9: 070.0-070.2,070.30-070.31,070.33,070.4,070.52-070.53,070.59,070.6-070.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 610

Diagnosis: BENIGN NEOPLASMS OF SKIN AND OTHER SOFT TISSUES
Treatment: MEDICAL THERAPY
ICD-9: 210,214,216,221,222.1,222.4,228.00-228.01,228.1,229,686.1,686.9
CPT: 11300-11313,11400-11471,12031-12032,13100-13151,17000-17108,19120,40814,41116,41826,42104-42107,42160,42808,69145,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D7430,D7431,D7981
Line: 611

Diagnosis: REDUNDANT PREPUCE
Treatment: ELECTIVE CIRCUMCISION
ICD-9: 605,V50.2
CPT: 54000-54001,54150-54164,54450,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358,92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 612

Diagnosis: BENIGN NEOPLASMS OF DIGESTIVE SYSTEM
Treatment: SURGICAL TREATMENT
ICD-9: 211.0-211.2,211.5-211.6,211.8-211.9
CPT: 43202,43216-43217,43248-43251,43258,43450,44110-44120,44139-44145,44152,44204,44369,44392,45160,45308-45309,45333,45383-45385,46610,46937,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 613

Diagnosis: OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS (See Statement of Intent)
Treatment: MEDICAL THERAPY
ICD-9: 558
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 614

Diagnosis: FACTITIOUS DISORDERS
Treatment: CONSULTATION
ICD-9: 300.10,300.16,300.19,301.51
CPT: 90801,96100,99201-99202,99211-99212,99241,99271,BA008,BA009,BA010,BA019,BA108,BA109,BA110,BA119,BA135,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95
Line: 615

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HYPOCHONDRIASIS; SOMATOFORM DISORDER; NOS AND UNDIFFERENTIATED

Treatment: CONSULTATION

ICD-9: 300.7,300.9,306

CPT: 90801,96100,99201-99202,99211-99212,99241,99271,BA008,BA009,BA010,BA019,BA108,BA109,BA110,BA119,BA135,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 616

Diagnosis: CONVERSION DISORDER, ADULT

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.11

CPT: 90801-90899,99201-99275,BA008,BA009,BA010,BA019,BA108,BA109,BA110,BA119,BA135,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 617

Diagnosis: SPINAL DEFORMITY, NOT CLINICALLY SIGNIFICANT (See Guideline Note)

Treatment: ARTHRODESIS/REPAIR/RECONSTRUCTION, MEDICAL THERAPY

ICD-9: 721.5-721.6,723.0,724.0,731.0,737.0-737.3,737.8-737.9,738.4-738.5,754.1-754.2,756.10-756.12,756.13-756.17,756.19,756.3

CPT: 20930-20938,21720,21725,22210-22226,22590-22632,22554-22585,22800-22855,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,98925-98929,98940-98942,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 618

Diagnosis: ASYMPTOMATIC URTICARIA

Treatment: MEDICAL THERAPY

ICD-9: 708.2-708.4,708.9

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 619

Diagnosis: CIRCUMSCRIBED SCLERODERMA; SENILE PURPURA

Treatment: MEDICAL THERAPY

ICD-9: 287.2,287.8-287.9,701.0

CPT: 11900-11901,17000-17004,17340,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 620

Diagnosis: DERMATITIS DUE TO SUBSTANCES TAKEN INTERNALLY

Treatment: MEDICAL THERAPY

ICD-9: 693

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 621

Diagnosis: ALLERGIC RHINITIS AND CONJUNCTIVITIS, CHRONIC RHINITIS (See Guideline Note)

Treatment: MEDICAL THERAPY

ICD-9: 372.01-372.05,372.14,471-472,477,995.3,V07.1

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97780-97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 622

Diagnosis: PLEURISY

Treatment: MEDICAL THERAPY

ICD-9: 511.0,511.9

CPT: 32000,32200,32215,32220-32225,32310,32420,32650-32652,32655,32664-32665,32940,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 623

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CONJUNCTIVAL CYST

Treatment: EXCISION OF CONJUNCTIVAL CYST

ICD-9: 372.61-372.62, 372.71-372.72, 372.74-372.75

CPT: 68020, 68040, 68110, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 624

Diagnosis: HEMATOMA OF AURICLE OR PINNA AND HEMATOMA OF EXTERNAL EAR

Treatment: DRAINAGE

ICD-9: 380.3, 380.8, 738.7

CPT: 10140, 69000-69005, 69020, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 625

Diagnosis: ACUTE NON-SUPPURATIVE LABYRINTHITIS

Treatment: MEDICAL THERAPY

ICD-9: 386.30-386.32, 386.34-386.35

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 626

Diagnosis: INFECTIOUS MONONUCLEOSIS

Treatment: MEDICAL THERAPY

ICD-9: 075

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 627

Diagnosis: ASEPTIC MENINGITIS (See Statement of Intent)

Treatment: MEDICAL THERAPY

ICD-9: 047-049

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 628

Diagnosis: CONGENITAL ANOMALIES OF FEMALE GENITAL ORGANS EXCLUDING VAGINA

Treatment: SURGICAL TREATMENT

ICD-9: 752.0-752.3, 752.41

CPT: 56306, 57135, 57500, 57720, 58400, 58540, 58559-58562, 58660, 58700, 58720, 58740, 58940, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 629

Diagnosis: CONGENITAL DEFORMITIES OF KNEE

Treatment: ARTHROSCOPIC REPAIR

ICD-9: 755.64, 727.83

CPT: 29871-29889, 27403-27429

Line: 630

Diagnosis: ACUTE ANAL FISSURE

Treatment: FISSURECTOMY, MEDICAL THERAPY

ICD-9: 565.0

CPT: 46200, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 631

Diagnosis: CYST OF KIDNEY, ACQUIRED

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 593.2

CPT: 50390, 50541, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 632

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: PICA
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.52
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA019,BA108,BA109,BA110,BA135,ECC10,
ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,
ECC95
Line: 633

Diagnosis: DISORDERS OF SLEEP WITHOUT SLEEP APNEA
Treatment: MEDICAL THERAPY
ICD-9: 307.41-307.45,307.47-307.49,780.50,780.52,780.54-780.56,780.59
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 634

Diagnosis: CYST, HEMORRHAGE, AND INFARCTION OF THYROID
Treatment: SURGERY - EXCISION
ICD-9: 246.2,246.3,246.9
CPT: 60001,60200,60210,60212,60220,60225,60270-60271,90471-90472,90780-90799,90901-90937,
90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,
95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,
99379-99440,99499
Line: 635

Diagnosis: DEVIATED NASAL SEPTUM, ACQUIRED DEFORMITY OF NOSE, OTHER DISEASES OF UPPER
RESPIRATORY TRACT
Treatment: EXCISION OF CYST/RHINECTOMY/PROSTHESIS
ICD-9: 470,478.0,738.0,754.0
CPT: 14060,20912,21325-21335,30115-30117,30124-30320,30400-30430,30465,30520,30580,30620,
30630,31020-31090,31200,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,
92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,
97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D7260
Line: 636

Diagnosis: ERYTHEMA MULTIFORME
Treatment: MEDICAL THERAPY
ICD-9: 695.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 637

Diagnosis: HERPES SIMPLEX WITHOUT COMPLICATIONS
Treatment: MEDICAL THERAPY
ICD-9: 054.2,054.6,054.73,054.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 638

Diagnosis: CONGENITAL ANOMALIES OF THE EAR WITHOUT IMPAIRMENT OF HEARING; UNILATERAL ANOMALIES
OF THE EAR
Treatment: OTOPLASTY, REPAIR & AMPUTATION
ICD-9: 744.00-744.04,744.09,744.1-744.3
CPT: 21086,21089,69110,69300
CDT: D5914,D5927
Line: 639

Diagnosis: BLEPHARITIS
Treatment: MEDICAL THERAPY
ICD-9: 373.0,373.8-373.9,374.87
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 640

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: HYPERTELORISM OF ORBIT

Treatment: ORBITOTOMY

ICD-9: 376.41

CPT: 67405,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 641

Diagnosis: INFERTILITY DUE TO TUBAL DISEASE

Treatment: MICROSURGERY

ICD-9: 608.85,622.5,628.2-628.3,629.9,V26.0

CPT: 54900-54901,55400,56343-56344,58120,58340,58345,58350,58700,58740-58770

Line: 642

Diagnosis: KERATODERMA, ACANTHOSIS NIGRICANS, STRIAE ATROPHICAE, AND OTHER HYPERTROPHIC OR ATROPHIC CONDITIONS OF SKIN

Treatment: MEDICAL THERAPY

ICD-9: 373.3,690,698,701.1-701.3,701.8,701.9

CPT: 11000-11057,11200-11201,11401-11406,11900,11950-11954,17000-17004,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 643

Diagnosis: LICHEN PLANUS

Treatment: MEDICAL THERAPY

ICD-9: 697

CPT: 11900-11901,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 644

Diagnosis: OBESITY

Treatment: NUTRITIONAL AND LIFE STYLE COUNSELING

ICD-9: 278.0

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 645

Diagnosis: MORBID OBESITY

Treatment: GASTROPLASTY

ICD-9: 278.01

CPT: 43842-43843,43846-43848,44209

Line: 646

Diagnosis: CHRONIC DISEASE OF TONSILS AND ADENOIDS

Treatment: TONSILLECTOMY AND ADENOIDECTOMY

ICD-9: 474.0,474.1-474.2,474.9

CPT: 42820-42836,42860,42870,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 647

Diagnosis: ASYMPTOMATIC HYDROCELE

Treatment: MEDICAL THERAPY, EXCISION

ICD-9: 603,629.1

CPT: 54840,55000,55040-55041,55060,55500,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 648

Diagnosis: KELOID SCAR; OTHER ABNORMAL GRANULATION TISSUE

Treatment: INTRALESIONAL INJECTIONS/DESTRUCTION/EXCISION, RADIATION THERAPY

ICD-9: 701.4-701.5

CPT: 11200-11201,11300-11446,11900-11901,12032,17000-17004,77261-77799,79000-79900

HCPCS: G0242,G0243

Line: 649

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: NONINFLAMMATORY DISORDERS OF CERVIX; HYPERTROPHY OF LABIA

Treatment: MEDICAL THERAPY

ICD-9: 622.4, 622.6-622.9, 623.4, 624.2-624.3, 624.6-624.9

CPT: 56805, 57061, 57065, 57200, 57800, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 650

Diagnosis: SPRAINS OF JOINTS AND ADJACENT MUSCLES, GRADE I

Treatment: MEDICAL THERAPY

ICD-9: 355.1-355.3, 355.9, 717, 718.26, 718.36, 718.46, 718.56, 836.0-836.2, 840-843, 844.0-844.3, 844.8-844.9, 845.00-845.03, 845.1, 846, 848.3, 848.40-848.42, 848.49, 848.5, 848.8-848.9, 905.7

CPT: 24341, 29240, 29260, 29280, 29520, 29530, 29540, 29550, 29580, 29590, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 98925-98929, 98940-98942, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 651

Diagnosis: SYNOVITIS AND TENOSYNOVITIS

Treatment: MEDICAL THERAPY

ICD-9: 726.12, 727.00, 727.03-727.09

CPT: 20550-20553, 20600-20610, 25000, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 652

Diagnosis: OTHER DISORDERS OF SYNOVIUM, TENDON AND BURSA, COSTOCHONDRITIS, AND CHONDRODYSTROPHY

Treatment: MEDICAL THERAPY

ICD-9: 719.5-719.6, 719.80, 719.86, 727.2-727.3, 727.50, 727.60, 727.82, 727.9, 733.5-733.7, 756.4

CPT: 20550-20553, 20600, 20610, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97780-97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 653

Diagnosis: DISEASE OF NAILS, HAIR AND HAIR FOLLICLES

Treatment: MEDICAL THERAPY

ICD-9: 703.8-703.9, 704.0, 704.1-704.9, 706.3, 706.9, 757.4-757.5, V50.0

CPT: 11000-11001, 11720-11765, 11900-11901, 17380, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97703-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 654

Diagnosis: CANDIDIASIS OF MOUTH, SKIN AND NAILS

Treatment: MEDICAL THERAPY

ICD-9: 112.0, 112.3, 112.9

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 655

Diagnosis: BENIGN LESIONS OF TONGUE

Treatment: EXCISION

ICD-9: 529.1-529.6, 529.8-529.9

CPT: 41110, 41112-41114, 41599, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 656

Diagnosis: MINOR BURNS

Treatment: MEDICAL THERAPY

ICD-9: 941.0-941.2, 942.0-942.2, 943.0-943.2, 944.0-944.2, 945.0-945.2, 946.0-946.2, 949.0-949.1, 692.76

CPT: 11000-11001, 11040-11044, 11960-11971, 16000-16030, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 657

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: MINOR HEAD INJURY: HEMATOMA/EDEMA WITH NO LOSS OF CONSCIOUSNESS

Treatment: MEDICAL THERAPY

ICD-9: 800.00-800.01,801.00-801.01,803.00-803.01,850.0,850.9,851.00-851.01,851.09,851.20-851.21,851.29,851.40-851.41,851.49,851.60-851.61,851.69,851.80-851.81,851.89
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 658

Diagnosis: CONGENITAL DEFORMITY OF KNEE

Treatment: MEDICAL THERAPY

ICD-9: 755.64
CPT: 27435,27465-27466,27468,27496-27499,27656,27892-27894,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 659

Diagnosis: PHLEBITIS AND THROMBOPHLEBITIS, SUPERFICIAL

Treatment: MEDICAL THERAPY

ICD-9: 451.0,451.2,451.82,451.84,451.89,451.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 660

Diagnosis: PROLAPSED URETHRAL MUCOSA

Treatment: SURGICAL TREATMENT

ICD-9: 599.3,599.5
CPT: 51840-51841,52270,52285,53000,53010,53275,57220,57230,57268-57270,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 661

Diagnosis: RUPTURE OF SYNOVIUM

Treatment: REMOVAL OF BAKER'S CYST

ICD-9: 727.51
CPT: 27345

Line: 662

Diagnosis: PERSONALITY DISORDERS EXCLUDING BORDERLINE, SCHIZOTYPAL AND ANTI-SOCIAL

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.0,301.10-301.12,301.20-301.21,301.3-301.4,301.50,301.59,301.6,301.81-301.82,301.84,301.89,301.9
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA019,BA108,BA109,BA110,BA119,BA135,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 663

Diagnosis: GENDER IDENTIFICATION DISORDER, PARAPHILIAS AND OTHER PSYCHOSEXUAL DISORDERS

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 302.0-302.4,302.50,302.6,302.85,302.9
CPT: 90801-90899,96100,99201-99275,BA008,BA009,BA010,BA108,BA109,BA110,BA135,BA150,BA152,BA153,BA154,BA155,BA156,BA157,BA158,BA159,ECC10,ECC11,ECC12,ECC13,ECC14,ECC20,ECC30,ECC40,ECC44,ECC46,ECC50,ECC60,ECC70,ECC80,ECC90,ECC95

Line: 664

Diagnosis: FINGERTIP AVULSION

Treatment: REPAIR WITHOUT PEDICLE GRAFT

ICD-9: 883.0
CPT: 12001-12002,14040-14041,14350

Line: 665

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ANOMALIES OF RELATIONSHIP OF JAW TO CRANIAL BASE, MAJOR ANOMALIES OF JAW SIZE,
OTHER SPECIFIED AND UNSPECIFIED DENTOFACIAL ANOMALIES
Treatment: OSTEOPLASTY, MAXILLA/MANDIBLE
ICD-9: 524.0-524.2,524.5,524.7-524.8,524.9
CPT: 21120-21127,21145-21147,21150-21151,21154-21160,21193-21196,21198,21206-21209,21255,
21295-21296,30520,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,
99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
CDT: D7940-D7949
Line: 666

Diagnosis: CERVICAL RIB
Treatment: SURGICAL TREATMENT
ICD-9: 756.2
CPT: 21615-21616,21705,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-
92371,92502-92508,92511-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 667

Diagnosis: GYNECOMASTIA
Treatment: MASTECTOMY
ICD-9: 611.1
CPT: 19140
Line: 668

Diagnosis: VIRAL, SELF-LIMITING ENCEPHALITIS, MYELITIS AND ENCEPHALOMYELITIS
Treatment: MEDICAL THERAPY
ICD-9: 056.0,056.71,323.8-323.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 669

Diagnosis: GALLSTONES WITHOUT CHOLECYSTITIS
Treatment: MEDICAL THERAPY, CHOLECYSTECTOMY
ICD-9: 574.2,575.8
CPT: 43262,43264,43267-43268,47490,47564,47570,47600-47620,90471-90472,90780-90799,90901-
90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-
95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-
99375,99379-99440,99499
Line: 670

Diagnosis: BENIGN NEOPLASM OF NASAL CAVITIES, MIDDLE EAR & ACCESSORY SINUSES
Treatment: EXCISION, RECONSTRUCTION
ICD-9: 212.0
CPT: 17000,30117-30150,30520,31020,31032,31201,31276,69145,69501-69540,69550-69554,69960
Line: 671

Diagnosis: ACUTE TONSILLITIS OTHER THAN BETA-STREPTOCOCCAL
Treatment: MEDICAL THERAPY
ICD-9: 463
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 672

Diagnosis: EDEMA AND OTHER CONDITIONS INVOLVING THE INTEGUMENT OF THE FETUS AND NEWBORN
Treatment: MEDICAL THERAPY
ICD-9: 778.5-778.9
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 673

Diagnosis: ACUTE UPPER RESPIRATORY INFECTIONS AND COMMON COLD
Treatment: MEDICAL THERAPY
ICD-9: 460,465
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 674

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: DIAPER RASH
Treatment: MEDICAL THERAPY
ICD-9: 691.0
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 675

Diagnosis: DISORDERS OF SWEAT GLANDS
Treatment: MEDICAL THERAPY
ICD-9: 705.0-705.1, 705.81-705.83, 705.89, 705.9, 780.8
CPT: 11450-11471, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 676

Diagnosis: OTHER VIRAL INFECTIONS, EXCLUDING PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3 (See Statement of Intent)
Treatment: MEDICAL THERAPY
ICD-9: 052, 055, 056.79, 056.8-056.9, 057, 072, 074, 078.0, 078.2, 078.4-078.8, 079.0-079.6, 079.88-079.89, 079.9, 480, 487
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 677

Diagnosis: PHARYNGITIS AND LARYNGITIS AND OTHER DISEASES OF VOCAL CORDS
Treatment: MEDICAL THERAPY
ICD-9: 462, 464.00, 464.50, 476, 478.5
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 678

Diagnosis: CORNS AND CALLUSES
Treatment: MEDICAL THERAPY
ICD-9: 700
CPT: 11055-11057, 17000-17004, 17110, 17340, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 679

Diagnosis: VIRAL WARTS EXCLUDING VENEREAL WARTS
Treatment: MEDICAL AND SURGICAL TREATMENT, CRYOSURGERY
ICD-9: 078.0, 078.10, 078.19
CPT: 11055-11057, 11420-11424, 11900-11901, 17000-17004, 17110-17111, 17340, 28043, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 680

Diagnosis: OLD LACERATION OF CERVIX AND VAGINA
Treatment: MEDICAL THERAPY
ICD-9: 621.5, 622.3, 624.4
CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499
Line: 681

Diagnosis: TONGUE TIE AND OTHER ANOMALIES OF TONGUE
Treatment: FRENOTOMY, TONGUE TIE
ICD-9: 529.5, 750.0-750.1
CPT: 40806, 40819, 41010, 41115
Line: 682

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OPEN WOUND OF INTERNAL STRUCTURES OF MOUTH W/O COMPLICATION

Treatment: REPAIR SOFT TISSUES

ICD-9: 525.10,525.12,525.13,525.19,873.6

CPT: 12001-12057,13102,13122,13131-13133,13151-13153,40831,41250-41251,42180,42182,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 683

Diagnosis: CENTRAL SEROUS RETINOPATHY

Treatment: LASER SURGERY

ICD-9: 362.40-362.41,362.6-362.7

CPT: 67210

Line: 684

Diagnosis: SEBORRHEIC KERATOSIS, DYSCHROMIA, AND VASCULAR DISORDERS, SCAR CONDITIONS, AND FIBROSIS OF SKIN

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 278.1,702.1-702.8,709.1-709.3,709.8-709.9

CPT: 11000,11040-11042,11055-11057,11100-11101,11300-11313,11400-11406,11420-11446,13100-13160,14000-14300,15120,15240,15780-15793,15810-15811,15831-15839,15876-15879,17000-17004,17106-17108,17340,17360,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 685

Diagnosis: UNCOMPLICATED HEMORRHOIDS

Treatment: HEMORRHOIDECTOMY, MEDICAL THERAPY

ICD-9: 455.0,455.3,455.6,455.9

CPT: 45320,45334,45339,46083,46220-46262,46320,46500,46610-46615,46934-46936,46945-46946,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 686

Diagnosis: GANGLION

Treatment: EXCISION

ICD-9: 727.02,727.4

CPT: 10140,10160,20551-20553,20600,20605,20610,25111-25112,26160,28090,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 687

Diagnosis: CHRONIC CONJUNCTIVITIS, BLEPHAROCONJUNCTIVITIS

Treatment: MEDICAL THERAPY

ICD-9: 372.10-372.13,372.2-372.3,372.53,372.73,374.55

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 688

Diagnosis: TOXIC ERYTHEMA, ACNE ROSACEA, DISCOID LUPUS

Treatment: MEDICAL THERAPY

ICD-9: 695.0,695.2-695.9

CPT: 17340,17360,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 689

Diagnosis: PERIPHERAL NERVE DISORDERS

Treatment: MEDICAL THERAPY

ICD-9: 337.2,353,354.1,354.3-354.9,355.0,355.3,355.7-355.8,357.5-357.9,723.2

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 690

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: OTHER COMPLICATIONS OF A PROCEDURE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 371.82, 457.0, 998.81, 998.9

CPT: 38300-38308, 38380-38382, 38542-38555, 38571-38572, 38700-38760, 49062, 49323, 49423-49424, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 691

Diagnosis: RAYNAUD'S SYNDROME

Treatment: MEDICAL THERAPY

ICD-9: 443.0, 443.89, 443.9

CPT: 64821-64823, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 692

Diagnosis: TMJ DISORDERS

Treatment: TMJ SURGERY

ICD-9: 524.5, 524.6, 718.08, 718.18, 718.28, 718.38, 718.58

CPT: 20910, 20926, 21010, 21050-21070, 21210, 21215, 21230-21235, 21240-21243, 21480, 21485, 21490, 21499, 29800-29804, 29999, 30520, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

CDT: D7852-D7877, D7899, D7955, D7991

Line: 693

Diagnosis: VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER OR INFLAMMATION

Treatment: STRIPPING/SCLEROTHERAPY

ICD-9: 454.9, 459, 607.82

CPT: 36468-36471, 37700, 37720-37735, 37760, 37780-37799, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 694

Diagnosis: VULVAL VARICES

Treatment: VASCULAR SURGERY

ICD-9: 456.6

CPT: 37799, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 695

Diagnosis: CHRONIC PANCREATITIS

Treatment: SURGICAL TREATMENT

ICD-9: 577.1

CPT: 48000, 48180

Line: 696

Diagnosis: CHRONIC PROSTATITIS, OTHER DISORDERS OF PROSTATE

Treatment: MEDICAL THERAPY

ICD-9: 601.1, 601.3, 601.9, 602

CPT: 55801, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 697

Diagnosis: MUSCULAR CALCIFICATION AND OSSIFICATION

Treatment: MEDICAL THERAPY

ICD-9: 728.1

CPT: 27036, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 698

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: CANCER OF VARIOUS SITES WITH DISTANT METASTASES WHERE TREATMENT WILL NOT RESULT
IN A 5% 5 YEAR SURVIVAL

Treatment: CURATIVE MEDICAL AND SURGICAL TREATMENT

ICD-9: 140-208

CPT: 11600-11646,36260-36262,36522,38720-38724,41110-41114,41130,42120,42842-42845,42880,
43228,43248-43250,47610,47420-47425,47741,47785,57460,58951,60600-60605,60650,61500,
61510,61518-61521,61546-61548,61586,61793,77261-77799,79000-79900,90471-90472,90780-
90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-
92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-
99362,99374-99375,99379-99440,99499

HCPCS: G0242,G0243

Line: 699

Diagnosis: AGENESIS OF LUNG

Treatment: MEDICAL THERAPY

ICD-9: 748.5

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 700

Diagnosis: DISEASE OF CAPILLARIES

Treatment: EXCISION

ICD-9: 448.1-448.9

CPT: 11400-11426

Line: 701

Diagnosis: BENIGN POLYPS OF VOCAL CORDS

Treatment: MEDICAL THERAPY, STRIPPING

ICD-9: 478.4

CPT: 31540-31541,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,
92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-
99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 702

Diagnosis: FRACTURES OF RIBS AND STERNUM, CLOSED

Treatment: MEDICAL THERAPY

ICD-9: 807.0,807.2

CPT: 29200,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-
92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,
99058-99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 703

Diagnosis: CLOSED FRACTURE OF ONE OR MORE PHALANGES OF THE FOOT, NOT INCLUDING THE GREAT TOE

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 826.0

CPT: 28510,28515

Line: 704

Diagnosis: DISEASES OF THYMUS GLAND

Treatment: MEDICAL THERAPY

ICD-9: 254

CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499

Line: 705

Diagnosis: DENTAL CONDITIONS WHERE TREATMENT RESULTS IN MARGINAL IMPROVEMENT (See
Guideline Note)

Treatment: ELECTIVE DENTAL SERVICES

ICD-9: 520.7,V72.2

CPT: 99201-99215,99241-99275

CDT: D1204,D1205,D2380,D2381,D2382,D2385,D2386,D2387,D2388,D2542,D2543,D2544,D2720,D2740,
D2750,D2780,D2781,D2782,D2783,D2790,D2791,D2792,D2799,D2952,D2953,D3421,D3425,D3426,
D3450,D3470,D3920,D4249,D4263,D4264,D4270,D4271,D4273,D4274,D4381,D5211,D5212,D6212,
D6780,D6781,D6782,D6783,D6940,D6976,D6977,D7220,D7230,D7240,D7241,D7250,D7272,D7971,
D9910,D9911,D9940,D9951,D9952

Line: 706

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: ANTI-SOCIAL PERSONALITY DISORDER

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 301.7

CPT: 90801-90899, 96100, 99201-99275, BA008, BA009, BA010, BA108, BA109, BA110, BA135, BA150, BA152, BA153, BA154, BA155, BA156, BA157, BA158, BA159, ECC10, ECC11, ECC12, ECC13, ECC14, ECC20, ECC30, ECC40, ECC44, ECC46, ECC50, ECC60, ECC70, ECC80, ECC90, ECC95

Line: 707

Diagnosis: SEBACEOUS CYST

Treatment: MEDICAL AND SURGICAL THERAPY

ICD-9: 685.1, 706.2, 744.47

CPT: 10060-10061, 11400-11446, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 708

Diagnosis: CENTRAL RETINAL ARTERY OCCLUSION

Treatment: PARACENTESIS OF AQUEOUS

ICD-9: 362.31-362.33

CPT: 67015, 67500-67505

Line: 709

Diagnosis: ORAL APHTHAE

Treatment: MEDICAL THERAPY

ICD-9: 528.2

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 710

Diagnosis: SUBLINGUAL, SCROTAL, AND PELVIC VARICES

Treatment: VENOUS INJECTION, VASCULAR SURGERY

ICD-9: 456.3-456.5

CPT: 36470, 37799, 55530-55535, 55550, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 711

Diagnosis: SUPERFICIAL WOUNDS WITHOUT INFECTION AND CONTUSIONS

Treatment: MEDICAL THERAPY

ICD-9: 910.0, 910.2, 910.4, 910.6, 910.8, 911.0, 911.2, 911.4, 911.6, 911.8, 912.0, 912.2, 912.4, 912.6, 912.8, 913.0, 913.2, 913.4, 913.6, 913.8, 914.0, 914.2, 914.4, 914.6, 914.8, 915.0, 915.2, 915.4, 915.6, 915.8, 916.0, 916.2, 916.4, 916.6, 916.8, 917.0, 917.2, 917.4, 917.6, 917.8, 919.0, 919.2, 919.4, 919.6, 919.8, 920-924, 959.0-959.8

CPT: 10120, 10140, 11740, 11760, 11762, 12001-12014, 28190, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 712

Diagnosis: UNSPECIFIED RETINAL VASCULAR OCCLUSION

Treatment: LASER SURGERY

ICD-9: 362.30

CPT: 67228

Line: 713

Diagnosis: BENIGN NEOPLASM OF EXTERNAL FEMALE GENITAL ORGANS

Treatment: EXCISION

ICD-9: 221.1-221.9

CPT: 56440-56441, 56501, 57130-57135

Line: 714

Diagnosis: BENIGN NEOPLASM OF MALE GENITAL ORGANS: TESTIS, PROSTATE, EPIDIDYMIS

Treatment: MEDICAL AND SURGICAL TREATMENT

ICD-9: 222.0, 222.2, 222.3, 222.8, 222.9

CPT: 52606, 54231, 54512, 54522, 54900-54901, 55200, 55600, 55605, 55650, 55680, 55801, 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508, 92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 715

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: XEROSIS
Treatment: MEDICAL THERAPY
ICD-9: 706.8
CPT: 11000-11044,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 716

Diagnosis: CONGENITAL CYSTIC LUNG - SEVERE
Treatment: LUNG RESECTION
ICD-9: 748.4
CPT: 32140-32141,32500,32663
Line: 717

Diagnosis: ICHTHYOSIS
Treatment: MEDICAL THERAPY
ICD-9: 757.1
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 718

Diagnosis: LYMPHEDEMA
Treatment: MEDICAL THERAPY, OTHER OPERATION ON LYMPH CHANNEL
ICD-9: 457.1-457.9,757.0
CPT: 38300-38308,38380-38382,38542-38555,38571-38572,38700-38760,49062,49323,49423-49424,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 719

Diagnosis: DERMATOLOGICAL CONDITIONS WITH NO EFFECTIVE TREATMENT OR NO TREATMENT NECESSARY
Treatment: MEDICAL AND SURGICAL TREATMENT
ICD-9: 696.3-696.5,709.0,757.2-757.3,757.8-757.9
CPT: 11055-11057,11301,11920-11922,90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 720

Diagnosis: INFECTIOUS DISEASES WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 071,136.0,136.9
CPT: 99201-99275
Line: 721

Diagnosis: RESPIRATORY CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 519.3,519.9,748.60,748.69,748.9
CPT: 99201-99275
Line: 722

Diagnosis: GENITOURINARY CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 593.0-593.1,593.6,607.9,608.3,608.9,621.6,621.8-621.9,626.9,629.8,752.9
CPT: 99201-99275
Line: 723

Diagnosis: CARDIOVASCULAR CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 429.3,429.81-429.82,429.89,429.9,747.9
CPT: 99201-99275
Line: 724

Diagnosis: MUSCULOSKELETAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 716.9,718.00,718.10,718.20,718.40,718.50,718.60,718.80,718.9,719.7,719.9,728.5,728.9,731.2,738.2-738.3,738.9,744.5-744.9,748.1,755.9,756.9
CPT: 99201-99275
Line: 725

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: INTRACRANIAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 348.2,377.01,377.02,377.2,377.3,377.5,377.7,437.7-437.8
CPT: 99201-99275
Line: 726

Diagnosis: SENSORY ORGAN CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 360.30-360.31,360.33,362.37,362.42-362.43,362.8-362.9,364.5,364.60,364.9,371.20,
371.22,371.24,371.3,371.81,371.89,371.9,372.40-372.41,372.50-372.52,372.55,372.8-
372.9,374.52-374.53,374.81-374.83,374.9,376.82,376.89,376.9,377.03,377.1,377.4,
377.6,379.24,379.29,379.4-379.8,380.9
CPT: 99201-99275
Line: 727

Diagnosis: ENDOCRINE AND METABOLIC CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT
NECESSARY
Treatment: EVALUATION
ICD-9: 251.1-251.2,259.4,259.8-259.9,277.3,759.1
CPT: 99201-99275
Line: 728

Diagnosis: GASTROINTESTINAL CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 527.0,569.9,573.9
CPT: 99201-99275
Line: 729

Diagnosis: MENTAL DISORDERS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 313.1,313.3,313.83
CPT: 99201-99275
Line: 730

Diagnosis: NEUROLOGIC CONDITIONS WITH NO EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
Treatment: EVALUATION
ICD-9: 333.82,333.84,333.91,333.93
CPT: 99201-99275
Line: 731

Diagnosis: DENTAL CONDITIONS (EG. ORTHODONTICS)
Treatment: COSMETIC DENTAL SERVICES
ICD-9: 520.0-520.5,520.8-520.9,521.1-521.9,522.3,V72.2
CPT: 99201-99215,99241-99275
CDT: D2410,D2420,D2430,D2510,D2520,D2530,D2610,D2620,D2630,D2642,D2643,D2644,D2650,D2651,
D2652,D2662,D2663,D2664,D2720,D2750,D2790,D2791,D2792,D2952,D2960,D2961,D2962,D2999,
D3120,D3460,D3999,D4271,D4999,D5281,D5810,D5820,D5862,D5867,D5875,D5899,D5999,D6010,
D6020,D6040,D6050,D6055,D6056,D6057,D6058,D6059,D6060,D6061,D6062,D6063,D6064,D6065,
D6066,D6067,D6068,D6069,D6070,D6071,D6072,D6073,D6074,D6075,D6076,D6077,D6078,D6079,
D6080,D6090,D6095,D6100,D6199,D6210,D6240,D6245,D6250,D6519,D6520,D6530,D6543,D6544,
D6548,D6720,D6721,D6722,D6740,D6750,D6790,D6920,D6950,D6999,D7280,D7290,D7291,D7410,
D7420,D7840,D7850,D7995,D7996,D7999,D8010,D8020,D8030,D8040,D8050,D8060,D8070,D8080,
D8090,D8210,D8220,D8660,D8670,D8680,D8690,D8691,D8692,D8999,D9941,D9950,D9970,D9971,
D9972,D9973,D9974,D9999
Line: 732

Diagnosis: TUBAL DYSFUNCTION AND OTHER CAUSES OF INFERTILITY
Treatment: IN-VITRO FERTILIZATION, GIFT
ICD-9: 256
CPT: 58970-58976
Line: 733

Diagnosis: HEPATORENAL SYNDROME
Treatment: MEDICAL THERAPY
ICD-9: 572.4
CPT: 90471-90472,90780-90799,90901-90937,90945-92060,92070-92353,92358-92371,92502-92508,
92511-92960,92970-92977,93000-95075,95115-97537,97601-97750,97799,99025-99054,99058-
99078,99175,99185-99362,99374-99375,99379-99440,99499
Line: 734

PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2002

Diagnosis: SPASTIC DYSPHONIA

Treatment: MEDICAL THERAPY

ICD-9: 478.79

CPT: 90471-90472, 90780-90799, 90901-90937, 90945-92060, 92070-92353, 92358-92371, 92502-92508,
92511-92960, 92970-92977, 93000-95075, 95115-97537, 97601-97750, 97799, 99025-99054, 99058-
99078, 99175, 99185-99362, 99374-99375, 99379-99440, 99499

Line: 735

Diagnosis: DISORDERS OF REFRACTION AND ACCOMODATION

Treatment: RADIAL KERATOTOMY

ICD-9: 367, 368.1-368.9

CPT: 65760, 65771

Line: 736

STATEMENTS OF INTENT

STATEMENTS OF INTENT FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS

Treatment: MEDICAL THERAPY

Line: 614

Treatment of non-infectious gastroenteritis of significant severity that is associated with dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

Diagnosis: ASEPTIC MENINGITIS

Treatment: MEDICAL THERAPY

Line: 628

Treatment of aseptic meningitis of significant severity that is associated with either obtundation or dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

Diagnosis: OTHER VIRAL INFECTIONS, EXCLUDING PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS IN PERSONS UNDER AGE 3

Treatment: MEDICAL THERAPY

Line: 677

Treatment of viral pneumonia of significant severity that is associated with either respiratory failure or dehydration should be a covered service if the case fulfills the requirement of hospital admission guidelines using an index of severity of illness.

PRACTICE GUIDELINES

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: DISORDERS OF SPINE WITH NEUROLOGIC IMPAIRMENT
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 143

Neurologic impairment is defined as objective evidence of one or more of the following:

- a) Reflex loss
- b) Dermatomal muscle weakness
- c) Dermatomal sensory loss
- d) EMG or NCV evidence of nerve root impingement
- e) Cauda equina syndrome
- f) Neurogenic claudication
- g) Neurogenic bowel or bladder

Diagnosis: PREVENTIVE SERVICES, BIRTH TO 10 YEARS OF AGE
Treatment: MEDICAL THERAPY
Line: 144

See Prevention Guidelines on following pages.

Diagnosis: PREVENTIVE SERVICES WITH PROVEN EFFECTIVENESS, OVER AGE 10
Treatment: MEDICAL THERAPY
Line: 185

See Prevention Guidelines on following pages.

Diagnosis: TOBACCO DEPENDENCE
Treatment: MEDICAL THERAPY/BRIEF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS
Line: 186

Persons are eligible for this treatment if a documented quit date has been established.

Diagnosis: TERMINAL ILLNESS REGARDLESS OF DIAGNOSIS
Treatment: COMFORT CARE
Line: 266

Comfort care includes the provision of services or items that gives comfort and/or pain relief to persons whose choice to forego other types of care will result in death.

This category of care does not include services that are diagnostic, curative or focused on active treatment of the primary condition and intended to prolong life. Examples of comfort care include:

- 1) Pain medication and/or pain management devices
- 2) In-home and day care services and hospice services as defined by OMAP
- 3) Medical equipment and supplies (beds, wheelchairs, bedside commodes, etc.)
- 4) Palliative services for symptom relief (e.g. radiation therapy)
- 5) Physician aid-in-dying under ORS 127.800-127.897 (Oregon Death with Dignity Act), to include but not be limited to the attending physician visits, consulting physician confirmation, mental health counseling, and prescription medications. (NOTE: Services related to physician aid-in-dying are not priced as part of the list and only state funds will be used for their provision)

Diagnosis: PREVENTIVE DENTAL SERVICES
Treatment: CLEANING AND FLUORIDE
Line: 301

Limited to once per calendar year. Additional provision of prophylaxis for persons with disabilities who cannot perform adequate daily oral health care, severe periodontal disease and/or rampant caries, by report. (CDT codes D0120, D0150, D1110, D1120, D1201, D1204, D1205). Used up to 4 times per year (maximum once per week) for patients over 18 who are mentally disabled or are truly dental phobic in order to determine the need to use IV or GA sedation to render necessary treatment (CDT code D9920).

Diagnosis: SPINAL DEFORMITY, CLINICALLY SIGNIFICANT
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 326

Clinically significant disease is defined as curvature greater than or equal to 25 degrees or curvature with a documented rapid progression.

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: NEUROLOGICAL DYSFUNCTION IN POSTURE AND MOVEMENT CAUSED BY CHRONIC CONDITIONS
Treatment: MEDICAL AND SURGICAL TREATMENT (EG. DURABLE MEDICAL EQUIPMENT AND ORTHOPEDIC PROCEDURES)

Line: 335

1. Inclusion criteria for intrathecal baclofen therapy (IBT) associated with CPT codes 62360-62362:
 - a. Spasticity due to spinal cord injury, multiple sclerosis, cerebral palsy, brain injury (1year post trauma) due to stroke, or anoxia.
 - b. Spasticity interferes with function (e.g. sleeping, dressing, and/or positioning).
 - c. Spasticity is severe with an Ashworth score ³ 3.
 - d. Patient is ³4 years of age and has sufficient body mass to support a pump.
 - e. Patient/family/caregivers and providers agree on treatment goals and are motivated to achieve treatment goals.
2. Exclusion criteria for IBT:
 - a. Infection is present at time of screening or implant.
 - b. Patient has history of allergy/hypersensitivity to oral baclofen.
3. General Clinical Considerations for IBT:
 - a. Prior soft tissue lengthening procedures, tendon release, and selective posterior rhizotomy are not contraindications to IBT therapy.
 - b. Patients with spasticity of spinal origin should be refractory to oral baclofen or experience intolerable CNS side effects at effective doses. However, oral anti-spasticity medication is not a prerequisite for patients with spasticity of cerebral origin.
 - c. IBT therapy should be considered when patients experience spasticity-related pain.
4. Test Screening Flow Chart for IBT:
 - a. Day 1 Bolus: 50mcg @ If response @Implant
 - b. If no response@ Day 2 Bolus 75mcg @If response@Implant
 - c. If no response @Day 3 Bolus 100mcg @If response@Implant
 - d. If no response@Patient ineligible for implant

Treatment for coordination disorder (ICD-9 code 315.4) is included in this line for children age 3 and under and, for children over the age of 3, treatment is for diagnostic purposes only and is limited to a maximum of 120 days.

Diagnosis: DENTAL CONDITIONS (EG. INFECTIONS)
Treatment: URGENT AND EMERGENT DENTAL SERVICES

Line: 358

Treatment only for symptomatic pain, infection, bleeding or swelling (CDT codes D7220, D7230, D7240, D7241, D7250).

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER
Treatment: MEDICAL/PSYCHOTHERAPY

Line: 374

Conduct disorder rarely occurs in isolation from other psychiatric diagnosis, thus the patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

Diagnosis: STREPTOCOCCAL SORE THROAT AND SCARLET FEVER; HYPERTROPHY OF TONSILS AND ADENOIDS;
ULCER OF TONSIL

Treatment: MEDICAL THERAPY, TONSILLECTOMY/ADENOIDECTOMY

Line: 457

Tonsillectomy is an appropriate treatment in a case with:

- 1) Three documented attacks of strep tonsillitis in a year where an attack is considered a positive culture/screen and where 10 days of continuous antibiotic therapy has been completed;
- 2) Second occurrence of peritonsillar abscess, or if first abscess, has to be drained under general anesthesia;
- 3) Airway obstruction with presence of right ventricular hypertrophy or cor-pulmonale; and/or,
- 4) 4+ tonsils, which result in obstruction of breathing, swallowing and/or speech.

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: MENSTRUAL BLEEDING DISORDERS
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 463

Endometrial ablation or hysterectomy for abnormal uterine bleeding in premenopausal women may be indicated when all of the following are documented (1-3):

1. Patient history of (a, b, c, d, and e):
 - a. Excessive uterine bleeding evidence by (1 and 2):
 - 1) Profuse bleeding lasting more than 7 days and repetitive periods at less than 21-day intervals
 - 2) Anemia due to acute or chronic blood loss (hemoglobin less than 10)
 - b. Failure of hormonal treatment for a 3-month trial period or contraindication to hormone use
 - c. No current medication use that may cause bleeding, or contraindication to stopping those medications
 - d. Endometrial sampling performed
 - e. No evidence of remedial pathology by (1 or 2 or 3):
 - 1) Sonohysterography
 - 2) Hysteroscopy
 - 3) Hysterosalpingography
2. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized
3. Nonmalignant cervical cytology, if cervix is present

Diagnosis: UTERINE LEIOMYOMA
Treatment: TOTAL HYSTERECTOMY OR MYOMECTOMY
Line: 480

Hysterectomy for leiomyomata may be indicated when all of the following are documented (1-4):

1. One of the following (a or b):
 - a. Patient history of 2 out of 3 of the following (1, 2 and 3):
 - 1) Leiomyomata enlarging the uterus to a size of 12 weeks or greater gestation
 - 2) Pelvic discomfort cause by myomata (i or ii or iii):
 - i. Chronic lower abdominal, pelvic or low back pressure
 - ii. Bladder dysfunction not due to urinary tract disorder or disease
 - iii. Rectal pressure and bowel dysfunction not related to bowel disorder or disease
 - 3) Rapid enlargement causing concern for sarcomatous changes of malignancy
 - b. Leiomyomata as probable cause of excessive uterine bleeding evidenced by (1, 2, and 3):
 - 1) Profuse bleeding lasting more than 7 days or repetitive periods at less than 21-day intervals
 - 2) Anemia due to acute or chronic blood loss (hemoglobin less than 10)
 - 3) Documentation of mass by sonography
2. Nonmalignant cervical cytology, if cervix is present
3. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
4. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized

Diagnosis: SEVERE RHINITIS, CHRONIC SINUSITIS, NASAL POLYPS, OTHER DISORDERS OF NASAL CAVITY AND SINUSES
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 490

Included on this line is severe rhinitis (ICD-9 codes 472.0, 477.0, 477.8-477.9) which:

- 1) Results in secondary complications, such as sinusitis or otitis;
- 2) Is complicated by nasal polyposis; and/or,
- 3) Exacerbates pre-existing asthma.

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: ENDOMETRIOSIS
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 496

Hysterectomy, with or without adnexectomy, for endometriosis may be appropriate when all of the following are documented (1-4):

1. Patient history of (a and b):
 - a. Prior detailed operative description or histologic diagnosis of endometriosis
 - b. Presence of pain for more than 6 months with negative effect on patient's quality of life
2. Failure of a 3-month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
 - a. Hormonal therapy (1 or 2):
 - 1) Oral contraceptives
 - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
 - b. Nonsteroidal anti-inflammatory drugs
3. Nonmalignant cervical cytology, if cervix is present
4. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized

Diagnosis: CHRONIC OTITIS MEDIA
Treatment: PE TUBES/ADENOIDECTOMY/TYMPANOPLASTY, MEDICAL THERAPY
Line: 504

Observation OR antibiotic therapy are treatment options for children with effusion that has been present less than 4 to 6 months and at any time in children without a 20-decibel hearing threshold level or worse in the better-hearing ear.

For the child who has had bilateral effusion for a total of 3 months and who has a bilateral hearing deficiency (defined as a 20-decibel hearing threshold level or worse in the better-hearing ear), bilateral myringotomy with tube insertion recommended after a total of 4 to 6 months of bilateral effusion with a bilateral hearing deficit.

Adenoidectomy is an appropriate surgical treatment for serous otitis media with persistent effusion in children over 4 years with their second set of tubes. First time tubes is not an indication for an adenoidectomy.

Diagnosis: DENTAL CONDITIONS (E.G. DENTAL CARIES, FRACTURED TOOTH)
Treatment: BASIC RESTORATIVE
Line: 507

Composites for primary teeth will be reimbursed at the same rate as amalgams and choice of material left to provider (CDT codes D2380, D2381, D2382). Posterior composites for permanent teeth will be reimbursed at the same rate as amalgams (CDT codes D2385, D2386, D2387).

Diagnosis: DENTAL CONDITIONS (E.G. SEVERE TOOTH DECAY)
Treatment: STABILIZATION OF PERIODONTAL HEALTH, COMPLEX RESTORATIVE, AND REMOVABLE PROSTHODONTICS
Line: 508

Only for the treatment of severe drug-induced hyperplasia (CDT code D4210, D4211). To be used in conjunction with making a prosthesis (CDT codes D7470, D7970). Limited to two reimbursements (CDT codes D5850, D5851). Must have four or more missing posterior teeth per arch with resulting space equivalent to that loss demonstrating inability to masticate (CDT codes D5110, D5120, D5130, D5140, D5213, D5214). By Report (CDT codes D4210). Payable once every two years (CDT codes D5730, D5731, D5740, D5741, D5750, D5751, D5760, D5761). Payable only when there are pockets of 5 mm or greater (CDT code 04341).

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: UTERINE PROLAPSE; CYTOCELE
Treatment: SURGICAL REPAIR
Line: 523

Hysterectomy for pelvic organ prolapse may be indicated when all of the following are documented (1-5):

1. Patient history of symptoms of pelvic prolapse such as:
 - a. Complaints of the pelvic organs prolapsing at least to the introitus
 - b. Low back discomfort or pelvic pressure
 - c. Difficulty in defecating
 - d. Difficulty in voiding
2. Nonmalignant cervical cytology, if cervix is present
3. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
4. Physical examination is consistent with patient's symptoms of pelvic support defects indicating either symptomatic prolapse of the cervix, enterocele, cystocele, rectocele or prolapse of the vaginal vault
5. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

Diagnosis: DENTAL CONDITIONS (E.G. TOOTH LOSS)
Treatment: SPACE MAINTENANCE AND PERIODONTAL MAINTENANCE
Line: 531

By Report (CDT codes D4240, D4260)

Diagnosis: URINARY INCONTINENCE
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 550

Surgery for genuine stress urinary incontinence (ICD-9_CM code 625.6 may be indicated when all of the following are documented (1-7):

1. Patient history of (a, b, and c):
 - a. Involuntary loss of urine with exertion
 - b. Identification and treatment of transient causes of urinary incontinence, if present (e.g., delirium, infection, pharmaceutical causes, psychological causes, excessive urine production, restricted mobility, and stool impaction)
 - c. Involuntary loss of urine on examination during stress (provocative test with direct visualization of urine loss) and low or absent post void residual
2. Patient's voiding habits
3. Physical or laboratory examination evidence of either (a or b):
 - a. Urethral hypermobility
 - b. Intrinsic sphincter deficiency
4. Diagnostic workup to rule out urgency incontinence
5. Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized
6. Nonmalignant cervical cytology, if cervix is present
7. Patient required to have 3 months alternative therapy (e.g., pessaries or physical therapy, including bladder training, pelvic floor exercises, biofeedback, and/or electrical stimulation, as available)

Diagnosis: CHRONIC ANAL FISSURE; ANAL FISTULA
Treatment: SPHINCTEROTOMY, FISSURECTOMY, FISTULECTOMY, MEDICAL THERAPY
Line: 567

Chronic anal fissure (ICD-9 code 565.0) is included in this line with one or more of the following:

- 1) Condition unresponsive to six to eight weeks of continuous treatment;
- 2) Condition progresses in spite of six to eight weeks of treatment;
- 3) Presence of pectenosis; and/or,
- 4) Fissures that have previously healed but have recurred three or more times.

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: IMPULSE DISORDERS
Treatment: MEDICAL/PSYCHOTHERAPY
Line: 569

Impulse disorders rarely occur in isolation from other psychiatric diagnosis, thus the Patient should have documented screening for attention deficit disorder (ADD); chemical Dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

Diagnosis: DYSMENORRHEA
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 576

Hysterectomy for dysmenorrhea may be indicated when all of the following are Documented (1-7):

1. Patient history of:
 - a. No remediable pathology found on laporoscopic examination
 - b. Pain for more than 6 months with negative effect on patient's quality of life
2. Failure of a 3 month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
 - a. Hormonal therapy (1 or 2):
 - 1) Oral contraceptives
 - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
 - b. Nonsteroidal anti-inflammatory drugs
3. Evaluation of the following systems as possible sources of pelvic pain:
 - a. Urinary
 - b. Gastrointestinal
 - c. Musculoskeletal
4. Evaluation of the patient's psychologic and psychosexual status for nonsomatic cause of symptoms
5. Nonmalignant cervical cytology, if cervix is present
6. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
7. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

Diagnosis: PELVIC PAIN SYNDROME, DYSPAREUNIA
Treatment: MEDICAL AND SURGICAL TREATMENT
Line: 582

Hysterectomy for chronic pelvic pain in the absence of significant pathology may be indicated when all of the following are documented (1-7):

1. Patient history of:
 - a. No remediable pathology found on laporoscopic examination
 - b. Pain for more than 6 months with negative effect on patient's quality of life
2. Failure of a 3 month therapeutic trial with both of the following (a and b), unless there are contraindications to use:
 - a. Hormonal therapy (1 or 2):
 - 1) Oral contraceptives
 - 2) Agents for inducing amenorrhea (e.g., GnRH analogs or danazol)
 - b. Nonsteroidal anti-inflammatory drugs
3. Evaluation of the following systems as possible sources of pelvic pain:
 - a. Urinary
 - b. Gastrointestinal
 - c. Musculoskeletal
4. Evaluation of the patient's psychologic and psychosexual status for nonsomatic cause of symptoms
5. Nonmalignant cervical cytology, if cervix is present

GUIDELINE NOTES FOR OCTOBER 1, 2002, PRIORITIZED LIST OF HEALTH SERVICES

Diagnosis: PELVIC PAIN SYNDROME, DYSPAREUNIA

Treatment: MEDICAL AND SURGICAL TREATMENT

Line: 582 (CONT'D)

6. Assessment for absence of endometrial malignancy in the presence of abnormal bleeding
7. Negative preoperative pregnancy test unless patient is postmenopausal or has been previously sterilized

Diagnosis: ACUTE AND CHRONIC DISORDERS OF SPINE WITHOUT NEUROLOGIC IMPAIRMENT

Treatment: MEDICAL AND SURGICAL TREATMENT

Line: 601

Disorders of spine without neurologic impairment include any conditions represented on this line for which objective evidence of one or more of the criteria stated in the Guideline Note for Line 143 is not available.

Diagnosis: SPINAL DEFORMITY, NOT CLINICALLY SIGNIFICANT

Treatment: ARTHRODESIS/REPAIR/RECONSTRUCTION, MEDICAL THERAPY

Line: 618

Disease not defined as clinically significant included curvature less than 25 degrees that does not have a documented progression of at least 10 degrees.

Diagnosis: ALLERGIC RHINITIS AND CONJUNCTIVITIS, CHRONIC RHINITIS

Treatment: MEDICAL THERAPY

Line: 622

Allergic and chronic rhinitis included on this line represents rhinitis, which does not meet one or more of the criteria stated in the Guideline Note for Line 490.

Diagnosis: DENTAL CONDITIONS WHERE TREATMENT RESULTS IN MARGINAL IMPROVEMENT

Treatment: ELECTIVE DENTAL SERVICES

Line: 706

Treatment not related to symptomatic pain, infection, bleeding or swelling (CDT codes D7220, D7230, D7240, D7241, D7250)

PREVENTION TABLES

Birth to 10 Years

Interventions Considered and Recommended for the Periodic Health Examination

Leading Causes of Death

Conditions originating in perinatal period
Congenital anomalies
Sudden infant death syndrome (SIDS)
Unintentional injuries (non-motor vehicle)
Motor vehicle injuries

Interventions for the General Population

SCREENING

Height and weight [Ch 21]
Blood pressure [Ch 3]
Vision screen (3-4 yr) [Ch 33]
Hemoglobinopathy screen (birth)¹ [Ch 43]
Phenylalanine level (birth)² [Ch 44]
T₄ and/or TSH (birth)³ [Ch 45]
Effects of STDs
FAS, FAE, drug affected infants⁴
Infant motor, hearing, developmental screens

Learning and attention disorders⁵
Signs of child abuse, neglect, family violence

COUNSELING

Injury Prevention [Ch 57, 58]
Child safety car seats (age <5 yr)
Lap-shoulder belts (age >5 yr)
Bicycle helmet; avoid bicycling near traffic
Smoke detector, flame retardant sleepwear
Hot water heater temperature <120-130°F
Window/stair guards, pool fence, walkers
Safe storage of drugs, toxic substances,
firearms & matches
Syrup of ipecac, poison control phone number
CPR training for parents/caretakers
Infant sleeping position

Diet and Exercise

Breast-feeding, iron-enriched formula and

foods (infants & toddlers) [Ch 22, 56]
Limit fat & cholesterol; maintain caloric balance; emphasize
grains, fruits, vegetables (age >2 yr) [Ch 56]
Regular physical activity* [Ch 55]

Substance User [Ch 54]

Effects of passive smoking*
Anti-tobacco message*

Dental Health [Ch 61]

Regular visits to dental care provider*
Floss, brush with fluoride toothpaste daily*
Advice about baby bottle tooth decay*

Mental Health/Chemical Dependency

Parent education regarding:

- Child development
- Attachment/bonding
- Behavior management
- Effects of excess TV watching
- Special needs of child and family due to:
 - Familial stress or disruption
 - Health problems
 - Temperamental incongruence with parent
 - Environmental stressors such as
community violence or disaster,
immigration, minority status,
homelessness
- Referral for MHCD and other family support services as
indicated

¹Whether screening should be universal or targeted to high-risk groups will depend on the proportion of high-risk individuals in the screening area, and other considerations (See Ch 43). ²If done during first 24 hr of life, repeat by age 2 wk. ³Optimally between day 2 and 6, but in all cases before newborn nursery discharge. ⁴Parents with alcohol and/or drug use. Children with history of intrauterine addiction. Physical and behavioral indicators: hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, neurological disorders, intrauterine growth retardation, mood swings, difficulty concentrating, inappropriateness, irritability or agitation, depression, bizarre behavior, abuse and neglect, behavior problems. ⁵Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting.

*The ability of clinical counseling to influence this behavior is unproven.

Birth to 10 Years (Cont'd)

Interventions for the General Population (Cont'd)

IMMUNIZATIONS [<i>Ch 65</i>] Diphtheria-tetanus-pertussis (DTP) ¹ Oral poliovirus (OPV) ² Measles-mumps-rubella (MMR) ³ <i>H. influenzae</i> type b (Hib) conjugate ⁴	Hepatitis B ⁵ Varicella ⁶ CHEMOPROPHYLAXIS Ocular prophylaxis (birth) [<i>Ch 27</i>]
--	--

¹2, 4, 6, and 12-18 mo; once between ages 4-6 yr (DTaP may be used at 15 mo and older). ²2, 4, 6-18 mo; once between ages 4-6 yr. ³12-15 mo and 4-6 yr. ⁴2, 4, 6 and 12-15 mo; no dose needed at 6 mo if PRP-OMP vaccine is used for first 2 doses. ⁵Birth, 1 mo, 6 mo; or, 0-2 mo, 1-2 mo later, and 6-18 mo. If not done in infancy: current visit, and 1 and 6 mo later ⁶12-18 mo; or any child without history of chickenpox .or previous immunization. Include information on risk in adulthood, duration of immunity, and potential need for booster doses.

Interventions for the High-Risk Population

POPULATION	POTENTIAL INTERVENTIONS (See detailed high-risk definitions)
Preterm or low birth	Hemoglobin/hematocrit (HR1)
Infants of mothers at risk for HIV	HIV testing
Low income; immigrants	Hemoglobin/hematocrit (HR1); PPD (HR3)
TB contacts	PPD (HR3)
Native American/Alaska Native	Hemoglobin/hematocrit (HR1); PPD (HR3); hepatitis A vaccine (HR4); pneumococcal vaccine (HR5)
Residents of long-term care facilities	PPD (HR3); hepatitis A vaccine (HR4); influenza vaccine (HR6)
Certain chronic medical conditions	Blood lead level (HR7)
Increased individual or community lead exposure	Daily fluoride supplement (HR8)
Inadequate water fluoridation	Avoid excess/midday sun, use protective clothing* (HR9)
Family h/o skin cancer; nevi; fair skin, eyes, hair	Screen for child abuse, neurological, mental health conditions
History of multiple injuries	Increased well-child visits (HR10)
High risk for mental health disorders	

High Risk Groups

HR1 = Infants age 6-12 mo who are: living in poverty, black, Native American or Alaska Native, immigrants from developing countries, preterm and low birth weight infants, infants whose principal dietary intake is unfortified cow's milk (see Ch. 22).

HR2 = Infants born to high-risk mothers whose HIV status is unknown. Women at high risk include: past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual, or HIV-positive sex partners currently or in past; persons seeking treatment for STDs; blood transfusion during 1978-1985 (see Ch. 28).

HR3 = Persons infected with HIV, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), residents of long-term care facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

Birth to 10 Years (Cont'd)

HR4 = Persons >2 yr living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities). Consider for institutionalized children aged >2 yr. Clinicians should also consider local epidemiology (see Ch. 65-67).

HR5 = Immunocompetent persons >2 yr with certain medical conditions, including chronic cardiac or pulmonary disease, diabetes mellitus, and anatomic asplenia. Immunocompetent persons >2 yr living in high-risk environments or social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

HR6 = Annual vaccination of children >6 mo who are residents of chronic care facilities or who have chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression, or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

HR7 = Children about age 12 mo who: 1) live in communities in which the prevalence of lead levels requiring individual intervention, including residential lead hazard control or chelation, is high or undefined; 2) live in or frequently visit a home built before 1950 with dilapidated paint or with recent or ongoing renovation or remodeling; 3) have close contact with a person who has an elevated lead level; 4) live near lead industry or heavy traffic; 5) live with someone whose job or hobby involves lead exposure; 6) use lead-based pottery; or 7) take traditional ethnic remedies that contain lead (see Ch. 23).

HR8 = Children living in areas with inadequate water fluoridation (<0.6 ppm) (see Ch. 61).

HR9 = Persons with a family history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

HR10 = Having a: chronically mentally ill parent; substance abusing parent; mother who began parenting as a teen. Living at or below poverty. Having: parents involved in criminal behavior; experienced an out-of-home placement(s), multiple moves, failed adoption(s). Being homeless. Having suffered physical, emotional or sexual abuse, or severe neglect. Having: a chronic health problem in the family; an absence of a family support system. Being substance affected at birth.

Ages 11-24 Years

Interventions Considered and Recommended for the Periodic Health Examination

Leading Causes of Death

- Motor vehicle/other unintentional injuries
- Homicide
- Suicide
- Malignant neoplasms
- Heart diseases

Interventions for the General Population

SCREENING

Height and weight [Ch 21]
Blood pressure¹ [Ch 3]
Papanicolaou (Pap) test² [Ch 9]
Chlamydia screen³ (females <20 yr) [Ch 29]
Rubella serology or vaccination hx⁴
(females >12 yr) [Ch 32]
Learning and attention disorders⁵
Signs of child abuse, neglect, family violence
Alcohol, inhalant, illicit drug use⁶ [Ch 52]
Eating disorders⁷
Anxiety and mood disorders⁸
Suicide risk factors⁹

COUNSELING

Injury Prevention [Ch 57,58]
Lap/shoulder belts
Bicycle/motorcycle/ATV helmet*
Smoke detector*
Safe storage/removal of firearms* [Ch 50, 59]
Smoking near bedding or upholstery

Substance Use

Avoid tobacco use [Ch 54]
Avoid underage drinking & illicit drug use*
[Ch 52, 53]
Avoid alcohol/drug use while driving, swimming,
boating, etc.* [Ch 57, 58]

Sexual Behavior [Ch 62, 63]

STD prevention: abstinence*; avoid high-risk
behavior*; condoms/female barrier with spermicide*
Unintended pregnancy: contraception

Diet and Exercise

Limit fat & cholesterol; maintain caloric
balance; emphasize grains, fruits, vegetables [Ch 56]
Adequate calcium intake (females) [Ch 56]
Regular physical activity* [Ch 55]

Dental Health [Ch 61]

Regular visits to dental care provider*
Floss, brush with fluoride toothpaste daily*

Mental Health/Chemical Dependency

Parent education regarding:

- Adolescent development
- Behavior management
- Effects of excess TV watching
- Special needs of child and family due to:
 - Familial stress or disruption
 - Health problems
 - Temperamental incongruence with parent
 - Environmental stressors such as
community violence or disaster,
immigration, minority status,
homelessness
- Referral for MHCD and other family support
services as indicated

¹Periodic BP for persons aged > 21 yr. ²If sexually active at present or in the past: q < 3 yr. If sexual history is unreliable, begin Pap test at age 18 yr. ³If sexually active. ⁴Serologic testing, documented vaccination history, and routine vaccination against rubella (preferably with MMR) are equally acceptable alternatives. ⁵Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting. ⁶Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. ⁷Persons with a weight >10% below ideal body weight, parotid gland hypertrophy or erosion of tooth enamel. Females with a chemical dependency. ⁸In women who are at increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription drug utilization, medical and reproductive history. ⁹Recent divorce, separation, unemployment, depression, alcohol or other drug abuse, serious medical illness, living alone, homelessness, or recent bereavement.

*The ability of clinical counseling to influence this behavior is unproven.

Ages 11-24 Years (Cont'd)

Interventions for the General Population (Cont'd)

IMMUNIZATIONS [Ch 65, 66]

Tetanus-diphtheria (Td) boosters (11-16 yr)

Hepatitis B¹

MMR (11-12 yr)²

Varicella (11-12 yr)³

Rubella⁴ (females >12 yr) [Ch 32]

CHEMOPROPHYLAXIS

Multivitamin with folic acid (females planning/capable of pregnancy) [Ch 42]

¹If not previously immunized: current visit, 1 and 6 mo later. ²If no previous second dose of MMR. ³If susceptible to chickenpox. ⁴Serologic testing, documented vaccination history, and routine vaccination against rubella (preferably with MMR) are equally acceptable alternatives.

Interventions for the High-Risk Population

POPULATION

High-risk sexual behavior

Injection or street drug use

TB contacts; immigrants; low income
Native American/Alaska Native

Certain chronic medical conditions

Settings where adolescents and young adults
congregate

Susceptible to varicella, measles, mumps

Blood transfusion between 1975-85

Institutionalized persons

Family h/o skin cancer; nevi; fair skin, eyes, hair

Prior pregnancy with neural tube defect

Inadequate water fluoridation

History of multiple injuries

High risk for mental health disorders

POTENTIAL INTERVENTIONS

(See detailed high-risk definitions)

RPR/VDRL (HR1); screen for gonorrhea (female)
(HR2),

HIV (HR3), chlamydia (female) (HR4); hepatitis A
vaccine (HR5)

RPR/VDRL (HR1); HIV screen (HR3); hepatitis A
vaccine (HR5); PPD (HR6); advice to reduce
infection risk (HR7)

PPD (HR3)

Hepatitis A vaccine (HR5); PPD (HR6);
pneumococcal vaccine (HR8)

PPD (HR6); pneumococcal vaccine (HR8);
influenza vaccine (HR9)

Second MMR (HR10)

Varicella vaccine (HR11); MMR (HR12)

HIV screen (HR3)

Hepatitis A vaccine (HR5); PPD (HR6); influenza
vaccine (HR9)

Avoid excess/midday sun, use protective
clothing* (HR9)

Folic acid 4.0 mg (HR14)

Daily fluoride supplement (HR8)

Screen for child abuse, neurological, mental
health conditions

Increased well-child/adolescent visits (HR16)

High Risk Groups

HR1 = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

HR2 = Females who have: two or more sex partners in the last year; a sex partner with multiple sexual contacts; exchanged sex for money or drugs; or a history of repeated episodes of gonorrhea. Clinicians should also consider local epidemiology (see Ch. 27).

Ages 11-24 Years (Cont'd)

HR3 = Males who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-85; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

HR4 = Sexually active females with multiple risk factors including: history of prior STD; new or multiple sex partners; age < 25; nonuse or inconsistent use of barrier contraceptives; cervical ectopy. Clinicians should consider local epidemiology of the disease in identifying other high-risk groups (see Ch. 29).

HR5 = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Vaccine may be considered for institutionalized persons. Clinicians should also consider local epidemiology (see Ch. 66, 67).

HR6 = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

HR7 = Persons who continue to inject drugs (see Ch. 53).

HR8 = Immunocompetent persons with certain medical conditions, including chronic cardiopulmonary disorders, diabetes mellitus, and anatomic asplenia. Immunocompetent persons who live in high-risk environments/social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

HR9 = Annual vaccination of: residents of chronic care facilities; persons with chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression, or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

HR10 = Adolescents and young adults in settings where such individuals congregate (e.g., high schools and colleges), if they have not previously received a second dose (see Ch. 65, 66).

HR11 = Healthy persons aged >13 yr without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible persons aged >13 yr (see Ch. 65, 66).

HR12 = Persons born after 1956 who lack evidence of immunity to measles or mumps (e.g., documented receipt of live vaccine on or after the first birthday, laboratory evidence of immunity, or a history of physician-diagnosed measles or mumps) (see Ch. 65, 66).

HR13 = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

HR14 = Women with prior pregnancy affected by neural tube defect planning a pregnancy (see Ch. 42).

Ages 11-24 Years (Cont'd)

HR15 = Persons aged <17 yr living in areas with inadequate water fluoridation (<0.6 ppm) (see Ch. 61).

HR16 = Having a: chronically mentally ill parent; substance abusing parent; mother who began parenting as a teen. Living at or below poverty. Having: parents involved in criminal behavior; experienced an out-of-home placement(s), multiple moves, failed adoption(s). Being homeless. Having suffered physical, emotional or sexual abuse, or severe neglect. Having: a chronic health problem in the family; an absence of a family support system. Being substance affected at birth.

Ages 25-64 Years

Interventions Considered and Recommended for the Periodic Health Examination

Leading Causes of Death

- Malignant neoplasms
- Heart diseases
- Motor vehicle/other unintentional injuries
- Human immunodeficiency virus infection
- Suicide and homicide

Interventions for the General Population

SCREENING

Blood pressure [Ch 3]
Height and weight [Ch 21]
Total blood cholesterol (men age 35-64, women age 45-64) [Ch 2]
Papanicolaou (Pap) test¹ [Ch 9]
Fecal occult blood test² and/or sigmoidoscopy (>50 yr) [Ch 8]
Mammogram + clinical breast exam³ (women 40-49 yr)
Mammogram + clinical breast exam⁴ (women 50-69 yr) [Ch 7]
Rubella serology or vaccination hx⁵ (women of childbearing age) [Ch 32]
Learning and attention disorders⁶
Signs of child abuse, neglect, family violence
Alcohol, inhalant, illicit drug use⁷ [Ch 52]
Eating disorders⁸
Anxiety and mood disorders⁹
Suicide risk factors¹⁰
Somatoform disorders¹¹
Environmental stressors¹²

COUNSELING

Substance Use

Tobacco cessation [Ch 54]
Avoid alcohol/drug use while driving, swimming, boating, etc.* [Ch 57, 58]

Diet and Exercise

Limit fat & cholesterol; maintain caloric balance; emphasize grains, fruits, vegetables [Ch 56]
Adequate calcium intake (women) [Ch 56]
Regular physical activity* [Ch 55]

Injury Prevention [Ch 57,58]

Lap/shoulder belts
Bicycle/motorcycle/ATV helmet*
Smoke detector*
Safe storage/removal of firearms* [Ch 50, 59]
Smoking near bedding or upholstery

Sexual Behavior [Ch 62, 63]

STD prevention: abstinence*; avoid high-risk behavior*; condoms/female barrier with spermicide*
Unintended pregnancy: contraception

Dental Health [Ch 61]

Regular visits to dental care provider*
Floss, brush with fluoride toothpaste daily*

IMMUNIZATIONS [Ch 32, 66]

Tetanus-diphtheria (Td) boosters
Rubella⁵ (women of childbearing age)

CHEMOPROPHYLAXIS

Multivitamin with folic acid (females planning or capable of pregnancy) [Ch 42]
Discuss hormone prophylaxis (peri- and postmenopausal women) [Ch 68]

¹Women who are or have been sexually active and who have a cervix: q < 3 yr. ²Annually. ³The screening decision for women 40-49 should be a mutual decision between a woman and her clinician. If a decision to proceed with mammography is made, it should be done every 1-2 years in combination with an annual clinical breast examination. ⁴Between the ages 50-69 screening mammography should be performed every 1-2 years in combination with an annual clinical breast examination. ⁵Serologic testing, documented vaccination history, and routine vaccination (preferably with MMR) are equally acceptable. ⁶Consider screening with full DSM-IV criteria for attention deficit disorder, inattentive or hyperactive types, in children with significant overall academic or behavioral difficulty including academic failure and/or learning difficulty, especially in reading, math or handwriting. ⁷Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. ⁸Persons with a weight >10% below ideal body weight, parotid gland hypertrophy or erosion of tooth enamel. Females with a chemical dependency. ⁹In women who are at increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription drug utilization, medical and reproductive history. ¹⁰Recent divorce, separation, unemployment, depression, alcohol or other drug abuse, serious medical illness, living alone, homelessness, or recent bereavement. ¹¹Multiple unexplained somatic complaints. ¹²Community violence or disaster, immigration, homelessness, family medical problems.

*The ability of clinical counseling to influence this behavior is unproven.

Ages 25-64 Years (Cont'd)

Interventions for the High-Risk Population

POPULATION	POTENTIAL INTERVENTIONS (See detailed high-risk definitions)
High-risk sexual behavior	RPR/VDRL (HR1); screen for gonorrhea (female) (HR2), HIV (HR3), chlamydia (female) (HR4); hepatitis B vaccine (HR5); hepatitis A vaccine (HR6)
Injection or street drug use	RPR/VDRL (HR1); HIV screen (HR3); hepatitis B vaccine (HR5); hepatitis A vaccine (HR6); PPD (HR7) advice to reduce Infection risk (HR8)
Low income; TB contacts; immigrants; alcoholics Native American/Alaska Native	PPD (HR7) Hepatitis A vaccine (HR6); PPD (HR7); pneumococcal vaccine (HR9)
Certain chronic medical conditions	PPD (HR7); pneumococcal vaccine (HR9); influenza vaccine (HR10)
Blood product recipients Susceptible to varicella, measles, mumps Institutionalized persons	HIV screen (HR3); hepatitis B vaccine (HR5) MMR (HR11); varicella vaccine (HR12) Hepatitis A vaccine (HR6); PPD (HR7); pneumococcal vaccine (HR9); influenza vaccine (HR10)
Family h/o skin cancer; fair skin, eyes, hair	Avoid excess/midday sun, use protective clothing* (HR13) Folic acid 4.0 mg (HR14)
Previous pregnancy with neural tube defect	

High Risk Groups

HR1 = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

HR2 = Women who exchange sex for money or drugs, or who have had repeated episodes of gonorrhea. Clinicians should also consider local epidemiology (see Ch. 27).

HR3 = Males who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

HR4 = Sexually active women with multiple risk factors including: history of STD; new or multiple sex partners; nonuse or inconsistent use of barrier contraceptives; cervical ectopy. Clinicians should consider local epidemiology (see Ch. 29).

HR5 = Blood product recipients (including hemodialysis patients), men who have sex with men, injection drug users and their sex partners, persons with multiple recent sex partners, persons with other STDs (including HIV) (see Ch. 66).

HR6 = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Consider for institutionalized persons. Clinicians should also consider local epidemiology (see Ch. 66, 67).

Ages 25-64 Years (Cont'd)

HR7 = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

HR8 = Persons who continue to inject drugs (see Ch. 53).

HR9 = Immunocompetent institutionalized persons >50 yr and immunocompetent with certain medical conditions, including chronic cardiac or pulmonary disease, diabetes mellitus, and anatomic asplenia. Immunocompetent persons who live in high-risk environments or social settings (e.g., certain Native American and Alaska Native populations) (see Ch. 66).

HR10 = Annual vaccination of residents of chronic care facilities; persons with chronic cardiopulmonary disorders, metabolic diseases (including diabetes mellitus), hemoglobinopathies, immunosuppression or renal dysfunction (see Ch. 66). See Ch. 66 for indications for amantadine/rimantadine prophylaxis.

HR11 = Persons born after 1956 who lack evidence of immunity to measles or mumps (e.g., documented receipt of live vaccine on or after the first birthday, laboratory evidence of immunity, or a history of physician-diagnosed measles or mumps) (see Ch. 66).

HR12 = Healthy adults without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible adults (see Ch. 65, 66).

HR13 = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

HR14 = Women with previous pregnancy affected by neural tube defect who are planning pregnancy (see Ch. 42).

Age 65 and Older

Interventions Considered and Recommended for the Periodic Health Examination

Leading Causes of Death

Heart diseases
**Malignant neoplasms (lung, colorectal,
breast)**
Cerebrovascular disease
Chronic obstructive pulmonary disease
Pneumonia and influenza

Interventions for the General Population

SCREENING

Blood pressure [Ch 3]
Height and weight [Ch 21]
Fecal occult blood test¹ and/or sigmoidoscopy
[Ch 8]
Mammogram + clinical breast exam² (women
<70 yr) [Ch 7]
Papanicolaou (Pap) test³ [Ch 9]
Vision screening [Ch 33]
Assess for hearing impairment [Ch 35]
Signs of elder abuse, neglect, family violence
Alcohol, inhalant, illicit drug use⁴ [Ch 52]
Anxiety and mood disorders⁵
Somatoform disorders⁶
Environmental stressors⁷

COUNSELING

Substance Use

Tobacco cessation [Ch 54]
Avoid alcohol/drug use while driving, swimming,
boating, etc.* [Ch 57, 58]

Diet and Exercise

Limit fat & cholesterol; maintain caloric
balance; emphasize grains, fruits, vegetables [Ch 56]
Adequate calcium intake (women) [Ch 56]
Regular physical activity* [Ch 55, 58]

Assess eating environment

Injury Prevention [Ch 57,58]

Lap/shoulder belts
Motorcycle and bicycle helmets*
Fall prevention*
Safe storage/removal of firearms* [Ch 50, 59]
Smoke detector*
Set hot water heater to <120-130°F
CPR training for household members
Smoking near bedding or upholstery

Dental Health [Ch 61]

Regular visits to dental care provider*
Floss, brush with fluoride toothpaste daily*

Sexual Behavior

STD prevention: avoid high-risk sexual behavior*;
use condoms [Ch 62]

IMMUNIZATIONS [Ch 66]

Pneumococcal vaccine
Influenza¹
Tetanus-diphtheria (Td) boosters

CHEMOPROPHYLAXIS

Discuss hormone prophylaxis (peri- and postmenopausal
women) [Ch 68]

¹Annually. ²For women under the age of 70, screening mammography should be performed every 1-2 years in combination with an annual clinical breast examination. ³All women who are or have been sexually active and who have a cervix. Consider discontinuation of testing after age 65 yr if previous regular screening with consistently normal results. ⁴Persons using alcohol and/or drugs. Physical and behavioral indicators: liver disease, pancreatitis, hypertension, gastritis, esophagitis, hematological disorders, poor nutritional status, cardiac arrhythmias, alcoholic myopathy, ketoacidosis, neurological disorders: smell of alcohol on breath, mood swings, memory lapses or losses, difficulty concentrating, blackouts, inappropriateness, irritability or agitation, depression, slurry speech, staggering gait, bizarre behavior, suicidal indicators, sexual dysfunction, interpersonal conflicts, domestic violence, child abuse and neglect, automobile accidents or citation arrests, scholastic or behavior problems, secretiveness or vagueness about personal or medical history. ⁵In women who are at increased risk, diagnostic evaluation should include an assessment of history of sexual and physical violence, interpersonal difficulties, prescription drug utilization, medical and reproductive history. ⁶Multiple unexplained somatic complaints. ⁷Community violence or disaster, immigration, homelessness, family medical problems.

*The ability of clinical counseling to influence this behavior is unproven.

Age 65 and Older (Cont'd)

Interventions for the High-Risk Population

POPULATION	POTENTIAL INTERVENTIONS (See detailed high-risk definitions)
Institutionalized persons	PPD (HR1); hepatitis A vaccine (HR2); amantadine/ rimantadine (HR4) PPD (HR1)
Chronic medical conditions; TB contacts; low income; immigrants; alcoholics	Fall prevention intervention (HR5) Consider cholesterol screening (HR6) Avoid excess/midday sun, use protective clothing* (HR7)
Persons >75 yr; or >70 yr with risk factors for falls	PPD (HR1); hepatitis A vaccine (HR2)
Cardiovascular disease risk factors	HIV screen (HR3); hepatitis B vaccine (HR8)
Family h/o skin cancer; fair skin, eyes, hair	Hepatitis A vaccine (HR2); HIV screen (HR3); hepatitis B vaccine (HR8); RPR/VDRL (HR9)
Native American/Alaska Native	PPD (HR1); hepatitis A vaccine (HR2); HIV screen (HR3); hepatitis B vaccine (HR8); RPR/VDRL (HR9); advice to reduce Infection risk (HR10)
Blood product recipients	Varicella vaccine (HR11)
High-risk sexual behavior	Refer to meal and social support resources
Injection or street drug use	
Persons susceptible to varicella	
Persons living alone & with poor nutrition	

High Risk Groups

HR1 = HIV positive, close contacts of persons with known or suspected TB, persons with medical risk factors associated with TB, immigrants from countries with high TB prevalence, medically underserved low-income populations (including homeless), alcoholics, injection drug users, and residents of long-term facilities (see Ch. 25). See Ch. 25 for indications for BCG vaccine.

HR2 = Persons living in areas where the disease is endemic and where periodic outbreaks occur (e.g., certain Alaska Native, Pacific Island, Native American, and religious communities); men who have sex with men; injection or street drug users. Consider for institutionalized. Clinicians should also consider local epidemiology (see Ch. 66, 67).

HR3 = Men who had sex with males after 1975; past or present injection drug use; persons who exchange sex for money or drugs, and their sex partners; injection drug-using, bisexual or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs. Clinicians should also consider local epidemiology (see Ch. 28).

HR4 = Consider for persons who have not received influenza vaccine or are vaccinated late; when the vaccine may be ineffective due to major antigenic changes in the virus; to supplement protection provided by vaccine in persons who are expected to have a poor antibody response; and for high-risk persons in whom the vaccine is contraindicated (see Ch. 66).

HR5 = Persons aged 75 years and older; or aged 70-74 with one or more additional risk factors including: use of certain psychoactive and cardiac medications (e.g., benzodiazepines, antihypertensives); use of >4 prescription medications; impaired cognition, strength, balance, or gait. Intensive individualized home-based multifactorial fall prevention intervention is recommended in settings where adequate resources are available to deliver such services (see Ch. 58).

HR6 = Although evidence is insufficient to recommend routine screening in elderly persons, clinicians should consider cholesterol screening on a case-by-case basis for persons ages 65-75 with additional risk factors (e.g., smoking, diabetes, or hypertension) (see Ch. 2).

Age 65 and Older (Cont'd)

HR7 = Persons with a family or personal history of skin cancer, a large number of moles, atypical moles, poor tanning ability, or light skin, hair, and eye color (see Ch. 12).

HR8 = Blood product recipients (including hemodialysis patients), men who have sex with men, injection drug users and their sex partners, persons with multiple recent sex partners, persons with other STDs (including HIV) (see Ch. 66).

HR9 = Persons who exchange sex for money or drugs, and their sex partners; persons with other STDs (including HIV); and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 26).

HR10 = Persons who continue to inject drugs (see Ch. 53).

HR11 = Healthy adults without a history of chickenpox or previous immunization. Consider serologic testing for presumed susceptible adults (see Ch. 65, 66).

Pregnant Women**

Interventions Considered and Recommended for the Periodic Health Examination

Interventions for the General Population

SCREENING

First visit

Blood pressure [Ch 3, 37]

Hemoglobin/hematocrit [Ch 22]

Hepatitis B surface antigen (HBsAg) [Ch 24]

RPR/VDRL [Ch 26]

Chlamydia screen (<25 yr) [Ch 29]

Rubella serology or vaccination history [Ch 32]

D(Rh) typing, antibody screen [Ch 38]

Offer CVS (<13 wk)¹ or amniocentesis (15-18 wk)¹
(age>35 yr) [Ch 41]

Offer hemoglobinopathy screening [Ch 43]

Assess for problem or risk drinking [Ch 52]

Offer HIV screening² [Ch 28]

Follow-up visits

Blood pressure [Ch 3, 37]

Urine culture (12-16 wk) [Ch 31]

Offer amniocentesis (15-18 wk)¹ (age>35 yr) [Ch 41]

Offer multiple marker testing¹ (15-18 wk) [Ch 41]

Offer serum α -fetoprotein¹ (16-18 wk) [Ch 42]

COUNSELING

Tobacco cessation; effects of passive smoking [Ch 54]

Alcohol/other drug use [Ch 52, 53]

Nutrition, including adequate calcium intake [Ch 56]

Encourage breastfeeding [Ch 22, 56]

Lap/shoulder belts [Ch 57]

Infant safety car seats [Ch 57]

STD prevention: avoid high-risk sexual behavior*; use
condoms* [Ch 62]

CHEMOPROPHYLAXIS

Multivitamin with folic acid³ [Ch 42]

¹Women with access to counseling and follow-up services, reliable standardized laboratories, skilled high-resolution ultrasound, and, for those receiving serum marker testing, amniocentesis capabilities. ²Universal screening is recommended for areas (states, counties, or cities) with an increased prevalence of HIV infection among pregnant women. In low-prevalence areas, the choice between universal and targeted screening may depend on other considerations (see Ch. 28). ³Beginning at least 1 mo before conception and continuing through the first trimester.

*The ability of clinical counseling to influence this behavior is unproven.

**See tables for ages 11-24 and 25-64 for other preventive services recommended for women of these age groups.

Pregnant Women (Cont'd)

Interventions for the High-Risk Population

POPULATION	POTENTIAL INTERVENTIONS
High-risk sexual behavior	(See detailed high-risk definitions) Screen for chlamydia (1st visit) (HR1), gonorrhea (1st visit) (HR2), HIV (1st visit) (HR3); HBsAg (3rd trimester) (HR4); RPR/VDRL (3rd trimester) (HR5)
Blood transfusion 1978-85	HIV screen (1st visit) (HR3)
Injection drug use	HIV screen (HR3); ABsAg (3rd trimester) (HR4); advice to reduce infection risk (HR6)
Unsensitized D-negative women	D(Rh) antibody testing (24-28 wk) (HR7)
Risk factors for Down syndrome	Offer CVS ¹ (1st trimester), amniocentesis ¹ (15-18 wk) (HR8)
Previous pregnancy with neural tube defect	Offer amniocentesis ¹ (15-18 wk), folic acid 4.0 mg ³ (HR9)
High risk for child abuse	Targeted case management

High Risk Groups

HR1 = Women with history of STD or new or multiple sex partners. Clinicians should also consider local epidemiology. Chlamydia screen should be repeated in 3rd trimester if at continued risk (see Ch. 29).

HR2 = Women under age 25 with two or more sex partners in the last year, or whose sex partner has multiple sexual contacts; women who exchange sex for money or drugs; and women with a history of repeated episodes of gonorrhea. Clinicians should also consider local epidemiology. Gonorrhea screen should be repeated in the 3rd trimester if at continued risk (see Ch. 27).

HR3 = In areas where universal screening is not performed due to low prevalence of HIV infection, pregnant women with the following individual risk factors should be screened: past or present injection drug use; women who exchange sex for money or drugs; injection drug-using, bisexual, or HIV-positive sex partner currently or in the past; blood transfusion during 1978-1985; persons seeking treatment for STDs (see Ch. 28).

HR4 = Women who are initially HBsAg negative who are at high risk due to injection drug use, suspected exposure to hepatitis B during pregnancy, multiple sex partners (see Ch. 24).

HR5 = Women who exchange sex for money or drugs, women with other STDs (including HIV), and sexual contacts of persons with active syphilis. Clinicians should also consider local epidemiology (see Ch. 66).

HR6 = Women who continue to inject drugs (see Ch. 53).

HR7 = Unsensitized D-negative women (see Ch. 38).

HR8 = Prior pregnancy affected by Down syndrome, advanced maternal age (>35 yr), known carriage of chromosome rearrangement (see Ch. 41).

HR9 = Women with previous pregnancy affected by neural tube defect (see Ch. 42).

