

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Note: Effective October 1, 2009, the following codes have been removed from the Prioritized List of Health Services: 90801, 90802, H0001, H0002, H0031, and T1023. These codes are now to be covered as diagnostic services.

Diagnosis: ABUSE OR DEPENDENCE OF PSYCHOACTIVE SUBSTANCE (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.1,303.9,304,305.0,305.2-305.9
CPT: 90804-90829,90846-90862,90882,90887,96101,97810-97814,98966-98969,99051,99060,99201-99255,99366,99408-99409,99441-99444,99605-99607
HCPCS: G0406,G0407,G0408,G0410,G0411,H0004,H0005,H0006,H0012,H0016,H0020,H0033,H0034,H0035,H0048,H2010,H2013,H2033,H2035,S0270,S0271,S0272,S0273,S0274,S9537,T1006,T1013,T1016,T1502
Line: 5

Diagnosis: TOBACCO DEPENDENCE (See Guideline Notes 1,4,64,65)
Treatment: MEDICAL THERAPY/BRIEF COUNSELING NOT TO EXCEED 10 FOLLOW-UP VISITS OVER 3 MONTHS
ICD-9: 305.1
CPT: 96150-96154,97810-97814,98966-98969,99078,99201-99215,99366,99406-99407,99441-99444,99605-99607
HCPCS: D1320,G8402,G8453,G9016,S0270,S0271,S0272,S0273,S0274,S9075,S9453
Line: 6

Diagnosis: MAJOR DEPRESSION, RECURRENT (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.30-296.36,298.0
CPT: 90804-90829,90846-90862,90870,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 9

Diagnosis: SCHIZOPHRENIC DISORDERS (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 295.1-295.9,298.4,299.1,299.9
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 27

Diagnosis: BIPOLAR DISORDERS (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.0-296.1,296.4-296.8,296.99,301.13
CPT: 90804-90829,90846-90862,90870,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,S9537,T1005,T1013,T1016
Line: 32

Diagnosis: SUBSTANCE-INDUCED DELUSIONAL AND MOOD DISORDERS; INTOXICATION (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 291.3-291.5,291.9,292.1-292.2,292.89,292.9,303.0
CPT: 90804-90829,90846-90862,90882,90887,96101,97810-97814,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607
HCPCS: G0406,G0407,G0408,G0410,G0411,H0004,H0005,H0016,H0020,H0033,H0034,H0035,H0048,H2013,S0270,S0271,S0272,S0273,S0274,T1006,T1013,T1016
Line: 67

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: BORDERLINE PERSONALITY DISORDER (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 301.83
CPT: 90804-90809,90810-90815,90816-90827,90846,90847,90853-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 108

Diagnosis: ATTENTION DEFICIT DISORDERS WITH HYPERACTIVITY OR UNDIFFERENTIATED (See Guideline Notes 20,64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 314
CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99251-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016
Line: 134

Diagnosis: POSTTRAUMATIC STRESS DISORDER (See Guideline Notes 25,64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 309.81,995.52-995.54
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 181

Diagnosis: CHRONIC ORGANIC MENTAL DISORDERS INCLUDING DEMENTIAS (See Guideline Notes 1,64,65)
Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION
ICD-9: 290,291.2,292.82-292.84,293.8,294,299.00,299.10,299.8,310.1
CPT: 90804-90807,90816-90819,90823-90827,90846-90853,90862,90882,90887,96101,96118,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016
Line: 210

Diagnosis: DEPRESSION AND OTHER MOOD DISORDERS, MILD OR MODERATE (See Guideline Notes 28,64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 296.2,296.90,298.0,311
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 213

Diagnosis: PATHOLOGICAL GAMBLING (Note: This line is not priced as part of the list as funding comes from non-OHP sources.) (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.31,V69.3
CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016
Line: 223

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: PSYCHOLOGICAL FACTORS AGGRAVATING PHYSICAL CONDITION (EG. ASTHMA, CHRONIC GI CONDITIONS, HYPERTENSION) (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 316
CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9484,T1005,T1013,T1016
Line: 269

Diagnosis: OTHER PSYCHOTIC DISORDERS (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 297.3,298.1-298.3,298.9,299.8
CPT: 90804-90815,90821,90822,90828,90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 294

Diagnosis: ANOREXIA NERVOSA (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.1
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 304

Diagnosis: ACUTE STRESS DISORDER (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 308
CPT: 90804-90829,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607
HCPCS: G0406,G0407,G0408,G0410,G0411,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016
Line: 315

Diagnosis: CONVERSION DISORDER, CHILD (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 300.11
CPT: 90804-90815,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016
Line: 387

Diagnosis: SOMATIZATION DISORDER; SOMATOFORM PAIN DISORDER (See Guideline Notes 64,65)
Treatment: CONSULTATION/BEHAVIORAL MANAGEMENT
ICD-9: 300.7,300.81-300.82,300.9,306,307.80,307.89
CPT: 90804-90809,90816-90829,90846,90847,90853,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607
HCPCS: G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0037,H0038,H2010,H2021,H2022,H2023,H2027,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016
Line: 395

Diagnosis: BULIMIA NERVOSA (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.51,307.54
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2010,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016
Line: 409

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: SEPARATION ANXIETY DISORDER (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 309.21

CPT: 90804-90815,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1005,T1013,T1016

Line: 412

Diagnosis: PANIC DISORDER; AGORAPHOBIA (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.01,300.21-300.22

CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 414

Diagnosis: EATING DISORDER NOS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.50,307.54,307.59

CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-99318,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 421

Diagnosis: DISSOCIATIVE DISORDERS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.12-300.15,300.6

CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 426

Diagnosis: SCHIZOTYPAL PERSONALITY DISORDERS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 295.0,301.22

CPT: 90804-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 431

Diagnosis: OPPOSITIONAL DEFIANT DISORDER (See Guideline Notes 42,64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.9,313.81

CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2014,H2021,H2022,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 439

Diagnosis: CHRONIC DEPRESSION (DYSTHYMIA) (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.4-300.5

CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H2010,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9480,S9484,T1013,T1016

Line: 451

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: STEREOTYPY/HABIT DISORDER AND SELF-ABUSIVE BEHAVIOR DUE TO NEUROLOGICAL DYSFUNCTION
(See Guideline Notes 1,64,65)

Treatment: CONSULTATION/MEDICATION MANAGEMENT/LIMITED BEHAVIORAL MODIFICATION

ICD-9: 307.3

CPT: 90804-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0410,G0411,H0004,H0023,H0032,H0034,H0035,H0036,H0037,H0038,H0039,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9125,S9480,S9484,T1013,T1016

Line: 456

Diagnosis: ADJUSTMENT DISORDERS (See Coding Specification Below) (See Guideline Notes 45,64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 309.0,309.1,309.23-309.29,309.3-309.4,309.82,309.83,309.89,309.9,V61.20,V62.82

CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016

Line: 462

ICD-9-CM codes V61.20, Counseling for Parent-Child Problem, Unspecified, and V62.82, Bereavement, Uncomplicated, are only included in this line when identified as secondary diagnoses with a primary diagnosis of 309.89, Other Specified Adjustment Reactions.

Diagnosis: TOURETTE'S DISORDER AND TIC DISORDERS (See Guideline Notes 1,64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.2

CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,96150-96154,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 464

Diagnosis: REACTIVE ATTACHMENT DISORDER OF INFANCY OR EARLY CHILDHOOD (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.89

CPT: 90804-90829,90846-90862,90882,90887,96101,99051,99060,98966-98969,99201-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016

Line: 467

Diagnosis: FACTITIOUS DISORDERS (See Guideline Notes 64,65)

Treatment: CONSULTATION

ICD-9: 300.16,300.19,301.51

CPT: 90804-90807,90816-90819,90823-90827,90846,90847,90853,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0410,G0411,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H2010,H2011,H2013,H2021,H2022,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 472

Diagnosis: SIMPLE AND SOCIAL PHOBIAS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.23,300.29

CPT: 90804-90815,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 475

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: OBSESSIVE-COMPULSIVE DISORDERS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.3

CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2011,H2010,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9480,S9484,T1005,T1013,T1016

Line: 479

Diagnosis: OVERANXIOUS DISORDER; GENERALIZED ANXIETY DISORDER; ANXIETY DISORDER, UNSPECIFIED
See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.00,300.02-300.09,307.46,313.0

CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0018,H0019,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016

Line: 480

Diagnosis: FUNCTIONAL ENCOPIRESIS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.7

CPT: 90804-90807,90810-90813,90816-90819,90823-90827,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0045,H2010,H2011,H2012,H2013,H2014,H2021,H2022,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016

Line: 487

Diagnosis: SELECTIVE MUTISM (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 313.23

CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,H2012,H2014,H2021,H2022,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 491

Diagnosis: CONDUCT DISORDER, AGE 18 OR UNDER (See Guideline Note 54,64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 312.0-312.2,312.4,312.8

CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,H2012,H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,T1016

Line: 500

Diagnosis: CONVERSION DISORDER, ADULT (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 300.10-300.11

CPT: 90804-90815,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H0039,H2010,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 511

Diagnosis: GENDER IDENTIFICATION DISORDER, PARAPHILIAS AND OTHER PSYCHOSEXUAL DISORDERS (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 302.0-302.4,302.50,302.6,302.85,302.9

CPT: 90804-90815,90846,90847,90849,90853,90857,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607

HCPCS: G0176,G0177,H0004,H0023,H0032,H0034,H0035,H2010,H2011,H2014,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016

Line: 514

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: SEXUAL DYSFUNCTION (See Guideline Notes 64,65)
Treatment: PSYCHOTHERAPY, MEDICAL AND SURGICAL TREATMENT
ICD-9: 302.7,607.84
CPT: 54400-54417,90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,
93980-93981,98966-98969,99024,99051,99060,99070,99078,99201-99360,99366,99374-99375,
99379-99444,99468-99480,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0033,H0034,H0035,H0038,H2011,H2014,
H2027,H2032,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016
Line: 534

Diagnosis: DELUSIONAL DISORDER (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 297.0-297.2,297.8-297.9
CPT: 90804-90829,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-99255,99304-
99318,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,G0410,G0411,H0004,H0017,H0018,H0019,H0023,H0032,H0033,
H0034,H0035,H0036,H0037,H0038,H0039,H0045,H2011,H2012,H2013,H2014,H2010,H2021,H2022,
H2023,H2027,H2032,S0270,S0271,S0272,S0273,S0274,S5151,S9125,S9480,S9484,T1005,T1013,
T1016
Line: 536

Diagnosis: IMPULSE DISORDERS EXCLUDING PATHOLOGICAL GAMBLING (See Guideline Notes 58,64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 312.32-312.39
CPT: 90804-90807,90810-90813,90846-90862,90882,90887,96101,98966-98969,99051,99060,99201-
99215,99241-99255,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,G0406,G0407,G0408,H0004,H0017,H0018,H0019,H0023,H0032,H0033,H0034,H0036,
H0037,H0038,H0039,H0045,H2010,H2011,H2013,H2014,H2021,H2022,H2023,H2027,H2032,S0270,
S0271,S0272,S0273,S0274,S5151,S9125,S9484,T1005,T1013,T1016
Line: 560

Diagnosis: SHYNESS DISORDER OF CHILDHOOD OR ADOLESCENCE (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 313.21-313.22
CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-
98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0035,H0036,H0037,H0038,H2010,H2011,H2012,
H2014,H2021,H2022,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S9484,T1013,T1016
Line: 566

Diagnosis: RUMINATION DISORDER OF INFANCY (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 307.53
CPT: 90816-90819,90823-90827,90846-90849,90887,99051,99060,99217-99239,99251-99255
HCPCS: G0406,G0407,G0408,G0410,G0411,H0023,H0035,H0038,H2011,H2027,S9125,S9484
Line: 578

Diagnosis: ANTI-SOCIAL PERSONALITY DISORDER (See Guideline Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 301.7
CPT: 90804-90807,90846-90853,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-
99245,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,H0004,H0023,H0032,H0034,H2010,H2011,H2014,H2027,H2032,S0270,S0271,S0272,
S0273,S0274,S9484,T1013,T1016
Line: 598

Diagnosis: PERSONALITY DISORDERS EXCLUDING BORDERLINE, SCHIZOTYPAL AND ANTI-SOCIAL (See Guideline
Notes 64,65)
Treatment: MEDICAL/PSYCHOTHERAPY
ICD-9: 301.0,301.10-301.12,301.20-301.21,301.3-301.4,301.50,301.59,301.6,301.81-301.82,
301.84,301.89,301.9
CPT: 90804-90807,90810-90813,90846,90847,90849,90853,90857,90862,90882,90887,96101,98966-
98969,99051,99060,99201-99215,99241-99245,99366,99441-99444,99605-99607
HCPCS: G0176,G0177,H0004,H0023,H0032,H0033,H0034,H0036,H0037,H0038,H0039,H0045,H2010,H2011,
H2014,H2021,H2022,H2023,H2027,H2032,H2033,S0270,S0271,S0272,S0273,S0274,S5151,S9484,
T1005,T1013,T1016
Line: 601

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

Diagnosis: PICA (See Guideline Notes 64,65)

Treatment: MEDICAL/PSYCHOTHERAPY

ICD-9: 307.52

CPT: 90804-90807,90810-90813,90846-90857,90882,90887,96101,98966-98969,99051,99060,99201-99215,99241-99255,99366,99441-99444,99605-99607

HCPCS: G0177,G0406,G0407,G0408,H0004,H0023,H0032,H0034,H0035,H2010,S0270,S0271,S0272,S0273,S0274,T1013,T1016

Line: 650

Diagnosis: MENTAL DISORDERS WITH NO OR MINIMALLY EFFECTIVE TREATMENTS OR NO TREATMENT NECESSARY
(See Guideline Notes 64,65)

Treatment: EVALUATION

ICD-9: 313.1,313.3,313.82-313.83

CPT: 98966-98969,99201-99215,99366,99441-99444,99605-99607

HCPCS: S0270,S0271,S0272,S0273,S0274

Line: 669

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

GUIDELINE NOTE 1, HEALTH AND BEHAVIOR ASSESSMENT/INTERVENTION

Lines 1,6,8,10,11,12,13,14,15,16,17,18,20,21,22,25,26,28,29,33,34,35,36,37,39,40,41,42,46,47,50,52,53,55,56,61,63,65,66,68,70,74,76,79,80,82,84,85,87,92,94,96,98,100,101,102,103,106,109,110,111,112,114,116,120,123,124,125,129,135,136,138,139,141,142,145,147,148,150,151,152,159,160,165,166,167,168,169,170,174,180,182,183,184,186,191,192,194,196,197,198,200,202,203,206,208,209,210,211,219,221,222,225,228,229,230,233,234,236,237,238,244,246,249,250,252,253,254,255,256,265,266,267,268,271,272,273,274,275,276,277,278,279,284,286,287,289,291,292,301,303,305,309,310,311,312,313,319,325,330,332,336,337,338,339,340,350,352,354,355,359,365,369,370,373,374,384,391,397,404,407,416,417,419,420,427,429,430,433,436,438,440,442,453,456,460,463,464,465,470,481,483,497

Health and behavior assessment and interventions (CPT codes 96150-96154) are included on these lines when provided subject to the Centers for Medicare and Medicaid (CMS) guidelines dated 2/1/06 located at:

http://www.cms.hhs.gov/mcd/viewlcd.asp?lcd_id=13492&lcd_version=48&basket=lcd%3A13492%3A48%3AHEALTH+AND+BEHAVIOR+ASSESSMENT%2FINTERVENTION%3ACarrier%3ANHIC%7C%7C+Corp%2E+%2831142%29%3A.

GUIDELINE NOTE 4, TOBACCO DEPENDENCE

Line 6

Persons are eligible for tobacco dependence counseling if a documented quit date has been established.

GUIDELINE NOTE 20, ATTENTION DEFICIT AND HYPERACTIVITY DISORDERS IN CHILDREN AGE FIVE AND UNDER

Line 134

When using 314.9, Unspecified Hyperkinetic Syndrome, in children age 5 and under, it is appropriate only when the following apply:

- Child does not meet the full criteria for the full diagnosis because of their age.
- For children age 3 and under, when the child exhibits functional impairment due to hyperactivity that is clearly in excess of the normal activity range for age (confirmed by the evaluating clinician's observation, not only the parent/caregiver report), and when the child is very limited in his/her ability to have the sustained periods of calm, focused activity which would be expected for the child's age.

For children age 3 and under, it is especially important that psychosocial interventions, including parent skills training and/or parent-child therapy, and environmental modifications, be tried prior to medication. For children over the age of 3, psychosocial interventions are important, whether the child is on medications or not.

Use of 314.9 for children age five and younger is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 25, MENTAL HEALTH PROBLEMS IN CHILDREN AGE FIVE AND UNDER RELATED TO NEGLECT OR ABUSE

Line 181

995.52, Child Neglect (Nutritional), 995.53, Child Sexual Abuse, and 995.54, Child Physical Abuse, may be used in any children when there is evidence or suspicion of abuse or neglect. These codes are to be used when the focus of treatment is on the alleged child victim. This can include findings by child welfare of abuse or neglect; or statements of abuse or neglect by the child, the perpetrator, or a caregiver or collateral report. Although these diagnoses can be used preventively, i.e. for children who are not yet showing symptoms, presence of symptoms should be demonstrated for interventions beyond evaluation or a short-term child or family intervention.

Use of 995.52-995.54 may be used in children age five and younger and, in these instances only, is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual counseling and therapy: 90810, 90812
- Group therapy: 90853, 90857, H2032

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

GUIDELINE NOTE 25, MENTAL HEALTH PROBLEMS IN CHILDREN AGE FIVE AND UNDER RELATED TO NEGLECT OR ABUSE (CONT'D)

- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

GUIDELINE NOTE 28, MOOD DISORDERS IN CHILDREN AGE EIGHTEEN AND UNDER

Line 213

The use of 296.90, Unspecified Episodic Mood Disorder, is appropriate only when the following apply:

- For children 18 years old and under.
- In the presence of significant difficulty with emotional regulation that causes functional impairment.

Use of 296.90 is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, H0004
- Group therapy: 90853, 90857, H2032
- Medication management: 90862
- Case Management: 90882, T1016
- Interpreter Service: T1013

GUIDELINE NOTE 42, DISRUPTIVE BEHAVIOR DISORDERS IN CHILDREN AGE FIVE AND UNDER

Line 439

The use of 312.9, Unspecified Disturbance of Conduct, is appropriate only for children five years old and under who display sustained patterns of disruptive behavior beyond what is developmentally appropriate.

- Interventions should prioritize parent skills training in effective behavior management strategies or focus on other relational issues.

Use of 312.9 is limited to pairings with the following procedure codes:

- Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
- Family interventions and supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
- Individual Counseling and Therapy: 90810, 90812, H0004
- Group therapy: 90853, 90857, H2032
- Case Management: 90882, T1016
- Interpreter Service: T1013
- Medication management, 90862, is not indicated for these conditions in children age 5 and under.

GUIDELINE NOTE 45, ADJUSTMENT REACTIONS IN CHILDREN AGE FIVE AND UNDER

Line 462

ICD-9-CM code 309.89 can be used for individuals of any age. However, when using it for children five years of age or younger, who have experienced abuse or neglect, the following must apply:

1. The child must demonstrate some symptoms of PTSD (such as disruption of his or her usual sleeping or eating patterns, or more increased irritability/lower frustration tolerance) but does not meet the full criteria for PTSD or any other disorder.
2. 309.89 is limited to pairings with the following procedure codes:
 - Assessment and Screening: 90801, 90802, H0002, H0031, H0032, T1023
 - Group Therapy: 90853, 90857, H2032
 - Family Interventions and Supports: 90846, 90847, 90849, 90887, H0038, H0045, H2021, H2022, H2027, S5151, S9125, T1005
 - Case Management: 90882, T1016
 - Interpreter Service: T1013
 - Individual Counseling and Therapy: 90810, 90812
 - Medication Management, 90862, is not indicated for this condition in children five years of age or younger.

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

GUIDELINE NOTE 45, ADJUSTMENT REACTIONS IN CHILDREN AGE FIVE AND UNDER (CONT'D)

Note: Cessation of the traumatic exposure must be the first priority. Infants and toddlers may benefit from parental guidance regarding management of the child's symptoms, parental guidance around enhancing safety and stability in the child's environment, and therapeutic support for the parents.

Two V-codes, V61.20 (Counseling for Parent-Child Problem, Unspecified) and V62.82 (Bereavement, Uncomplicated), may only be used as secondary diagnoses to the primary diagnosis of 309.89, and only for children five years of age or younger.

1. When using V61.20, the following must apply:
 - a. Service provision will have a clinically significant impact on the child.
 - b. A rating of 40 or lower has been assessed on the PIR-GAS (Parent-Infant Relationship Global Assessment Scale).
 - c. The same limitations in pairings to CPT and HCPCS codes as given for ICD-9-CM code 309.89 apply, with the only exception being that 90810 and 90812 cannot be used.
2. When using V62.82, the following must apply:
 - a. The child exhibits a change in functioning subsequent to the loss of a primary caregiver;
 - b. The child exhibits at least three of the following eight symptoms:
 - i. Crying, calling and/or searching for the absent primary caregiver,
 - ii. Refusing attempts of others to provide comfort,
 - iii. Emotional withdrawal manifesting in lethargy, sad facial expression, and lack of interest in age-appropriate activities that do not meet mood disorder criteria,
 - iv. Disruptions in eating and sleeping that do not meet criteria for feeding and eating disorders of infancy or early childhood,
 - v. Regression in or loss of previously achieved developmental milestones not attributable to other health or mental health conditions,
 - vi. Constricted range of affect not attributable to a mood disorder or PTSD,
 - vii. Detachment, seeming indifference toward, or selective "forgetting" of the lost caregiver and/or of reminders of the lost caregiver,
 - viii. Acute distress or extreme sensitivity in response to any reminder of the caregiver or to any change in a possession, activity, or place related to the lost caregiver;
 - c. The symptoms in 2(b) above are exhibited for most of the day and for more days than not, for at least 2 weeks.
 - d. The same limitations in pairings to CPT and HCPCS codes as given for ICD-9-CM code 309.89 apply.

Note: Intervention should include persons significantly involved in the child's care and include psychoeducation and developmentally-specific guidance.

GUIDELINE NOTE 54, CONDUCT DISORDER

Line 500

Conduct disorder rarely occurs in isolation from other psychiatric diagnosis, the patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

GUIDELINE NOTE 58, IMPULSE DISORDERS

Line 560

Impulse disorders rarely occur in isolation from other psychiatric diagnosis, thus the Patient should have documented screening for attention deficit disorder (ADD); chemical dependency (CD); mood disorders such as anxiety and/or depression; and physical, sexual, and family abuse or other trauma (PTSD).

GUIDELINE NOTE 64, PHARMACIST MEDICATION MANAGEMENT

Included on all lines with evaluation & management (E&M) codes

Pharmacy medication management services must be provided by a pharmacist who has:

1. A current and unrestricted license to practice as a pharmacist in Oregon.

MENTAL HEALTH CARE AND CHEMICAL DEPENDENCY SERVICES
EXTRACTED FROM THE PRIORITIZED LIST OF HEALTH SERVICES
October 1, 2009

GUIDELINE NOTE 64, PHARMACIST MEDICATION MANAGEMENT (CONT'D)

2. Services must be provided based on referral from a physician or licensed provider or health plan.
3. Documentation must be provided for each consultation and must reflect collaboration with the physician or licensed provider. Documentation should model SOAP charting; must include patient history, provider assessment and treatment plan; follow up instructions; be adequate so that the information provided supports the assessment and plan; and must be retained in the patient's medical record and be retrievable.

GUIDELINE NOTE 65, TELEPHONE AND EMAIL CONSULTATIONS

Included on all lines with evaluation & management (E&M) codes

Telephone and email consultations must meet the following criteria:

1. Patient must have a pre-existing relationship with the provider as demonstrated by at least one prior office visit within the past 12 months.
2. E-visits must be provided by a physician or licensed provider within their scope of practice.
3. Documentation should model SOAP charting; must include patient history, provider assessment, and treatment plan; follow up instructions; be adequate so that the information provided supports the assessment and plan; must be retained in the patient's medical record and be retrievable.
4. Telephone and email consultations must involve permanent storage (electronic or hard copy) of the encounter.
5. Telephone and email consultations must meet HIPAA standards for privacy.
6. There needs to be a patient-clinician agreement of informed consent for E-visits by email. This should be discussed with and signed by the patient and documented in the medical record.

Examples of reimbursable telephone and email consultations include but are not limited to:

- A. Extended counseling when person-to-person contact would involve an unwise delay.
- B. Treatment of relapses that require significant investment of provider time and judgment.
- C. Counseling and education for patients with complex chronic conditions.

Examples of non-reimbursable telephone and email consultations include but are not limited to:

- A. Prescription renewal.
- B. Scheduling a test.
- C. Scheduling an appointment.
- D. Reporting normal test results.
- E. Requesting a referral.
- F. Follow up of medical procedure to confirm stable condition, without indication of complication or new condition.
- G. Brief discussion to confirm stability of chronic problem and continuity of present management.