Performance Reporting Information System
(PRISM 2.0)

Standard Data Dictionary

Database Tables

Section 5

DRAFT

Table of Contents

PRISM_STG 4
Customer Suspense 4
Customer Suspense Errors 5
Customer Suspense Retries 6
Customer Updates 8
Customers 10
Outcome Suspense 12
Outcome Suspense Errors 12
Outcome Suspense Retries 13
Outcome Updates 13
Outcomes 14
Service Suspense 14
Service Suspense Errors 15
Service Suspense Retries 15
Service Updates 16
Services 16
Transmittals 17
PRISM_TAB 18
Age Group Codes 18
All Wage NAICS 18
All Wages 18
CIP Codes (Classification of Instructional Programs) 19
CIP Codes - 2 Digit Breakdown 19
CIP Codes - 4 Digit Breakdown 19
County Codes 19
Credential Codes 19
Customer Credentials 20
Customer Episode CIPS 20
Customer Episode Credentials 20
Customer Episode Exclusions 21
Customer Episode NAICS 21
Customer Episode Programs 21
Customer Episode Service Sites 21
Customer Episode Services 22
Customer Episodes 23
Customer Exclusions 25
Customer Services 26
Customer Supplemental Employment 26
Customers 27
Eligible Training Provider Codes 28

Employment Goal Codes 28
Employment Status Codes 28
Employment Type Codes 28
Exclusionary Codes 29
Financial Assistance Codes 29
Gender Codes 29
Highest Grade Completed Codes 29
MSFW Codes 29
NAICS Codes 30
NAICS Training Codes 30
O*NET Codes 30
Partner Codes 30
Partner Customer Primary Key Histories 31
Program Codes 31
Race Codes 31
Received Training Codes 31
School Status Codes 32
Service Codes 32
Service Site Codes (i.e. Field Office, Local Office, Branch Office, College, etc.) 32
State Codes 32
Transmittal Histories 33
Veteran Codes 33
Vocational Rehabilitation Codes 33
Wage Match Codes 33
Wage Source Codes 34
Workforce Area Codes 34
Zip Codes 34

PRISM_STG

Customer Suspense

Record Description for: Customer Suspense table Table Name: PRISM_STG.CUSTOMER_SUSPENSE

Name	Data Type	Remarks
CUS_ID	NUMBER(10)	Primary Key
FIXED_FLAG	VARCHAR2(1)	'N'
SUSPENSE_LMOD_DATE	DATE	SYSDATE
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	VARCHAR2(8)	19000101
CHANGE_PARTNER_CUS_PK	VARCHAR2(100)	
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMPGOALCD_CODE	VARCHAR2(1)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMPSTATCD_CODE	VARCHAR2(1)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDCD_CODE	VARCHAR2(1)	
HGCOMPCD_CODE	VARCHAR2(2)	
HOMELESS_FLAG	VARCHAR2(1)	
INCARCERATION_DATE	VARCHAR2(8)	19000101
INCARCERATION_RELEASE_DATE	VARCHAR2(8)	19000101
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFWCD_CODE	VARCHAR2(1)	
RACECD_ID	NUMBER(10)	0
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	

RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	
RACE_WHITE_FLAG	VARCHAR2(1)	
RECTRNCD_CODE	VARCHAR2(1)	
SCHSTATCD_CODE	VARCHAR2(1)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN	VARCHAR2(9)	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VETCD_ID	NUMBER(10)	0
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	
VOCREHABCD_CODE	VARCHAR2(1)	
WAGNER_PEYSER_FLAG	VARCHAR2(1)	
YOUTH_FINASSCD_CODE	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Customer Suspense Errors

Record Description for: Customer Suspense Errors table Table Name: PRISM_STG.CUSTOMER_SUSPENSE_ERRORS

Name	Data Type	Remarks
CUS_ID	NUMBER(10)	Primary Key
SUSPENSE_POST_DATE	DATE	SYSDATE
BAD_DATA_TXT	VARCHAR2(500)	
COLUMN_NAME	VARCHAR2(30)	
MESSAGE1_TXT	VARCHAR2(200)	
MESSAGE2_TXT	VARCHAR2(200)	

~ ~

Customer Suspense Retries

Record Description for: Customer Suspense Retries table Table Name: PRISM_STG.CUSTOMER_SUSPENSE_RETRIES

Name	Data Type	Remarks
CUS_ID	NUMBER(10)	Primary Key
SUSPENSE_LMOD_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTNER_CUS_PK	VARCHAR2(100)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	VARCHAR2(8)	19000101
CHANGE_PARTNER_CUS_PK	VARCHAR2(100)	
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMPGOALCD_CODE	VARCHAR2(1)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMPSTATCD_CODE	VARCHAR2(1)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDCD_CODE	VARCHAR2(1)	
HGCOMPCD_CODE	VARCHAR2(2)	
HOMELESS_FLAG	VARCHAR2(1)	
INCARCERATION_DATE	VARCHAR2(8)	19000101
INCARCERATION_RELEASE_DATE	VARCHAR2(8)	19000101
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFWCD_CODE	VARCHAR2(1)	
RACECD_ID	NUMBER(10)	0
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	
RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	

RACE_WHITE_FLAG	VARCHAR2(1)	
RECTRNCD_CODE	VARCHAR2(1)	
SCHSTATCD_CODE	VARCHAR2(1)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN	VARCHAR2(9)	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VETCD_ID	NUMBER(10)	0
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	
VOCREHABCD_CODE	VARCHAR2(1)	
WAGNER_PEYSER_FLAG	VARCHAR2(1)	
YOUTH_FINASSCD_CODE	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Customer Updates

Record Description for: Customer Updates table Table Name: PRISM_STG.CUSTOMER_UPDATES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	VARCHAR2(8)	'19000101'
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMPGOALCD_CODE	VARCHAR2(1)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMPSTATCD_CODE	VARCHAR2(1)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDCD_CODE	VARCHAR2(1)	
HGCOMPCD_CODE	VARCHAR2(2)	
HOMELESS_FLAG	VARCHAR2(1)	
INCARCERATION_DATE	VARCHAR2(8)	19000101
INCARCERATION_RELEASE_DATE	VARCHAR2(8)	19000101
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFWCD_CODE	VARCHAR2(1)	
PRISM_LMOD_DATE	DATE	SYSDATE
PRISM_POST_DATE	DATE	SYSDATE
RACECD_ID	NUMBER(10)	0
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	
RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	
RACE_WHITE_FLAG	VARCHAR2(1)	

RECTRNCD_CODE	VARCHAR2(1)	
SCHSTATCD_CODE	VARCHAR2(1)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN	VARCHAR2(9)	
SSN_FROM_PARTCD_CODE	VARCHAR2(2)	ZZ
SSN_FROM_PARTNER_DATE	DATE	
VETCD_ID	NUMBER(10)	0
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VOCREHABCD_CODE	VARCHAR2(1)	
WAGNER_PEYSER_FLAG	VARCHAR2(1)	
YOUTH_FINASSCD_CODE	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Customers

Record Description for: Customers table | Table Name: PRISM_STG.CUSTOMERS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	VARCHAR2(8)	19000101
CHANGE_PARTNER_CUS_PK	VARCHAR2(100)	^
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMPGOALCD_CODE	VARCHAR2(1)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMPSTATCD_CODE	VARCHAR2(1)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDCD_CODE	VARCHAR2(1)	
HGCOMPCD_CODE	VARCHAR2(2)	
HOMELESS_FLAG	VARCHAR2(1)	
INCARCERATION_DATE	VARCHAR2(8)	19000101
INCARCERATION_RELEASE_DATE	VARCHAR2(8)	19000101
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFWCD_CODE	VARCHAR2(1)	
RACECD_ID	NUMBER(10)	0
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	
RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	
RACE_WHITE_FLAG	VARCHAR2(1)	
RECTRNCD_CODE	VARCHAR2(1)	

SCHSTATCD_CODE	VARCHAR2(1)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN	VARCHAR2(9)	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VETCD_ID	NUMBER(10)	0
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	
VOCREHABCD_CODE	VARCHAR2(1)	
WAGNER_PEYSER_FLAG	VARCHAR2(1)	
YOUTH_FINASSCD_CODE	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Outcome Suspense

Record Description for: Outcome Suspense table Table Name: PRISM_STG.OUTCOME_SUSPENSE

Name	Data Type	Remarks
OUTC_ID	NUMBER(10)	Primary Key
FIXED_FLAG	VARCHAR2(1)	'N'
SUSPENSE_LMOD_DATE	DATE	SYSDATE
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
CREDCD_CODE	VARCHAR2(2)	
CREDENTIAL_BEGIN_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_COMPLETION_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_DELETE_FLAG	VARCHAR2(1)	
EXCLUCD_CODE	VARCHAR2(2)	
EXCLUSIONARY_DATE	VARCHAR2(8)	'19000101'
EXCLUSIONARY_DELETE_FLAG	VARCHAR2(1)	
SUPP_EMPLOYMENT_DELETE_FLAG	VARCHAR2(1)	
SUPP_WAGE_AMT	NUMBER(12,2)	
SUPP_ WAGE_QUARTER	VARCHAR2(5)	YYYYQ
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Outcome Suspense Errors

Record Description for: Outcome Suspense Errors table Table Name: PRISM_STG.OUTCOME_SUSPENSE_ERRORS

Name	Data Type	Remarks
OUTC_ID	NUMBER(10)	Primary Key
SUSPENSE_POST_DATE	DATE	SYSDATE
BAD_DATA_TXT	VARCHAR2(100)	
COLUMN_NAME	VARCHAR2(30)	
MESSAGE1_TXT	VARCHAR2(200)	
MESSAGE2_TXT	VARCHAR2(200)	

~ ~

Outcome Suspense Retries

Record Description for: Outcome Suspense Retries table Table Name: PRISM_STG.OUTCOME_SUSPENSE_RETRIES

Name	Data Type	Remarks
OUTC_ID	NUMBER(10)	Primary Key
SUSPENSE_LMOD_DATE	DATE	SYSDATE
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
CREDCD_CODE	VARCHAR2(2)	
CREDENTIAL_BEGIN_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_COMPLETION_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_DELETE_FLAG	VARCHAR2(1)	
EXCLUCD_CODE	VARCHAR2(2)	
EXCLUSIONARY_DATE	VARCHAR2(8)	'19000101'
EXCLUSIONARY_DELETE_FLAG	VARCHAR2(1)	
SUPP_EMPLOYMENT_DELETE_FLAG	VARCHAR2(1)	
SUPP_WAGE_AMT	NUMBER(12,2)	
SUPP_ WAGE_QUARTER	VARCHAR2(5)	YYYYQ
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Outcome Updates

Record Description for: Outcome Updates table Table Name: PRISM_STG.OUTCOME_UPDATES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
CREDCD_CODE	VARCHAR2(2)	
CREDENTIAL_BEGIN_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_COMPLETION_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_DELETE_FLAG	VARCHAR2(1)	
EXCLUCD_CODE	VARCHAR2(2)	
EXCLUSIONARY_DATE	VARCHAR2(8)	'19000101'
EXCLUSIONARY_DELETE_FLAG	VARCHAR2(1)	
SUPP_EMPLOYMENT_DELETE_FLAG	VARCHAR2(1)	
SUPP_WAGE_AMT	NUMBER(12,2)	
SUPP_ WAGE_QUARTER	VARCHAR2(5)	YYYYQ
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Outcomes

Record Description for: Outcomes table Table Name: PRISM_STG.OUTCOMES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	Foreign Key to PARTNER_CODE table
PARTNER_CUS_PK	VARCHAR2(100)	
CREDCD_CODE	VARCHAR2(2)	
CREDENTIAL_BEGIN_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_COMPLETION_DATE	VARCHAR2(8)	'19000101'
CREDENTIAL_DELETE_FLAG	VARCHAR2(1)	
EXCLUCD_CODE	VARCHAR2(2)	
EXCLUSIONARY_DATE	VARCHAR2(8)	'19000101'
EXCLUSIONARY_DELETE_FLAG	VARCHAR2(1)	
SUPP_EMPLOYMENT_DELETE_FLAG	VARCHAR2(1)	
SUPP_WAGE_AMT	NUMBER(12,2)	
SUPP_ WAGE_QUARTER	VARCHAR2(5)	YYYYQ
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Service Suspense

Record Description for: Service Suspense table Table Name: PRISM_STG.SERVICE_SUSPENSE

Name	Data Type	Remarks
SRV_ID	NUMBER(10)	Primary Key
FIXED_FLAG	VARCHAR2(1)	'N'
SUSPENSE_LMOD_DATE	DATE	SYSDATE
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
PARTNER_SRV_PK	VARCHAR2(100)	
CIPCD_CODE	VARCHAR2(6)	
ELIGIBLE_TRNG_PROVIDER_FLAG	VARCHAR2(1)	
NAICSTRNCD_CODE	VARCHAR2(2)	
ONETCD_CODE	VARCHAR2(10)	
PGMCD_CODE	VARCHAR2(4)	
SERVICE_BEGIN_DATE	VARCHAR2(8)	'19000101'
SERVICE_END_DATE	VARCHAR2(8)	'19000101'
SERVICE_SITE_CODE	VARCHAR2(4)	
SRVCD_CODE	VARCHAR2(3)	
SRVSITECD_ID	NUMBER(10)	
DELETE_FLAG	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Service Suspense Errors

Record Description for: Service Suspense Errors table Table Name: PRISM_STG.SERVICE_SUSPENSE_ERRORS

Name	Data Type	Remarks
SRV_ID	NUMBER(10)	Primary Key
SUSPENSE_POST_DATE	DATE	SYSDATE
BAD_DATA_TXT	VARCHAR2(100)	
COLUMN_NAME	VARCHAR2(30)	
MESSAGE1_TXT	VARCHAR2(200)	
MESSAGE2_TXT	VARCHAR2(200)	

~ ~

Service Suspense Retries

Record Description for: Service Suspense Retries table Table Name: PRISM_STG.SERVICE_SUSPENSE_RETRIES

Name	Data Type	Remarks
SRV_ID	NUMBER(10)	Primary Key
SUSPENSE_LMOD_DATE	DATE	SYSDATE
SUSPENSE_POST_DATE	DATE	SYSDATE
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
PARTNER_SRV_PK	VARCHAR2(100)	
CIPCD_CODE	VARCHAR2(6)	
ELIGIBLE_TRNG_PROVIDER_FLAG	VARCHAR2(1)	
NAICSTRNCD_CODE	VARCHAR2(2)	
ONETCD_CODE	VARCHAR2(10)	
PGMCD_CODE	VARCHAR2(4)	
SERVICE_BEGIN_DATE	VARCHAR2(8)	‘19000101’
SERVICE_END_DATE	VARCHAR2(8)	‘19000101’
SERVICE_SITE_CODE	VARCHAR2(4)	
SRVCD_CODE	VARCHAR2(3)	
SRVSITECD_ID	NUMBER(10)	
DELETE_FLAG	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Service Updates

Record Description for: Service Updates table Table Name: PRISM_STG.SERVICE_UPDATES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
PARTNER_SRV_PK	VARCHAR2(100)	
CIPCD_CODE	VARCHAR2(6)	
ELIGIBLE_TRNG_PROVIDER_FLAG	VARCHAR2(1)	
NAICSTRNCD_CODE	VARCHAR2(2)	
ONETCD_CODE	VARCHAR2(10)	
PGMCD_CODE	VARCHAR2(4)	
SERVICE_BEGIN_DATE	VARCHAR2(8)	'19000101'
SERVICE_END_DATE	VARCHAR2(8)	'19000101'
SERVICE_SITE_CODE	VARCHAR2(4)	
SRVCD_CODE	VARCHAR2(3)	
SRVSITECD_ID	NUMBER(10)	
DELETE_FLAG	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Services

Record Description for: Services table Table Name: PRISM_STG.SERVICES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(100)	
PARTNER_CUS_PK	VARCHAR2(100)	
PARTNER_SRV_PK	VARCHAR2(100)	
CIPCD_CODE	VARCHAR2(6)	
ELIGIBLE_TRNG_PROVIDER_FLAG	VARCHAR2(1)	
NAICSTRNCD_CODE	VARCHAR2(2)	
ONETCD_CODE	VARCHAR2(10)	
PGMCD_CODE	VARCHAR2(4)	
SERVICE_BEGIN_DATE	VARCHAR2(8)	'19000101'
SERVICE_END_DATE	VARCHAR2(8)	'19000101'
SERVICE_SITE_CODE	VARCHAR2(4)	
SRVCD_CODE	VARCHAR2(3)	
SRVSITECD_ID	NUMBER(10)	
DELETE_FLAG	VARCHAR2(1)	
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

Transmittals

Record Description for: Transmittals table Table Name: PRISM_STG.TRANSMITTALS

Name	Data Type	Remarks
PARTCD_CODE	VARCHAR2(2)	
CUSTOMERS_REC_COUNT_NBR	NUMBER(8)	
OUTCOMES_REC_COUNT_NBR	NUMBER(8)	
SERVICES_REC_COUNT_NBR	NUMBER(8)	
REPORTING_PERIOD_BEGIN_DATE	VARCHAR2(8)	YYYYMMDD format
REPORTING_PERIOD_END_DATE	VARCHAR2(8)	YYYYMMDD format
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format

~ ~

PRISM_TAB

Age Group Codes

Record Description for: Age Group Codes table — Table Name: PRISM_TAB.AGE_GROUP_CODES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
DESCR	VARCHAR2(50)	
LOW_AGE_NBR	NUMBER(3)	
HIGH_AGE_NBR	NUMBER(3)	

~ ~

All Wage NAICS

Record Description for: All Wage NAICS table — Table Name: PRISM_TAB.ALL_WAGE_NAICS

Name	Data Type	Remarks
SSN	VARCHAR2(9)	Primary Key
QUARTER	VARCHAR2(5)	
NAICS_CODE	VARCHAR2(6)	
HOURS_SUM_NBR	NUMBER(10)	0
USE_ME_FLAG	VARCHAR2(1)	'Y'
WAGE_SUM_AMT	NUMBER(12,2)	0

~ ~

All Wages

Record Description for: All Wages table — Table Name: PRISM_TAB.ALL_WAGES

Name	Data Type	Remarks
WAGE_SOURCE_CODE	VARCHAR2(6)	Primary Key
SSN	VARCHAR2(9)	Primary Key
QUARTER	VARCHAR2(5)	Primary Key
EMPLOYER_ACCT_NUM	VARCHAR2(10)	Primary Key
FEDERAL_EMPLOYER_ID_NUM	VARCHAR2(9)	
NAICS_CODE	VARCHAR2(6)	
STATE_CODE	VARCHAR2(2)	
WAGE_AMT	NUMBER(12,2)	0
HOURS_NBR	NUMBER(3)	0

~ ~

CIP Codes (Classification of Instructional Programs)

Record Description for: CIP Codes table — Table Name: PRISM_TAB.CIP_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(6)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

CIP Codes - 2 Digit Breakdown

Record Description for: CIP 2 Codes table — Table Name: PRISM_TAB.CIP2_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

CIP Codes - 4 Digit Breakdown

Record Description for: CIP 4 Codes table — Table Name: PRISM_TAB.CIP4_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(4)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

County Codes

Record Description for: County Codes table — Table Name: PRISM_TAB.COUNTY_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(50)	
WFAREACD_CODE	VARCHAR2(10)	Foreign Key to WORKFORCE_AREA_CODES table

~ ~

Credential Codes

Record Description for: Credential Codes table — Table Name: PRISM_TAB.CREDENTIAL_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

Customer Credentials

Record Description for: Customer Credentials table Table Name: PRISM_TAB.CUSTOMER_CREDENTIALS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUS_ID	NUMBER(10)	
CREDCD_CODE	VARCHAR2(2)	^
CREDENTIAL_BEGIN_DATE	DATE	
CREDENTIAL_COMPLETION_DATE	DATE	
PRISM_LMOD_DATE	DATE	SYSDATE
PRISM_POST_DATE	DATE	SYSDATE

~ ~

Customer Episode CIPS

Record Description for: Customer Episode CIPS table Table Name: PRISM_TAB.CUSTOMER_EPISODE_CIPS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
CIP_CODE	VARCHAR2(6)	^
CIP_DESCR	VARCHAR2(100)	^
CIP2_CODE	VARCHAR2(2)	^
CIP2_DESCR	VARCHAR2(100)	^
CIP4_CODE	VARCHAR2(4)	^
CIP4_DESCR	VARCHAR2(100)	^

~ ~

Customer Episode Credentials

Record Description for: Customer Episode Credentials table Table Name: PRISM_TAB.CUSTOMER_EPISODE_CREDENTIALS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
CREDENTIAL_CODE	VARCHAR2(2)	^
CREDENTIAL_DESCR	VARCHAR2(100)	^

~ ~

Customer Episode Exclusions

Record Description for: Customer Episode Exclusions table Table Name: PRISM_TAB.CUSTOMER_EPISODE_EXCLUSIONS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
EXCLUSION_CODE	VARCHAR2(2)	^
EXCLUSION_DESCR	VARCHAR2(50)	^

~ ~

Customer Episode NAICS

Record Description for: Customer Episode NAICS table Table Name: PRISM_TAB.CUSTOMER_EPISODE_NAICS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
NAICS_TRAINING_CODE	VARCHAR2(2)	^
NAICS_TRAINING_DESCR	VARCHAR2(100)	^

~ ~

Customer Episode Programs

Record Description for: Customer Episode Programs table Table Name: PRISM_TAB.CUSTOMER_EPISODE_PROGRAMS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
PROGRAM_ID	NUMBER(10)	0
PROGRAM_DESCR	VARCHAR2(200)	^

~ ~

Customer Episode Service Sites

Record Description for: Customer Episode Service Sites table Table Name: PRISM_TAB.CUSTOMER_EPISODE_SERVICE_SITES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
SERVICE_SITE_ID	NUMBER(10)	0
SERVICE_SITE_DESCR	VARCHAR2(100)	^

~ ~

Customer Episode Services

Record Description for: Customer Episode Services table Table Name: PRISM_TAB.CUSTOMER_EPISODE_SERVICES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUSEPSD_ID	NUMBER(10)	0
SERVICE_CODE	VARCHAR2(3)	^
SERVICE_DESCR	VARCHAR2(100)	^

~ ~

Customer Episodes

Record Description for: Customer Episodes table Table Name: PRISM_TAB.CUSTOMER_EPISODES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUS_ID	NUMBER(10)	0
EPISODE_BEGIN_DATE	DATE	
EPISODE_END_DATE	DATE	
EPISODE_EXIT_PROGRAM_YEAR	VARCHAR2(4)	
EPISODE_EXIT_QUARTER	VARCHAR2(5)	
PARTCD_CODE	VARCHAR2(2)	
PARTNER_DESCR	VARCHAR2(100)	
PARTNER_CUS_PK	VARCHAR2(100)	
CID	VARCHAR2(11)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_STATE_DESCR	VARCHAR2(50)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
ADULT_FINASSCD_DESCR	VARCHAR2(50)	
AGE_NBR	NUMBER(3)	0
AGE_GROUP_ID	NUMBER(10)	0
AGE_GROUP_DESCR	VARCHAR2(50)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	DATE	
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUNTY_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
COUNTY_DESCR	VARCHAR2(50)	
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_DESCR	VARCHAR2(50)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMP_GOAL_CODE	VARCHAR2(1)	
EMP_GOAL_DESCR	VARCHAR2(100)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMP_STATUS_CODE	VARCHAR2(1)	
EMP_STATUS_DESCR	VARCHAR2(100)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
EXCLUSION_CRIMINAL_OFFNDR_FLAG	VARCHAR2(1)	^
EXCLUSIONS_NOT_CRIM_OFFNDR_FLAG	NUMBER(10)	0
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDER_CODE	VARCHAR2(1)	
GENDER_DESCR	VARCHAR2(50)	
HIGH_GRADE_COMPLETED_CODE	VARCHAR2(2)	

HIGH_GRADE_COMPLETED_DESCR	VARCHAR2(100)	
HOMELESS_FLAG	VARCHAR2(1)	
INCARCERATION_DATE	DATE	
INCARCERATION_RELEASE_DATE	DATE	
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFW_CODE	VARCHAR2(1)	
MSFW_DESCR	VARCHAR2(50)	
PRISM_POST_DATE	DATE	SYSDATE
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	
RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_MULTIPLE_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	
RACE_WHITE_FLAG	VARCHAR2(1)	
RECEIVED_TRAINING_CODE	VARCHAR2(1)	
RECEIVED_TRAINING_DESCR	VARCHAR2(50)	
SCHOOL_STATUS_CODE	VARCHAR2(1)	
SCHOOL_STATUS_DESCR	VARCHAR2(50)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN_FROM_PARTCD_CODE	VARCHAR2(2)	
SSN_FROM_PARTCD_DESCR	VARCHAR2(100)	
SSN_FROM_PARTNER_DATE	DATE	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	
VOCREHABCD_CODE	VARCHAR2(1)	
VOCREHABCD_DESCR	VARCHAR2(50)	
WAGNER_PEYSER_FLAG	VARCHAR2(1)	
WORKFORCE_AREA_CODE	VARCHAR2(10)	
WORKFORCE_AREA_DESCR	VARCHAR2(50)	
YOUTH_FINASS_CODE	VARCHAR2(1)	
YOUTH_FINASS_DESCR	VARCHAR2(50)	
WAGE_M4_AMT	NUMBER(12,2)	0
WAGE_M4_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_M4_NAICS_CODE	VARCHAR2(6)	
WAGE_M4_QUARTER	VARCHAR2(5)	^
WAGE_M4_SOURCE_CODE	VARCHAR2(1)	
WAGE_M3_AMT	NUMBER(12,2)	0
WAGE_M3_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_M3_NAICS_CODE	VARCHAR2(6)	
WAGE_M3_QUARTER	VARCHAR2(5)	^
WAGE_M3_SOURCE_CODE	VARCHAR2(1)	

WAGE_M2_AMT	NUMBER(12,2)	0
WAGE_M2_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_M2_NAICS_CODE	VARCHAR2(6)	
WAGE_M2_QUARTER	VARCHAR2(5)	^
WAGE_M2_SOURCE_CODE	VARCHAR2(1)	
WAGE_M1_AMT	NUMBER(12,2)	0
WAGE_M1_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_M1_NAICS_CODE	VARCHAR2(6)	
WAGE_M1_QUARTER	VARCHAR2(5)	^
WAGE_M1_SOURCE_CODE	VARCHAR2(1)	
WAGE_P1_AMT	NUMBER(12,2)	0
WAGE_P1_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_P1_NAICS_CODE	VARCHAR2(6)	
WAGE_P1_QUARTER	VARCHAR2(5)	^
WAGE_P1_SOURCE_CODE	VARCHAR2(1)	^
WAGE_P2_AMT	NUMBER(12,2)	0
WAGE_P2_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_P2_NAICS_CODE	VARCHAR2(6)	
WAGE_P2_QUARTER	VARCHAR2(5)	^
WAGE_P2_SOURCE_CODE	VARCHAR2(1)	^
WAGE_P3_AMT	NUMBER(12,2)	0
WAGE_P3_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_P3_NAICS_CODE	VARCHAR2(6)	
WAGE_P3_QUARTER	VARCHAR2(5)	^
WAGE_P3_SOURCE_CODE	VARCHAR2(1)	^
WAGE_P4_AMT	NUMBER(12,2)	0
WAGE_P4_HOURS_WORKED_NBR	NUMBER(10)	0
WAGE_P4_NAICS_CODE	VARCHAR2(6)	
WAGE_P4_QUARTER	VARCHAR2(5)	^
WAGE_P4_SOURCE_CODE	VARCHAR2(1)	^
WAGE_AVERAGE_AMT	NUMBER(12,2)	0
WAGE_MEDIAN_AMT	NUMBER(12,2)	0

~ ~

Customer Exclusions

Record Description for: Customer Exclusions table Table Name: PRISM_TAB.CUSTOMER_EXCLUSIONS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUS_ID	NUMBER(10)	
EXCLUCD_CODE	VARCHAR2(2)	
EXCLUSIONARY_DATE	DATE	
PRISM_LMOD_DATE	DATE	SYSDATE
PRISM_POST_DATE	DATE	SYSDATE

~ ~

Customer Services

Record Description for: Customer Services table Table Name: PRISM_TAB.CUSTOMER_SERVICES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUS_ID	NUMBER(10)	
PARTNER_SRV_PK	VARCHAR2(100)	
CIPCD_CODE	VARCHAR2(6)	
ELIGIBLE_TRNG_PROVIDER_FLAG	VARCHAR2(1)	
NAICSTRNCD_CODE	VARCHAR2(2)	
ONETCD_CODE	VARCHAR2(10)	
PGMCD_ID	NUMBER(10)	
PRISM_LMOD_DATE	DATE	SYSDATE
PRISM_POST_DATE	DATE	SYSDATE
SERVICE_BEGIN_DATE	DATE	
SERVICE_END_DATE	DATE	
SRVCD_CODE	VARCHAR2(3)	
SRVSITECD_ID	NUMBER(10)	

~ ~

Customer Supplemental Employment

Record Description for: Customer Supplemental Employ table Table Name: PRISM_TAB.CUSTOMER_SUPP_EMPLOYMENT

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
CUS_ID	NUMBER(10)	
PRISM_POST_DATE	DATE	SYSDATE
SUPP_WAGE_AMT	NUMBER(12,2)	
SUPP_WAGE_QUARTER	VARCHAR2(5)	YYYYQ

~ ~

Customers

Record Description for: Customers table | Table Name: PRISM_TAB.CUSTOMERS

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
PARTNER_CUS_PK	VARCHAR2(100)	
ADDRESS_LINE1	VARCHAR2(50)	
ADDRESS_LINE2	VARCHAR2(50)	
ADDRESS_CITY	VARCHAR2(50)	
ADDRESS_STATECD_CODE	VARCHAR2(2)	
ADDRESS_ZIP_CODE	VARCHAR2(5)	
ADDRESS_ZIP_PLUS4	VARCHAR2(4)	
ADULT_EDUCATION_FLAG	VARCHAR2(1)	
ADULT_FINASSCD_CODE	VARCHAR2(1)	
BASIC_SKILLS_DEFICIENT_FLAG	VARCHAR2(1)	
BIRTH_DATE	DATE	
CHILDREN_IN_HOME_NUM	VARCHAR2(2)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
CULTURAL_BARRIER_FLAG	VARCHAR2(1)	
DISABILITY_FLAG	VARCHAR2(1)	
DISLOCATED_WKR_FINASSCD_CODE	VARCHAR2(1)	
DISPLACED_HOMEMAKER_FLAG	VARCHAR2(1)	
EMPGOALCD_CODE	VARCHAR2(1)	
EMPLOYMENT_RELATED_TO_TRN_FLAG	VARCHAR2(1)	
EMPSTATCD_CODE	VARCHAR2(1)	
ENGLISH_LIMITED_ABILITY_FLAG	VARCHAR2(1)	
ENROLL_SECONDARY_EDUC_PGM_FLAG	VARCHAR2(1)	
EX_OFFENDER_FLAG	VARCHAR2(1)	
FIRST_NAME	VARCHAR2(50)	
FOSTER_CARE_YOUTH_FLAG	VARCHAR2(1)	
GENDCD_CODE	VARCHAR2(1)	
HGCOMPCD_CODE	VARCHAR2(2)	
HOMELESS_FLAG	VARCHAR2(1)	
INTERNATIONAL_STUDENT_FLAG	VARCHAR2(1)	
LAST_NAME	VARCHAR2(50)	
LONG_TERM_UNEMPLOYED_FLAG	VARCHAR2(1)	
LOW_LITERACY_LEVEL_FLAG	VARCHAR2(1)	
LOW_INCOME_FLAG	VARCHAR2(1)	
MIDDLE_INITIAL	VARCHAR2(1)	
MSFWCD_CODE	VARCHAR2(1)	
PRISM_LMOD_DATE	DATE	SYSDATE
PRISM_POST_DATE	DATE	SYSDATE
RACECD_ID	NUMBER(10)	0
RECTRNCD_CODE	VARCHAR2(1)	
SCHSTATCD_CODE	VARCHAR2(1)	
SINGLE_PARENT_FLAG	VARCHAR2(1)	
SSN	VARCHAR2(9)	
SSN_FROM_PARTCD_CODE	VARCHAR2(2)	
SSN_FROM_PARTNER_DATE	DATE	
TANF_EXHAUST_2_YEAR_FLAG	VARCHAR2(1)	
VETCD_ID	NUMBER(10)	0
VOCREHABCD_CODE	VARCHAR2(1)	

WAGNER_PEYSER_FLAG	VARCHAR2(1)	
YOUTH_FINASSCD_CODE	VARCHAR2(1)	
INCARCERATION_DATE	DATE	
INCARCERATION_RELEASE_DATE	DATE	

~ ~

Eligible Training Provider Codes

Record Description for: Eligible Train Provider Codes table Table Name: PRISM_TAB.ELIGIBLE_TRAINING_PROVDR_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(4)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Employment Goal Codes

Record Description for: Employment Goal Codes table Table Name: PRISM_TAB.EMPLOYMENT_GOAL_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

Employment Status Codes

Record Description for: Employment Status Codes table Table Name: PRISM_TAB.EMPLOYMENT_STATUS_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

Employment Type Codes

Record Description for: Employment Type Codes table Table Name: PRISM_TAB.EMPLOYMENT_TYPE_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Exclusionary Codes

Record Description for: Exclusionary Codes table Table Name: PRISM_TAB.EXCLUSIONARY_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Financial Assistance Codes

Record Description for: Financial Assistance Codes table Table Name: PRISM_TAB.FINANCIAL_ASSISTANCE_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Gender Codes

Record Description for: Gender Codes table Table Name: PRISM_TAB.GENDER_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Highest Grade Completed Codes

Record Description for: Highest Grade Compl Codes table Table Name: PRISM_TAB.HIGHEST_GRADE_COMPLETED_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

MSFW Codes

Record Description for: MSFW Codes table Table Name: PRISM_TAB.MSFW_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

NAICS Codes

Record Description for: NAICS Codes table — Table Name: PRISM_TAB.NAICS_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(6)	Primary Key
DESCR	VARCHAR2(4000)	

~ ~

NAICS Training Codes

Record Description for: NAICS Training Codes table — Table Name: PRISM_TAB.NAICS_TRAINING_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

O*NET Codes

Record Description for: O*Net Codes table — Table Name: PRISM_TAB.ONET_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(10)	Primary Key
DESCR	VARCHAR2(200)	
NARRATIVE_TXT	VARCHAR2(4000)	

~ ~

Partner Codes

Record Description for: Partner Codes table — Table Name: PRISM_TAB.PARTNER_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(100)	
VALID_FLAG	VARCHAR2(1)	
WRIS_ELIGIBLE_FLAG	VARCHAR2(1)	
WRIS2_ELIGIBLE_FLAG	VARCHAR2(1)	

~ ~

Partner Customer Primary Key Histories

Record Description for: Partner Customer Primary Key Histories table Table Name: PRISM_TAB.PARTNER_CUS_PK_HISTORIES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	
FROM_PARTNER_CUS_PK	VARCHAR2(100)	
TO_PARTNER_CUS_PK	VARCHAR2(100)	
POST_DATE	DATE	

~ ~

Program Codes

Record Description for: Program Codes table Table Name: PRISM_TAB.PROGRAM_CODES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary key field.
CODE	VARCHAR2(10)	
DESCR	VARCHAR2(200)	
PARENT_PGMCD_ ID	NUMBER(10)	
PARTCD_CODE	VARCHAR2(2)	Foreign Key to PARTNER_CODES table
ELIGIBLE_TRAINING_PARTNER_FLAG	VARCHAR2(1)	

~ ~

Race Codes

Record Description for: Race Codes table Table Name: PRISM_TAB.RACE_CODES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
ETHNICITY_HISPANIC_LATINO_FLAG	VARCHAR2(1)	
RACE_AMIND_ALKNAT_FLAG	VARCHAR2(1)	
RACE_ASIAN_FLAG	VARCHAR2(1)	
RACE_BLACK_FLAG	VARCHAR2(1)	
RACE_HAWNAT_PACISL_FLAG	VARCHAR2(1)	
RACE_OTHER_FLAG	VARCHAR2(1)	
RACE_WHITE_FLAG	VARCHAR2(1)	

~ ~

Received Training Codes

Record Description for: Received Training Codes table Table Name: PRISM_TAB.RECEIVED_TRAINING_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

School Status Codes

Record Description for: School Status Codes table — Table Name: PRISM_TAB.SCHOOL_STATUS_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(100)	

~ ~

Service Codes

Record Description for: Service Codes table — Table Name: PRISM_TAB.SERVICE_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(3)	Primary Key
DESCR	VARCHAR2(100)	
SERVICE_EXTEND_FLAG	VARCHAR2(1)	Default 'N'

~ ~

Service Site Codes (i.e. Field Office, Local Office, Branch Office, College, etc.)

Record Description for: Service Site Codes table — Table Name: PRISM_TAB.SERVICE_SITE_CODES

Name	Data Type	Remarks
ID	NUMBER(10)	
CODE	VARCHAR2(4)	Primary Key
DESCR	VARCHAR2(100)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table
PARTCD_CODE	VARCHAR2(2)	Foreign Key to PARTNER_CODE table
PARENT_SRVSITECD_ID	NUMBER(10)	Recursive Parent Column to ID

~ ~

State Codes

Record Description for: State Codes table — Table Name: PRISM_TAB.STATE_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(50)	
VALID_STATE_FLAG	VARCHAR2(1)	

~ ~

Transmittal Histories

Record Description for: Transmittal Histories table — Table Name: PRISM_TAB.TRANSMITTAL_HISTORIES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
PARTCD_CODE	VARCHAR2(2)	Foreign Key to PARTNER_CODE table
TRANSMITTAL_NUM	VARCHAR2(10)	AAYYYYMMDD format
CUSTOMERS_REC_COUNT_NBR	NUMBER(8)	
SERVICES_REC_COUNT_NBR	NUMBER(8)	
OUTCOMES_REC_COUNT_NBR	NUMBER(8)	
PRISM_POST_DATE	DATE	SYSDATE
REPORT_PERIOD_BEGIN_DATE	DATE	
REPORT_PERIOD_END_DATE	DATE	

~ ~

Veteran Codes

Record Description for: Veteran Codes Table — Table Name: PRISM_TAB.VETERAN_CODES

Name	Data Type	Remarks
ID	NUMBER(10)	Primary Key
VETERAN_CAMPAIGN_FLAG	VARCHAR2(1)	
VETERAN_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_FLAG	VARCHAR2(1)	
VETERAN_POST_911_FLAG	VARCHAR2(1)	
VETERAN_RECENTLY_SEP_FLAG	VARCHAR2(1)	
VETERAN_SPECIAL_DISABLED_FLAG	VARCHAR2(1)	
VETERAN_TRANSITIONING_FLAG	VARCHAR2(1)	

~ ~

Vocational Rehabilitation Codes

Record Description for: Vocational Rehabilitation Codes table — Table Name: PRISM_TAB.VOC_REHAB_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Wage Match Codes

Record Description for: Wage Match Codes table — Table Name: PRISM_TAB. WAGE_MATCH_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(1)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Wage Source Codes

Record Description for: Wage Source Codes table Table Name: PRISM_TAB. WAGE_SOURCE_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(2)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Workforce Area Codes

Record Description for: Workforce Area Codes table Table Name: PRISM_TAB.WORKFORCE_AREA_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(10)	Primary Key
DESCR	VARCHAR2(50)	

~ ~

Zip Codes

Record Description for: Zip Codes table Table Name: PRISM_TAB.ZIP_CODES

Name	Data Type	Remarks
CODE	VARCHAR2(5)	Primary Key
CITY_NAME	VARCHAR2(50)	
COUCD_CODE	VARCHAR2(2)	Foreign Key to COUNTY_CODES table

~ ~