



State of Oregon
Department of
Environmental
Quality

Groundwater Quality Protection in Oregon

January 2009



This report has been prepared by the Department of Environmental Quality in accordance with the requirements of the Groundwater Quality Protection Act of 1989:

Oregon Revised Statute 468B.162(3):

In addition to its duties under subsection (1) of this section, the department shall, on or before January 1 of each odd-numbered year, prepare a report to the Legislative Assembly. The report shall include the status of ground water in Oregon, efforts made in the immediately preceding year to protect, conserve and restore Oregon's ground water resources and grants awarded under ORS 468B.169.

Contents

Executive Summary	1
Introduction	2
Groundwater Assessment in Oregon	3
DEQ Groundwater Monitoring and Assessment Program.....	3
Other Groundwater Monitoring and Assessment Activities	4
Groundwater Restoration in Oregon	5
Groundwater Management Areas	5
Northern Malheur County Groundwater Management Area	6
Lower Umatilla Basin Groundwater Management Area	6
Southern Willamette Valley Groundwater Management Area	7
Groundwater Protection in Oregon	9
La Pine National Demonstration Project	9
Source Water Assessment and Drinking Water Protection Program.....	11
Other Groundwater Protection Efforts	12
Funding Groundwater Quality Projects in Oregon	13
Future Direction	13
Figures:	
1. Distribution of Water Wells in Oregon.....	3
2. Locations of Oregon’s Groundwater Management Areas	5
3. Southern Willamette Valley Groundwater Management Area	8
Appendices:	
1. Groundwater Quality Assessment Project	15
2. Oregon Groundwater Protection Programs and Responsibilities.....	16
3. Funding for Groundwater Projects.....	18

Executive Summary

Groundwater makes up approximately 95% of available freshwater resources in Oregon. Approximately 70% of all Oregon residents rely solely or in part on groundwater for drinking water. Over 90% of rural Oregonians rely on groundwater for drinking water. The goals of the Oregon Groundwater Quality Protection Act of 1989 (ORS 468B.150 – 468B.190) are to prevent contamination of groundwater resources, conserve and restore groundwater, and maintain the high quality of Oregon's groundwater resource for present and future uses. The Act established a policy that all state agencies' rules and programs are to be consistent with this goal of protecting drinking water resources and public health.

Groundwater is present beneath almost every land surface and is sometimes at very shallow depths. It is vulnerable to contamination from activities that take place on the land as well as from discharges of wastes and pollutants at or below the ground surface. Once groundwater becomes contaminated it is very difficult to clean up. Because groundwater moves very slowly, the contamination may persist for tens, hundreds, or even thousands of years. Likewise, groundwater that is currently being contaminated may not affect beneficial uses until some time far into the future. This contamination may impair groundwater for use as drinking water and may affect the quality of the surface waters where it comes to the surface.

DEQ has primary responsibility for implementing groundwater protection in Oregon. DEQ uses a combination of programs to help prevent groundwater contamination from point and non-point sources of pollution, clean up pollution sources, and monitor and assess groundwater and drinking water quality. DEQ implements some programs through partnerships with the Oregon Department of Human Services- Environmental Public Health (DHS), Oregon Water Resources Department, Oregon Department of Agriculture (ODA), Oregon State University, and other state, local, and private organizations, businesses, and individuals.

Introduction

The Oregon Groundwater Quality Protection Act of 1989 (ORS 468B.150-190) sets a broad goal for the State of Oregon – to prevent contamination of the groundwater resource, to conserve and restore this resource, and to maintain the high quality of Oregon’s groundwater resource for present and future uses. The Act established a policy that all state agencies’ rules and programs are to be consistent with this goal of protecting drinking water resources and public health.

The Department of Environmental Quality (DEQ) has primary responsibility for implementing groundwater protection in Oregon. However, because of dwindling budget resources and other water quality priorities, DEQ’s groundwater quality protection efforts have decreased significantly in the last decade and have become increasingly fragmented among multiple programs administered out of multiple offices. In the early 1990’s, DEQ had 12 staff dedicated to the Groundwater program; this was reduced to five in the early 2000’s. DEQ does not have the resources to provide a coordinated groundwater quality protection program or to provide ongoing groundwater monitoring and assessment. With this level of staffing, DEQ’s groundwater program consists of technical assistance, minimal statewide coordination, and implementation of groundwater monitoring and restoration activities in three Groundwater Management Areas (GWMAs).

Groundwater in Oregon has many valuable uses and functions:


- Groundwater makes up approximately 95% of available freshwater resources.
- Groundwater is the primary source of drinking water and its use is increasing.
 - Approximately 70% of all Oregon residents rely solely or in part on groundwater for drinking water.
 - Over 90% of rural Oregonians rely on groundwater for drinking water.
 - There are over 350,000 individual private domestic wells.
- Oregon's businesses require clean groundwater for industries such as food processing, dairies, manufacturing, and computer chip production.
- Groundwater provides irrigation water for Oregon agriculture and water for livestock.
- Groundwater supplies base flow for most of the state’s rivers, lakes, streams, and wetlands. In many streams, the inflow of cool groundwater may be essential to reduce stream temperatures to the range required by sensitive fish species.

As surface water resources are used to capacity, Oregonians are becoming more dependent on groundwater resources and they expect those resources to remain clean, available and useable. As the population of Oregon grows, the importance of the groundwater resource to meet the demands of that population will increase. Figure 1 shows the distribution of water wells in the state that tap groundwater resources for drinking water, irrigation, and industrial uses.

This report will present information on the:

- Groundwater assessment and monitoring activities in Oregon;
- Groundwater restoration activities in three GWMAs;
- Groundwater protection activities by DEQ and other agencies;
- Funding for groundwater quality projects in Oregon; and
- Future directions for groundwater quality protection.

Figure 1. Distribution of Water Wells in Oregon



Groundwater Assessment in Oregon

DEQ Groundwater Monitoring and Assessment Program

One of the requirements of Oregon’s Groundwater Quality Protection Act (ORS468B.190) is to conduct an ongoing statewide groundwater monitoring and assessment program to identify and characterize the quality of Oregon’s groundwater resources. DEQ does not have the resources to continue to conduct a statewide groundwater assessment and monitoring program. Consequently, DEQ’s Groundwater program conducts on-going monitoring only within the existing GWMA (Appendix 1). Specific requirements of the Groundwater Quality Protection Act are to:

- evaluate areas of the state that are especially vulnerable to contamination;
- identify long-term trends in groundwater quality;
- evaluate the ambient quality of groundwater resources; and
- identify emerging groundwater quality problems.

Past Groundwater Assessments

Between 1980 and 2000, DEQ conducted 45 groundwater quality assessments. These assessments covered approximately 6.4% of the total land area of the state, and 30.8% of the area in Oregon where

groundwater is used. The assessment data provide a general rating of the overall quality of the groundwater resource available in Oregon for use as drinking water. The data show nitrate is the most commonly detected contaminant, followed by pesticides, volatile organic compounds, and bacteria. To evaluate impairment, the levels of detected contaminants are compared to the federal drinking water standards. However, many organic chemicals, pesticides, and herbicides do not have drinking water standards and the detection of any level of these contaminants in groundwater indicates a potential concern. In 35 of 45 studies completed through 2000, the assessment results show some impairment or reason for concern. In Oregon, the detection of contaminants in groundwater at one half the drinking water standard, or at 70% of the nitrate drinking water standard, can be the basis for declaring a Groundwater Management Area.

DEQ Laboratory - Drinking Water Source Monitoring.

In spring 2008, the DEQ Laboratory and Environmental Assessment Division (LEAD) sampled wells at seven public water systems around the state as part of the DHS source water protection program. This project was funded by U.S. Environmental Protection Agency (EPA). Nine wells were sampled in the spring of 2008 and three of the wells were resampled in the fall of 2008. The samples were analyzed for contaminants commonly found in treated domestic wastewater including new synthetic chemical compounds, strong microbial pathogens, and pharmaceuticals. Many of the parameters analyzed do not have federal drinking water standards nor are addressed in the Safe Drinking Water Act. The data provided state agencies with information on where to prioritize resources for preventing the contamination of the source waters used for public systems.

DEQ Laboratory - Sutherlin Arsenic Study

In June and July 2008, DEQ in collaboration with DHS tested over 100 wells in the Sutherlin Oregon area. The work was funded by a DHS grant. The wells were tested for arsenic, nitrate, pH, specific conductance and temperature during a two week sampling event. Coordination for the project was a collaborative effort by DEQ and DHS. DEQ analyzed the samples and released the results to DHS and ultimately to the individual well owners. The study provided valuable information to the public about their drinking water and potential health effects related to naturally occurring arsenic in the groundwater.

The data showed that thirteen sites were over the drinking water standard for arsenic (10µg/L) with some over 20 times the drinking water standard at or above 200µg/L. Well owners with results over the standard were re-sampled and confirmed by DEQ staff. The owners were also notified by DHS of the results along with information on potential arsenic treatment options. The nitrate results show that no wells exceeded the drinking water standard of 10mg/L. The highest concentration found was 4.5mg/L. The majority of the results were less than 0.0050mg/L.

Other Groundwater Monitoring and Assessment Activities

Private drinking water supply wells are not routinely tested for water quality, but state law requires testing at the time of a real estate transaction (RET). A home owner selling a property with a drinking water well must test the water for nitrate and total coliform bacteria. The owner submits the test results to the DHS Drinking Water Program. Between 1989 and 2003, about 24,633 nitrate tests were performed by home owners. This data is not routinely evaluated due to a lack of resources. However, in 2004, DEQ obtained a grant from the EPA to create a database and summarize the RET data through December 2003. These data provide a broad overview of groundwater quality in the state. Most of the domestic well tests (82%) show nitrate levels below 2 mg/L and reflect background groundwater quality. Approximately 14% of the tests showed nitrate levels above background groundwater quality and about 1.7% of the wells tested exceeded the federal drinking water standard of 10 mg/L.


Groundwater Restoration in Oregon

Groundwater Management Areas

Data from past groundwater assessments done were used to identify localized or area-wide groundwater contamination problems. If area-wide contamination is found at consistently high enough levels, an area can be declared a GWMA under Oregon law¹. When this situation arises, the Groundwater Quality Protection Act requires the establishment of a local GWMA Committee comprised of affected and interested parties. This committee works with state agencies to develop and implement an action plan to reduce groundwater contamination originating from point and non-point source activities in the area.

Oregon currently has three GWMAs (Figure 2) including the Northern Malheur County GWMA, the Lower Umatilla Basin GWMA, and the Southern Willamette Valley GWMA. All three GWMAs were declared for widespread nitrate contamination. In infants and developing fetuses, nitrate greater than 10 mg/L can interfere with the ability of blood to carry vital oxygen to body tissues resulting in methemoglobinemia or “blue baby” syndrome. DEQ is currently assisting with the implementation of the GWMA Action Plans which includes maintaining groundwater quality monitoring networks, reviewing existing data to assess groundwater quality trends, and supporting local efforts to implement best management practices (BMPs) to maintain and restore groundwater quality.

Figure 2. Location of Oregon’s Groundwater Management Areas



¹ ORS 468B.180. The Department of Environmental Quality shall declare a ground water management area if, as a result of information provided to the department or from its statewide monitoring and assessment activities under ORS 468B.190, the department confirms that, as a result of suspected nonpoint source activities, there is present in the ground water:

- (a) Nitrate contaminants at levels greater than 70 percent of the levels established pursuant to ORS 468B.165; or
- (b) Any other contaminants at levels greater than 50 percent of the levels established pursuant to ORS 468B.165.

Northern Malheur County Groundwater Management Area

The Northern Malheur County (NMC) GWMA was declared in 1989 after significant groundwater contamination was identified in the northeastern portion of the county. In 1985, DEQ sampled 107 wells in northern Malheur County. Thirty-four percent of the wells sampled had nitrate levels above the drinking water standard of 10 mg/l. Oregon Revised Statutes 468B.180 require that DEQ declare a GWMA if nitrate concentrations exceed the Maximum Measureable Level of 7 mg/L. The presence of the pesticide Dacthal was an additional concern. Sampling confirmed that most of the contaminated groundwater is present in the shallow alluvial sand and gravel aquifer which receives a large proportion of its recharge from infiltration of irrigation canal leakage and irrigation water. Land use in the GWMA is dominated by agriculture.

The NMC Action Plan, dated December 1991, includes recommendations that allow farmers to customize BMPs to their farm's needs. The Committee chose to implement the Action Plan on a voluntary basis recognizing that individuals, businesses, organizations, and governments will, if given adequate information and encouragement, take positive actions and adopt or modify practices and activities to reduce contaminant loading to groundwater. The success of the action plan is gauged by both the adoption of BMPs and improvement of water quality within the GWMA.

The Natural Resources Conservation Service and the local Soil and Water Conservation District are working with farmers to develop water quality plans to address groundwater concerns. Alternative irrigation and fertilization management practices have been designed and recommended for the area.

Currently, DEQ samples a network of approximately 35 wells every other month for analysis of nitrate and Dacthal and does a more complete analysis approximately once a year. A formal trend analysis of nitrate concentrations was conducted in 2006 using the 14.5 years of data since implementation of the Action Plan. The analysis indicated that the area-wide nitrate trend was slightly decreasing. Individual wells showed a mix of decreasing (55%), increasing (32%), and statistically insignificant (13%) trends across the area. Progress is being made at the land surface through the implementation of BMPs. However, it may take years or even decades for groundwater quality to return to natural background levels.

Lower Umatilla Basin Groundwater Management Area

The Lower Umatilla Basin (LUB) GWMA was declared in 1990 after nitrate contamination was identified in the northern portions of Umatilla and Morrow Counties. Between 1990 and 1993, DEQ sampled 252 wells in the LUB study area. Groundwater samples from private wells identified nitrate contamination above the 10 mg/L drinking water standard in 33% of the samples. DEQ worked together with the Oregon Water Resources Department and DHS Drinking Water Program on a comprehensive study of the area in the early 1990s that identified five sources of nitrate loading to groundwater:

- Irrigated agriculture;
- Land application of food processing water;
- Septic systems (rural residential areas);
- Confined animal feeding operations; and
- Washout lagoons at the Umatilla Chemical Depot.

The LUB committee finalized the LUB Action Plan in December 1997. This voluntary plan focuses on education and outreach, identifying and encouraging adoption of appropriate BMPs and making

soil sampling and groundwater nitrate testing equipment and supplies available for local use. In addition, over 90% of the total acres in the LUB GWMA are covered by individual farm-specific irrigation water management plans.

Similar to NMC, DEQ samples a network of approximately 33 wells every other month for analysis of nitrate. Approximately once a year, these wells are sampled for a larger list of contaminants including major ions, metals, and pesticides. These data are being used to evaluate changes in groundwater quality over time in response to adoption of BMPs. Implementation of the Action Plan also includes ongoing community outreach and education efforts highlighting groundwater quality concerns and solutions.

In October 2008, the LUB committee finalized the “Second Four-Year Evaluation of Action Plan Success and 2005/2006 Annual Progress Report. The report concludes that “because measurable progress has been made towards the Action Plan goal using the criteria set for the Action Plan, the voluntary nature will continue for now, but BMP efforts, particularly documentation, need to be increased.”

Perchlorate in the LUB GWMA

Perchlorate is a chemical contaminant that is found nationally at low levels in the environment including water, milk and some foods. It can be anthropogenic but is also naturally occurring. Perchlorate was detected near military facilities in the LUB GWMA in 2001 and 2003. In fall 2003, perchlorate was included in a regional groundwater sampling event that was part of the ongoing nitrate investigation to see if perchlorate was localized or generally present in the area. Perchlorate was detected in about half of the 133 wells sampled.

Multiple, subsequent sampling events have been conducted by DEQ, EPA, the United States Navy, and private companies. A total of 391 groundwater samples have been collected from 288 locations with perchlorate concentrations ranging from non-detect to 29.2 parts per billion (ppb) with an average of 3.3 ppb. Concentrations were generally low and do not appear to represent a single contaminant plume. The full geographic extent of perchlorate in groundwater has not been determined but it is clear that it occurs at low levels over a wide area. The source(s) of perchlorate in the LUB GWMA remains unknown. It is possible that both naturally occurring and manufactured sources of perchlorate are contributors. Perchlorate concentrations typically decrease with depth, especially in the basalt wells. Wells with properly constructed seals may aid in reducing exposure to perchlorate. Additional research would be needed to identify the specific perchlorate source(s) in the LUB GWMA.

There currently is no federal or Oregon drinking water standard for perchlorate. EPA has adopted a reference dose that translates to 24.5 ppb, if all exposure comes through drinking water. However, if exposure also comes from food, the “safe” level in water would be lower.

State and federal agencies (including DEQ, Oregon Department of Agriculture (ODA), DHS, Oregon State University extension, EPA, and the Agency for Toxic Substances and Disease Registry (ATSDR)) are working to assess perchlorate in the area and ensure that food and water supplies are safe. For example, EPA is conducting crop sampling while DHS and ATSDR are working on finalizing their exposure investigation.

Southern Willamette Valley Groundwater Management Area

Over the last 20 years, many studies and sampling programs have focused on groundwater quality in the Southern Willamette Valley (SWV). Although low levels of nitrate may be naturally present, the probable causes of nitrate contamination in the SWV are from sources related to human activity such as fertilizers, commercial and municipal wastewater facilities, animal waste, and septic systems.

Over 20% of the 476 wells sampled by DEQ in 2000 and 2001 had nitrate concentrations in excess of 7 mg/L nitrate-N. 7 mg/L is the MML for nitrate which can trigger the declaration of a GWMA under Oregon law. The highest level detected within the study area was 23 mg/l. In 2002, DEQ resampled those wells that tested greater than 7 mg/L during the 2000-2001 study. In addition to the nitrate analyses, DEQ included testing for pesticides, bacteria and a variety of other geochemical parameters and potential contaminants. Nitrate was confirmed at levels significantly above 7 mg/L, with a maximum value of 28 mg/L. The nitrate data from this and previous groundwater studies in the area document a regional groundwater quality concern. The pesticide data did not provide adequate information to characterize the entire study area. However the results were sufficient to conclude that pesticides are present, although they are below any health advisory standard and below 30% of any applicable standard.

On May 10, 2004, the DEQ declared a GWMA for portions of the SWV. The location of this GWMA is depicted as the shaded area in Figure 3. The DEQ was designated as the “Lead Agency” and a GWMA Committee was appointed to develop an Action Plan. This committee met regularly and worked with many stakeholders for almost 20 months to produce a draft Action Plan. A final Action Plan was approved at the November 9, 2006 SWV GWMA Committee meeting. The voluntary Action Plan provides 60 strategy recommendations related to agriculture, residential, commercial/industrial/municipal, and public water system to reduce nitrate contributions and prevent further groundwater contamination.

Education and outreach are key components of the Action Plan. DEQ installed 24 monitoring wells in the SWV, and obtained the approval from 17 residents to include their domestic wells in a long term monitoring program. Baseline and on-going monitoring is providing data to track the trends in groundwater quality. 100 Volunteer Monitors, working with OSU Extension, have been self-testing their well water on a monthly basis. A nitrogen/nitrate budget has been completed by Lane Council of Governments for the GWMA Committee, identifying that agricultural sources contribute approximately 95% of the nitrate found in the SWV groundwater. Further information can be found at: <http://gwma.oregonstate.edu/>.




Figure 3: Southern Willamette Valley Groundwater Management Area

Groundwater Protection in Oregon

Groundwater is present beneath almost every land surface and is sometimes at very shallow depths. It is vulnerable to contamination from activities that take place on the land as well as from discharges of wastes and pollutants at or below the ground surface. Once groundwater becomes contaminated it is very difficult to clean up. Because groundwater moves very slowly, the contamination may persist for tens, hundreds, or even thousands of years. Likewise, groundwater that is currently being contaminated may not affect beneficial uses until some time far into the future. This contamination may impair groundwater for use as drinking water and may affect the quality of the surface waters where it comes to the surface.

DEQ has primary responsibility for implementing groundwater protection in Oregon. DEQ uses a combination of programs to help prevent groundwater contamination from point and non-point sources of pollution, clean up pollution sources, and monitor and assess groundwater and drinking water quality. DEQ implements some programs through partnerships with the Oregon DHS, Oregon Water Resources Department, ODA, Oregon State University, and other state, local, and private organizations, businesses, and individuals. **Appendix 2** summarizes Oregon's groundwater protection programs and identifies the primary responsible state agency.

La Pine National Demonstration Project

The La Pine area of central Oregon is a rural residential area that is experiencing rapid development and population growth. In the 1960s, large tracts of land were subdivided into 15,000 lots as small as one-half acre. The primary source of drinking water for the 12,000 residents of the area is shallow groundwater tapped by over 4,000 individual domestic wells that are typically less than 50 feet deep. In addition, there are about 100 community public water system wells serving small-scale subdivisions, schools and businesses in the region. Most homes in the area use individual onsite wastewater treatment systems (onsite septic systems). The porous and permeable pumice soils, shallow groundwater table, and relatively high development densities in the region created a threat to shallow groundwater.

Groundwater assessments in the 1990s found nitrate concentrations in drinking water wells that approached the drinking water standard (10 mg/L) in several of the oldest and most densely developed areas. The Deschutes and Little Deschutes Rivers, both listed as water-quality limited streams by DEQ, flow through the region and potentially receive discharge from the shallow aquifer. In the mid-1990s, Deschutes County and DEQ assessed the potential impact of residential development in the La Pine region on groundwater quality. Preliminary studies and 2-dimensional groundwater modeling at that time predicted that nitrate levels in groundwater would exceed 10 mg/L within 20 years. These preliminary findings were based on the best available information at the time on groundwater recharge and flow velocities.

In 1999, the United States Congress awarded a \$5.5 million 5-year grant to DEQ, Deschutes County, and the U.S. Geological Survey as part of the National Decentralized Wastewater Treatment and Disposal Demonstration Project. The objective of the study is to protect the La Pine area groundwater quality because it is the sole source of drinking water for the region. The study evaluated innovative nitrogen reducing onsite septic system technologies, and developed and used a three-dimensional groundwater flow and contaminant transport model to determine a comprehensive groundwater protection strategy.

The La Pine Demonstration Project included elements to:

- Install and monitor (system effluent and monitoring well samples) up to 50 innovative nitrogen reducing systems;
- Initiate an onsite system maintenance program;
- Conduct 3-dimensional groundwater flow modeling and nitrogen contaminant fate and transport modeling and assess optimum lot density and treatment standards based on model results; and
- Establish a low-interest loan fund for septic system repair or replacement.

DEQ and Deschutes County Environmental Health Division staff conducted baseline groundwater sampling of 199 domestic and public water supply wells in 2000. Similar data collection and evaluation continued in 2001 and 2002. Results show 10% of the wells sampled had nitrate concentrations above background levels of nitrate. These results and other data from the study show that groundwater moves slowly in the area, and that nitrate from onsite septic systems are in the early stages of creating groundwater contamination. Onsite septic systems have been discharging nitrate for over 40 years, but contamination has only begun to reach the groundwater tapped for drinking water supplies in the past 10 to 15 years. The predicted quantity of nitrogen contributed to groundwater is high as contaminants continue to move into the groundwater from an ever increasing population of existing systems. The contaminant load to the aquifer will increase with the population as the remaining vacant buildable lots are developed.

In total, 15 types of innovative onsite septic systems and 3 types of control (standard, pressure distribution and sand filter systems) onsite systems have been installed. The La Pine project monitored a total of 49 onsite systems beginning in 2000 and ending in December 2004. The effect of these systems on groundwater quality was monitored through a network of nearly 200 shallow monitoring wells and several extensive sampling events involving public and private domestic water wells. Data from the shallow monitoring wells capturing the influence of onsite systems drainfields indicate significant impacts from those systems, particularly those systems that do not reduce nitrogen. Conventional systems, including standard tank and gravity drainfield, pressure distribution systems, and sand filters provide minimal nitrogen reduction, and therefore minimal protection for the groundwater in this area. Some data have been collected to evaluate groundwater and surface water interaction along the Deschutes and Little Deschutes Rivers within the study area, although a full evaluation was beyond the scope of this project. Several reports and papers have been published by the US Geological Survey based on research conducted during the demonstration project:

- Hinkle SR, Weick RJ, Johnson JM, Cahill JD, Smith SG, Rich BJ, 2005. *Organic Wastewater Compounds, Pharmaceuticals, and Coliphage in Ground Water Receiving Discharge from Onsite Wastewater Treatment Systems near La Pine, Oregon: Occurrence and Implications for Transport*. US Geological Survey Scientific Investigations Report 05-5055, 98 p.
- Hinkle SR, Bohlke, JK, Fisher, LH, 2008. *Mass balance and isotope effects during nitrogen transport through septic tank systems with packed-bed (sand) filters*. Sci Total Environ, doi:10.1016/j.scitotenv.2008.08.036
- Hinkle SR, Bohlke, JK, Duff, JH, Morgan DS, Weick RJ, 2007. *Aquifer-scale controls on the distribution of nitrate and ammonium in ground water near La Pine, Oregon, USA*. Journal of Hydrology, 333, 486-503.
- Hinkle, S.R., Morgan, D.S., Orzol, LL, and Polette, DJ. *Ground water redox zonation near La Pine, Oregon – Relation to River Position within the Aquifer-Riparian Zone Continuum*. US Geological Survey Scientific Investigations Report 2007-5239, 30 p.

- Morgan, DS, Hinkle, SR, and Weick, RJ, 2007. *Evaluation of approaches for managing nitrate loading from on-site wastewater systems near La Pine, Oregon*. US Geological Survey Scientific Investigations Report 2007-5237, 66 p.
- Williams, JS, Morgan, DS, and Hinkle, SR. *Questions and Answers About the Effects of Septic Systems on Waste Quality in the La Pine Area, Oregon*. US Geological Survey Fact Sheet 2007-3103, 6 p.

In 2005, the EPA awarded a grant to Deschutes County to implement findings from the La Pine National Demonstration Project on a local level. The new project allowed the county to undertake creation of a Pollution Reduction Credit Program as one part of a financial assistance program to help pay for groundwater protection measures. The county also developed, as part of this project, a new county code to require the use of onsite wastewater treatment systems that provide increased protection for groundwater quality. This new code was adopted by the Board of County Commissioners on July 23, 2008. The effective date of the code was October 23, 2008, however, opponents of the code have submitted a petition to refer the code to a county-wide vote. This action defers the effective date of the adopted code pending the outcome of a vote held in spring 2009.

Source Water Assessment and Drinking Water Protection Programs

In 1996, the Federal Safe Drinking Water Act required states to develop Source Water Assessments for public water supply systems (surface water and groundwater sources). DEQ and the DHS Drinking Water Program implements this program in Oregon. Between 2000 and 2005, DEQ and DHS completed the assessments for 2,460 public water systems using groundwater sources. The assessment report provided to every system gives the community officials detailed information on the watershed or recharge area that supplies the well, spring or intake (the “drinking water source area”) and identifies potential risks within the source area.

In 2007, DEQ completed a statewide “susceptibility analysis” which used the results of the Source Water Assessments to determine the overall susceptibility of each drinking water source (well, spring, or surface water intake). Each public water system was evaluated based on the number and type of potential contaminant sources within the drinking water source area and the level of sensitivity of the source area. The analysis rankings are being used by DHS and DEQ to prioritize outreach and technical assistance, to evaluate cross-program opportunities, and to select toxic monitoring locations based on high potential risks.

The information in the source water assessments provides the basis for a community to voluntarily develop strategies or a plan to protect the source area that supplies their drinking water. Drinking water protection strategies generally focus on reducing the impact of one or two high-priority pollutants within the source area. The primary incentive for local communities to develop and implement drinking water protection is the benefit of a more secure source of high quality water. Other incentives may include a reduction in public water supply monitoring requirements and the reduced likelihood of costs for replacement and/or treatment of contaminated drinking water. DEQ and DHS provide direct technical assistance to communities as they develop and implement strategies to protect their local public drinking water sources.

The source water assessment data is readily accessible to others electronically and in hard copy. The assessment data is used by other DEQ programs, to prioritize areas for permit modifications, inspections, technical assistance and cleanup. It has been provided to several other state and federal agencies including Oregon Emergency Response System, Oregon Department of Transportation, Oregon Department of Forestry, ODA, Department of Lands, Conservation and Development, U.S. Forest Service, and U.S. Bureau Land Management to facilitate incorporation of protection strategies into their respective programs. Both maps and downloadable statewide GIS shapefiles of drinking water source

area coverages and identified potential sources of contamination are available to the public on the DEQ Drinking Water Protection website at <http://www.deq.state.or.us/wq/dwp/dwp.htm>. The drinking water source areas can also be identified (and selected as a search criteria) for both DEQ's Facility Profiler (a location based system showing DEQ permit holders and cleanup sites) and LASAR (DEQ's Laboratory Analytical Storage and Recovery for air and water quality monitoring data).

The contaminant source inventories in the delineated wellhead protection areas provide useful information as the community or agencies evaluate the risks and prioritize protection strategies. Typical contaminant sources identified in groundwater source areas include high density housing, septic systems, auto repair shops, gas stations, irrigated crops, managed forest land, grazing animals, and transportation corridors. DEQ developed a BMPs database for the 88 most common potential contaminant sources in Oregon (available under "technical assistance" in DEQ's Drinking Water Program website). The database details activities that range from educational outreach to regulatory approaches that public water systems or communities can take to reduce their risk. The database can be used to pull the BMPs for a public water system or geographic area from GIS layers into a format that communities can use to choose their drinking water protection strategies for groundwater.

Currently, DEQ has 1 FTE, funded by the Safe Drinking Water Act through a Memorandum of Agreement between DEQ and DHS, to provide technical assistance for groundwater protection for public water systems. This position is funded to work only on public water system groundwater protection issues.

Other Groundwater Protection Efforts

There are several programs within DEQ that contribute to the protection of groundwater through the implementation of regulations, standards and permitting activities. These programs include underground storage tanks, solid waste landfills, remediation sites, underground injection control systems (UIC), on-site systems, and permitting of industrial, municipal, or domestic wastewater facilities having a discharge of wastewater to land.

The Underground Storage Tank (UST) program helps to protect groundwater by handling issues related to regulated tank registration, testing, and compliance, and cleanup of releases of leaking petroleum tanks including releases from home heating oil tanks. Compliance and prevention requires the registration of tanks and specifies the technical requirements for new and existing UST systems. Service provider and supervisor licensing requires both companies (service providers) and individuals (supervisors) to obtain a license before performing UST work. Cleanup activities within this program require the timely reporting of petroleum releases, and the investigation and remediation of soil and groundwater contamination resulting from leaks and spills of petroleum products. There are over 25,000 USTs that have been decommissioned in Oregon and thousands more operating under permits.

The Solid Waste program permits several different types of solid waste disposal facilities including municipal solid waste landfills, petroleum contaminated remediation facilities, and compost operations. These permitting activities help to protect groundwater resources by requiring liners and other standards to control leachate of liquids from these facilities and groundwater protection programs.

The Site Response program works to investigate and clean up contaminated hazardous waste sites throughout Oregon. Many of these sites have historically contributed to the contamination of groundwater. By cleaning up these sites future contamination of groundwater by chemicals or pollutants is prevented.

DEQ operates Oregon's UIC program through authorization from the EPA. The UIC program works to protect groundwater through the approval and permitting of drywells, sumps, and other injection devices that discharge a variety of residential, commercial, and industrial fluids below the ground. Injection

systems are required to be designed, installed, maintained, and, in many cases, monitored so that they are protective of groundwater resources. There are over 46,000 injection systems registered in Oregon, most of which handle stormwater flow from streets, parking lots and businesses. Previously, the level of funding (1 FTE) for the UIC program was inadequate to run the statewide program. However, in 2007, new fees were approved (HB 2118) to allow the phase-in of new staff (5.5 FTE total) to allow DEQ to deliver the basic elements of a statewide UIC program and retain primacy of the program. The new staff will be phased-in as revenue is available.

The Onsite Septic System program (onsite systems) consists of the permitting of hundreds of thousands of onsite septic systems throughout Oregon. Approximately one-third of all Oregonians rely on onsite systems as a means to treat residential wastewater. This program helps to protect groundwater resources by requiring systems to be designed and installed according to state regulations that include prescriptive siting and performance standards.

The Wastewater Permitting program regulates thousands of industrial, municipal and domestic wastewater treatment facilities in Oregon. Municipal and domestic facilities collect and treat sewage from residences and industrial facilities generate and treat manufacturing and processing wastewater. Through the use of Water Pollution Control Facility and National Pollutant Discharge Elimination permits DEQ regulates domestic, municipal and industrial facilities activities (such as lagoons and land application systems) to protect groundwater resources.

Funding Groundwater Quality Projects in Oregon

The 1989 Groundwater Protection Act authorized DEQ to fund research and development projects related to groundwater quality, particularly in GWMA's. However, no dedicated funding source was established for this purpose. A fee on fertilizer products purchased in Oregon was instituted as part of the act to fund groundwater quality research associated with the interaction of pesticides or fertilizer and groundwater. The grant fund is administered by ODA. In previous biennia, the grant fund has been used for research projects in the first two declared GWMA's in the state. Revisions to the fertilizer law in 2001 expanded the use of the fund to include research related to the interaction of fertilizer, agricultural mineral or agricultural amendment products and groundwater or surface water, eliminated research on pesticides and groundwater, and established a committee to advise ODA on funding of research grants.

DEQ has allocated federal grants available through Clean Water Act Section 319 to groundwater projects in limited areas. Funding for below market loans to public agencies is also available through the Clean Water State Revolving Fund. A summary of groundwater related projects funded by DEQ and ODA during 2005 and 2006 is included in **Appendix 3**.

Future Direction

DEQ's objectives for groundwater quality protection in the 2009-2011 biennium include the following activities.

- Coordinate the SWV GWMA committee and implementation activities to reduce area-wide groundwater contamination.
- Continue monitoring 41 wells in the SWV GWMA to determine groundwater trends.
- Evaluate the effectiveness of conservation enhancement practices in reducing nitrate pollution to the groundwater in the SWV GWMA.
- Continue to implement the LUB and NMC GWMA Action Plans and evaluate the performance or success of the management plans in reducing groundwater contamination. Also, continue regional groundwater monitoring networks in the two GWMA's.

- Continue to work cooperatively with Deschutes County to implement groundwater protection programs in the La Pine area.
- Complete additional Drinking Water Source Water Assessments as new systems come online and provide technical assistance to communities developing drinking water protection plans.
- Continue funding and support of research, education, and implementation of BMPs for groundwater protection, as funding allows.

Appendix 1 - Groundwater Quality Assessment Projects

Summary as of November 2008

Basin	Project Name	No. of Sample Events	No. of Wells Sampled	Groundwater Quality Rating ^(I)	Contaminants Of Concern	Contaminants Found ^(II)	Suspected Contaminant Sources	Date Last Monitored
Malheur	Northern Malheur County GWMA ^{III}	Ongoing	40	4	Nitrate, Pesticides	Nitrate, Dacthal	Agriculture	2008
Umatilla	Lower Umatilla Basin GWMA	Ongoing	38 (198 synoptic)	3	Nitrate, Pesticides	Nitrate, EDB, Atrazine, Dacthal, Dicamba, Picloram	Agriculture, Onsite Septic Systems, Industry	2008
Willamette	Southern Willamette Valley GWMA	Ongoing	40	2	Nitrate, Pesticides	Nitrate, Pesticides	Agriculture, Onsite Septic Systems	2008
Umpqua	Sutherlin Arsenic Study	2	114	3	Nitrate, Arsenic	Arsenic	Naturally occurring	2008
Statewide	Drinking Water Source Monitoring	2	7	*(IV)	Pesticides/herbicides/fungicides, pharmaceuticals, organics, metals, bacteria	*(IV)	Sewage treatment plants, agriculture, industry, urbanization, industry, naturally occurring	2008

Notes:

- I. **Groundwater Quality Rating:**
 - 1 = Means less than 10% of wells had a contaminant level over the drinking water standard.
 - 2 = Means 25% or more of wells had nitrate levels between 5 to 10 mg/L, or any well had an organic compound detected.
 - 3 = Means 10% to 25% of wells had a contaminant level over the drinking water standard.
 - 4 = Means more than 25% of wells had a contaminant level over the drinking water standard.
- II. **Contaminants:** 1,2 DCP = 1,2 dichloropropane; EDB = Ethylene dibromide; PCE = Perchloroethylene or tetrachloroethylene; PCP = Pentachlorophenol; VOC = Volatile organic compound.
- III. GWMA = Groundwater Management Area
- IV. Pending analysis

Appendix 2: Oregon Groundwater Protection Programs and Responsibilities

AGENCY	GROUNDWATER PROTECTION RESPONSIBILITIES
<p style="text-align: center;">Department of Environmental Quality</p> <p>(**Due to lack of resources and staff, DEQ no longer, wholly or in part, performs these responsibilities.)</p>	**Coordinates interagency management of groundwater to achieve state goal to prevent groundwater contamination.
	**Designs and conducts targeted groundwater quality investigations statewide.
	**Maintains a groundwater quality database and data repository.
	**Responds to area-wide groundwater contamination by working with agencies and local citizens to develop an action plan to address sources.
	**Promotes public education and community involvement in groundwater protection programs and citizen monitoring.
	**Establishes groundwater quality reference levels and concentration limits.
	Issues wastewater discharge permits for Water Pollution Control Facilities (WPCF) that include groundwater protection requirements.
	Administers federal National Pollutant Discharge Elimination System (NPDES) program and issues wastewater discharge permits that include groundwater protection requirements.
	Administers onsite sewage system program, contracting with some counties.
	Shares implementation of the drinking water source water assessment and protection program with DHS.
	Certifies drinking water protection plans for public water supply systems.
	Administers federal Underground Injection Control program.
	Administers a federally funded (Clean Water Act 319) nonpoint source grant program.
	Administers solid waste and hazardous waste management programs.
	Administers and implements federal Resource Conservation and Recovery Act program.
	Administers Underground Storage Tank program.
Administers state environmental cleanup program.	
Administers Oregon Dry Cleaner program.	
<p style="text-align: center;">Water Resources Department (WRD)</p>	Characterizes aquifers and groundwater availability.
	Approves water right applications for withdrawals of groundwater.
	Implements regulations regarding well construction and decommissioning.
	Maintains database of location and construction of wells.

AGENCY	GROUNDWATER PROTECTION RESPONSIBILITIES
	Coordinates reviews issues permits for aquifer storage and recovery projects.
<p align="center">Department of Human Services (DHS)</p>	Administers public water system monitoring programs.
	Administers real estate transaction well-testing program.
	Administers and shares implementation of the drinking water source water assessment program with DEQ.
	Certifies delineation of wellhead protection areas.
	Provides technical assistance to public water systems on well construction issues.
<p align="center">Oregon Department of Agriculture (ODA)</p>	Administers programs regulating farming practices to protect groundwater, wellhead protection, groundwater management areas, and areas of groundwater concern.
	Develops and implements water quality management plans for groundwater protection.
	Administers a groundwater quality research grant program funded by fee on fertilizer product distribution.
	Develops and implements a pesticide management program.
	Implements Confined Animal Feeding Operations regulations.
	Develops or assists in development of management plans for agricultural areas per ORS 468B.184.
	Provides pesticide analytical services for groundwater assessments.
<p align="center">Oregon State University (OSU), Agricultural Extension Service and Experimental Stations</p>	Assists with identification of areas vulnerable to groundwater contamination and conducts nitrate testing of local wells.
	Conducts research regarding soil and groundwater contamination and BMPs to prevent contamination.
<p align="center">Department of Land Conservation & Development (DLCD)</p>	Reviews comprehensive plans for communities to ensure they are consistent with goal of the Groundwater Quality Protection Act (ORS 468B.155).
<p align="center">Oregon Department of Transportation (ODOT)</p>	Ensures that the goals of the Groundwater Protection Act are incorporated in all aspects of highway and road design and construction.
<p align="center">Department of Geology and Mineral Industries (DOGAMI)</p>	Ensures that the goals of the Groundwater Protection Act are incorporated.
	Regulates drilling and permitting of geothermal wells.

Appendix 3 – Funding for Groundwater Projects

Date	Project	Amount	Description
<i>Oregon Department of Agriculture – Groundwater Research Grants</i>			
June 2007 – June 2011	Oregon State University Environmental & Molecular Toxicology Dept.	\$74,595	Fate of Bioaccessible Metals from Prior Metal Rich Fertilizer Applications and Preserving Established Select Field Sites
<i>Federal Clean Water Act 319 Grants</i>			
2007	Integration TMDL and GW priorities into Willamette Ag. Demo Project	\$171,000	Implement agricultural water quality projects in priority watersheds and the correspondent GWMA. These efforts will be augmented with education and outreach efforts.
2007	Private Well Outreach and Monitoring	\$58,892	Work will focus on the Southern Willamette Valley Groundwater Management Area but efforts will be extend to other priority areas, as identified by DEQ, if local partners express interest and offer support. This may include but is not limited to the Northern Malheur County GWMA, Lower Umatilla Basin GWMA, and La Pine area.
2008	Southern Willamette Valley Groundwater Management Area Action Plan Implementation	\$99,893	The project will address: a) need to develop a Land Management Action Kit; b) coordination of the Septic System Technical Group; c) coordination of the GWMA Committee; and d) outreach/education/communication actions.
2008	Groundwater Quality Outreach for Rural Residents	\$38,103	Program staff and cooperators will offer outreach and education to enable rural residents to assess, manage and protect their drinking water supply and in doing so, safeguard Oregon’s groundwater resources. This project will also provide an educational program for three rural secondary school’s natural resource and agricultural classes. This project will support regional efforts to restore groundwater quality including residential strategies outlined by the Southern Willamette Valley Groundwater Management Area (GWMA) Action Plan.
<i>Clean Water State Revolving Fund Loans</i>			
2006	City of Madras	\$4,632,181	Expansion of the wastewater treatment plant includes sewer collections in areas previously served by onsite systems.

Date	Project	Amount	Description
2008	Farmer's Irrigation District	\$3,000,000	Replace open distribution ditches with piping in an area served by old onsite systems.
2008	Miles Crossing Sanitary District	\$4,893,000	New sewage collection system to replace failing and marginal on-site disposal systems in area of high groundwater.