Land Quality Division



Oregon Waste 2009/2010

Association of Oregon Recyclers June 18, 2011

Peter Spendelow Oregon Department of Environmental Quality



Overview

- What wastes DEQ tracks
- Overall disposal and recovery trends for Oregon
- 2009/2010 waste composition study methodology
- Trends in generation, disposal and recovery for individual material groups
- More waste composition results
- Summary



Solid Waste Program **Does** Track:


- Waste going to landfills, incinerators, transfer stations, treatment facilities.
- Waste that is imported from other states for disposal
- Waste that is exported to a general purpose landfill outside of Oregon
- "Counting" waste that is recovered.


"Counting" waste is the material recovery survey waste as defined in statute. It includes MSW and some C&D, but excludes inert loads, and industrial process waste, motor vehicles, scrap metal from major demolition and waste used on-site.




Solid Waste Program does not track:

- "Clean Fill": Concrete, asphalt (unless landfilled)
- Exported waste to an industrial or C&D landfill
- Anything going down the sewer (including food)
- Discharges to water, air
- Sewage sludge (unless landfilled)
- Mining waste (unless landfilled)
- Dredging (unless landfilled)
- Agricultural wastes (unless landfilled)
- Material burned in wood stoves or outdoor piles
- Uncollected litter
- Waste going to a hazardous waste facility
- Waste used on site





1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010





Industrial Waste Landfills reporting waste disposed in 2010


Landfill Name	2010 Tons
GP-Toledo Mill Landfill	39,968
Roseburg Forest Products Dillard Disposal Site	27,124
Esco Sauvie Island	21,613
Boise Cascade Wood Products, LLC - Elgin Complex	19,748
Georgia Pacific Consumer Pr Wauna Mill Landfill	18,824
South Coast Lumber	8,034
Riddle Plywood Plant Disposal Site No. 1 & No. 2	4,040
Riddle Ash Landfill	3,141
Coquille Disposal Site	1,080
Buck Hollow Landfill	792
Rough And Ready Disposal Site	50
Total	144,414




Industrial Waste Disposed 1995 and 2010 (tons)


	1995	2010
Ash	36,787	90,951
Wood	110,184	19,882
Asphalt	13,841	13,003
Paper & Pulp	71,108	11,525
Sludge/Wet Wastes - Industrial	75,762	4,917
Soils	36,438	492
All else	15,629	3,643
Total	359,749	144,414

"Counting Waste" Disposed & Recovered 1993-2010



Exported, Oregon, and Imported Tons Disposed – All Waste







Oregon's 2009 – 2010 Waste Composition Study

- Metro previous studies
 - 1986-87
 - 1989-90
 - 1993-94
- DEQ down-state studies
 - 1992-93
 - 1994-95
- Previous joint statewide studies
 - 1998
 - 2000
 - 2002
 - 2005



Many Helped the 2009/2010 Study:

- Collection Service Owners and Dispatchers
- Disposal Site Operators
- Landfill Data Coordinators

Study Co-sponsors

- Department of Environmental Quality
- Metro
- Marion County
- Lane County
- City of Eugene
- City of Portland

Contractor: Sky Valley Associates



Separate Composition of 85 Waste Substreams

By source:

- Residential Route Trucks
- Commercial Route Trucks
- Mixed Route Trucks
- Compacting Drop Boxes
- Loose Drop Boxes
- Self Haul
- Residue- Mixed Waste Processing
- Special Purpose Landfill

By location:

- City of Portland
- Rest of Metro
- Marion County
- City of Eugene
- Rest of Lane County
- Rest of Oregon

By season:


- Warm (April September)
- Cold (October March)



Within substreams, representative sampling proportional to amount of waste disposed.

- Samples collected at 58 disposal sites
- Samples collected every month of the year
- Route truck samples pre-selected based on recent disposal records
- Other samples selected randomly during visits
- 950 samples collected and sorted in 2009/2010
- Additional special studies done for Metro of inbound waste to recovery facilities and of residential recycling and disposal.

Brad Anderson getting load information from the driver.





Drop box loads are highly variable. Will the ladder and desk end up in the sample?

A random number table is used to select exactly where in the pile the sample is pulled from. (We didn't get the desk or ladder)



The load is dumped on a tarp to be held for sorting. **Frequently** the disposal site operator helps out with equipment as is true here at Metro Central



Roughly checking the sample weight.

Loads must average 200 lbs or more, and minimum weight is 175 lbs.





A large self-haul load

Sorting the load. We sorted into 130 categories in 2009/2010 study, but 2 materials were not found




Special sizerelated categories for wood, metal, cardboard requested by Metro for this study.






Marcus Gomez sorting plastic into multiple categories



A look in the sorted paper bins



Weighing out the sorted samples.

A small scale measuring to 1/100 lbs is used for small items. Beverage containers were also counted.



Weighing out a sample outside at the Short Mountain Landfill 2009/2010





Contamination Analysis

- Field-sorted material is contaminated. Example -Food waste adheres to or is absorbed into other materials
- After sorting, took 40 full samples back to a facility to clean and dry each material, and measure the amount of each contaminating material
- Also did contamination analysis on an additional 108 rigid plastic container samples




Contamination analysis – Resorting and cleaning selected field-sorted samples

Cleaned materials are set aside to air-dry, and then are re-weighed



Recovering and weighing dirt from a lumber sample





Nan Hage weighing out the sample.



Contamination Correction Factor Example -Corrugated Cardboard 2002

	pounds	percent	wastestream percent 2002
Total Corrugated Cardboard from field (dirty, wet)	303.78	100.00%	3.235 %
Cardboard after cleaning, drying	249.26	82.05%	2.654%
Contaminant Materials	6.26	2.06%	
Water (weight loss on air-drying)	48.26	15.89%	
"Add-backs" (Cardboard from other material loads)	+ 3.44	+1.13%	+.036%
Contamination Correction Factor		-16.82%	2.691%



Contamination Correction Factors for selected materials 2009/2010

				Factor 90%
	Field	Corrected	Factor	confidence interval
Cardboard	3.26%	2.80%	-14.29%	(-19.54 to -9.61%)
Hi grade paper	0.91%	0.88%	-3.47%	(-8.42 to 3.78%)
Newspaper	0.86%	0.72%	-16.29%	(-22.91 to -10.13%)
Other compostable nonrecyclable paper	5.23%	2.99%	-42.77%	(-45.52 to -39.85%)
Rigid Plastic Containers (RPCs)	1.86%	1.47%	-21.07%	(-25.08 to -17.59%)
Plastic film - recyclable	1.12%	1.05%	-6.43%	(-11.59 to -2.10%)
Plastic film - non-recyclable	3.70%	2.38%	-35.67%	(-39.58 to -31.05%)
Leaves and grass	3.63%	3.69%	1.59%	(0.43 to 2.33%)
Wood	11.51%	11.10%	-3.51%	(-5.36 to -1.96%)
Food	16.99%	17.62%	3.68%	(2.09 to 5.01%)
Glass	1.95%	2.01%	2.77%	(-0.46 to 6.72%)
Aluminum foil / food trays	0.14%	0.08%	-41.19%	(-46.60 to -35.80%)
Water and Residue (Contamination)	0.00%	5.89%		



90% Confidence Intervals for selected materials (corrected) 2009/2010


Material	Corrected	90% conf. Int.
Cardboard	2.80%	(2.52 - 3.10%)
Hi grade paper	0.88%	(0.73 - 1.04%)
Newspaper	0.72%	(0.63 - 0.82%)
Other compostable nonrecyclable paper	2.99%	(2.76 - 3.26%)
Rigid Plastic Containers (RPCs)	1.47%	(1.36 - 1.58%)
Plastic film - combined	3.43%	(3.17 - 3.72%)
Leaves and grass	3.69%	(3.01 - 4.45%)
Unpainted lumber	2.75%	(2.23 - 3.27%)
Food	17.62%	(16.66 - 18.59%)
Glass	2.01%	(1.68 - 2.43%)
Aluminum beverage cans	0.11%	(0.10 - 0.13%)
Aluminum foil / food trays	0.08%	(0.07 - 0.09%)
Gypsum wallboard	2.83%	(2.23 - 3.43%)
Computers & monitors	0.18%	(0.08 - 0.30%)
Asphalt roofing & tarpaper	3.90%	(3.17 - 4.66%)




All Paper: Percent of Wastestream and Recycling Tonnage

Composition	1993-95	1998	2000	2002	2005-06	2009-10
Percentage	27.35%	24.35%	23.10%	20.62%	19.64%	16.99%
Recovery Tons	900000 800000 700000 600000 500000 400000 300000 200000 100000 0	52 199 ^A	996 ,998	2000 2002	200 ^A 200 ⁶	2008

Paper Recovery and Disposal Per Capita



Recyclable Paper Recovery and Disposal Per Capita





Cardboard: Percent of Wastestream and Recycling Tonnage


Composition

Percentage


1993-95	1998	2000	2002	2005-06	2009-10
6.49%	5.45%	3.69%	3.23%	4.61%	3.26%

Recovery

Tons




Cardboard Recovery and Disposal Per Capita






All Plastic: Percent of Wastestream and Recycling Tonnage

DEQ	1993-95	1998	2000	2002	2005-06	2009-10
Composition Percentage	8.84%	10.45%	9.70%	10.95%	11.24%	11.56%




Plastic Recovery and Disposal Per Capita







Rigid Plastic Containers: Percent of Wastestream and Recycling/Disposal Tonnage




Rigid Plastic Container Recovery and Disposal Per Capita




Film Plastic Recovery and Disposal Per Capita



Container Glass Recovery and Disposal Per Capita




Food Waste Recovery and Disposal Per Capita




Oregon Waste Composition Study 2009/2010

Yard Debris: Percent of Wastestream and Recycling Tonnage

Composition Percentage		1986/87	1989/90	1993/94	1998	2000	2002	2005/06	2009/10
	Metro	10.50%	11.31%	5.10%	3.76%	4.49%	4.51%	3.16%	2.01%
			1992/93	1994/95	1998	2000	2002	2005/06	2009/10
	Rest of Oregon		9.42%	5.80%	5.85%	7.05%	8.12%	5.13%	6.45%



Yard Debris Recovery and Disposal Per Capita







Wood: Percent of Wastestream and Recycling Tonnage

DEQ	1993-95	1998	2000	2002	2005-06	2009-10
Composition	9.09%	11.18%	8.81%	8.72%	13.57%	11.51%


Percentage




Wood Recovery and Disposal Per Capita




Asphalt Roofing Recovery and Disposal Per Capita




Gypsum Recovery and Disposal Per Capita



Selected Construction Materials Recovery and Disposal Per Capita



Common Recyclable Materials Recovery and Disposal Per Capita



Oregon Waste Composition Study 2009/2010



Computers Disposed 1998-2009 Percent of Wastestream and 90% Confidence Intervals

(field data only)

Year	Percent	90% Confidence Interval
1998	0.25%	0.13% to 0.37%
2000	0.68%	0.43% to 0.99%
2002	0.57%	0.35% to 0.83%
2005-2006	0.67%	0.41% to 0.98%
2009-2010	0.18%	0.08% to 0.30%



Major Categories Disposed 1998-2009

(field data only)

Material	2009	2005	2002	1998
Paper	16.99%	19.64%	20.62%	24.35%
Plastic	11.56%	11.24%	10.95%	10.45%
Yard Debris	4.61%	4.30%	6.58%	4.92%
Wood/Lumber	11.51%	13.60%	8.72%	11.18%
Food	16.99%	14.92%	15.60%	14.30%
Other Organics (Burnables)	15.40%	15.14%	14.23%	13.59%
Glass	1.95%	1.57%	2.32%	2.77%
Metals	6.98%	7.68%	7.45%	7.31%
Other Inorganics	11.09%	11.43%	12.78%	10.32%
Hazardous Materials	0.45%	0.48%	0.76%	0.81%



Summary Categories Disposed 2009/2010

Group	Field %	Corrected
Products	52.5%	48.4%
Packaging	18.4%	15.7%
Non-manufactured incl. food	29.2%	30.0%
Recyclable (including energy)	37.1%	34.7%
Compostable – not Recyclable	27.4%	25.8%
Not Recoverable	35.5%	33.7%
Organic (burnable)	79.8%	73.8%
Inorganic	20.2%	20.3%
(water & residue for all 3)		5.9%

Top 12 Items All Substreams 2009/2010

	All Substreams 2009/2010						
DEO							
	Material	Corrected	Conf. Int.	Field%			
1	All food	17.62%	(16.65 - 18.60%)	16.99%			
2	Asphalt Roofing -Recyclable	3.53%	(2.78 - 4.27%)	3.53%			
3	Other rigid plastic products	3.24%	(2.86 - 3.64%)	3.24%			
4	Pet Litter / Animal Feces	3.10%	(2.65 - 3.65%)	3.10%			
5	Other compostable nonrecyclable paper	2.99%	(2.76 - 3.26%)	5.23%			
6	Cardboard	2.80%	(2.53 - 3.10%)	3.26%			
7	Disposable Diapers	2.76%	(2.43 - 3.17%)	2.76%			
8	Unpainted lumber	2.75%	(2.23 - 3.25%)	2.96%			
9	Carpet / rugs	2.60%	(2.00 - 3.23%)	2.63%			
10	Plastic film- nonrecyclable	2.38%	(2.20 - 2.61%)	3.70%			
11	Hogged fuel lumber	2.16%	(1.68 - 2.68%)	2.23%			
12	Leaves / weeds	2.12%	(1.65 - 2.59%)	2.04%			



Top 12 Items Residential Route Trucks 2009/2010

DEU			
Material	Corrected	90% Conf. Int.	Field%
1 All food	28.87%	(26.91 - 30.70%)	27.85%
2 Pet Litter / Animal Feces	7.96%	(6.58 - 9.58%)	7.96%
3 Disposable Diapers	5.82%	(5.03 - 6.68%)	5.82%
4 Other compostable nonrecyclable paper	3.75%	(3.44 - 4.06%)	6.55%
5 Plastic film- nonrecyclable	3.26%	(2.99 - 3.57%)	5.06%
6 Grass clippings	3.16%	(1.46 - 4.90%)	3.22%
7 Leaves / weeds	2.66%	(1.91 - 3.46%)	2.56%
8 Other Textiles	2.57%	(2.11 - 3.04%)	2.92%
9 Other rigid plastic products	2.21%	(1.67 - 2.89%)	2.21%
10 Boxboard & Low grade Not OK With ONP	2.04%	(1.78 - 2.31%)	2.47%
11 Mixed Textile / Material	1.80%	(1.46 - 2.15%)	1.87%
12 Junk Mail & Low grade OK With ONP	1.57%	(1.30 - 1.80%)	1.70%



Top 12 Items Commercial Route Trucks 2009/2010

	V			
	Material	Corrected	90% Conf. Int	Field %
1	All food	25.15%	(21.99 - 27.90%)	24.26%
2	Other compostable nonrecyclable paper	6.13%	(5.18 - 7.17%)	10.72%
3	Other rigid plastic products	3.85%	(2.43 - 5.31%)	3.85%
4	Plastic film- other nonrecyclable	3.56%	(3.12 - 4.09%)	5.54%
5	Cardboard	3.31%	(2.75 - 3.91%)	3.86%
6	Non-compostable, non-recyclable paper	3.24%	(1.87 - 5.11%)	3.79%
7	Disposable diapers	2.72%	(1.79 - 4.01%)	2.72%
8	Other misc. inorganics	2.36%	(1.10 - 3.71%)	2.26%
9	Boxboard & low grade not OK with ONP	2.01%	(1.62 - 2.40%)	2.42%
10	Other textiles	1.98%	(1.39 - 2.67%)	2.24%
11	Other ferrous metal	1.89%	(1.12 - 2.62%)	1.86%
12	Mixed metal / material	1.86%	(0.90 - 2.92%)	1.86%

)FO

Top 12 Items Loose Drop Boxes 2009/2010

	<u> </u>			
	Material	Corrected	90% Conf. Int.	Field%
1	Carpet / rugs	7.15%	(3.29 - 11.93%)	7.23%
2	All food	7.00%	(4.73 - 9.57%)	6.75%
3	Wood pallets / crates	6.29%	(4.50 - 8.29%)	6.29%
4	Unpainted lumber	5.18%	(2.76 - 7.77%)	5.58%
5	Asphalt roofing - recyclable	4.27%	(1.41 - 7.57%)	4.27%
6	Other rigid plastic products	3.79%	(2.53 - 5.24%)	3.79%
7	Non-compostable, non-recyclable paper	3.78%	(2.10 - 5.54%)	4.42%
8	Other ferrous metal	3.12%	(1.93 - 4.51%)	3.09%
9	Hogged fuel lumber	3.09%	(0.57 - 6.13%)	3.20%
10	Painted lumber	3.06%	(0.73 - 5.85%)	3.24%
11	Cardboard	3.01%	(2.30 - 3.86%)	3.51%
12	Gypsum wallboard OLD	2.53%	(1.16 - 3.92%)	2.55%



Top 12 Items Mixed Waste Processing Residue 2009/2010

	V	1		
	Material	Corrected	90% Conf. Int.	Field%
1	Asphalt Roofing Recyclable	16.89%	(13.10 - 20.88%)	16.89%
2	Gypsum wallboard OLD	9.56%	(7.20 - 12.07%)	9.64%
3	Hogged fuel lumber	5.85%	(4.61 - 7.20%)	6.06%
4	Carpet / rugs	4.59%	(2.68 - 6.62%)	4.64%
5	Unpainted lumber	4.58%	(3.84 - 5.37%)	4.97%
6	Other rigid plastic products	4.53%	(3.66 - 5.46%)	4.53%
7	Other misc. inorganics	3.84%	(2.71 - 5.13%)	3.68%
8	Soil / Sand / Dirt	3.81%	(2.59 - 5.56%)	3.74%
9	Other textiles	2.71%	(1.78 - 3.82%)	3.07%
10	Rock, concrete	2.66%	(1.81 - 3.61%)	2.64%
11	Non-compostable, non-recyclable paper	2.57%	(1.84 - 3.38%)	3.01%
12	Cardboard	2.27%	(1.90 - 2.69%)	2.65%

Top 12 Items Self-Haul 2009/2010

DE	0			
	Material	Corrected	90% Conf. Int.	Field%
1	Unpainted lumber	7.11%	(5.12 - 9.15%)	7.63%
2	Asphalt roofing - recyclable	6.78%	(4.10 - 9.58%)	6.78%
3	Carpet / rugs	4.58%	(2.86 - 6.51%)	4.63%
4	Hogged fuel lumber	4.32%	(2.72 - 6.04%)	4.47%
5	Painted lumber	4.21%	(2.79 - 5.75%)	4.45%
6	Other rigid plastic products	4.09%	(3.17 - 5.19%)	4.09%
7	All food	4.04%	(2.78 - 5.55%)	3.89%
8	Furniture (mixed material)	3.96%	(2.23 - 6.15%)	4.16%
9	Other misc. inorganics	3.79%	(2.02 - 5.82%)	3.63%
10	Gypsum wallboard OLD	3.74%	(1.99 - 5.79%)	3.77%
11	Wood furniture	3.66%	(2.02 - 5.56%)	3.66%
12	Other ferrous metal	3.11%	(2.24 - 3.94%)	3.07%

cting Oregon's Environment



Oregon Department of Environmental Quality



Land Quality

Solid Waste

Disposal

DEQ Home > Land Quality > Solid Waste > Disposal > Waste Composition > 2009/2010 Study (Preliminary)

Sign up to receive e-mail updates from the Solid Waste Program.

Prevention and Reuse

Recovery and Compost

Disposal

Educational Materials

Resources

Solid Waste Forum and News

Conferences, Training & Workshops Waste Composition Study

Recycling Characterization and Composition Study: 2009/2010

In June 2009, Oregon Department of Environmental Quality began field work on a year-long statewide waste composition studies of Portland. Field work for the study was conducted by Sky Valley Associates, and involved collecting and sorting 999 sample transfer stations, and mixed solid waste processing facilities throughout an entire calendar year. These samples were sorted by beverage type and by container material type. In all, 113.9 tons of solid waste were sorted, and 23,148 beverage contain

Results from the study have been compiled, but the final report has not yet been completed. The table below gives the perce

Table A2: Statewide Waste Composition Results - 2009/2010. PDF

Detailed information on the composition of waste from different parts of the state for different sources is given in Excel sprea

- Statewide results XLS
- Metro Tri-county area XLS
- Downstate (all except Metro area) XLS
- City of Portland XLS
- Rest of Metro Area XLS
- Marion County XLS
- Lane County XLS
- City of Eugene XLS
- Rest of Lane County XLS
- <u>Rest of Oregon (all Oregon except Metro area and Marion and Lane Counties)</u> XLS
- Summary By Jurisdiction XLS

Oregon Waste Composition Study 2009/2010

	A	В	С	D	E			
1								
2	Oregon 2009/2010 Wa	te Composition Study: Excel results files						
3		f files giving detailed results of the waste composition study						
4								
5	Results are given in a se	eries of sheets or tabs. This file contains the following tabs:						
6	P09TOT	Oregon - All Substreams						
7	P09RES	Oregon Residential Route Trucks						
8	P09COM	Oregon Commercial Route Trucks						
9	P09MIX	Oregon Mixed Route Trucks						
10	P09ROC	Oregon Compacting Drop Boxes						
11	P09ROD	Oregon Loose Drop Boxes						
12	P09SHR	Oregon Self Haul						
13	P09MRF	Oregon Mixed Waste Processing Residue						
14	P09SPH	Oregon Special Purpose - Hauler						
15	P09SPS	Oregon Special Purpose - Self Haul						
16	PO9TOTC	Oregon Cold Seasons (October - March)						
17	P09TOTW	Oregon Warm Seasons (April - September)						
18		· · · · ·						
19	Each of these separate	tabs contains the following columns:						
20								
21	A: Material	Material name (or group of materials)						
22	B: Field Results	Composition percent for this material as measured in the field						
23	D: Contam.Corrected	Composition based on "clean/dry" correction for each material						
24	F: Clean Tons	Total tons disposed (ContamCorrected percent multiplied by total substream tons)						
25	H: # Present/#Samples	Number of samples where the material was present/Total samples						
	I: % Present	Percent of samples where the material was present						
27								
	Subsequent columns giv	ve the confidence interval information from columns C, E, and G, formatted						
29	as numbers rather tha							
30								
31	For comparisons to was	te composition studies outside of Oregon, use the field results, as few other studies						
32		on levels of their sorted wastes.						
33								
	Explanation of material	name formatting						
35	Material group names in	bold are sums of some of the individual materials below						
		italics are recombination of some of the individual materials above.						
		er bold nor italics are the individual materials sorted and measured in the field.						
38								
	Explanation PO	9TOT / P09RES / P09COM / P09MIX / P09ROC / P09ROD / P09SHR / P09MRF / P09SH	PH 📶 💶					

Oregon Waste Composition Study 2009/2010

	A	В	С	D	E	F	G	H
1	Oregon - All Substreams				Total Tons ==>	2,596,340		
			Field Results	Contam	Contam. Corrected		Clean Tons	#Present/
2	Material	Field Results	90% Conf. Interval	Corrected	90% Conf. Interval	Clean Tons	90% Conf. Interval	#Samps 🏻
3	TOTAL PAPER	16.99%	(16.34 - 17.67%)	13.16%	(12.49 - 13.92%)	341,781	(324,162 - 361,537)	838/950
4	Packaging Paper	8.05%	(7.53 - 8.60%)	6.79%	(6.26 - 7.35%)	176,322	(162,576 - 190,918)	829/950
5	Cardboard	3.26%	(3.01 - 3.58%)	2.80%	(2.53 - 3.10%)	72,612	(65,651 - 80,475)	786/950
6	Cardboard/brown bags 1 foot +	2.99%	(2.74 - 3.29%)	2.56%	(2.31 - 2.85%)	66,483	(59,899 - 74,072)	719/950
7	Cardboard/brown bags <1 foot	0.28%	(0.25 - 0.31%)	0.24%	(0.21 - 0.27%)	6,129	(5,435 - 6,907)	454/950
8	Low grade Not OK With ONP	1.92%	(1.78 - 2.06%)	1.59%	(1.42 - 1.77%)	41,288	(36,961 - 45,847)	648/950
9	Polycoats +bleached drink boxes	0.27%	(0.21 - 0.35%)	0.23%	(0.17 - 0.29%)	5,900	(4,491 - 7,592)	416/950
10	Polycoated paper excluding cups	0.10%	(0.09 - 0.12%)	0.09%	(0.07 - 0.12%)	2,428	(1,920 - 3,055)	277/950
11	Milk cartons/Drink boxes	0.17%	(0.12 - 0.24%)	0.13%	(0.09 - 0.19%)	3,472	(2,302 - 5,036)	350/950
12	Gable top (milk) cartons	0.15%	(0.10 - 0.22%)	0.12%	(0.07 - 0.18%)	3,060	(1,922 - 4,611)	311/950
13	Aseptic drink boxes	0.02%	(0.01 - 0.02%)	0.02%	(0.01 - 0.02%)	412	(233 - 592)	134/950
14	Nonrecyclable (packaging) paper	2.60%	(2.22 - 3.01%)	2.18%	(1.80 - 2.57%)	56,523	(46,694 - 66,830)	689/950
15	Waxed corrugated cardboard	0.17%	(0.09 - 0.28%)	0.10%	(0.05 - 0.16%)	2,611	(1,313 - 4,257)	33/950
16	Non-compost., non-recycl. paper	2.43%	(2.05 - 2.84%)	2.08%	(1.71 - 2.48%)	53,911	(44,344 - 64,336)	679/950
17	Other (Non-packaging) Paper	8.94%	(8.48 - 9.42%)	6.37%	(5.98 - 6.82%)	165,458	(155,332 - 177,132)	707/950
18	Hi grade paper	0.91%	(0.76 - 1.08%)	0.88%	(0.74 - 1.06%)	22,781	(19,194 - 27,577)	497/950
19	Newspaper	0.86%	(0.77 - 0.95%)	0.72%	(0.62 - 0.82%)	18,625	(16,212 - 21,220)	519/950
20	Magazines	0.67%	(0.58 - 0.77%)	0.58%	(0.48 - 0.70%)	15,021	(12,394 - 18,181)	358/ 950
21	Low grade OK With ONP	1.19%	(1.06 - 1.33%)	1.10%	(0.90 - 1.27%)	28,534	(23,495 - 32,999)	533/950
22	Hardcover books	0.08%	(0.06 - 0.12%)	0.11%	(0.06 - 0.17%)	2,770	(1,645 - 4,524)	56/950
23	Other compostable nonrecycl. paper	5.23%	(4.90 - 5.58%)	2.99%	(2.76 - 3.26%)	77,728	(71,606 - 84,670)	628/950
24	Low-grade paper combined	3.36%	(3.17 - 3.56%)	2.93%	(2.71 - 3.16%)	76,063	(70,436 - 81,953)	708/950
25	Non-recycable paper combined	7.93%	(7.49 - 8.36%)	5.26%	(4.86 - 5.70%)	136,679	(126,184 - 147,873)	736/950
26	All recyclable paper	9.06%	(8.66 - 9.52%)	7.90%	(7.42 - 8.44%)	205,102	(192,673 - 219,215)	823/950
27	TOTAL PLASTIC	11.57%	(11.03 - 12.11%)	9.83%	(9.31 - 10.39%)	255,237	(241,745 - 269,837)	890/950
28	Plastic Packaging	5.84%	(5.57 - 6.11%)	4.50%	(4.24 - 4.78%)	116,904	(110,191 - 124,207)	841/950
29	Rigid Plastic Containers (RPCs)	1.86%	(1.75 - 1.97%)	1.47%	(1.36 - 1.58%)	38,100	(35,363 - 40,974)	737/950
30	Deposit plastic bottles	0.06%	(0.05 - 0.07%)	0.05%	(0.04 - 0.06%)	1,255	(1,066 - 1,473)	403/950
14	PO9RES	PO9COM / P	PO9MIX / PO9ROC /	PO9ROD /	P095HR / P09MRF	/ P095PH / FI	4	
_	ady Num Lock							Count: 16
1.12								000000120



Using the detailed Excel files for each jurisdiction / waste substream

- Field Data Use for comparison with other (non-DEQ) studies
- Contamination-corrected results Use for calculating the tons of material (clean, dry) being disposed of
- Clean Tons extrapolated from the contamination-corrected results based on the estimated size of each substream for 2009
- # Present / # Samples: The number of samples where the particular material was present.



Summary

- Waste generation, which had climbed steadily through 2006, declined sharply in 2008-2009.
- Tons disposed in 2010 are no higher than total tons disposed in 1996
- Per capita tons disposed in 2009 and 2010 are 10% lower than per capita tons disposed in any other year since 1993.
- For traditional recyclables, from 1993-2007, total generation was flat, but we steadily increased recovery and decreased disposal by more than 30% on a per capita basis

Oregon Waste Composition Study 2009/2010



Summary (continued)

- Starting in 2007, total generation of traditional recyclables decreased sharply, while the percent recycled remained about the same.
- Plastics have a low recovery rate compared to other traditional recyclables, but showed increasing generation and recycling through 2007. Potential for increased recovery.
- Construction wastes showed large increases in generation through 2006, but have fallen sharply since then.
- These data will help inform the upcoming materials management planning.

Peter Spendelow 503-229-5253 Spendelow.Peter@DEQ.State.OR.US