



10. Run to pursue/escape fleeing/attacking person (pursuit-evasion)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		53.5%	53.5%
Several times per year		30.2%	83.7%
Never		14.0%	97.7%
Monthly		2.3%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.5195
Max	3	Variance	0.2699
Range	3	Skewness	2.0665
Median	1.00	Kurtosis	2.0224
Mean	1.21	95% Conf.	1.05 to 1.36

Scale 2 - Maximum Distance in Feet			
Response (n = 43)		Percent	
800		2.3%	
600		7.0%	
300		7.0%	
1500		2.3%	
50		9.3%	
150		4.7%	
1000		9.3%	
1320		2.3%	
100		9.3%	
500		9.3%	
25		2.3%	
0		2.3%	
20		2.3%	
90		2.3%	
10		2.3%	
30		2.3%	
No Response		23.3%	
Min	0	Std. Dev.	342.2402
Max	1500	Variance	117128.3413
Range	1500	Skewness	2.3377
Median	300.00	Kurtosis	3.0546
Mean	405.91	95% Conf.	289.14 to 522.68

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		34.9%	34.9%
Moderate		18.6%	53.5%
Disastrous		18.6%	72.1%
Mild to Moderate		11.6%	83.7%
None		9.3%	93.0%
Mild		7.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.9292
Max	5	Variance	0.8634
Range	5	Skewness	1.6573
Median	4.00	Kurtosis	-0.0230
Mean	3.19	95% Conf.	2.91 to 3.46

11. Run on flat surface

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		53.5%	53.5%
Once or less in past year		37.2%	90.7%
Never		7.0%	97.7%
Monthly		2.3%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.4283
Max	3	Variance	0.1834
Range	3	Skewness	1.8112
Median	2.00	Kurtosis	1.3984
Mean	1.51	95% Conf.	1.38 to 1.64

Scale 2 - Maximum Distance in Feet			
Response (n = 43)		Percent	
400		2.3%	
300		14.0%	
1200		2.3%	
1500		2.3%	
100		11.6%	
50		11.6%	
1000		9.3%	
1320		2.3%	
500		7.0%	
0		2.3%	
20		2.3%	
90		2.3%	
200		4.7%	
10		2.3%	
350		2.3%	
25		2.3%	
30		2.3%	
2		2.3%	
No Response		14.0%	
Min	0	Std. Dev.	357.4928
Max	1500	Variance	127801.1369
Range	1500	Skewness	2.4241
Median	200.00	Kurtosis	3.2503
Mean	362.08	95% Conf.	246.89 to 477.27

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		27.9%	27.9%
Mild		23.3%	51.2%
Mild to Moderate		20.9%	72.1%
Moderately High		20.9%	93.0%
None		4.7%	97.7%
Disastrous		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8746
Max	5	Variance	0.7650
Range	5	Skewness	1.8816
Median	3.00	Kurtosis	0.9483
Mean	2.44	95% Conf.	2.18 to 2.70

12. Walk continuously

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		37.2%	37.2%
Monthly		18.6%	55.8%
Weekly		16.3%	72.1%
Once or less in past year		11.6%	83.7%
Several times per year		9.3%	93.0%
Never		4.7%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.9929
Max	5	Variance	0.9859
Range	5	Skewness	1.5064
Median	4.00	Kurtosis	-0.6809
Mean	3.45	95% Conf.	3.15 to 3.75

Scale 2 - Maximum Time in Hours			
Response (n = 43)		Percent	
2		27.9%	
0.5		9.3%	
12		2.3%	
1		25.6%	
0.2		2.3%	
3		4.7%	
1.5		2.3%	
30		2.3%	
0		2.3%	
4		7.0%	
10		2.3%	
0.25		2.3%	
15		2.3%	
No Response		7.0%	
Min	0	Std. Dev.	5.0500
Max	30	Variance	25.5028
Range	30	Skewness	4.4178
Median	2.00	Kurtosis	18.7749
Mean	3.10	95% Conf.	1.53 to 4.66

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Mild to Moderate		27.9%	27.9%
Moderate		20.9%	48.8%
Mild		18.6%	67.4%
Moderately High		18.6%	86.0%
None		11.6%	97.7%
Disastrous		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.9505
Max	5	Variance	0.9035
Range	5	Skewness	1.9250
Median	2.00	Kurtosis	1.0790
Mean	2.23	95% Conf.	1.95 to 2.52

13. Stand continuously

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Weekly		30.2%	30.2%
Daily		27.9%	58.1%
Several times per year		16.3%	74.4%
Monthly		11.6%	86.0%
Never		4.7%	90.7%
Once or less in past year		4.7%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.8782
Max	5	Variance	0.7713
Range	5	Skewness	1.5962
Median	4.00	Kurtosis	-0.3249
Mean	3.49	95% Conf.	3.22 to 3.76

Scale 2 - Maximum Time in Hours			
Response (n = 43)		Percent	
1		25.6%	
3		2.3%	
10		2.3%	
2		32.6%	
0.5		11.6%	
5		2.3%	
4		4.7%	
0.25		2.3%	
20		2.3%	
35		2.3%	
No Response		11.6%	
Min	0	Std. Dev.	6.0195
Max	35	Variance	36.2347
Range	35	Skewness	4.5970
Median	2.00	Kurtosis	19.6420
Mean	3.23	95% Conf.	1.32 to 5.14

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Mild		27.9%	27.9%
Mild to Moderate		23.3%	51.2%
Moderate		16.3%	67.4%
Moderately High		14.0%	81.4%
None		11.6%	93.0%
Disastrous		2.3%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	1.0000
Max	5	Variance	1.0000
Range	5	Skewness	2.0500
Median	2.00	Kurtosis	1.6000
Mean	2.00	95% Conf.	1.69 to 2.31

14. Walk up/down stairs

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		51.2%	51.2%
Weekly		34.9%	86.0%
Monthly		9.3%	95.3%
Several times per year		4.7%	100.0%
Never		0.0%	100.0%
Once or less in past year		0.0%	100.0%
No Response		0.0%	100.0%
Min	2	Std. Dev.	0.4881
Max	5	Variance	0.2382
Range	3	Skewness	1.3817
Median	5.00	Kurtosis	-1.0910
Mean	4.33	95% Conf.	4.18 to 4.47

Scale 2 - Max. Number of Stairs (flights)			
Response (n = 43)		Percent	
16		2.3%	
2		16.3%	
15		4.7%	
25		2.3%	
3		23.3%	
4		18.6%	
20		7.0%	
40		2.3%	
1		4.7%	
30		2.3%	
5		2.3%	
7		7.0%	
8		2.3%	
6		2.3%	
No Response		2.3%	
Min	1	Std. Dev.	7.8041
Max	40	Variance	60.9043
Range	39	Skewness	2.9598
Median	4.00	Kurtosis	7.0501
Mean	7.60	95% Conf.	5.24 to 9.96

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		27.9%	27.9%
Mild		23.3%	51.2%
Moderately High		20.9%	72.1%
Mild to Moderate		14.0%	86.0%
None		9.3%	95.3%
Disastrous		4.7%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.9746
Max	5	Variance	0.9498
Range	5	Skewness	1.8610
Median	3.00	Kurtosis	0.8653
Mean	2.42	95% Conf.	2.13 to 2.71

15. Run up/down stairs

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		37.2%	37.2%
Several times per year		37.2%	74.4%
Never		14.0%	88.4%
Monthly		7.0%	95.3%
Weekly		2.3%	97.7%
Daily		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8163
Max	5	Variance	0.6663
Range	5	Skewness	2.9603
Median	1.00	Kurtosis	7.4921
Mean	1.53	95% Conf.	1.29 to 1.78

Scale 2 - Max. Number of Stairs (flights)			
Response (n = 43)		Percent	
16		2.3%	
2		20.9%	
5		7.0%	
15		4.7%	
3		18.6%	
20		7.0%	
4		11.6%	
0		2.3%	
1		2.3%	
9		2.3%	
7		4.7%	
6		2.3%	
No Response		14.0%	
Min	0	Std. Dev.	4.9946
Max	20	Variance	24.9464
Range	20	Skewness	2.5328
Median	3.00	Kurtosis	3.6594
Mean	5.76	95% Conf.	4.15 to 7.37

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		27.9%	27.9%
Mild to Moderate		20.9%	48.8%
Moderately High		16.3%	65.1%
Mild		14.0%	79.1%
None		11.6%	90.7%
Disastrous		7.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.9857
Max	5	Variance	0.9716
Range	5	Skewness	1.9742
Median	3.00	Kurtosis	1.3303
Mean	2.45	95% Conf.	2.15 to 2.75

16. Sit continuously (car, desk, etc.)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		88.4%	88.4%
Weekly		7.0%	95.3%
Never		0.0%	95.3%
Once or less in past year		0.0%	95.3%
Several times per year		0.0%	95.3%
Monthly		0.0%	95.3%
No Response		4.7%	100.0%
Min	4	Std. Dev.	0.0714
Max	5	Variance	0.0051
Range	1	Skewness	1.0237
Median	5.00	Kurtosis	-1.9505
Mean	4.93	95% Conf.	4.90 to 4.95

Scale 2 - Maximum Number of Hours			
Response (n = 43)		Percent	
4		16.3%	
7		9.3%	
20		2.3%	
5		9.3%	
3		14.0%	
6		7.0%	
1		4.7%	
2		18.6%	
8		9.3%	
15		2.3%	
No Response		7.0%	
Min	1	Std. Dev.	3.1513
Max	20	Variance	9.9307
Range	19	Skewness	3.7725
Median	4.00	Kurtosis	13.2200
Mean	4.93	95% Conf.	3.95 to 5.90

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		25.6%	25.6%
Mild		23.3%	48.8%
Moderate		23.3%	72.1%
None		14.0%	86.0%
Mild to Moderate		9.3%	95.3%
Disastrous		2.3%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	1.0294
Max	5	Variance	1.0596
Range	5	Skewness	1.6973
Median	3.00	Kurtosis	0.1389
Mean	2.31	95% Conf.	2.00 to 2.62

17. Walk/run on irregular, potentially hazardous surfaces (slick, muddy, rocks, etc.)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		25.6%	25.6%
Monthly		23.3%	48.8%
Once or less in past year		20.9%	69.8%
Weekly		20.9%	90.7%
Never		4.7%	95.3%
Daily		4.7%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.9232
Max	5	Variance	0.8523
Range	5	Skewness	1.9400
Median	2.00	Kurtosis	1.1711
Mean	2.49	95% Conf.	2.21 to 2.76

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		32.6%	32.6%
Moderately High		27.9%	60.5%
Mild to Moderate		11.6%	72.1%
Mild		9.3%	81.4%
Disastrous		9.3%	90.7%
None		7.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.8550
Max	5	Variance	0.7310
Range	5	Skewness	1.8785
Median	3.00	Kurtosis	0.8688
Mean	2.95	95% Conf.	2.69 to 3.21

18. Wade through bodies of water

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Never		67.4%	67.4%
Once or less in past year		30.2%	97.7%
Several times per year		2.3%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.4429
Max	2	Variance	0.1962
Range	2	Skewness	2.2176
Median	0.00	Kurtosis	3.0462
Mean	0.35	95% Conf.	0.22 to 0.48

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
None		46.5%	46.5%
Moderate		14.0%	60.5%
Mild to Moderate		9.3%	69.8%
Mild		7.0%	76.7%
Disastrous		7.0%	83.7%
Moderately High		4.7%	88.4%
No Response		11.6%	100.0%
Min	0	Std. Dev.	1.3851
Max	5	Variance	1.9185
Range	5	Skewness	2.1074
Median	0.00	Kurtosis	1.8529
Mean	1.37	95% Conf.	0.93 to 1.81

19. Walk backwards (retreat)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		39.5%	39.5%
Once or less in past year		32.6%	72.1%
Monthly		11.6%	83.7%
Never		9.3%	93.0%
Weekly		4.7%	97.7%
Daily		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8300
Max	5	Variance	0.6889
Range	5	Skewness	2.7322
Median	2.00	Kurtosis	5.5528
Mean	1.77	95% Conf.	1.52 to 2.02

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		44.2%	44.2%
Mild to Moderate		18.6%	62.8%
Moderate		14.0%	76.7%
Disastrous		14.0%	90.7%
None		7.0%	97.7%
Mild		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8113
Max	5	Variance	0.6582
Range	5	Skewness	1.6808
Median	4.00	Kurtosis	0.1740
Mean	3.28	95% Conf.	3.04 to 3.52

20. Climb or pull oneself over a vertical obstacle

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		60.5%	60.5%
Never		20.9%	81.4%
Several times per year		18.6%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.4470
Max	2	Variance	0.1998
Range	2	Skewness	2.2853
Median	1.00	Kurtosis	2.2315
Mean	0.98	95% Conf.	0.84 to 1.11

Scale 2 - Maximum Height in Feet	
Response (n = 43)	Percent
6	48.8%
5	11.6%
4	11.6%
10	2.3%
0	2.3%
8	2.3%
No Response	20.9%
Min	0
Max	10
Range	10
Median	6.00
Mean	5.56
	Std. Dev.
	0.9498
	Variance
	0.9022
	Skewness
	3.6764
	Kurtosis
	12.8384
	95% Conf.
	5.24 to 5.88

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	32.6%	32.6%
Moderately High	18.6%	51.2%
None	16.3%	67.4%
Mild to Moderate	14.0%	81.4%
Mild	9.3%	90.7%
Disastrous	4.7%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev.
Max	5	0.9620
Range	5	Variance
Median	3.00	0.9254
Mean	2.44	Skewness
		1.8673
		Kurtosis
		0.9384
		95% Conf.
		2.14 to 2.73

21. Crawl under an obstacle

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	48.8%	48.8%
Never	30.2%	79.1%
Several times per year	18.6%	97.7%
Monthly	0.0%	97.7%
Weekly	0.0%	97.7%
Daily	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev.
Max	2	0.5016
Range	2	Variance
Median	1.00	0.2516
Mean	0.88	Skewness
		2.1732
		Kurtosis
		1.8344
		95% Conf.
		0.73 to 1.03

Scale 2 - Lowest Distance in Inches	
Response (n = 43)	Percent
18	7.0%
24	16.3%
30	4.7%
3	2.3%
15	2.3%
36	16.3%
12	9.3%
0	7.0%
6	2.3%
72	2.3%
20	2.3%
No Response	27.9%
Min	0
Max	72
Range	72
Median	24.00
Mean	22.52
	Std. Dev.
	11.3267
	Variance
	128.2932
	Skewness
	3.1929
	Kurtosis
	9.6243
	95% Conf.
	18.53 to 26.50

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
None	27.9%	27.9%
Moderate	27.9%	55.8%
Mild to Moderate	16.3%	72.1%
Mild	11.6%	83.7%
Moderately High	9.3%	93.0%
Disastrous	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev.
Max	5	1.1025
Range	5	Variance
Median	2.00	1.2156
Mean	1.93	Skewness
		1.9704
		Kurtosis
		1.4149
		95% Conf.
		1.60 to 2.26

22. Climb steps, railings, or over other external features/obstacles

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	39.5%	39.5%
Monthly	20.9%	60.5%
Once or less in past year	18.6%	79.1%
Weekly	9.3%	88.4%
Daily	7.0%	95.3%
Never	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev.
Max	5	0.9356
Range	5	Variance
Median	2.00	0.8754
Mean	2.33	Skewness
		2.2945
		Kurtosis
		2.8037
		95% Conf.
		2.05 to 2.61

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	37.2%	37.2%
Mild	18.6%	55.8%
Mild to Moderate	18.6%	74.4%
Moderately High	18.6%	93.0%
None	4.7%	97.7%
Disastrous	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev.
Max	5	0.7975
Range	5	Variance
Median	3.00	0.6360
Mean	2.53	Skewness
		1.9597
		Kurtosis
		1.3872
		95% Conf.
		2.30 to 2.77

23. Climb up/down ladder

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		46.5%	46.5%
Never		44.2%	90.7%
Several times per year		7.0%	97.7%
Monthly		0.0%	97.7%
Weekly		0.0%	97.7%
Daily		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.4587
Max	2	Variance	0.2104
Range	2	Skewness	2.2763
Median	1.00	Kurtosis	3.2439
Mean	0.62	95% Conf.	0.48 to 0.76

Scale 2 - Maximum Number of Feet	
Response (n = 43)	Percent
10	14.0%
8	11.6%
12	7.0%
0	9.3%
6	16.3%
5	2.3%
No Response	39.5%
Min	0
Max	12
Range	12
Median	8.00
Mean	7.04
	Std. Dev.
	2.2899
	Variance
	5.2438
	Skewness
	1.7546
	Kurtosis
	0.3223
	95% Conf.
	6.16 to 7.92

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	25.6%	25.6%
None	23.3%	48.8%
Mild to Moderate	16.3%	65.1%
Mild	11.6%	76.7%
Moderately High	4.7%	81.4%
Disastrous	4.7%	86.0%
No Response	14.0%	100.0%
Min	0	Std. Dev.
Max	5	1.0775
Range	5	Variance
Median	2.00	1.1610
Mean	1.89	Skewness
		2.0820
		Kurtosis
		2.0020
		95% Conf.
		1.54 to 2.24

24. Climb up/down from elevated surface

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	37.2%	37.2%
Once or less in past year	25.6%	62.8%
Never	20.9%	83.7%
Monthly	9.3%	93.0%
Weekly	4.7%	97.7%
Daily	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev.
Max	5	0.9029
Range	5	Variance
Median	2.00	0.8152
Mean	1.58	Skewness
		2.6150
		Kurtosis
		4.9428
		95% Conf.
		1.31 to 1.85

Scale 2 - Maximum Distance in Feet	
Response (n = 43)	Percent
10	16.3%
6	16.3%
12	2.3%
8	4.7%
4	9.3%
20	7.0%
50	2.3%
0	2.3%
5	4.7%
3	4.7%
2	2.3%
No Response	27.9%
Min	0
Max	50
Range	50
Median	6.00
Mean	9.16
	Std. Dev.
	8.2325
	Variance
	67.7738
	Skewness
	4.2989
	Kurtosis
	17.4864
	95% Conf.
	6.26 to 12.06

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	23.3%	23.3%
Mild to Moderate	20.9%	44.2%
Mild	18.6%	62.8%
Moderately High	14.0%	76.7%
None	11.6%	88.4%
Disastrous	4.7%	93.0%
No Response	7.0%	100.0%
Min	0	Std. Dev.
Max	5	1.0016
Range	5	Variance
Median	2.00	1.0032
Mean	2.25	Skewness
		1.9896
		Kurtosis
		1.4285
		95% Conf.
		1.94 to 2.56

25. Lift objects up off the ground

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	37.2%	37.2%
Daily	23.3%	60.5%
Several times per year	16.3%	76.7%
Monthly	16.3%	93.0%
Once or less in past year	7.0%	100.0%
Never	0.0%	100.0%
No Response	0.0%	100.0%
Min	1	Std. Dev.
Max	5	0.7704
Range	4	Variance
Median	4.00	0.5935
Mean	3.53	Skewness
		1.7214
		Kurtosis
		0.1649
		95% Conf.
		3.30 to 3.77

Scale 2 - Max. Lift-Height in Inches	
Response (n = 43)	Percent
4	2.3%
60	4.7%
40	2.3%
30	7.0%
20	2.3%
42	2.3%
36	30.2%
24	11.6%
48	18.6%
6	2.3%
72	4.7%
3	2.3%
120	2.3%

Response (n = 43)		Percent	
45			2.3%
No Response			4.7%
Min	3	Std. Dev.	15.9867
Max	120	Variance	255.5737
Range	117	Skewness	3.8099
Median	36.00	Kurtosis	14.3896
Mean	39.17	95% Conf.	34.28 to 44.06

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
50			32.6%
40			11.6%
25			9.3%
200			4.7%
20			2.3%
5			2.3%
15			9.3%
90			2.3%
10			9.3%
60			4.7%
75			2.3%
30			2.3%
7			2.3%
100			2.3%
No Response			2.3%
Min	5	Std. Dev.	36.0802
Max	200	Variance	1301.7807
Range	195	Skewness	3.9054
Median	45.00	Kurtosis	13.2227
Mean	46.36	95% Conf.	35.45 to 57.27

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)	Percent	Cumulation	
Moderately High	25.6%	25.6%	
Mild to Moderate	23.3%	48.8%	
Mild	20.9%	69.8%	
Moderate	18.6%	88.4%	
None	7.0%	95.3%	
Disastrous	2.3%	97.7%	
No Response	2.3%	100.0%	
Min	0	Std. Dev.	0.9421
Max	5	Variance	0.8875
Range	5	Skewness	1.7845
Median	2.00	Kurtosis	0.4567
Mean	2.43	95% Conf.	2.14 to 2.71

26. Push/pull objects

Scale 1 - Frequency			
Response (n = 43)	Percent	Cumulation	
Several times per year	46.5%	46.5%	
Daily	16.3%	62.8%	
Weekly	14.0%	76.7%	
Once or less in past year	9.3%	86.0%	
Never	7.0%	93.0%	
Monthly	7.0%	100.0%	
No Response	0.0%	100.0%	
Min	0	Std. Dev.	1.1160
Max	5	Variance	1.2455
Range	5	Skewness	1.9303
Median	2.00	Kurtosis	0.8872
Mean	2.60	95% Conf.	2.27 to 2.94

Scale 2 - Max. Weight in Pounds			
Response (n = 43)		Percent	
20			16.3%
150			4.7%
100			9.3%
25			2.3%
30			2.3%
40			4.7%
50			16.3%
75			7.0%
10			7.0%
15			2.3%
200			11.6%
250			2.3%
0			2.3%
No Response			11.6%
Min	0	Std. Dev.	57.6046
Max	250	Variance	3318.2870
Range	250	Skewness	2.2735
Median	50.00	Kurtosis	2.4783
Mean	74.87	95% Conf.	56.55 to 93.18

Scale 3 - Max. Distance in Feet			
Response (n = 43)		Percent	
2			14.0%
30			9.3%
10			7.0%
5			9.3%
3			11.6%
20			9.3%
40			2.3%
4			9.3%
50			4.7%
25			2.3%
0			2.3%
100			2.3%
15			2.3%
9			2.3%
No Response			11.6%
Min	0	Std. Dev.	17.4222
Max	100	Variance	303.5342
Range	100	Skewness	3.6787
Median	5.00	Kurtosis	13.1024
Mean	15.32	95% Conf.	9.78 to 20.86

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)	Percent	Cumulation	
Mild to Moderate	34.9%	34.9%	
Moderate	23.3%	58.1%	
Mild	18.6%	76.7%	
None	9.3%	86.0%	
Moderately High	9.3%	95.3%	
Disastrous	2.3%	97.7%	
No Response	2.3%	100.0%	
Min	0	Std. Dev.	0.8584
Max	5	Variance	0.7369
Range	5	Skewness	2.2123
Median	2.00	Kurtosis	2.6148
Mean	2.12	95% Conf.	1.86 to 2.38

27. Carry an unresisting person (with assistance)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		51.2%	51.2%
Never		32.6%	83.7%
Several times per year		7.0%	90.7%
Weekly		7.0%	97.7%
Monthly		0.0%	97.7%
Daily		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.8724
Max	4	Variance	0.7611
Range	4	Skewness	3.2461
Median	1.00	Kurtosis	8.0491
Mean	0.95	95% Conf.	0.69 to 1.22

Scale 2 - Max. Weight in Pounds			
Response (n = 43)		Percent	
200		30.2%	
250		14.0%	
175		2.3%	
150		7.0%	
180		7.0%	
0		4.7%	
300		2.3%	
120		2.3%	
No Response		30.2%	
Min	0	Std. Dev.	35.0394
Max	300	Variance	1227.7586
Range	300	Skewness	2.1585
Median	200.00	Kurtosis	2.2530
Mean	189.50	95% Conf.	176.96 to 202.04

Scale 3 - Max. Distance in Feet			
Response (n = 43)		Percent	
20		9.3%	
150		9.3%	
10		11.6%	
50		14.0%	
30		7.0%	
0		4.7%	
100		4.7%	
25		2.3%	
15		4.7%	
8		2.3%	
No Response		30.2%	
Min	0	Std. Dev.	41.1400
Max	150	Variance	1692.5007
Range	150	Skewness	2.3771
Median	27.50	Kurtosis	2.8146
Mean	46.10	95% Conf.	31.38 to 60.82

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		23.3%	23.3%
None		20.9%	44.2%
Moderately High		18.6%	62.8%
Disastrous		11.6%	74.4%
Mild to Moderate		9.3%	83.7%
Mild		7.0%	90.7%
No Response		9.3%	100.0%
Min	0	Std. Dev.	1.1585
Max	5	Variance	1.3421
Range	5	Skewness	1.7670
Median	3.00	Kurtosis	0.3754
Mean	2.51	95% Conf.	2.15 to 2.88

28. Carry and place objects

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		51.2%	51.2%
Several times per year		23.3%	74.4%
Weekly		9.3%	83.7%
Once or less in past year		7.0%	90.7%
Monthly		4.7%	95.3%
Never		2.3%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.9641
Max	5	Variance	0.9295
Range	5	Skewness	1.3478
Median	5.00	Kurtosis	-1.1727
Mean	3.69	95% Conf.	3.40 to 3.98

Scale 2 - Max. Distance in Feet			
Response (n = 43)		Percent	
40		2.3%	
50		16.3%	
20		14.0%	
25		4.7%	
5		2.3%	
100		16.3%	
3		2.3%	
30		7.0%	
10		11.6%	
200		2.3%	
500		4.7%	
15		2.3%	
90		2.3%	
1000		2.3%	
9		2.3%	
No Response		7.0%	
Min	3	Std. Dev.	172.8755
Max	1000	Variance	29885.9315
Range	997	Skewness	4.3774
Median	35.00	Kurtosis	18.0023
Mean	93.05	95% Conf.	39.48 to 146.62

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
7		2.3%	
50		25.6%	
30		4.7%	
25		9.3%	
20		7.0%	
40		9.3%	
5		7.0%	
10		20.9%	
15		2.3%	
75		2.3%	
3		2.3%	
No Response		7.0%	
Min	3	Std. Dev.	14.1998
Max	75	Variance	201.6354
Range	72	Skewness	1.9603
Median	25.00	Kurtosis	1.5437
Mean	28.38	95% Conf.	23.97 to 32.78

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Mild to Moderate		25.6%	25.6%
Moderate		25.6%	51.2%
Mild		20.9%	72.1%
Moderately High		14.0%	86.0%
None		7.0%	93.0%
Disastrous		0.0%	93.0%
No Response		7.0%	100.0%
Min	0	Std. Dev.	0.8240
Max	4	Variance	0.6790
Range	4	Skewness	1.8618
Median	2.00	Kurtosis	0.7538
Mean	2.20	95% Conf.	1.94 to 2.46

29. Lift objects down from elevated surface (waist high or above) and place on ground or floor

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		30.2%	30.2%
Weekly		30.2%	60.5%
Monthly		14.0%	74.4%
Once or less in past year		11.6%	86.0%
Daily		9.3%	95.3%
Never		2.3%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.9150
Max	5	Variance	0.8372
Range	5	Skewness	1.7920
Median	3.00	Kurtosis	0.5155
Mean	2.88	95% Conf.	2.60 to 3.16

Scale 2 - Maximum Weight in Pounds			
Response (n = 43)		Percent	
10		23.3%	
40		11.6%	
25		14.0%	
15		4.7%	
5		4.7%	
50		20.9%	
20		7.0%	
90		2.3%	
0		2.3%	
30		2.3%	
1		2.3%	
12		2.3%	
No Response		2.3%	
Min	0	Std. Dev.	15.3019
Max	90	Variance	234.1487
Range	90	Skewness	2.5272
Median	25.00	Kurtosis	5.2078
Mean	26.98	95% Conf.	22.35 to 31.60

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Mild to Moderate		34.9%	34.9%
Moderate		23.3%	58.1%
Mild		16.3%	74.4%
None		11.6%	86.0%
Moderately High		11.6%	97.7%
Disastrous		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.8148
Max	4	Variance	0.6639
Range	4	Skewness	1.9782
Median	2.00	Kurtosis	1.2393
Mean	2.07	95% Conf.	1.83 to 2.32

30. Lift objects above head

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		41.9%	41.9%
Once or less in past year		23.3%	65.1%
Weekly		11.6%	76.7%
Monthly		9.3%	86.0%
Never		4.7%	90.7%
Daily		4.7%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.9537
Max	5	Variance	0.9096
Range	5	Skewness	2.3292
Median	2.00	Kurtosis	2.8566
Mean	2.15	95% Conf.	1.85 to 2.44

Scale 2 - Maximum Weight in Pounds			
Response (n = 43)		Percent	
25		18.6%	
60		2.3%	
30		9.3%	
15		9.3%	
10		27.9%	
20		7.0%	
50		9.3%	
0		2.3%	
5		4.7%	
2		2.3%	
No Response		7.0%	
Min	0	Std. Dev.	11.7962
Max	60	Variance	139.1508
Range	60	Skewness	2.5545
Median	17.50	Kurtosis	4.0190
Mean	20.80	95% Conf.	17.14 to 24.46

Scale 2 - Maximum Weight in Pounds			
Response (n = 43)		Percent	
200		39.5%	
175		4.7%	
140		2.3%	
150		7.0%	
0		4.7%	
250		4.7%	
300		2.3%	
120		2.3%	
220		2.3%	
No Response		30.2%	
Min	0	Std. Dev.	31.8054
Max	300	Variance	1011.5849
Range	300	Skewness	2.5363
Median	200.00	Kurtosis	4.8893
Mean	182.67	95% Conf.	171.29 to 194.05

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		30.2%	30.2%
Mild		27.9%	58.1%
Mild to Moderate		23.3%	81.4%
None		14.0%	95.3%
Moderately High		4.7%	100.0%
Disastrous		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8047
Max	4	Variance	0.6476
Range	4	Skewness	1.8604
Median	2.00	Kurtosis	0.8348
Mean	1.84	95% Conf.	1.60 to 2.08

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
None		25.6%	25.6%
Moderate		23.3%	48.8%
Mild to Moderate		18.6%	67.4%
Moderately High		14.0%	81.4%
Mild		4.7%	86.0%
Disastrous		4.7%	90.7%
No Response		9.3%	100.0%
Min	0	Std. Dev.	1.1055
Max	5	Variance	1.2222
Range	5	Skewness	1.8866
Median	2.00	Kurtosis	0.9678
Mean	2.10	95% Conf.	1.76 to 2.45

31. Lift co-worker (to see over obstacles such as high fences, window ledges, etc. and or to gain access to building or structure) in high stress situations

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		46.5%	46.5%
Never		37.2%	83.7%
Several times per year		16.3%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.5144
Max	2	Variance	0.2646
Range	2	Skewness	2.1975
Median	1.00	Kurtosis	2.1038
Mean	0.79	95% Conf.	0.64 to 0.94

32. Pull oneself up to see over obstacles such as high fences, window ledges, etc.

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		37.2%	37.2%
Once or less in past year		34.9%	72.1%
Monthly		16.3%	88.4%
Never		9.3%	97.7%
Weekly		2.3%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.6797
Max	4	Variance	0.4620
Range	4	Skewness	2.2319
Median	2.00	Kurtosis	2.6943
Mean	1.67	95% Conf.	1.47 to 1.88

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		34.9%	34.9%
Mild		20.9%	55.8%
Mild to Moderate		16.3%	72.1%
Moderately High		11.6%	83.7%
None		7.0%	90.7%
Disastrous		2.3%	93.0%
No Response		7.0%	100.0%
Min	0	Std. Dev.	0.8476
Max	5	Variance	0.7184
Range	5	Skewness	1.9897
Median	3.00	Kurtosis	1.6536
Mean	2.33	95% Conf.	2.06 to 2.59

33. Jump/vault over ditch, hole, or other depression

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	44.2%	44.2%
Once or less in past year	27.9%	72.1%
Never	9.3%	81.4%
Monthly	9.3%	90.7%
Weekly	9.3%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7776
Max	4	Variance 0.6047
Range	4	Skewness 2.4600
Median	2.00	Kurtosis 3.4651
Mean	1.81	95% Conf. 1.58 to 2.05

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	37.2%	37.2%
Moderately High	25.6%	62.8%
Mild	11.6%	74.4%
Mild to Moderate	11.6%	86.0%
None	9.3%	95.3%
Disastrous	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.8081
Max	5	Variance 0.6531
Range	5	Skewness 1.8195
Median	3.00	Kurtosis 0.6948
Mean	2.67	95% Conf. 2.42 to 2.91

34. Jump/vault over raised barrier

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	39.5%	39.5%
Once or less in past year	37.2%	76.7%
Never	18.6%	95.3%
Monthly	0.0%	95.3%
Weekly	0.0%	95.3%
Daily	0.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.5088
Max	2	Variance 0.2589
Range	2	Skewness 1.5341
Median	1.00	Kurtosis -0.6466
Mean	1.22	95% Conf. 1.06 to 1.38

Scale 2 - Maximum Height in Inches	
Response (n = 43)	Percent
36	11.6%
48	14.0%
24	18.6%
22	2.3%
15	2.3%
10	2.3%
30	2.3%
5	2.3%
60	2.3%
72	4.7%
0	2.3%
3	7.0%

Response (n = 43)		Percent
2		2.3%
6		4.7%
No Response		20.9%
Min	0	Std. Dev. 14.9157
Max	72	Variance 222.4773
Range	72	Skewness 2.2143
Median	24.00	Kurtosis 2.5279
Mean	28.50	95% Conf. 23.49 to 33.51

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	39.5%	39.5%
Moderately High	16.3%	55.8%
None	14.0%	69.8%
Mild	14.0%	83.7%
Mild to Moderate	9.3%	93.0%
Disastrous	2.3%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.8842
Max	5	Variance 0.7818
Range	5	Skewness 1.8384
Median	3.00	Kurtosis 0.9163
Mean	2.39	95% Conf. 2.12 to 2.66

35. Jump up/down from elevated surface

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	37.2%	37.2%
Once or less in past year	27.9%	65.1%
Never	11.6%	76.7%
Monthly	11.6%	88.4%
Weekly	4.7%	93.0%
Daily	0.0%	93.0%
No Response	7.0%	100.0%
Min	0	Std. Dev. 0.7386
Max	4	Variance 0.5456
Range	4	Skewness 2.3747
Median	2.00	Kurtosis 3.3784
Mean	1.68	95% Conf. 1.45 to 1.90

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	32.6%	32.6%
Mild to Moderate	23.3%	55.8%
Mild	14.0%	69.8%
Moderately High	14.0%	83.7%
None	7.0%	90.7%
Disastrous	2.3%	93.0%
No Response	7.0%	100.0%
Min	0	Std. Dev. 0.8187
Max	5	Variance 0.6703
Range	5	Skewness 2.0175
Median	3.00	Kurtosis 1.7038
Mean	2.42	95% Conf. 2.17 to 2.68

36. Grip and hold a person to maintain physical control

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Monthly		32.6%	32.6%
Several times per year		23.3%	55.8%
Weekly		23.3%	79.1%
Once or less in past year		14.0%	93.0%
Daily		4.7%	97.7%
Never		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.7997
Max	5	Variance	0.6396
Range	5	Skewness	2.0017
Median	3.00	Kurtosis	1.4663
Mean	2.74	95% Conf.	2.51 to 2.98

Scale 2 - Max. Time in Minutes			
Response (n = 43)		Percent	
2		14.0%	
10		37.2%	
15		9.3%	
7		4.7%	
20		7.0%	
5		14.0%	
3		4.7%	
60		2.3%	
0		2.3%	
1		2.3%	
No Response		2.3%	
Min	0	Std. Dev.	8.5324
Max	60	Variance	72.8023
Range	60	Skewness	5.1858
Median	10.00	Kurtosis	26.8818
Mean	9.60	95% Conf.	7.01 to 12.18

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
200		27.9%	
300		16.3%	
240		4.7%	
220		2.3%	
250		25.6%	
175		2.3%	
180		9.3%	
165		2.3%	
150		4.7%	
0		2.3%	
No Response		2.3%	
Min	0	Std. Dev.	35.7687
Max	300	Variance	1279.4023
Range	300	Skewness	1.9332
Median	210.00	Kurtosis	1.0362
Mean	221.67	95% Conf.	210.85 to 232.48

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		46.5%	46.5%
Disastrous		27.9%	74.4%
Moderate		18.6%	93.0%
Mild to Moderate		4.7%	97.7%
None		2.3%	100.0%
Mild		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.5877
Max	5	Variance	0.3454
Range	5	Skewness	1.8398
Median	4.00	Kurtosis	0.4184
Mean	3.91	95% Conf.	3.73 to 4.08

37. Hold/restrain a struggling person

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		58.1%	58.1%
Once or less in past year		25.6%	83.7%
Monthly		11.6%	95.3%
Never		2.3%	97.7%
Weekly		2.3%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.5245
Max	4	Variance	0.2751
Range	4	Skewness	2.8480
Median	2.00	Kurtosis	6.2471
Mean	1.86	95% Conf.	1.70 to 2.02

Scale 2 - Max. Time in Minutes			
Response (n = 43)		Percent	
30		2.3%	
10		23.3%	
7		4.7%	
2		9.3%	
5		32.6%	
15		7.0%	
3		2.3%	
60		2.3%	
0		2.3%	
1		2.3%	
20		4.7%	
4		2.3%	
No Response		4.7%	
Min	0	Std. Dev.	9.1742
Max	60	Variance	84.1667
Range	60	Skewness	4.6541
Median	5.00	Kurtosis	21.3803
Mean	9.15	95% Conf.	6.34 to 11.95

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
200		23.3%	
300		16.3%	
250		27.9%	
220		2.3%	
225		2.3%	
165		2.3%	
150		2.3%	
0		2.3%	
180		7.0%	
240		2.3%	
275		2.3%	
230		2.3%	
No Response		7.0%	
Min	0	Std. Dev.	33.3687
Max	300	Variance	1113.4704
Range	300	Skewness	1.9072
Median	245.00	Kurtosis	0.9050
Mean	228.63	95% Conf.	218.28 to 238.97

Scale 2 - Max. Time in Minutes			
Response (n = 43)		Percent	
30		2.3%	
10		14.0%	
15		4.7%	
5		27.9%	
1		9.3%	
3		11.6%	
0		2.3%	
2		4.7%	
4		2.3%	
7		2.3%	
No Response		18.6%	
Min	0	Std. Dev.	4.9104
Max	30	Variance	24.1122
Range	30	Skewness	3.8214
Median	5.00	Kurtosis	14.1666
Mean	6.11	95% Conf.	4.49 to 7.74

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		41.9%	41.9%
Disastrous		37.2%	79.1%
Moderate		14.0%	93.0%
None		2.3%	95.3%
Mild		0.0%	95.3%
Mild to Moderate		0.0%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.5399
Max	5	Variance	0.2915
Range	5	Skewness	1.5814
Median	4.00	Kurtosis	-0.4995
Mean	4.15	95% Conf.	3.98 to 4.31

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
200		30.2%	
300		11.6%	
250		23.3%	
165		2.3%	
0		2.3%	
240		2.3%	
180		4.7%	
275		2.3%	
230		2.3%	
No Response		18.6%	
Min	0	Std. Dev.	33.1325
Max	300	Variance	1097.7647
Range	300	Skewness	1.9489
Median	230.00	Kurtosis	1.1438
Mean	224.86	95% Conf.	213.88 to 235.83

38. Physically defend against and control an attacking person

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		65.1%	65.1%
Never		16.3%	81.4%
Several times per year		16.3%	97.7%
Monthly		0.0%	97.7%
Weekly		0.0%	97.7%
Daily		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.4132
Max	2	Variance	0.1707
Range	2	Skewness	2.4201
Median	1.00	Kurtosis	2.8570
Mean	1.00	95% Conf.	0.88 to 1.13

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Disastrous		67.4%	67.4%
Moderately High		18.6%	86.0%
None		4.7%	90.7%
Moderate		2.3%	93.0%
Mild		0.0%	93.0%
Mild to Moderate		0.0%	93.0%
No Response		7.0%	100.0%
Min	0	Std. Dev.	0.4312
Max	5	Variance	0.1859
Range	5	Skewness	1.1593
Median	5.00	Kurtosis	-1.6557
Mean	4.50	95% Conf.	4.37 to 4.63

39. Take down and subdue a resisting person

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	51.2%	51.2%
Several times per year	30.2%	81.4%
Never	9.3%	90.7%
Monthly	2.3%	93.0%
Weekly	2.3%	95.3%
Daily	0.0%	95.3%
No Response	4.7%	100.0%
Min 0	Std. Dev.	0.6216
Max 4	Variance	0.3864
Range 4	Skewness	2.8170
Median 1.00	Kurtosis	7.0408
Mean 1.34	95% Conf.	1.15 to 1.53

Scale 2 - Maximum Weight in Pounds		
Response (n = 43)	Percent	
200	30.2%	
300	14.0%	
250	25.6%	
165	2.3%	
0	2.3%	
240	2.3%	
180	4.7%	
275	2.3%	
230	2.3%	
No Response	14.0%	
Min 0	Std. Dev.	33.0926
Max 300	Variance	1095.1213
Range 300	Skewness	1.9261
Median 240.00	Kurtosis	1.0075
Mean 227.57	95% Conf.	216.90 to 238.23

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	60.5%	60.5%
Moderately High	23.3%	83.7%
None	7.0%	90.7%
Moderate	4.7%	95.3%
Mild	0.0%	95.3%
Mild to Moderate	0.0%	95.3%
No Response	4.7%	100.0%
Min 0	Std. Dev.	0.5703
Max 5	Variance	0.3252
Range 5	Skewness	1.2400
Median 5.00	Kurtosis	-1.4621
Mean 4.29	95% Conf.	4.12 to 4.47

40. Handcuff - mechanically restrain person

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	62.8%	62.8%
Monthly	27.9%	90.7%
Daily	4.7%	95.3%
Never	2.3%	97.7%
Once or less in past year	0.0%	97.7%
Several times per year	0.0%	97.7%
No Response	2.3%	100.0%
Min 0	Std. Dev.	0.3999
Max 5	Variance	0.1599
Range 5	Skewness	2.1892
Median 4.00	Kurtosis	3.3455
Mean 3.67	95% Conf.	3.55 to 3.79

Scale 2 - Maximum Weight in Pounds		
Response (n = 43)	Percent	
200	20.9%	
300	14.0%	
250	34.9%	
220	2.3%	
180	4.7%	
150	2.3%	
0	2.3%	
240	2.3%	
275	2.3%	
230	2.3%	
280	2.3%	
No Response	9.3%	
Min 0	Std. Dev.	30.1754
Max 300	Variance	910.5551
Range 300	Skewness	1.9233
Median 250.00	Kurtosis	1.0120
Mean 233.46	95% Conf.	223.99 to 242.93

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	44.2%	44.2%
Moderately High	41.9%	86.0%
Moderate	7.0%	93.0%
Mild to Moderate	4.7%	97.7%
None	2.3%	100.0%
Mild	0.0%	100.0%
No Response	0.0%	100.0%
Min 0	Std. Dev.	0.5474
Max 5	Variance	0.2997
Range 5	Skewness	1.4875
Median 4.00	Kurtosis	-0.7880
Mean 4.19	95% Conf.	4.02 to 4.35

41. Tackle a fleeing person to stop flight

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	60.5%	60.5%
Never	34.9%	95.3%
Several times per year	4.7%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min 0	Std. Dev.	0.3705
Max 2	Variance	0.1373
Range 2	Skewness	2.4043
Median 1.00	Kurtosis	4.5433
Mean 0.70	95% Conf.	0.59 to 0.81

Scale 2 - Maximum Weight in Pounds			
Response (n = 43)		Percent	
200		16.3%	
300		11.6%	
250		20.9%	
0		4.7%	
175		2.3%	
180		2.3%	
275		2.3%	
230		2.3%	
150		2.3%	
No Response		34.9%	
Min	0	Std. Dev.	40.0116
Max	300	Variance	1600.9259
Range	300	Skewness	1.7175
Median	250.00	Kurtosis	0.1973
Mean	220.00	95% Conf.	205.18 to 234.82

Scale 3 - Consequences of Inadequate Performance					
Response (n = 43)		Percent		Cumulation	
Disastrous		34.9%		34.9%	
Moderately High		25.6%		60.5%	
None		20.9%		81.4%	
Moderate		7.0%		88.4%	
Mild to Moderate		4.7%		93.0%	
Mild		0.0%		93.0%	
No Response		7.0%		100.0%	
Min	0	Std. Dev.	1.1179		
Max	5	Variance	1.2497		
Range	5	Skewness	1.4218		
Median	4.00	Kurtosis	-0.8998		
Mean	3.30	95% Conf.	2.95 to 3.65		

42. Use hand weapon(s) (other than firearm) to subdue person in physical confrontation

Scale 1 - Frequency					
Response (n = 43)		Percent		Cumulation	
Once or less in past year		53.5%		53.5%	
Never		27.9%		81.4%	
Several times per year		18.6%		100.0%	
Monthly		0.0%		100.0%	
Weekly		0.0%		100.0%	
Daily		0.0%		100.0%	
No Response		0.0%		100.0%	
Min	0	Std. Dev.	0.4820		
Max	2	Variance	0.2323		
Range	2	Skewness	2.2250		
Median	1.00	Kurtosis	2.0373		
Mean	0.91	95% Conf.	0.76 to 1.05		

Scale 2 - Consequences of Inadequate Performance					
Response (n = 43)		Percent		Cumulation	
Disastrous		44.2%		44.2%	
Moderately High		32.6%		76.7%	
None		16.3%		93.0%	
Mild to Moderate		2.3%		95.3%	
Mild		0.0%		95.3%	
Moderate		0.0%		95.3%	
No Response		4.7%		100.0%	
Min	0	Std. Dev.	0.8884		
Max	5	Variance	0.7893		
Range	5	Skewness	1.3917		
Median	4.00	Kurtosis	-1.0240		
Mean	3.73	95% Conf.	3.46 to 4.00		

43. Use chemical weapon to subdue a person in a physical confrontation

Scale 1 - Frequency					
Response (n = 43)		Percent		Cumulation	
Once or less in past year		62.8%		62.8%	
Never		18.6%		81.4%	
Several times per year		18.6%		100.0%	
Monthly		0.0%		100.0%	
Weekly		0.0%		100.0%	
Daily		0.0%		100.0%	
No Response		0.0%		100.0%	
Min	0	Std. Dev.	0.4365		
Max	2	Variance	0.1905		
Range	2	Skewness	2.2903		
Median	1.00	Kurtosis	2.2469		
Mean	1.00	95% Conf.	0.87 to 1.13		

Scale 2 - Consequences of Inadequate Performance					
Response (n = 43)		Percent		Cumulation	
Disastrous		44.2%		44.2%	
Moderately High		39.5%		83.7%	
None		11.6%		95.3%	
Moderate		2.3%		97.7%	
Mild		0.0%		97.7%	
Mild to Moderate		0.0%		97.7%	
No Response		2.3%		100.0%	
Min	0	Std. Dev.	0.7138		
Max	5	Variance	0.5095		
Range	5	Skewness	1.4651		
Median	4.00	Kurtosis	-0.8500		
Mean	3.95	95% Conf.	3.74 to 4.17		

44. Use firearms in physical confrontation

Scale 1 - Frequency					
Response (n = 43)		Percent		Cumulation	
Never		48.8%		48.8%	
Once or less in past year		41.9%		90.7%	
Several times per year		9.3%		100.0%	
Monthly		0.0%		100.0%	
Weekly		0.0%		100.0%	
Daily		0.0%		100.0%	
No Response		0.0%		100.0%	
Min	0	Std. Dev.	0.5024		
Max	2	Variance	0.2524		
Range	2	Skewness	2.2489		
Median	1.00	Kurtosis	2.8303		
Mean	0.60	95% Conf.	0.45 to 0.75		

Scale 2 - Consequences of Inadequate Performance					
Response (n = 43)		Percent		Cumulation	
Disastrous		74.4%		74.4%	
None		16.3%		90.7%	
Moderately High		4.7%		95.3%	
Mild		0.0%		95.3%	
Mild to Moderate		0.0%		95.3%	
Moderate		0.0%		95.3%	
No Response		4.7%		100.0%	
Min	0	Std. Dev.	0.8072		
Max	5	Variance	0.6515		
Range	5	Skewness	1.1177		
Median	5.00	Kurtosis	-1.7504		
Mean	4.10	95% Conf.	3.85 to 4.34		

45. Dodge/evade blows, thrown objects

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		51.2%	51.2%
Several times per year		32.6%	83.7%
Never		16.3%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.4833
Max	2	Variance	0.2336
Range	2	Skewness	1.7327
Median	1.00	Kurtosis	0.0014
Mean	1.16	95% Conf.	1.02 to 1.31

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Disastrous		53.5%	53.5%
Moderately High		30.2%	83.7%
None		11.6%	95.3%
Mild		2.3%	97.7%
Mild to Moderate		0.0%	97.7%
Moderate		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.7490
Max	5	Variance	0.5610
Range	5	Skewness	1.3351
Median	5.00	Kurtosis	-1.2176
Mean	4.00	95% Conf.	3.77 to 4.23

46. Pursue fleeing person on foot, negotiating barriers and hazards (running, jumping, climbing, etc.), struggle with and subdue after pursuit/evasion

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		48.8%	48.8%
Never		32.6%	81.4%
Several times per year		16.3%	97.7%
Monthly		2.3%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.5667
Max	3	Variance	0.3211
Range	3	Skewness	2.5182
Median	1.00	Kurtosis	4.1409
Mean	0.88	95% Conf.	0.71 to 1.05

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		27.9%	27.9%
Disastrous		27.9%	55.8%
Moderate		18.6%	74.4%
None		16.3%	90.7%
Mild to Moderate		4.7%	95.3%
Mild		0.0%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.9948
Max	5	Variance	0.9896
Range	5	Skewness	1.5495
Median	4.00	Kurtosis	-0.4763
Mean	3.32	95% Conf.	3.01 to 3.62

47. Physically/mechanically restrain, lift/carry/drag resisting person

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		58.1%	58.1%
Several times per year		20.9%	79.1%
Never		11.6%	90.7%
Monthly		4.7%	95.3%
Weekly		2.3%	97.7%
Daily		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.6707
Max	4	Variance	0.4498
Range	4	Skewness	2.8010
Median	1.00	Kurtosis	6.2969
Mean	1.26	95% Conf.	1.06 to 1.46

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		44.2%	44.2%
Disastrous		30.2%	74.4%
Moderate		14.0%	88.4%
None		7.0%	95.3%
Mild		2.3%	97.7%
Mild to Moderate		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.7033
Max	5	Variance	0.4947
Range	5	Skewness	1.6826
Median	4.00	Kurtosis	-0.0743
Mean	3.77	95% Conf.	3.56 to 3.98

48. Draw, aim and fire service pistol

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Never		46.5%	46.5%
Several times per year		32.6%	79.1%
Once or less in past year		18.6%	97.7%
Monthly		2.3%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.7101
Max	3	Variance	0.5042
Range	3	Skewness	1.8257
Median	1.00	Kurtosis	0.6681
Mean	0.91	95% Conf.	0.69 to 1.12

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Disastrous		67.4%	67.4%
None		16.3%	83.7%
Moderately High		7.0%	90.7%
Mild to Moderate		2.3%	93.0%
Mild		0.0%	93.0%
Moderate		0.0%	93.0%
No Response		7.0%	100.0%
Min	0	Std. Dev.	0.8839
Max	5	Variance	0.7813
Range	5	Skewness	1.1596
Median	5.00	Kurtosis	-1.6553
Mean	3.98	95% Conf.	3.70 to 4.25

49. Transport person (resisting, not resisting) between locations, maintaining physical control, negotiating stairs, doorways, obstacles and other features

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	37.2%	37.2%
Monthly	27.9%	65.1%
Several times per year	14.0%	79.1%
Daily	9.3%	88.4%
Never	7.0%	95.3%
Once or less in past year	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7971
Max	5	Variance 0.6354
Range	5	Skewness 1.7760
Median	3.00	Kurtosis 0.5458
Mean	3.12	95% Conf. 2.88 to 3.35

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	46.5%	46.5%
Disastrous	27.9%	74.4%
Moderate	9.3%	83.7%
None	4.7%	88.4%
Mild	4.7%	93.0%
Mild to Moderate	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.6901
Max	5	Variance 0.4763
Range	5	Skewness 1.7102
Median	4.00	Kurtosis 0.0392
Mean	3.76	95% Conf. 3.55 to 3.97

50. Being struck by, and/or striking person (physical altercations)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	67.4%	67.4%
Never	25.6%	93.0%
Several times per year	7.0%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.3527
Max	2	Variance 0.1244
Range	2	Skewness 2.8171
Median	1.00	Kurtosis 6.1859
Mean	0.81	95% Conf. 0.71 to 0.92

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	53.5%	53.5%
Moderately High	30.2%	83.7%
None	9.3%	93.0%
Mild	2.3%	95.3%
Moderate	2.3%	97.7%
Mild to Moderate	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.6955
Max	5	Variance 0.4837
Range	5	Skewness 1.3352
Median	5.00	Kurtosis -1.2173
Mean	4.07	95% Conf. 3.86 to 4.28

51. Physically struggling with multiple persons

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	51.2%	51.2%
Never	46.5%	97.7%
Several times per year	2.3%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.3896
Max	2	Variance 0.1518
Range	2	Skewness 1.9713
Median	1.00	Kurtosis 2.3339
Mean	0.56	95% Conf. 0.44 to 0.67

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	67.4%	67.4%
None	14.0%	81.4%
Moderately High	14.0%	95.3%
Mild	0.0%	95.3%
Mild to Moderate	0.0%	95.3%
Moderate	0.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.7476
Max	5	Variance 0.5589
Range	5	Skewness 1.1744
Median	5.00	Kurtosis -1.6208
Mean	4.12	95% Conf. 3.89 to 4.35

52. Falling/being knocked down in struggle or pursuit - recovering to feet - resuming struggle/pursuit

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	51.2%	51.2%
Never	44.2%	95.3%
Several times per year	4.7%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.4179
Max	2	Variance 0.1746
Range	2	Skewness 2.2158
Median	1.00	Kurtosis 3.3372
Mean	0.60	95% Conf. 0.48 to 0.73

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	51.2%	51.2%
Moderately High	30.2%	81.4%
None	14.0%	95.3%
Mild	2.3%	97.7%
Mild to Moderate	0.0%	97.7%
Moderate	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.8224
Max	5	Variance 0.6764
Range	5	Skewness 1.3527
Median	5.00	Kurtosis -1.1607
Mean	3.88	95% Conf. 3.63 to 4.13

53. Carrying object up/down stairs/steps

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Weekly		25.6%	25.6%
Once or less in past year		20.9%	46.5%
Never		16.3%	62.8%
Several times per year		16.3%	79.1%
Monthly		14.0%	93.0%
Daily		7.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	1.1446
Max	5	Variance	1.3101
Range	5	Skewness	1.7603
Median	2.00	Kurtosis	0.3456
Mean	2.33	95% Conf.	1.98 to 2.67

Scale 2 - Maximum Number of Steps/Stairs			
Response (n = 43)		Percent	
16		2.3%	
25		4.7%	
15		11.6%	
40		4.7%	
20		14.0%	
10		11.6%	
50		4.7%	
45		4.7%	
0		2.3%	
26		2.3%	
1		2.3%	
30		2.3%	
100		2.3%	
8		2.3%	
75		2.3%	
3		2.3%	
7		2.3%	
No Response		20.9%	
Min	0	Std. Dev.	18.2036
Max	100	Variance	331.3717
Range	100	Skewness	3.1101
Median	20.00	Kurtosis	8.1649
Mean	24.44	95% Conf.	18.32 to 30.56

Scale 3 - Max. Weight in Pounds			
Response (n = 43)		Percent	
100		4.7%	
50		25.6%	
25		7.0%	
10		9.3%	
20		7.0%	
40		9.3%	
0		2.3%	
250		2.3%	
5		4.7%	
75		2.3%	
1		2.3%	
15		2.3%	
No Response		20.9%	
Min	0	Std. Dev.	39.5338
Max	250	Variance	1562.9216
Range	250	Skewness	4.6072
Median	40.00	Kurtosis	20.4063
Mean	42.24	95% Conf.	28.95 to 55.52

Scale 4 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		32.6%	32.6%
Mild		23.3%	55.8%
Moderately High		14.0%	69.8%
Mild to Moderate		11.6%	81.4%
None		9.3%	90.7%
Disastrous		2.3%	93.0%
No Response		7.0%	100.0%
Min	0	Std. Dev.	0.9148
Max	5	Variance	0.8369
Range	5	Skewness	1.8879
Median	3.00	Kurtosis	1.1055
Mean	2.28	95% Conf.	1.99 to 2.56

54. Participate in Defensive Tactics Training (DT's)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		65.1%	65.1%
Once or less in past year		34.9%	100.0%
Never		0.0%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	1	Std. Dev.	0.2848
Max	2	Variance	0.0811
Range	1	Skewness	1.2247
Median	2.00	Kurtosis	-1.5001
Mean	1.65	95% Conf.	1.57 to 1.74

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		53.5%	53.5%
Moderate		16.3%	69.8%
Disastrous		14.0%	83.7%
Mild to Moderate		11.6%	95.3%
Mild		4.7%	100.0%
None		0.0%	100.0%
No Response		0.0%	100.0%
Min	1	Std. Dev.	0.6031
Max	5	Variance	0.3637
Range	4	Skewness	1.9232
Median	4.00	Kurtosis	1.1938
Mean	3.60	95% Conf.	3.42 to 3.79

55. Conduct routine physical person searches of individuals

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Weekly		58.1%	58.1%
Monthly		20.9%	79.1%
Several times per year		9.3%	88.4%
Daily		9.3%	97.7%
Once or less in past year		2.3%	100.0%
Never		0.0%	100.0%
No Response		0.0%	100.0%
Min	1	Std. Dev.	0.5116
Max	5	Variance	0.2617
Range	4	Skewness	2.0663
Median	4.00	Kurtosis	2.0941
Mean	3.63	95% Conf.	3.48 to 3.78

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	46.5%	46.5%
Disastrous	23.3%	69.8%
Moderate	20.9%	90.7%
Mild	4.7%	95.3%
Mild to Moderate	4.7%	100.0%
None	0.0%	100.0%
No Response	0.0%	100.0%
Min	1	Std. Dev. 0.6075
Max	5	Variance 0.3691
Range	4	Skewness 1.8976
Median	4.00	Kurtosis 0.7452
Mean	3.79	95% Conf. 3.61 to 3.97

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	27.9%	27.9%
None	23.3%	51.2%
Disastrous	18.6%	69.8%
Moderate	11.6%	81.4%
Mild	7.0%	88.4%
Mild to Moderate	7.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 1.2331
Max	5	Variance 1.5206
Range	5	Skewness 1.5726
Median	3.00	Kurtosis -0.3740
Mean	2.73	95% Conf. 2.35 to 3.11

56. Conduct high-risk searches of individuals (weapon drawn)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	41.9%	41.9%
Never	32.6%	74.4%
Several times per year	20.9%	95.3%
Weekly	2.3%	97.7%
Monthly	0.0%	97.7%
Daily	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.6844
Max	4	Variance 0.4684
Range	4	Skewness 2.9410
Median	1.00	Kurtosis 7.7948
Mean	0.95	95% Conf. 0.75 to 1.16

58. K-9 unit activity (training or working)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Never	67.4%	67.4%
Once or less in past year	16.3%	83.7%
Several times per year	7.0%	90.7%
Weekly	4.7%	95.3%
Daily	2.3%	97.7%
Monthly	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 1.0909
Max	5	Variance 1.1901
Range	5	Skewness 3.1876
Median	0.00	Kurtosis 8.0353
Mean	0.62	95% Conf. 0.29 to 0.95

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Disastrous	48.8%	48.8%
Moderately High	30.2%	79.1%
None	16.3%	95.3%
Mild	0.0%	95.3%
Mild to Moderate	0.0%	95.3%
Moderate	0.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.8538
Max	5	Variance 0.7290
Range	5	Skewness 1.3560
Median	5.00	Kurtosis -1.1437
Mean	3.83	95% Conf. 3.57 to 4.09

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
None	44.2%	44.2%
Moderately High	20.9%	65.1%
Mild to Moderate	9.3%	74.4%
Mild	4.7%	79.1%
Moderate	4.7%	83.7%
Disastrous	2.3%	86.0%
No Response	14.0%	100.0%
Min	0	Std. Dev. 1.4094
Max	5	Variance 1.9865
Range	5	Skewness 1.8049
Median	0.00	Kurtosis 0.3919
Mean	1.54	95% Conf. 1.09 to 1.99

57. Emergency driving

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Never	62.8%	62.8%
Once or less in past year	32.6%	95.3%
Several times per year	2.3%	97.7%
Daily	2.3%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7914
Max	5	Variance 0.6263
Range	5	Skewness 4.6671
Median	0.00	Kurtosis 22.5223
Mean	0.49	95% Conf. 0.25 to 0.72

59. Conduct area searches (walking, standing, kneeling, crawling, lifting, bending, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Monthly	37.2%	37.2%
Several times per year	32.6%	69.8%
Weekly	20.9%	90.7%
Never	4.7%	95.3%
Once or less in past year	2.3%	97.7%
Daily	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6957
Max	5	Variance 0.4840
Range	5	Skewness 2.0910
Median	3.00	Kurtosis 1.9139
Mean	2.74	95% Conf. 2.54 to 2.95

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		39.5%	39.5%
Moderate		30.2%	69.8%
Disastrous		14.0%	83.7%
Mild to Moderate		7.0%	90.7%
None		4.7%	95.3%
Mild		4.7%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.7336
Max	5	Variance	0.5382
Range	5	Skewness	1.8148
Median	4.00	Kurtosis	0.6812
Mean	3.37	95% Conf.	3.15 to 3.59

Scale 2 - Impact/Importance			
Response (n = 43)		Percent	Cumulation
Moderately High		53.5%	53.5%
Disastrous		18.6%	72.1%
Moderate		14.0%	86.0%
Mild to Moderate		7.0%	93.0%
None		4.7%	97.7%
Mild		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.6428
Max	5	Variance	0.4132
Range	5	Skewness	1.8473
Median	4.00	Kurtosis	0.7400
Mean	3.65	95% Conf.	3.46 to 3.84

60. Continuing to function in a physical confrontation after being struck/injured

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		60.5%	60.5%
Never		32.6%	93.0%
Several times per year		7.0%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
Daily		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.3914
Max	2	Variance	0.1532
Range	2	Skewness	2.5320
Median	1.00	Kurtosis	4.6825
Mean	0.74	95% Conf.	0.63 to 0.86

Scale 2 - Impact/Importance			
Response (n = 43)		Percent	Cumulation
Disastrous		48.8%	48.8%
Moderately High		32.6%	81.4%
None		14.0%	95.3%
Mild		0.0%	95.3%
Mild to Moderate		0.0%	95.3%
Moderate		0.0%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.7788
Max	5	Variance	0.6065
Range	5	Skewness	1.3741
Median	5.00	Kurtosis	-1.1069
Mean	3.93	95% Conf.	3.69 to 4.17

61. Cope with the physical effects of acute emotional stress {fear, anger, etc} (self)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		30.2%	30.2%
Once or less in past year		23.3%	53.5%
Monthly		18.6%	72.1%
Weekly		11.6%	83.7%
Never		9.3%	93.0%
Daily		2.3%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.9220
Max	5	Variance	0.8500
Range	5	Skewness	2.1437
Median	2.00	Kurtosis	2.1269
Mean	2.07	95% Conf.	1.79 to 2.36

62. Cope with physical effects of acute emotional stress (others)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Several times per year		27.9%	27.9%
Once or less in past year		18.6%	46.5%
Weekly		18.6%	65.1%
Daily		14.0%	79.1%
Monthly		11.6%	90.7%
Never		9.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	1.1414
Max	5	Variance	1.3027
Range	5	Skewness	1.8500
Median	2.00	Kurtosis	0.6284
Mean	2.53	95% Conf.	2.19 to 2.88

Scale 2 - Impact/Importance			
Response (n = 43)		Percent	Cumulation
Moderately High		58.1%	58.1%
Moderate		20.9%	79.1%
None		7.0%	86.0%
Mild to Moderate		7.0%	93.0%
Mild		4.7%	97.7%
Disastrous		2.3%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.6341
Max	5	Variance	0.4021
Range	5	Skewness	1.4578
Median	4.00	Kurtosis	-0.5076
Mean	3.26	95% Conf.	3.07 to 3.45

63. Cope with the physical effects of chronic (cumulative) emotional stress (self)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		30.2%	30.2%
Several times per year		20.9%	51.2%
Never		14.0%	65.1%
Weekly		14.0%	79.1%
Daily		11.6%	90.7%
Monthly		4.7%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	1.2793
Max	5	Variance	1.6366
Range	5	Skewness	1.9705
Median	2.00	Kurtosis	1.0576
Mean	2.10	95% Conf.	1.71 to 2.49

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	53.5%	53.5%
Moderate	16.3%	69.8%
Disastrous	11.6%	81.4%
None	7.0%	88.4%
Mild to Moderate	7.0%	95.3%
Mild	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.6785
Max	5	Variance 0.4603
Range	5	Skewness 1.7421
Median	4.00	Kurtosis 0.5388
Mean	3.45	95% Conf. 3.25 to 3.66

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	44.2%	44.2%
Moderate	18.6%	62.8%
Disastrous	16.3%	79.1%
None	11.6%	90.7%
Mild to Moderate	7.0%	97.7%
Mild	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.8077
Max	5	Variance 0.6524
Range	5	Skewness 1.6705
Median	4.00	Kurtosis 0.1085
Mean	3.36	95% Conf. 3.11 to 3.60

64. Cope with the chronic (cumulative) emotional stress (others)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	25.6%	25.6%
Several times per year	20.9%	46.5%
Daily	20.9%	67.4%
Weekly	16.3%	83.7%
Never	9.3%	93.0%
Monthly	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 1.2853
Max	5	Variance 1.6521
Range	5	Skewness 1.7171
Median	2.00	Kurtosis 0.0593
Mean	2.57	95% Conf. 2.18 to 2.96

66. Maintaining a state of hypervigilance over protracted period of time

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	25.6%	25.6%
Once or less in past year	23.3%	48.8%
Never	16.3%	65.1%
Weekly	14.0%	79.1%
Daily	14.0%	93.0%
Monthly	7.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 1.2709
Max	5	Variance 1.6153
Range	5	Skewness 1.9294
Median	2.00	Kurtosis 0.8951
Mean	2.21	95% Conf. 1.83 to 2.59

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	44.2%	44.2%
Moderate	34.9%	79.1%
Mild to Moderate	9.3%	88.4%
None	4.7%	93.0%
Disastrous	4.7%	97.7%
Mild	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6288
Max	5	Variance 0.3954
Range	5	Skewness 1.7663
Median	3.00	Kurtosis 0.7067
Mean	3.26	95% Conf. 3.07 to 3.44

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	53.5%	53.5%
Moderate	27.9%	81.4%
None	9.3%	90.7%
Disastrous	9.3%	100.0%
Mild	0.0%	100.0%
Mild to Moderate	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6339
Max	5	Variance 0.4018
Range	5	Skewness 1.7880
Median	4.00	Kurtosis 0.8053
Mean	3.44	95% Conf. 3.25 to 3.63

65. Cope with the emotional and physical results of being struck by - exposed to bodily fluids

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	48.8%	48.8%
Never	25.6%	74.4%
Several times per year	20.9%	95.3%
Weekly	4.7%	100.0%
Monthly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7607
Max	4	Variance 0.5787
Range	4	Skewness 3.0207
Median	1.00	Kurtosis 7.5887
Mean	1.09	95% Conf. 0.87 to 1.32

67. Cope with the emotional and physical impact of being subjected to verbal threats of violence

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	58.1%	58.1%
Weekly	14.0%	72.1%
Monthly	11.6%	83.7%
Once or less in past year	9.3%	93.0%
Never	2.3%	95.3%
Daily	0.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.7188
Max	4	Variance 0.5167
Range	4	Skewness 2.2293
Median	2.00	Kurtosis 2.1872
Mean	2.27	95% Conf. 2.05 to 2.49

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	51.2%	51.2%
Moderate	25.6%	76.7%
Mild to Moderate	11.6%	88.4%
Disastrous	4.7%	93.0%
None	2.3%	95.3%
Mild	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.5775
Max	5	Variance 0.3335
Range	5	Skewness 1.7356
Median	4.00	Kurtosis 0.7214
Mean	3.38	95% Conf. 3.21 to 3.56

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderate	37.2%	37.2%
Moderately High	27.9%	65.1%
Mild to Moderate	25.6%	90.7%
Mild	7.0%	97.7%
None	2.3%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6443
Max	4	Variance 0.4151
Range	4	Skewness 1.7912
Median	3.00	Kurtosis 0.2830
Mean	2.81	95% Conf. 2.62 to 3.01

68. Cope with the emotional and physical impact of being on-call

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	37.2%	37.2%
Several times per year	20.9%	58.1%
Once or less in past year	16.3%	74.4%
Weekly	14.0%	88.4%
Monthly	9.3%	97.7%
Never	2.3%	100.0%
No Response	0.0%	100.0%
Min	1	Std. Dev. 1.2164
Max	6	Variance 1.4797
Range	5	Skewness 1.8130
Median	2.00	Kurtosis 0.5736
Mean	2.72	95% Conf. 2.36 to 3.08

70. Cope with the emotional and physical impact of seeing, hearing, smelling and reading about horrific events/occurrences

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	25.6%	25.6%
Daily	25.6%	51.2%
Weekly	23.3%	74.4%
Monthly	14.0%	88.4%
Never	4.7%	93.0%
Once or less in past year	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.9713
Max	5	Variance 0.9434
Range	5	Skewness 1.6444
Median	3.50	Kurtosis -0.1676
Mean	3.26	95% Conf. 2.97 to 3.56

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	32.6%	32.6%
Moderate	25.6%	58.1%
Mild	23.3%	81.4%
Mild to Moderate	16.3%	97.7%
None	2.3%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	2	Std. Dev. 0.9280
Max	6	Variance 0.8611
Range	4	Skewness 1.8776
Median	3.00	Kurtosis 0.8206
Mean	3.37	95% Conf. 3.09 to 3.65

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	46.5%	46.5%
Moderate	30.2%	76.7%
Mild to Moderate	9.3%	86.0%
None	4.7%	90.7%
Mild	4.7%	95.3%
Disastrous	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.6321
Max	5	Variance 0.3995
Range	5	Skewness 1.5967
Median	3.50	Kurtosis -0.0499
Mean	3.19	95% Conf. 3.00 to 3.38

69. Cope with the emotional and physical impact of dealing with repeat offenders

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	65.1%	65.1%
Several times per year	11.6%	76.7%
Monthly	9.3%	86.0%
Never	4.7%	90.7%
Once or less in past year	4.7%	95.3%
Weekly	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8165
Max	5	Variance 0.6667
Range	5	Skewness 1.2247
Median	5.00	Kurtosis -1.5000
Mean	4.00	95% Conf. 3.76 to 4.24

71. Cope with the emotional and physical impact of constant scrutiny and criticism (management, attorneys, judges, the public, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	46.5%	46.5%
Monthly	18.6%	65.1%
Weekly	18.6%	83.7%
Several times per year	9.3%	93.0%
Once or less in past year	4.7%	97.7%
Never	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7887
Max	5	Variance 0.6220
Range	5	Skewness 1.4372
Median	4.00	Kurtosis -0.9249
Mean	3.86	95% Conf. 3.62 to 4.10

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	44.2%	44.2%
Moderate	27.9%	72.1%
Mild to Moderate	16.3%	88.4%
Mild	7.0%	95.3%
Disastrous	4.7%	100.0%
None	0.0%	100.0%
No Response	0.0%	100.0%
Min	1	Std. Dev. 0.6444
Max	5	Variance 0.4152
Range	4	Skewness 1.7465
Median	3.00	Kurtosis 0.6045
Mean	3.23	95% Conf. 3.04 to 3.43

72. Cope with the emotional and physical impact of high levels of organizational ambiguity and disruption (threat of lay-offs, changing policies, management relations, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	37.2%	37.2%
Daily	23.3%	60.5%
Monthly	11.6%	72.1%
Weekly	11.6%	83.7%
Never	7.0%	90.7%
Once or less in past year	7.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 1.1322
Max	5	Variance 1.2818
Range	5	Skewness 1.7794
Median	2.00	Kurtosis 0.2566
Mean	2.86	95% Conf. 2.51 to 3.20

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderate	30.2%	30.2%
Moderately High	27.9%	58.1%
Mild to Moderate	25.6%	83.7%
None	7.0%	90.7%
Mild	7.0%	97.7%
Disastrous	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.7453
Max	4	Variance 0.5555
Range	4	Skewness 1.7040
Median	3.00	Kurtosis 0.0104
Mean	2.67	95% Conf. 2.44 to 2.89

73. Cope with the emotional and physical impact of constant scrutiny (media, testifying in court, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	30.2%	30.2%
Several times per year	25.6%	55.8%
Monthly	20.9%	76.7%
Daily	11.6%	88.4%
Once or less in past year	7.0%	95.3%
Never	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.8526
Max	5	Variance 0.7270
Range	5	Skewness 1.8211
Median	3.00	Kurtosis 0.6390
Mean	3.07	95% Conf. 2.81 to 3.33

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderate	32.6%	32.6%
Moderately High	30.2%	62.8%
Mild to Moderate	20.9%	83.7%
Mild	11.6%	95.3%
None	2.3%	97.7%
Disastrous	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7340
Max	5	Variance 0.5387
Range	5	Skewness 1.8434
Median	3.00	Kurtosis 0.7452
Mean	2.84	95% Conf. 2.62 to 3.06

74. Cope with the long-term emotional and physical impact of constant exposure to deviance (distorted world view)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	53.5%	53.5%
Weekly	20.9%	74.4%
Once or less in past year	7.0%	81.4%
Several times per year	7.0%	88.4%
Monthly	4.7%	93.0%
Never	2.3%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 0.7212
Max	5	Variance 0.5202
Range	5	Skewness 1.3192
Median	5.00	Kurtosis -1.2601
Mean	4.05	95% Conf. 3.83 to 4.27

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	41.9%	41.9%
Moderate	30.2%	72.1%
Mild to Moderate	18.6%	90.7%
Mild	7.0%	97.7%
None	2.3%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6394
Max	4	Variance 0.4088
Range	4	Skewness 1.5275
Median	3.00	Kurtosis -0.6667
Mean	3.02	95% Conf. 2.83 to 3.21

75. Cope with the emotional and physical impact of constant exposure to personal legal liability

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	48.8%	48.8%
Several times per year	20.9%	69.8%
Once or less in past year	14.0%	83.7%
Weekly	9.3%	93.0%
Monthly	2.3%	95.3%
Never	0.0%	95.3%
No Response	4.7%	100.0%
Min	1	Std. Dev. 1.0148
Max	5	Variance 1.0299
Range	4	Skewness 1.3554
Median	5.00	Kurtosis -1.1488
Mean	3.61	95% Conf. 3.30 to 3.92

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	39.5%	39.5%
Moderate	25.6%	65.1%
Mild to Moderate	18.6%	83.7%
Mild	9.3%	93.0%
Disastrous	2.3%	95.3%
None	0.0%	95.3%
No Response	4.7%	100.0%
Min	1	Std. Dev. 0.6767
Max	5	Variance 0.4579
Range	4	Skewness 1.6690
Median	3.00	Kurtosis 0.1386
Mean	3.07	95% Conf. 2.87 to 3.28

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Moderately High	44.2%	44.2%
Moderate	25.6%	69.8%
Disastrous	11.6%	81.4%
Mild	9.3%	90.7%
Mild to Moderate	4.7%	95.3%
None	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.7051
Max	5	Variance 0.4972
Range	5	Skewness 1.7898
Median	4.00	Kurtosis 0.6650
Mean	3.38	95% Conf. 3.17 to 3.59

76. Cope with the emotional and physical impact of being shot at.

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Never	55.8%	55.8%
Once or less in past year	25.6%	81.4%
Daily	7.0%	88.4%
Monthly	4.7%	93.0%
Weekly	4.7%	97.7%
Several times per year	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 1.3459
Max	5	Variance 1.8115
Range	5	Skewness 2.6200
Median	0.00	Kurtosis 4.1672
Mean	0.98	95% Conf. 0.57 to 1.38

78. Bending over from waist at or below waist level

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	55.8%	55.8%
Weekly	27.9%	83.7%
Monthly	7.0%	90.7%
Several times per year	4.7%	95.3%
Never	2.3%	97.7%
Once or less in past year	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.5283
Max	5	Variance 0.2791
Range	5	Skewness 1.3070
Median	5.00	Kurtosis -1.2917
Mean	4.31	95% Conf. 4.15 to 4.47

Scale 2 - Impact/Importance		
Response (n = 43)	Percent	Cumulation
Disastrous	37.2%	37.2%
Moderately High	27.9%	65.1%
None	18.6%	83.7%
Moderate	9.3%	93.0%
Mild to Moderate	2.3%	95.3%
Mild	0.0%	95.3%
No Response	4.7%	100.0%
Min	0	Std. Dev. 1.0153
Max	5	Variance 1.0308
Range	5	Skewness 1.4309
Median	4.00	Kurtosis -0.8780
Mean	3.46	95% Conf. 3.15 to 3.77

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Mild	30.2%	30.2%
Moderate	27.9%	58.1%
Mild to Moderate	18.6%	76.7%
Moderately High	18.6%	95.3%
None	4.7%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8589
Max	4	Variance 0.7377
Range	4	Skewness 1.7810
Median	2.00	Kurtosis 0.4004
Mean	2.26	95% Conf. 2.00 to 2.51

77. Cope with the emotional and physical impact of being exposed to hazardous materials.

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	32.6%	32.6%
Several times per year	30.2%	62.8%
Daily	16.3%	79.1%
Monthly	14.0%	93.0%
Weekly	4.7%	97.7%
Never	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 1.1670
Max	5	Variance 1.3619
Range	5	Skewness 2.1139
Median	2.00	Kurtosis 1.6442
Mean	2.35	95% Conf. 2.00 to 2.70

79. Twisting at the waist

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	60.5%	60.5%
Weekly	25.6%	86.0%
Monthly	7.0%	93.0%
Never	2.3%	95.3%
Several times per year	2.3%	97.7%
Once or less in past year	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.4740
Max	5	Variance 0.2247
Range	5	Skewness 1.2556
Median	5.00	Kurtosis -1.4234
Mean	4.40	95% Conf. 4.26 to 4.55

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Mild	32.6%	32.6%
Moderate	25.6%	58.1%
Mild to Moderate	18.6%	76.7%
Moderately High	18.6%	95.3%
None	4.7%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8801
Max	4	Variance 0.7745
Range	4	Skewness 1.7943
Median	2.00	Kurtosis 0.4350
Mean	2.21	95% Conf. 1.95 to 2.47

Scale 2 - Max. Hours per Day		
Response (n = 43)	Percent	
4	18.6%	
8	20.9%	
3	9.3%	
5	9.3%	
6	20.9%	
2	11.6%	
7	2.3%	
No Response	7.0%	
Min	2	Std. Dev. 1.4437
Max	8	Variance 2.0842
Range	6	Skewness 1.8239
Median	5.00	Kurtosis 0.4734
Mean	5.18	95% Conf. 4.73 to 5.62

80. Crawling on hands and knees

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	44.2%	44.2%
Once or less in past year	41.9%	86.0%
Never	9.3%	95.3%
Monthly	4.7%	100.0%
Weekly	0.0%	100.0%
Daily	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.5065
Max	3	Variance 0.2565
Range	3	Skewness 1.9914
Median	1.00	Kurtosis 1.9311
Mean	1.44	95% Conf. 1.29 to 1.59

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	37.2%	37.2%
Mild to Moderate	27.9%	65.1%
Moderate	18.6%	83.7%
Mild	14.0%	97.7%
None	2.3%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7831
Max	4	Variance 0.6132
Range	4	Skewness 1.5777
Median	3.00	Kurtosis -0.4785
Mean	2.74	95% Conf. 2.51 to 2.98

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	30.2%	30.2%
Mild	27.9%	58.1%
Mild to Moderate	25.6%	83.7%
None	9.3%	93.0%
Moderately High	4.7%	97.7%
Disastrous	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.7580
Max	4	Variance 0.5746
Range	4	Skewness 1.8911
Median	2.00	Kurtosis 0.9860
Mean	1.93	95% Conf. 1.70 to 2.16

82. Routine driving of automobile

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	62.8%	62.8%
Daily	34.9%	97.7%
Monthly	2.3%	100.0%
Never	0.0%	100.0%
Once or less in past year	0.0%	100.0%
Several times per year	0.0%	100.0%
No Response	0.0%	100.0%
Min	3	Std. Dev. 0.4030
Max	5	Variance 0.1624
Range	2	Skewness 1.6737
Median	4.00	Kurtosis -0.1991
Mean	4.33	95% Conf. 4.21 to 4.45

81. Typing on keyboard

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	100.0%	100.0%
Never	0.0%	100.0%
Once or less in past year	0.0%	100.0%
Several times per year	0.0%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
No Response	0.0%	100.0%
Min	5	Std. Dev. 0.0000
Max	5	Variance 0.0000
Range	0	Skewness 0.0000
Median	5.00	Kurtosis 0.0000
Mean	5.00	95% Conf. 5.00 to 5.00

Scale 2 - Max. Hours per Day		
Response (n = 43)	Percent	
1	9.3%	
6	23.3%	
12	2.3%	
5	9.3%	
8	18.6%	
2	7.0%	
4	14.0%	
14	2.3%	
3	7.0%	
7	2.3%	
No Response	4.7%	
Min	1	Std. Dev. 2.1258
Max	14	Variance 4.5189
Range	13	Skewness 2.8334
Median	6.00	Kurtosis 6.6567
Mean	5.37	95% Conf. 4.72 to 6.02

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	39.5%	39.5%
Moderate	20.9%	60.5%
Mild	14.0%	74.4%
Disastrous	14.0%	88.4%
Mild to Moderate	9.3%	97.7%
None	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8274
Max	5	Variance 0.6846
Range	5	Skewness 1.7153
Median	4.00	Kurtosis 0.2738
Mean	3.23	95% Conf. 2.99 to 3.48

84. Talking on phone, radio, while using computer

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	86.0%	86.0%
Weekly	9.3%	95.3%
Monthly	4.7%	100.0%
Never	0.0%	100.0%
Once or less in past year	0.0%	100.0%
Several times per year	0.0%	100.0%
No Response	0.0%	100.0%
Min	3	Std. Dev. 0.1746
Max	5	Variance 0.0305
Range	2	Skewness 1.0650
Median	5.00	Kurtosis -1.8654
Mean	4.81	95% Conf. 4.76 to 4.87

83. Use computer mouse

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	100.0%	100.0%
Never	0.0%	100.0%
Once or less in past year	0.0%	100.0%
Several times per year	0.0%	100.0%
Monthly	0.0%	100.0%
Weekly	0.0%	100.0%
No Response	0.0%	100.0%
Min	5	Std. Dev. 0.0000
Max	5	Variance 0.0000
Range	0	Skewness 0.0000
Median	5.00	Kurtosis 0.0000
Mean	5.00	95% Conf. 5.00 to 5.00

Scale 2 - Consequences of Inadequate Performance

Response (n = 43)	Percent	Cumulation
Mild	32.6%	32.6%
Moderate	32.6%	65.1%
Moderately High	18.6%	83.7%
Mild to Moderate	9.3%	93.0%
None	7.0%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8896
Max	4	Variance 0.7913
Range	4	Skewness 1.7077
Median	3.00	Kurtosis 0.1522
Mean	2.23	95% Conf. 1.97 to 2.50

Scale 2 - Max. Hours per Day

Response (n = 43)	Percent	
4	18.6%	
3	7.0%	
5	14.0%	
6	14.0%	
8	23.3%	
1	7.0%	
2	7.0%	
7	4.7%	
No Response	4.7%	
Min	1	Std. Dev. 1.5371
Max	8	Variance 2.3627
Range	7	Skewness 1.7601
Median	5.00	Kurtosis 0.1999
Mean	5.12	95% Conf. 4.65 to 5.59

85. Balancing, while leaning, stretching or ducking around obstacles

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Monthly	23.3%	23.3%
Once or less in past year	20.9%	44.2%
Several times per year	20.9%	65.1%
Daily	14.0%	79.1%
Weekly	11.6%	90.7%
Never	9.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 1.1115
Max	5	Variance 1.2355
Range	5	Skewness 1.9709
Median	2.00	Kurtosis 1.1424
Mean	2.49	95% Conf. 2.16 to 2.82

Scale 2 - Impact/Importance

Response (n = 43)	Percent	Cumulation
Moderate	41.9%	41.9%
Mild to Moderate	18.6%	60.5%
Mild	16.3%	76.7%
Moderately High	14.0%	90.7%
None	9.3%	100.0%
Disastrous	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7558
Max	4	Variance 0.5712
Range	4	Skewness 1.7638
Median	3.00	Kurtosis 0.4906
Mean	2.35	95% Conf. 2.12 to 2.57

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Mild	30.2%	30.2%
Moderate	27.9%	58.1%
Moderately High	20.9%	79.1%
Mild to Moderate	11.6%	90.7%
None	7.0%	97.7%
Disastrous	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.9492
Max	5	Variance 0.9010
Range	5	Skewness 1.8113
Median	3.00	Kurtosis 0.6482
Mean	2.33	95% Conf. 2.04 to 2.61

86. Cardio-vascular endurance (sustained high-demand physical exertion for longer than three minutes)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Once or less in past year		41.9%	41.9%
Several times per year		39.5%	81.4%
Never		7.0%	88.4%
Monthly		7.0%	95.3%
Daily		2.3%	97.7%
Weekly		0.0%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.7157
Max	5	Variance	0.5122
Range	5	Skewness	3.3525
Median	1.50	Kurtosis	11.0607
Mean	1.57	95% Conf.	1.35 to 1.79

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		44.2%	44.2%
Moderate		25.6%	69.8%
Mild		9.3%	79.1%
Mild to Moderate		9.3%	88.4%
None		7.0%	95.3%
Disastrous		4.7%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.7701
Max	5	Variance	0.5930
Range	5	Skewness	1.6360
Median	3.00	Kurtosis	0.0349
Mean	3.05	95% Conf.	2.82 to 3.28

87. Transition between sitting and standing

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		100.0%	100.0%
Never		0.0%	100.0%
Once or less in past year		0.0%	100.0%
Several times per year		0.0%	100.0%
Monthly		0.0%	100.0%
Weekly		0.0%	100.0%
No Response		0.0%	100.0%
Min	5	Std. Dev.	0.0000
Max	5	Variance	0.0000
Range	0	Skewness	0.0000
Median	5.00	Kurtosis	0.0000
Mean	5.00	95% Conf.	5.00 to 5.00

Scale 2 - Maximum Repetitions per day			
Response (n = 43)		Percent	
30		16.3%	
20		11.6%	
100		11.6%	
50		25.6%	
40		4.7%	
32		2.3%	
60		2.3%	
25		4.7%	
15		4.7%	
45		2.3%	
No Response		14.0%	
Min	15	Std. Dev.	20.9331
Max	100	Variance	438.1950
Range	85	Skewness	2.5644
Median	40.00	Kurtosis	3.7325
Mean	44.78	95% Conf.	38.04 to 51.53

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderate		39.5%	39.5%
Moderately High		23.3%	62.8%
Mild		16.3%	79.1%
Mild to Moderate		11.6%	90.7%
None		9.3%	100.0%
Disastrous		0.0%	100.0%
No Response		0.0%	100.0%
Min	2	Std. Dev.	1.0064
Max	6	Variance	1.0128
Range	4	Skewness	2.0607
Median	3.00	Kurtosis	1.5505
Mean	3.49	95% Conf.	3.19 to 3.79

88. Reaching from various positions to grasp objects/persons

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		90.7%	90.7%
Never		2.3%	93.0%
Weekly		2.3%	95.3%
Once or less in past year		0.0%	95.3%
Several times per year		0.0%	95.3%
Monthly		0.0%	95.3%
No Response		4.7%	100.0%
Min	0	Std. Dev.	0.1446
Max	5	Variance	0.0209
Range	5	Skewness	1.0098
Median	5.00	Kurtosis	-1.9783
Mean	4.85	95% Conf.	4.81 to 4.90

Scale 2 - Maximum Repetitions per day		
Response (n = 43)	Percent	
30	9.3%	
25	9.3%	
20	14.0%	
500	2.3%	
50	25.6%	
40	4.7%	
300	2.3%	
100	16.3%	
0	2.3%	
200	2.3%	
5	2.3%	
60	2.3%	
No Response	7.0%	
Min	0	Std. Dev. 82.3184
Max	500	Variance 6776.3181
Range	500	Skewness 4.3825
Median	50.00	Kurtosis 18.1597
Mean	68.38	95% Conf. 42.86 to 93.89

Scale 3 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	32.6%	32.6%
Mild	20.9%	53.5%
Moderately High	18.6%	72.1%
Mild to Moderate	16.3%	88.4%
None	9.3%	97.7%
Disastrous	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8948
Max	5	Variance 0.8006
Range	5	Skewness 1.8652
Median	3.00	Kurtosis 0.9387
Mean	2.37	95% Conf. 2.10 to 2.64

89. Accurately visually detect and resolve images, facial and body features, and movement of persons and objects in varying light conditions, at distances up to 100 feet

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	32.6%	32.6%
Weekly	27.9%	60.5%
Several times per year	16.3%	76.7%
Monthly	9.3%	86.0%
Never	7.0%	93.0%
Once or less in past year	7.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.9645
Max	5	Variance 0.9302
Range	5	Skewness 1.5318
Median	4.00	Kurtosis -0.5533
Mean	3.42	95% Conf. 3.13 to 3.71

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	34.9%	34.9%
Moderate	27.9%	62.8%
Mild to Moderate	11.6%	74.4%
Disastrous	11.6%	86.0%
None	7.0%	93.0%
Mild	7.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8374
Max	5	Variance 0.7013
Range	5	Skewness 1.7748
Median	3.00	Kurtosis 0.4911
Mean	3.12	95% Conf. 2.87 to 3.37

90. Accurately determine full-range colors (clothing, substances, skin tones, etc) in varying light conditions

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	37.2%	37.2%
Weekly	25.6%	62.8%
Several times per year	14.0%	76.7%
Monthly	14.0%	90.7%
Never	7.0%	97.7%
Once or less in past year	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8846
Max	5	Variance 0.7826
Range	5	Skewness 1.5183
Median	4.00	Kurtosis -0.6315
Mean	3.60	95% Conf. 3.34 to 3.87

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	30.2%	30.2%
Mild to Moderate	25.6%	55.8%
Moderately High	25.6%	81.4%
Mild	9.3%	90.7%
None	7.0%	97.7%
Disastrous	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8034
Max	5	Variance 0.6455
Range	5	Skewness 1.8596
Median	3.00	Kurtosis 0.8311
Mean	2.65	95% Conf. 2.41 to 2.89

91. Resolve and understand faint auditory signals (whispers, transients (clicks, pops, impacts), air movement, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Weekly	32.6%	32.6%
Monthly	20.9%	53.5%
Several times per year	18.6%	72.1%
Daily	16.3%	88.4%
Never	4.7%	93.0%
Once or less in past year	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.8533
Max	5	Variance 0.7282
Range	5	Skewness 1.7460
Median	3.50	Kurtosis 0.3204
Mean	3.24	95% Conf. 2.98 to 3.50

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	34.9%	34.9%
Moderately High	23.3%	58.1%
Mild	16.3%	74.4%
Mild to Moderate	14.0%	88.4%
None	7.0%	95.3%
Disastrous	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8598
Max	5	Variance 0.7393
Range	5	Skewness 1.9138
Median	3.00	Kurtosis 1.1036
Mean	2.65	95% Conf. 2.39 to 2.91

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	30.2%	30.2%
Moderately High	30.2%	60.5%
Mild to Moderate	20.9%	81.4%
Mild	9.3%	90.7%
Disastrous	7.0%	97.7%
None	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7853
Max	5	Variance 0.6167
Range	5	Skewness 1.9065
Median	3.00	Kurtosis 1.0399
Mean	2.98	95% Conf. 2.74 to 3.21

92. Resolve and understand speech in the presence of a wide range of environmental surrounds (wind, vehicle noise, equipment sounds, etc.), including high levels of ambient background noise

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	34.9%	34.9%
Weekly	27.9%	62.8%
Monthly	20.9%	83.7%
Never	7.0%	90.7%
Several times per year	7.0%	97.7%
Once or less in past year	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8273
Max	5	Variance 0.6845
Range	5	Skewness 1.5691
Median	4.00	Kurtosis -0.4676
Mean	3.65	95% Conf. 3.40 to 3.90

94. Accurately resolve visual images in low-light conditions

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	30.2%	30.2%
Monthly	27.9%	58.1%
Weekly	16.3%	74.4%
Daily	11.6%	86.0%
Once or less in past year	7.0%	93.0%
Never	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.9153
Max	5	Variance 0.8378
Range	5	Skewness 2.0499
Median	3.00	Kurtosis 1.4896
Mean	2.81	95% Conf. 2.53 to 3.09

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	27.9%	27.9%
Moderately High	25.6%	53.5%
Mild to Moderate	16.3%	69.8%
Mild	11.6%	81.4%
Disastrous	9.3%	90.7%
None	7.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.9118
Max	5	Variance 0.8313
Range	5	Skewness 1.8730
Median	3.00	Kurtosis 0.8303
Mean	2.83	95% Conf. 2.56 to 3.11

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	30.2%	30.2%
Moderate	23.3%	53.5%
Mild to Moderate	14.0%	67.4%
Disastrous	14.0%	81.4%
Mild	11.6%	93.0%
None	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.9043
Max	5	Variance 0.8177
Range	5	Skewness 1.7629
Median	3.00	Kurtosis 0.3801
Mean	3.07	95% Conf. 2.80 to 3.34

93. Detect and resolve faint and/or odd odors

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Monthly	27.9%	27.9%
Several times per year	20.9%	48.8%
Daily	18.6%	67.4%
Weekly	14.0%	81.4%
Never	4.7%	86.0%
Once or less in past year	2.3%	88.4%
No Response	11.6%	100.0%
Min	0	Std. Dev. 0.9365
Max	5	Variance 0.8771
Range	5	Skewness 1.8463
Median	3.00	Kurtosis 0.5455
Mean	3.13	95% Conf. 2.83 to 3.43

95. Understand speech through electronic devices (telephone, radio, cell phone, etc.) in a wide range of environmental conditions

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	65.1%	65.1%
Weekly	20.9%	86.0%
Monthly	7.0%	93.0%
Never	2.3%	95.3%
Several times per year	2.3%	97.7%
Once or less in past year	0.0%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.4525
Max	5	Variance 0.2048
Range	5	Skewness 1.2103
Median	5.00	Kurtosis -1.5353
Mean	4.45	95% Conf. 4.32 to 4.59

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	34.9%	34.9%
Moderate	30.2%	65.1%
Mild to Moderate	11.6%	76.7%
Disastrous	11.6%	88.4%
Mild	7.0%	95.3%
None	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7927
Max	5	Variance 0.6284
Range	5	Skewness 1.8133
Median	3.00	Kurtosis 0.6617
Mean	3.19	95% Conf. 2.95 to 3.42

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderate	39.5%	39.5%
Moderately High	27.9%	67.4%
Disastrous	11.6%	79.1%
Mild	9.3%	88.4%
Mild to Moderate	9.3%	97.7%
None	2.3%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.7760
Max	5	Variance 0.6021
Range	5	Skewness 1.9386
Median	3.00	Kurtosis 1.1273
Mean	3.16	95% Conf. 2.93 to 3.39

96. Three-dimensional vision, sufficient for clear depth perception, image placement and location sufficient for complex visual tasks (driving a vehicle in emergency conditions, pursuit of persons over complex surfaces in unpredictable conditions, stairs, steps, obstacles, weapons use, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	30.2%	30.2%
Several times per year	23.3%	53.5%
Once or less in past year	20.9%	74.4%
Never	11.6%	86.0%
Weekly	7.0%	93.0%
Monthly	4.7%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 1.3644
Max	5	Variance 1.8617
Range	5	Skewness 1.6548
Median	2.00	Kurtosis -0.2212
Mean	2.67	95% Conf. 2.25 to 3.08

98. Accurately use vision and hearing for threat assessment in use of force situations

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Several times per year	32.6%	32.6%
Daily	20.9%	53.5%
Weekly	16.3%	69.8%
Monthly	14.0%	83.7%
Once or less in past year	9.3%	93.0%
Never	7.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 1.0955
Max	5	Variance 1.2001
Range	5	Skewness 1.7841
Median	3.00	Kurtosis 0.3125
Mean	2.86	95% Conf. 2.53 to 3.19

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	37.2%	37.2%
Disastrous	30.2%	67.4%
Moderate	14.0%	81.4%
None	9.3%	90.7%
Mild	4.7%	95.3%
Mild to Moderate	4.7%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.8473
Max	5	Variance 0.7179
Range	5	Skewness 1.5795
Median	4.00	Kurtosis -0.3759
Mean	3.56	95% Conf. 3.30 to 3.81

Scale 2 - Consequences of Inadequate Performance		
Response (n = 43)	Percent	Cumulation
Moderately High	46.5%	46.5%
Disastrous	34.9%	81.4%
Moderate	9.3%	90.7%
None	7.0%	97.7%
Mild	2.3%	100.0%
Mild to Moderate	0.0%	100.0%
No Response	0.0%	100.0%
Min	0	Std. Dev. 0.6564
Max	5	Variance 0.4308
Range	5	Skewness 1.6503
Median	4.00	Kurtosis -0.2541
Mean	3.91	95% Conf. 3.71 to 4.10

97. Accurately visually detect and resolve transitory and subtle changes in "body language" (pupil constriction/dilation, skin color and respiration changes, etc.)

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Daily	41.9%	41.9%
Weekly	32.6%	74.4%
Once or less in past year	9.3%	83.7%
Several times per year	7.0%	90.7%
Monthly	4.7%	95.3%
Never	2.3%	97.7%
No Response	2.3%	100.0%
Min	0	Std. Dev. 0.7618
Max	5	Variance 0.5804
Range	5	Skewness 1.4847
Median	4.00	Kurtosis -0.7755
Mean	3.86	95% Conf. 3.63 to 4.09

99. Maintain visual contact in pursuit (car and foot) in unpredictable terrain and conditions

Scale 1 - Frequency		
Response (n = 43)	Percent	Cumulation
Once or less in past year	41.9%	41.9%
Several times per year	30.2%	72.1%
Never	16.3%	88.4%
Monthly	4.7%	93.0%
Weekly	0.0%	93.0%
Daily	0.0%	93.0%
No Response	7.0%	100.0%
Min	0	Std. Dev. 0.5870
Max	3	Variance 0.3446
Range	3	Skewness 2.0541
Median	1.00	Kurtosis 1.9394
Mean	1.25	95% Conf. 1.07 to 1.43

Scale 2 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Moderately High		34.9%	34.9%
Moderate		30.2%	65.1%
None		14.0%	79.1%
Disastrous		9.3%	88.4%
Mild to Moderate		7.0%	95.3%
Mild		2.3%	97.7%
No Response		2.3%	100.0%
Min	0	Std. Dev.	0.8695
Max	5	Variance	0.7561
Range	5	Skewness	1.7438
Median	3.00	Kurtosis	0.3710
Mean	3.00	95% Conf.	2.74 to 3.26

100. Routine use of color computer monitor (CRT)

Scale 1 - Frequency			
Response (n = 43)		Percent	Cumulation
Daily		97.7%	97.7%
Never		0.0%	97.7%
Once or less in past year		0.0%	97.7%
Several times per year		0.0%	97.7%
Monthly		0.0%	97.7%
Weekly		0.0%	97.7%
No Response		2.3%	100.0%
Min	5	Std. Dev.	0.0000
Max	5	Variance	0.0000
Range	0	Skewness	0.0000
Median	5.00	Kurtosis	0.0000
Mean	5.00	95% Conf.	5.00 to 5.00

Scale 2 - Maximum (hours) per day			
Response (n = 43)		Percent	
4		14.0%	
8		34.9%	
5		7.0%	
6		11.6%	
2		4.7%	
3		4.7%	
12		2.3%	
7		2.3%	
No Response		18.6%	
Min	2	Std. Dev.	1.5432
Max	12	Variance	2.3815
Range	10	Skewness	2.2094
Median	6.00	Kurtosis	3.5216
Mean	6.23	95% Conf.	5.72 to 6.74

Scale 3 - Consequences of Inadequate Performance			
Response (n = 43)		Percent	Cumulation
Mild		27.9%	27.9%
Moderate		27.9%	55.8%
Moderately High		27.9%	83.7%
Mild to Moderate		14.0%	97.7%
None		2.3%	100.0%
Disastrous		0.0%	100.0%
No Response		0.0%	100.0%
Min	0	Std. Dev.	0.8373
Max	4	Variance	0.7011
Range	4	Skewness	1.6616
Median	3.00	Kurtosis	-0.1140
Mean	2.51	95% Conf.	2.26 to 2.76