

Oregon Health Plan Report of Results for
Eastern Oregon CCO (Adult Population)
2023 (MY2022) CAHPS® 5.1H Medicaid Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

Introduction	4
What's New in 2023	5
2023 Survey Fielding Updates	5
Updates to the 2023 OHA CAHPS Survey Results Report	5
About This Report	6
Executive Summary	8
Results on Key Survey Measures	8
Top Priorities for Quality Improvement	8
Survey Results at a Glance	9
Survey Methodology	11
Survey Protocol and Timeline	11
Survey Materials	11
Sample Selection	12
Data Capture	12
Member Dispositions and Response Rate	13
Satisfaction with the Experience of Care	14
Patient Experience of Care Measures	14
Calculation and Reporting of Results	16
Summary of Survey Results	17
Detailed Performance Charts	19
Effectiveness of Care	35

	Effectiveness of Care Measures	
	Effectiveness of Care Results	35
Memb	per Profile and Analysis of Ratings by Member segment	37
	Health Status and Demographics	38
	Use of Services	45
Access	s to Dental Care	48
Impac	t of COVID-19 Pandemic on Getting Needed Care	50
Key Dı	river Analysis	51
	Objectives	51
	Technical Approach	51
	Industry Key Driver Model	53
	Opportunities for Plan Quality Improvement	
	Health Plan Quality Improvement Resources for Key Drivers	55
Appen	ndix	1
	Calculation Guidelines for Rating and Composite Global Proportions	
	Glossary of Terms	IV
	Survey Instrument	VII

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking members to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous 6 months. In addition, the survey collects data on Effectiveness of Care measures, including influenza vaccinations and smoking cessation measures.

WHAT'S NEW IN 2023

2023 SURVEY FIELDING UPDATES

SAMPLE SIZE

To increase the number of completed surveys for analysis, OHA increased the overall sample budget from 48,000 in 2022 to 92,000 in 2023. This year OHA's methodology used a sample size of 2,250 for Adult Medicaid samples, 2,250 for Child Medicaid samples, and 700 for Child Medicaid with Chronic Conditions samples.

SURVEY INSTRUMENTS

NCQA did not make any substantive changes to the HEDIS/CAHPS survey instruments or survey administration protocols this year and therefore, no changes were made to the core HEDIS/CAHPS survey question items.

OHA added and updated various questions to further understand the background of members enrolled in Oregon Health Plans. This includes further details on the longevity of conditions that members may be suffering from, the primary languages that members speak at home, and the gender and sexuality preferences of members.

UPDATES TO THE 2023 OHA CAHPS SURVEY RESULTS REPORT

The following updates were made for the 2023 CAHPS Results Reports:

- Updates to the Member Profile and Analysis of Plan Ratings by Member Segment section for a revised gender identity survey item.
- Additional analyses of Access to Dental Care and Impact of COVID-19 Pandemic on Getting Needed Care.
- Refreshed CSS Key Driver Model using CSS's Book-of-Business data collected over the past two years.
- An updated Health Plan Quality Improvement Resource Guide.

ABOUT THIS REPORT

The key features of this 2023 CAHPS report, prepared by CSS for EOCCO, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS Measurement Year 2022, Volume 3:*Specifications for Survey Measures unless otherwise noted. At least 30 valid responses must be collected for a measure result to be reportable by OHA. If the rate denominator is less than 30, a measure result of "NR" (i.e., not reportable) is displayed throughout the report, indicating that the results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.
- Throughout the report, the 2023 EOCCO survey results are compared to the 2023 State OHP Average. The 2023 State OHP Average is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where EOCCO performs significantly above or below the State Oregon Health Plan benchmarks. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2023 EOCCO survey scores on key measures, including question summary rates, global proportions, and changes in rates and global proportion scores from the previous year (if applicable); and comparisons to relevant State Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2023 EOCCO QSRs and global proportions are compared to the 2023 State OHP Average on all measures. Where available, a three-year trend in scores is also shown.
- A one-page summary of the *Effectiveness of Care* measures includes comparisons to prior-year results (if available) as well as to the 2023 State OHP Average rates. All rates are calculated according to the NCQA guidelines, but are presented regardless of their eligibility for NCQA reporting.
- *Member Profile and Analysis of Ratings by Member Segment* compares the 2023 EOCCO respondent profile to the relevant State Oregon Health Plan distribution(s) of demographic characteristics and utilization variables. Variation in *Rating of Health Plan* measure by member segment is examined.
- Access to Dental Care compares the 2023 EOCCO respondent profile to the relevant State Oregon Health Plan distribution(s) for access to dental care survey items.

- Impact of COVID-19 Pandemic on Getting Needed Care examines the 2023 EOCCO respondent profile of how often respondents delayed getting various health services over time.
- Key Driver Analysis identifies key member experience touch points that appear to drive the overall Rating of Health Plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall member assessment of the plan. The 2023 EOCCO results on each key driver are compared to the highest score among all the Adult CCOs contributing to the 2023 State OHP Average, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the EOCCO Rating of Health Plan score due to improved performance on the key driver measure. A separate section of the report provides some helpful resources for health plan quality improvement.
- The *Appendix* includes:
 - Score calculation guidelines and methodology;
 - A glossary of terms; and
 - A copy of the survey instrument.

EXECUTIVE SUMMARY

CSS administered the Adult Medicaid version of the 2023 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Eastern Oregon CCO, hereafter referred to as EOCCO between January 4 and April 5, 2023.

The final survey sample for EOCCO included 2,250 members. During the survey fielding period, 395 sample members completed the survey. After final survey eligibility criteria were applied, the resulting response rate was 17.81 percent.

This Executive Summary focuses on key CAHPS performance metrics, including year-over-year changes in results and comparisons to relevant State Oregon Health Plan benchmarks. Also identified are top organizational priorities for quality improvement based on CSS's *Key Driver Analysis*.

RESULTS ON KEY SURVEY MEASURES

The findings presented in this section are based on the rates of EOCCO Adult sample members rating their experience favorably (i.e., 8, 9, or 10 for the overall rating questions and *Usually* or *Always* for all other CAHPS measures).

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2022

Reportable Rate IMPROVED	Reportable Rate DECLINED
No statistically significant improvements	No statistically significant declines

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE Benchmark	Reportable Rate BELOW Benchmark
2023 State	OHP Average
Rating of Health Plan (by 5.31 points)	None
Getting Care Quickly (by 6.7 points)	

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the key member experience touch points that shape members' overall assessment of the health plan, as captured by the Rating of Health Plan question at the end of the survey. To the extent that the plan can improve these experiences, the overall rating of the plan will reflect

these gains. Below are the top five quality improvement opportunities that will result in the largest incremental gains in the *Rating of Health Plan* measure for EOCCO.

Top Priorities for Quality Improvement

- 1. Improving health plan provider network (highly-rated personal doctors)
- 2. Improving the ability of the health plan customer service to provide necessary information or help
- 3. Improving member access to care (having a personal doctor)
- 4. Improving health plan provider network (highly-rated specialists)
- 5. Improving member access to care (getting an appointment for urgent care as soon as needed)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures is presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2023 EOCCO ADULT MEDICAID OHA CAHPS SURVEY: RESULTS AT A GLANCE

		Global Proportions and Question Summary Rates Valid Responses						Valid Responses			
	CAHPS 5.0H Survey Measures		2021 2022		2023		2021	2022	2023	2023 State OHP Average	
		Rate	Point Change	Rate	Point Change	Rate				Rate	Point Diff.
	Q8. Rating of All Health Care	74.11%	[-1.78]	69.72%	[+2.61]	72.33%	197	142	253	69.70%	[+2.63]
Overall Ratings	Q18. Rating of Personal Doctor	80.58%	[+2.70]	83.50%	[-0.22]	83.28%	242	200	299	79.54%	[+3.74]
(% 8, 9, or 10)	Q22. Rating of Specialist Seen Most Often	89.22%	[-10.48]	81.72%	[-2.98]	78.74%	102	93	127	78.88%	[-0.14]
	Q28. Rating of Health Plan	73.82%	[+1.89]	73.66%	[+2.05]	75.71%	275	205	354	70.40%	[+5.31]
	Q8. Rating of All Health Care	50.76%	[+0.23]	49.30%	[+1.69]	50.99%	197	142	253	47.59%	[+3.40]
Overall Ratings	Q18. Rating of Personal Doctor	65.29%	[+2.27]	68.00%	[-0.44]	67.56%	242	200	299	62.92%	[+4.63]
(% 9 or 10)	Q22. Rating of Specialist Seen Most Often	65.69%	[-5.84]	64.52%	[-4.67]	59.84%	102	93	127	62.64%	[-2.80]
	Q28. Rating of Health Plan	54.18%	[+1.47]	56.59%	[-0.94]	55.65%	275	205	354	51.55%	[+4.10]
Getting Needed Care	Getting Needed Care Composite	84.57%	[-3.47]	80.57%	[+0.53]	81.10%	157	121	197	77.04%	[+4.06]
(% Always or Usually)	Q9. Easy to get needed care	83.92%	[+3.28]	86.39%	[+0.81]	87.20%	199	147	250	81.13%	[+6.07]
(76 Aiways of Osually)	Q20. Easy to see specialists	85.22%	[-10.22] 🛨	74.74%	[+0.26]	75.00%	115	95	144	72.95%	[+2.05]
Getting Care Quickly	Getting Care Quickly Composite	83.45%	[-0.24]	78.48%	[+4.73]	83.21%	149	111	177	76.52%	[+6.70]
(% Always or Usually)	Q4. Got urgent care as soon as needed	86.79%	[-3.94]	77.11%	[+5.75]	82.86%	106	83	140	78.05%	[+4.81]
(76 Aiways of Osually)	Q6. Got routine care as soon as needed	80.10%	[+3.46]	79.86%	[+3.71]	83.57%	191	139	213	74.99%	[+8.58]
	How Well Doctors Communicate Composite	93.17%	[-0.98]	93.31%	[-1.12]	92.19%	187	161	234	92.27%	[-0.08]
How Well Doctors	Q12. Doctor explained things	93.62%	[-0.91]	93.13%	[-0.42]	92.70%	188	160	233	93.48%	[-0.78]
Communicate*	Q13. Doctor listened carefully	91.98%	[-0.10]	93.79%	[-1.91]	91.88%	187	161	234	91.67%	[+0.21]
(% Always or Usually)	Q14. Doctor showed respect	93.01%	[+2.29]	93.79%	[+1.51]	95.30%	186	161	234	93.89%	[+1.41]
	Q15. Doctor spent enough time	94.09%	[-5.20]	92.55%	[-3.66]	88.89%	186	161	234	90.04%	[-1.15]
Customer Service	Customer Service Composite	89.04%	[-0.09]	87.25%	[+1.70]	88.95%	73	51	86	89.82%	[-0.86]
(% Always or Usually)	Q24. Provided needed information/help	84.93%	[-2.37]	82.35%	[+0.21]	82.56%	73	51	86	84.11%	[-1.56]
(70 Aiways or Osaany)	Q25. Treated with courtesy/respect	93.15%	[+2.20]	92.16%	[+3.19]	95.35%	73	51	86	95.52%	[-0.17]
Additional Content Areas	Q17. Coordination of Care (% Always or Usually)	86.84%	[-3.98]	83.33%	[-0.48]	82.86%	114	102	140	82.68%	[+0.18]
	Flu Vaccinations for Adults	34.32%	[-4.53]	34.64%	[-4.85]	29.79%	236	179	282	34.24%	[-4.45]
Effectiveness of Care	Advising Smokers and Tobacco Users to Quit	67.47%	[+2.43]	62.90%	[+7.00]	69.90%	83	62	103	67.06%	[+2.84]
Measures	Discussing Cessation Medications	52.38%	[-6.75]	39.68%	[+5.95]	45.63%	84	63	103	48.05%	[-2.42]
	Discussing Cessation Strategies	40.48%	[-1.26]	26.98%	[+12.23]	39.22%	84	63	102	41.44%	[-2.22]

Calculation and Reporting of Results

All rates were calculated by CSS following NCQA specifications.

The number of valid responses (n) collected for the past three consecutive years are reported. At least 30 valid responses must be collected for a measure result to be reportable by OHA. If n is less than 30, "NR" and "[...]" are displayed in a lighter color, indicating that the rate and point change results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.

Rate Comparisons and Statistical Significance Testing

Comparisons to prior-year and benchmark rates were calculated prior to rounding and rounded for display. Differences in rates were tested for statistical significance using a t-test for proportions at the 95% confidence level. Statistically significant differences between the current-year rate and the comparison rate are marked with a * symbol.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Adult Medicaid version of the 2023 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of EOCCO using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online mailed on January 4;
- An initial questionnaire with cover letter mailed on January 11;
- A replacement questionnaire with cover letter mailed on February 8;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 5, 2023.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for EOCCO are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS Measurement Year 2022, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS MY 2022 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all the mailing materials.

Each survey package included a postage-paid business reply envelope. Besides the core CAHPS questions, the survey included 45 additional questions added by OHA. These included questions on mobility impairment, cultural competency, access to dental care, telemedicine, COVID-19, access to interpreter services, and SOGI/REALD demographics. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

The website URL and a personal web ID was listed in the prenotification letter and second survey package cover letter to complete the survey online.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for EOCCO. For the Adult Medicaid survey (general population), sample-eligible members were defined as plan members who were 18 years old or older as of November 30, 2022; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid.

Prior to sampling, CSS carefully inspected the member file(s) and noted any errors or irregularities found (such as incomplete contact information or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up to date. The final sample was generated following the NCQA systematic sampling methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. Therefore, the final combined survey sample for EOCCO included 2,250 members.

DATA CAPTURE

Returned mail questionnaires were recorded using optical scanning. If the scanning technology was unable to identify the specific response option selected with a predefined degree of certainty, trained data entry operators were employed to ensure that each such response was accurately recorded. Responses from online questionnaires were stored on CSS internal servers.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. CATI supervisors maintained quality control by monitoring the telephone interviews and response capture by interviewers in real time and auditing recorded interviews. At least 10 percent of the interviews were monitored by supervisors.

Due to the multiple outreach attempts, multiple survey responses could be received from the same sample member. In those cases, only one survey response (the most complete survey) was included in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

During the survey fielding period, 395 sample members completed the survey. After final survey eligibility criteria were applied, the resulting response rate was 17.81 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2023 EOCCO ADULT MEDICAID OHA CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	To	2023 State OHP	
Disposition	Number	% Initial Sample	Average
Initial Sample	2,250	100.00%	
Disposition			
Complete and Eligible - Mail	207	9.20%	8.59%
Complete and Eligible - Phone	152	6.76%	5.15%
Complete and Eligible - Internet	36	1.60%	2.47%
Complete and Eligible - Total	395	17.56%	16.21%
Does not meet Eligible Population criteria	21	0.93%	1.24%
Incomplete (but Eligible)	14	0.62%	0.86%
Ineligible	11	0.49%	0.46%
- Language barrier	0	0.00%	0.15%
- Mentally or physically incapacitated	9	0.40%	0.52%
- Deceased	2	0.09%	0.17%
Refusal	147	6.53%	6.48%
Nonresponse after maximum attempts	1,642	72.98%	73.42%
Added to Do Not Call (DNC) list	20	0.89%	0.95%
Response Rate*		17.81%	16.55%

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

PATIENT EXPERIENCE OF CARE MEASURES

GLOBAL RATINGS

CAHPS Health Plan Survey (version 5.1H) includes four global rating questions that utilize the scale of 0 to 10, representing the lowest and highest possible rating. Results are reported as the proportion of members selecting one of the top three ratings (8, 9, or 10).

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

CAHPS COMPOSITES

NCQA calculates results for several CAHPS composite measures. CAHPS composites combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines two survey questions that address member access to care. Both questions use a Never, Sometimes, Usually, or Always response scale, with Always being the most favorable response. Results are based on the proportion of members answering the following questions as Usually or Always.
 - In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?
 - In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and check-up/routine care. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are based on the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?
 - In the last 6 months, how often did you get an appointment for a check-up or routine care as soon as you needed?
- **How Well Doctors Communicate** combines responses to four survey questions that address physician communication. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members answering the following questions as *Usually* or *Always*:
 - In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?
 - In the last 6 months, how often did your personal doctor listen carefully to you?
 - In the last 6 months, how often did your personal doctor show respect for what you had to say?
 - In the last 6 months, how often did your personal doctor spend enough time with you?
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan's customer service. The questions use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, how often did your health plan's customer service staff give you the information or help you needed?
 - In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?
- Coordination of Care is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
 - In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates express the proportion of respondents selecting the desired response option(s) on a survey question. Examples include percent selecting *Usually* or *Always* or percent rating 9 or 10.

Composite Global Proportions express the proportion of respondents selecting the desired response option(s) from a predefined set of two or more related questions on the survey. The proportions are calculated by first determining the relevant proportion on each survey question contributing to the composite and then averaging these proportions across all questions in the composite.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS Measurement Year 2022, Volume 3: Specifications for Survey Measures* or consult Appendix A.

SMALL NUMBER SUPPRESSION

The numerator for an individual question is the number of valid responses selecting the desired response option(s) while the denominator is the total number of valid responses to that question. The numerator for a composite is the average number of responses selecting the desired response option(s) across all questions in the composite; the denominator is the average number of responses across all questions in the composite (note: composite numerators and denominators are rounded for display purposes).

At least 30 valid responses must be collected for a measure result to be reportable by OHA. If the rate denominator is less than 30, a measure result of "NR" (i.e., not reportable) is displayed throughout the report, indicating that the results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2023 EOCCO results are compared to the 2023 State OHP Average as well as to the highest and lowest performing CCO. The 2023 State OHP Average is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.

If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

A high-level EOCCO performance overview on key survey measures is provided in Exhibit 3. These include overall ratings, composite global proportions, and summary rates for additional measures. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2023 EOCCO ADULT MEDICAID OHA CAHPS SURVEY: PATIENT EXPERIENCE MEASURES

Survey Measures		Your Organization						2023 State OHP	
		2023		2022		2021		Average	
	Rate	(n)	Rate	Point Change	Rate	Point Change	Rate	Point Diff.	
Overall Ratings (% 8, 9, or 10)									
Rating of Personal Doctor	83.28%	(299)	83.50%	[-0.22]	80.58%	[+2.70]	79.54%	[+3.74]	
Rating of Specialist Seen Most Often	78.74%	(127)	81.72%	[-2.98]	89.22%	[-10.48] ★	78.88%	[-0.14]	
Rating of All Health Care	72.33%	(253)	69.72%	[+2.61]	74.11%	[-1.78]	69.70%	[+2.63]	
Rating of Health Plan	75.71%	(354)	73.66%	[+2.05]	73.82%	[+1.89]	70.40%	[+5.31] 🛨	
Overall Ratings (% 9 or 10)									
Rating of Personal Doctor	67.56%	(299)	68.00%	[-0.44]	65.29%	[+2.27]	62.92%	[+4.63]	
Rating of Specialist Seen Most Often	59.84%	(127)	64.52%	[-4.67]	65.69%	[-5.84]	62.64%	[-2.80]	
Rating of All Health Care	50.99%	(253)	49.30%	[+1.69]	50.76%	[+0.23]	47.59%	[+3.40]	
Rating of Health Plan	55.65%	(354)	56.59%	[-0.94]	54.18%	[+1.47]	51.55%	[+4.10]	
Composite Measures									
Getting Needed Care	81.10%	(197)	80.57%	[+0.53]	84.57%	[-3.47]	77.04%	[+4.06]	
Getting Care Quickly	83.21%	(177)	78.48%	[+4.73]	83.45%	[-0.24]	76.52%	[+6.70] *	
How Well Doctors Communicate	92.19%	(234)	93.31%	[-1.12]	93.17%	[-0.98]	92.27%	[-0.08]	
Customer Service	88.95%	(86)	87.25%	[+1.70]	89.04%	[-0.09]	89.82%	[-0.86]	
Additional Content Areas									
Coordination of Care	82.86%	(140)	83.33%	[-0.48]	86.84%	[-3.98]	82.68%	[+0.18]	

Calculation and Reporting of Results

All rates were calculated by CSS following NCQA specifications. The number of valid responses collected this year for each measure (n, or measure denominator) is reported in parentheses.

At least 30 valid responses must be collected for a measure result to be reportable by OHA. If n is less than 30, "NR" and "[...]" are displayed in a lighter color, indicating that the rate and point change results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.

Rate Comparisons and Statistical Significance Testing

Comparisons to prior-year and benchmark rates were calculated prior to rounding and rounded for display. Differences in rates were tested for statistical significance using a t-test for proportions at the 95% confidence level. Statistically significant differences between the current-year rate and the comparison rate are marked with a *\pi\$ symbol.

DETAILED PERFORMANCE CHARTS


Detailed charts are provided for CAHPS composite global proportions and question summary rates. The charts have the following features:

TREND IN RESULTS


- Survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year, if the measure is new, or if the measure is not deemed appropriate for trending. In such cases, "no data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. At least 30 valid responses must be collected for a measure result to be reportable by OHA. If n is less than 30, "NR" appears in place of n, indicating that the results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.
- Statistical comparisons are conducted between the current-year and each of the prior-year rates, if available. Differences in rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2022 rate denotes a statistically significant difference between the 2023 and 2022 rates.


COMPARISONS TO BENCHMARKS


• The horizontal lines displayed on the charts correspond to the 2023 State OHP Average as well as to the highest and lowest performing CCO. If the 2023 score is significantly different from any of these benchmark scores at the 95% confidence level, ** appears next to the relevant score.





Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a * symbol next to the comparison rate.















Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a xymbol next to the comparison rate.













Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a x symbol next to the comparison rate.








Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a xymbol next to the comparison rate.





EFFECTIVENESS OF CARE

The Effectiveness of Care domain for the Adult Medicaid product line includes the following measures: Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC). The FVA measure is a single-year rate. The MSC measure is typically based on two years of data collection and is calculated using the NCQA rolling average methodology. For OHP, the MSC measure is calculated using a single-year rate. A brief description of each measure, as it appears in HEDIS Measurement Year 2022, Volume 3: Specifications for Survey Measures, Section 2: Effectiveness of Care, is reproduced below. Please refer to Volume 3 for additional information on the measures, including rolling average calculation methodology and NCQA reporting rules.

EFFECTIVENESS OF CARE MEASURES

FLU VACCINATIONS FOR ADULTS AGES 18-64 (FVA)

Flu Vaccinations for Adults represents the percentage of members 18–64 years of age who received a flu vaccination between July 1 of the measurement year and the date when the survey was completed.

MEDICAL ASSISTANCE WITH SMOKING AND TOBACCO USE CESSATION (MSC)

The following components of this measure assess different facets of providing medical assistance with smoking and tobacco use cessation:

- Advising Smokers and Tobacco Users to Quit a rolling average rate represents the percentage of current smokers or tobacco users who received advice to quit during the measurement year.
- Discussing Cessation Medications a rolling average rate represents the percentage of current smokers or tobacco users who discussed or were recommended cessation medications during the measurement year.
- Discussing Cessation Strategies a rolling average rate represents the percentage of current smokers or tobacco users who discussed or were provided cessation methods or strategies during the measurement year.

EFFECTIVENESS OF CARE RESULTS

A summary of EOCCO results on HEDIS Effectiveness of Care measures is provided in Exhibit 4. Comparisons to prior-year rates (if available) as well as to the 2023 State OHP Average rates with statistical significance tests are included.

EXHIBIT 4. 2023 EOCCO ADULT MEDICAID OHA CAHPS SURVEY: EFFECTIVENESS OF CARE MEASURES

			Comparison between 2023 and				
	202	3	:	2022	2023 State OHP Average		
Effectiveness of Care Measures	Rate	(n)	Rate	Point Change	Rate	Point Diff.	
Flu Vaccinations for Adults (FVA)							
Flu Vaccinations for Adults	29.79%	(282)	34.64%	[-4.85]	34.24%	[-4.45]	
Medical Assistance with Smoking and Tobacco Use Cessation	n (MSC)						
Advising Smokers and Tobacco Users to Quit	69.90%	(103)	62.90%	[+7.00]	67.06%	[+2.84]	
Discussing Cessation Medications	45.63%	(103)	39.68%	[+5.95]	48.05%	[-2.42]	
Discussing Cessation Strategies	39.22%	(102)	26.98%	[+12.23]	41.44%	[-2.22]	

30530

Calculation and Reporting of Results

Effectiveness of Care results were calculated by CSS following NCQA specifications with the exception that rates for the MSC measure were calculated using a single year rate methodology. The number of valid responses collected this year for each measure (n, or measure denominator) is reported in parentheses. At least 30 valid responses must be collected for a measure result to be reportable by OHA. If n is less than 30, "NR" and "[...]" are displayed in a lighter color, indicating that the rate and point change results are not reportable by OHA. Also, if the numerator for any displayed category is less than 3, the "NR" label will be applied.

Rate Comparisons and Statistical Significance Testing

Comparisons to prior-year and benchmark rates were calculated prior to rounding and rounded for display. Differences in rates were tested for statistical significance using a t-test for proportions at the 95% confidence level. Statistically significant differences between the current-year rate and the comparison rate are marked with a ** symbol.

MEMBER PROFILE AND ANALYSIS OF RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the EOCCO membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A CCO's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their assessments of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the EOCCO membership profile to the relevant State Oregon Health Plan benchmark distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the EOCCO membership on a given member attribute (e.g., primary race, education level, number of doctor visits, etc.) with the 2023 State Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS

The following characteristics are profiled in this section:


- Respondent's self-reported health status
- Respondent's self-reported mental or emotional health status
- Respondent's age
- Respondent's education level
- Respondent's primary racial or ethnic identity



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.


^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.


^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.

^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.


^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.

ALONE OR IN COMBINATION (AOIC) REPORTING OF GENDER IDENTITY

The gender identity survey items were adapted from the Equity and Inclusion Division of OHA's draft recommendation of Sexual Orientation and Gender Identity (SOGI) demographic questions. Respondents are presented with a list of gender identity categories and asked to indicate <u>all</u> categories that describe their gender identity.

The following chart compares the EOCCO membership profile to the State Oregon Health Plan benchmark distribution, if applicable, on the gender identity response categories. The left side displays the distribution of the EOCCO membership on a given gender identity response with the 2023 State Oregon Health Plan distribution, if applicable, on the same gender identity response. The right side shows how the overall rating of the plan varies by each gender identity response.

To prevent masking individual responses, the concept of gender "Alone or In Combination" (AOIC) was used for reporting purposes. This combines members who selected a single gender response alone and those who selected that gender response in combination with one or more of the other gender identity responses. The AOIC concept, therefore, represents the most inclusive grouping of members sharing a gender identity, either alone or in combination with one or more categories. The sum of the individual gender AOIC categories may add to more than the total population because members who selected more than one category were tallied in each gender response category.



30530

 $Note: all\ percentages\ are\ rounded\ for\ display.\ \textit{Rating\ of\ Health\ Plan}\ \ score\ should\ be\ interpreted\ with\ caution\ if\ the\ size\ of\ the\ group\ is\ small.$

[&]quot;NR" appears in place of the bar chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.


^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.

^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.

USE OF SERVICES

The following utilization measures are included in this section:


- Seeking urgent care
- Making appointments for routine care
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Having a regular dentist
- Number of visits to a doctor's office or clinic
- Number of specialists seen



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.

^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.



[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*}Represents the combined distribution of responses to this question for all plans included in the 2023 State OHP Average.

^{**} Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10. "NR" appears in place of the score if the number of respondents within group rating plan as 8-10 is less than 3 or the number of respondents within group rating plan 0-10 is less than 30.

ACCESS TO DENTAL CARE

The following charts compare the EOCCO respondent profile to the State Oregon Health Plan benchmark distribution for the following access to dental care survey items:

- Ease of finding a dentist
- Having a regular dentist
- Receiving care from a dentist
- Explanation of dental treatment
- Making an appointment to see a dental specialist
- Making an appointment for a dental emergency



Note: all percentages are rounded for display.


[&]quot;NR" appears in place of the pie chart if the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, indicating that the results are not reportable by OHA.

^{*} Represents the combined distribution of responses to this question for all plans included in the State OHP.

IMPACT OF COVID-19 PANDEMIC ON GETTING NEEDED CARE

Overall, a general reduction in the use of health services was seen due to the COVID-19 pandemic. Less urgent services were cancelled or postponed, while barriers imposed by curfews, transportation closures/slowdowns, and stay-at-home orders prevented some patients from attending appointments.

The following chart compares the EOCCO respondent profile of how often respondents delayed getting the following health services over time: physical health care, mental health care, and dental care. Responses are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year and "no data" appears in place of the score.



3053

 $Note: all\ percentages\ are\ rounded\ for\ display.\ "NR"\ appears\ in\ place\ of\ the\ bar\ chart\ if\ the\ numerator\ for\ any\ displayed\ category\ is\ less\ than\ 3\ or\ the\ number\ of\ attribute\ respondents\ is\ less\ than\ 3\ o,\ indicating\ that\ the\ results\ are\ not\ reportable\ by\ OHA.$

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans
- To highlight industry best practices on the key driver measures
- To compare the current performance of EOCCO to industry best practices in these areas
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, submitted a claim, etc.). CSS's analysis shows that these experience indicators explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider all measurable influences on the overall rating of the plan.

The 2023 CSS *Key Driver Model* was developed using our 2022–2023 Book-of-Business plan-level dataset of Medicaid CAHPS survey results. The dataset comprised all Medicaid plans surveyed by CSS in 2022 and 2023, for a total of 297 observations. CSS performed regression analysis of health plan ratings to identify sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.). Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of member experience (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors, both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists five key drivers of Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 75 percent of the industry variation in Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not consider how EOCCO is <u>currently</u> performing on these measures. Improvement targets identified specifically for EOCCO, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Medicaid member ratings of the plan are strongly related to having a personal doctor (Q10) and being able to get urgent care as soon as needed (Q4). Getting needed information from customer service (Q24) and access to highly rated providers (Q18 and Q22) are all significant drivers of member experience.

Key Driver	Interpretation
Q18. Rating of Personal Doctor (percent 9 or 10)	The higher the proportion of members rating their personal doctor as $\it 9$ or $\it 10$, the higher the overall plan score
Q10. Member has a personal doctor (percent <i>Yes</i>)	The higher the proportion of plan members reporting they have a personal doctor, the higher the overall plan score
Q4. Got an appointment for urgent care as soon as needed (percent <i>Usually or Always</i>)	The higher the proportion of plan members reporting they received urgently needed care as soon as needed, the higher the overall plan score
Q22. Rating of Specialist Seen Most Often (percent 9 or 10)	The higher the proportion of members rating their specialist as 9 or 10, the higher the overall plan score
Q24. Health plan customer service provided needed information or help (percent <i>Usually or Always</i>)	The higher the proportion of members who were able to get the information or help they needed from customer service, the higher the overall plan score

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for EOCCO are presented in Exhibit 5. The ordering reflects both the strength of each key driver in the broad industry context and how EOCCO is currently performing on the measure.

The middle panel of the chart compares how EOCCO is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among all the Adult CCOs contributing to the 2023 State OHP Average. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of EOCCO performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score EOCCO could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 5. 2023 EOCCO ADULT MEDICAID OHA CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

	Room for Improvement on Key Driver	Overall Improvement Opportunity
	Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 9 or 10) if Key Driver Performs at Best Practice Level
67.56%	+4.31% 71.87%	+1.93%
82.56%	+13.54% > 96.09%	+1.34%
81.43%	+3.31%	+0.79%
59.84%	+7.94%	+0.78%
82.86%	+1.70% → 84.55%	+0.19%
	82.56% 81.43% 59.84% 82.86%	Percentage Point Difference Between Current Key Driver Score and the Best Practice Score* 67.56% +4.31% 71.87% 82.56% +13.54% 96.09% 81.43% +3.31% 84.74% 59.84% +7.94% 67.78%

^{*}Highest score on the key driver measure among all the Adult CCOs included in the 2023 State OHP.

If the numerator for any displayed category is less than 3 or the number of attribute respondents is less than 30, "NR" appears in place of the rate and point difference/improvement, indicating that the results are not reportable by OHA.

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Key Driver Analysis identified improvement opportunities and priorities for EOCCO. This section, which lists some helpful publicly available quality improvement resources, is included as a guide to assist plan managers in their efforts. Inclusion of these sources should not be construed as an endorsement of any programs or activities. Some of these resources may be more applicable to your organization than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to the Agency for Healthcare Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf).

IMPROVING MEMBER ACCESS TO CARE

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

Same-Day Appointment Scheduling

- The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves a part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- This article from *Healthcare Dive* describes the benefits and challenges of implementing same-day scheduling as well as some short case studies: https://www.healthcaredive.com/news/same-day-scheduling-can-improve-patient-satisfaction-and-your-bottom-line/506048/.
- An article in *Patient Engagement HIT* explains that the greatest challenge to implementing same-day appointments is clearing the backlog (see https://patientengagementhit.com/news/exploring-open-access-scheduling-in-patient-access-to-care).

Implement Process Improvements to Streamline Patient Flow

- Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See https://www.ahrq.gov/research/findings/final-reports/ptflow/index.html for AHRQ's guide to plan and implement patient flow improvement strategies.
- **VIDEO** This webinar from the Virginia Mason Institute demonstrates how Virginia Mason Franciscan Health improved patient flow in the ambulatory setting (watch on YouTube at https://www.youtube.com/watch?v=0R6isKaZqVo).

Patient-Centered Medical Homes (PCMH)

- For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see https://www.ahrq.gov/ncepcr/research/care-coordination/pcmh/index.html, with links to additional resources at https://www.ahrq.gov/ncepcr/research/care-coordination/pcmh/define.html.
- **VIDEO** This webinar from the National Association of Community Health Centers features presenters from The Joint Commission and the National Committee for Quality Assurance speaking about quality improvement as it relates to patient-centered medical homes (watch on YouTube at https://www.youtube.com/watch?v=glpKgvtyifl).
- For more background on the patient-centered medical home model of care and health equity, see www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/ and nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf.

Alternative Access Centers

- This brief (https://www.rwjf.org/en/insights/our-research/2015/04/the-value-proposition-of-retail-clinics.html) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly.
- Providing patients with such alternative venues as telehealth to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).
- This article from *Patient Engagement HIT* concludes that retail health clinics and virtual care improve health equity by providing greater access to care (see https://patientengagementhit.com/features/retail-health-clinics-are-key-on-the-path-to-health-equity).

• The National Center for Health Statistics provides statistics on retail health and urgent care center utilization in 2019 by sex, race, age, and education level (see https://www.cdc.gov/nchs/products/databriefs/db409.htm).

Telehealth Solutions to Pandemic-Related Issues

- The COVID-19 pandemic has accelerated the usage and acceptance of telehealth by providers and patients alike. This article in *The Lancet* (www.thelancet.com/journals/langlo/article/PIIS2214-109X(20)30362-4/fulltext) details opportunities to expand telehealth beyond the pandemic.
- Telehealth also can be implemented to solve deferral of care issues brought about by the pandemic (see publichealth.jmir.org/2020/3/e21607?utm_source=TrendMD&utm_medium=cpc&utm_campaign=JMIR_TrendMD_1).
- Telemedicine was underutilized until the COVID-19 pandemic, when changes to regulations and payment policies permitted its rapid growth. Telemedicine improves access and equity, though barriers remain (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9035352/).
- **VIDEO** This webinar discusses "how people, processes, regulation and technology work together to support a successful telehealth transformation... potentially improving access, quality and costs" (https://www.aha.org/education-events/telehealth-and-its-emergence-during-pandemic-may-17).
- **PODCAST** Post-pandemic, telehealth is key to the future of digitally enabled care, which integrates in-person and virtual care in a clinically appropriate manner (https://www.ama-assn.org/practice-management/digital/2022-moving-beyond-telehealth-digitally-enabled-care).

IMPROVING HEALTH PLAN PROVIDER NETWORK

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in improved patient ratings of doctors.

Improve Physician Communication

- Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For general recommendations related to physician communication, see www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html.
- This article in *Physicians Practice* shares nine ways to improve communication with patients (see https://www.physicianspractice.com/view/nine-ways-to-improve-your-patient-communications). Click through the slides at the top of the page to read information on each strategy.
- Similarly, this blog post shares 10 tips for communicating with patients using the RELATE (Reassure, Explain, Listen, Answer questions, Take action, and Express appreciation) model (see https://www.healthstream.com/resource/blog/10-ways-to-encourage-better-physician-communication).

• Much of patient dissatisfaction stems from a failure of effective physician communication. For a review of the literature on doctor-patient communication, see (www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/).

Help Patients Communicate

- Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. See https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html.
- **TOOL** For a sample discharge preparation/care transition document that providers can distribute to patients before or during visits, see www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- **TOOL** The National Institutes of Health provides five worksheets to help patients choose a new provider and to talk to their provider about family health history, medications, life changes, and health or other concerns (see https://www.nia.nih.gov/health/talking-with-doctor-worksheets)
- **TOOL** AHRQ provides tips for patients to become more engaged in their health care before, during, and after the appointment (see https://www.ahrq.gov/questions/be-engaged/index.html). A two-page PDF file can be downloaded from this page.
- **TOOL** AHRQ also provides a Question Builder tool that patients can use to customize a list of questions for their appointment. The tool is available for printing online at https://www.ahrq.gov/questions/question-builder/online.html and in a downloadable app in the Apple App Store and Google Play (see more information at https://www.ahrq.gov/questions/question-builder/index.html).

Build Physician-Patient Relationships

- A positive physician-patient relationship may correlate with better health care outcomes. This article describes three essential elements that contribute to a positive relationship between provider and patients: empathy, communication, and shared decision-making (see https://patientengagementhit.com/news/3-key-traits-of-a-positive-patient-provider-relationship).
- AHRQ discusses the SHARE Approach to shared decision-making and provides links to resources on their website at https://www.ahrq.gov/health-literacy/professional-training/shared-decision/tools/factsheet.html.
- Cultural competence is increasingly important to the physician-patient relationship. Tips and resources are available at https://www.ahrq.gov/health-literacy/professional-training/shared-decision/tool/resource-7.html.

Improve Referral Communication

- The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. The Medical Group Management Association has tips for building relationships with specialists (see https://www.mgma.com/resources/operations-management/communication-lays-the-groundwork-for-successful-p).
- AHRQ's Health Literacy Universal Precautions Toolkit includes a section on making the referral process easier for patients (see https://www.ahrq.gov/health-literacy/improve/precautions/tool21.html).
- High-functioning referral networks are critical for positive patient outcomes and require communication, measurement, and monitoring (see https://www.hfma.org/finance-and-business-strategy/population-health-management/61094/).
- A survey of Veterans Health Administration specialists found that use of referral templates was seen as helpful to improve the quality of referrals; service agreements and e-consults were less so (see https://www.ajmc.com/view/tools-to-improve-referrals-from-primary-care-to-specialty-care).

IMPROVING CUSTOMER SERVICE AND HEALTH PLAN-RELATED INFORMATION

It is important that health plan information is both easily available and useful to members. As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their questions and concerns. The following resources contain recommendations for improving customer service.

Develop Customer Service Standards

• To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to the plan. After developing these standards, monitor performance and promote accountability among staff. For more information, see www.ahrg.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.

Iterative Improvement for Member Services

• This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See www.rand.org/pubs/working papers/WR517.html.

Implement Service Recovery Procedures

- When members have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see www.ahrq.gov/cahps/quality-improvement/improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html.
- This article in *Forbes* defines service recovery and describes effective strategies to implement it in your practice (see https://www.forbes.com/sites/forbesagencycouncil/2022/12/15/service-recovery-in-healthcare-effective-strategies-to-retain-unsatisfied-patients/?sh=60c824e84cf7).
- **VIDEO** This four-part training series was developed as part of a grant from the Health Resources & Services Administration (HRSA). The videos total one hour and focus on why service recovery matters, eight steps for front-line staff, tips for de-escalation, and embedding service recovery into everyday practice (see https://stratishealth.org/service-recovery-in-health-care/).

Make Plan Information Accessible to All Members

- A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted the use of an internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond internet-based tools is necessary to reach certain demographics. For further information, see www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/.
- This article addresses the importance of website accessibility for older adults and persons with disabilities to obtain, understand, and use health information (see https://ahimafoundation.org/research/the-critical-role-of-web-accessibility-in-health-information-access-understanding-and-use/).
- The Centers for Medicare & Medicaid Services (CMS) provides information on communication accessibility planning for people who are blind or have low vision (https://www.cms.gov/files/document/omh-visual-sensory-disabilities-brochure-508c.pdf), those who are deaf or hard-of-hearing (https://www.cms.gov/files/document/audio-sensory-disabilities-brochure-508c.pdf), and those with limited English proficiency (<a href="https://www.cms.gov/About-CMS/Agency-Information/OMH/Downloads/Language-Access-Plan.PDF).

Increase Access to Trusted Health Information

• Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. Improved access to trusted health information has been shown to lead to improved outcomes (www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/).

• This James Madison University Library microsite includes sub-pages with links to reliable sources of health information, information for teens and young adults, and information about medications and supplements, among others (see https://guides.lib.jmu.edu/consumerhealth/health-websites).

Evaluate the Organization's Health Literacy Programs

- The CDC has developed guidance on evaluating an organization's health literacy program, including recommended sources of communication and health literacy measures. See www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html.
- The CDC's National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (npin.cdc.gov/pages/health-communication-language-and-literacy).
- HHS has a strong focus on health literacy in its Healthy People 2030 initiative, with six objectives related to the topic. See information on these goals and the updated definitions of personal and organizational health literacy at https://health.gov/health-literacy-healthy-people-2030, and health literacy resources at https://health.gov/health-literacy.

Improve Patient Health Literacy

- This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the internet. For detailed steps, see health.gov/our-work/national-health-initiatives/health-literacy/resources.
- AHRQ also has developed its own health literacy toolkit to support physicians, the *Health Literacy Universal Precautions Toolkit, 2nd Edition*: www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html.
- The companion guide, *Implementing the AHRQ Health Literacy Universal Precautions Toolkit: Practical Ideas for Primary Care Practices*, presents advice based on the experiences of 12 primary-care practices that implemented the Toolkit. It is available at https://www.ahrq.gov/health-literacy/improve/precautions/guide/index.html.

APPENDIX

CALCULATION GUIDELINES FOR RATING AND COMPOSITE GLOBAL PROPORTIONS

NCQA's *HEDIS Measurement Year 2022, Volume 3: Specifications for Survey Measures* contains detailed guidelines for calculating survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Denominator reporting thresholds. Health plans must achieve a denominator of at least 100 responses to obtain a reportable result. If the denominator for a particular survey result calculation is less than 100, NCQA assigns a measure result of "NA".
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. The steps involved in calculating the composite global proportion are:

Step 1

For each question in a composite, determine the proportion of respondents selecting the reported response option(s).

Step 2

Calculate the average proportion across all the questions in the composite. These are the composite global proportions. Note: all questions in a composite are weighted equally, regardless of how many members respond.

Example:

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Usually or Always	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the CSS Average, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.1H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous twelve months, whereas the Medicaid version refers to the previous six months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results to create national benchmarks for care and to report health plan performance to consumers. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "NR" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.)

Eligible Population

Members who are eligible to participate in the survey based on the following NCQA criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (twelve months for Commercial and six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of December 31 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., *Usually or Always*) averaged across the questions that make up the composite.

HFDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly performing plans.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never*, *Sometimes*, *Usually*, or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*.

Response Rate	Survey response rate is calculated by NCQA using the following formula:		
	Response Rate = Complete and Eligible Surveys [Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]		
Sample size	OHA's methodology used a sample size of 2,250 for Adult Medicaid samples, 2,250 for Child Medicaid samples, and 700 for Child Medicaid with Chronic Conditions samples.		
Statistically Significant Difference	When survey results are calculated based on sample data and compared to a benchmark score (e.g., the NCQA National Average rate, the CSS Book-of-Business average, or the plan's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.		
Trending	Comparison of survey results over time		
Usable Responses (n)	See <i>Denominator</i>		
Valid Response	Any acceptable response to a survey question (i.e., falling within a predefined set) that follows the NCQA skip pattern rules and data		

cleaning guidelines.

SURVEY INSTRUMENT

0HP3E



Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow *If Yes, Go to Question 1* \square_2 No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

- Our records show that you are now in Oregon Health Plan. Is that right?
 - $\square_{\scriptscriptstyle 1}$ Yes \rightarrow *If Yes, Go to Question 3*
 - □₂ No
- 2. What is the name of your health plan? (Please print)

Your Health Care in the Last 6 Months

These questions ask about your own health care from a clinic, emergency room, or doctor's office. This includes care you got in person, by phone, or by video. Do <u>not</u> include care you got when you stayed overnight in a hospital. Do <u>not</u> include the times you went for dental care visits.

- 3. In the last 6 months, did you have an illness, injury, or condition that <u>needed care right away</u>?
 - ☐
 ₁ Yes
 - \square , No \rightarrow If No, Go to Question 5

			· · · · · · · · · · · · · · · · · · ·
4.	In the last 6 months, when you needed care right away, how often did you get care as soon as you needed? \[\begin{array}{c} \text{\texi{\texi{\text{\text{\texi\tex{\text{\text{\text{\texi{\text{\t	8.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months? O 1 2 3 4 5 6 7 8 9 10 Worst health care Best health care possible
5.	In the last 6 months, did you make any in person,		possible
	phone, or video appointments for a <u>check-up or routine care</u> ?	9.	In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?
	\square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 7</i>		☐₁ Never ☐₂ Sometimes
6.	In the last 6 months, how often did you get an appointment for a <u>check-up or routine care</u> as soon as you needed?		□₃ Usually □₄ Always
	□₁ Never		Varia Damanal Dantan
	□₂ Sometimes		Your Personal Doctor
	□₃ Usually □₄ Always	10.	A personal doctor is the one you would talk to if you need a check-up, want advice about
7.	In the last 6 months, <u>not</u> counting the times you went to an emergency room, how many		a health problem, or get sick or hurt. Do you have a personal doctor?
	times did you get health care for yourself in		□₁ Yes
	person, by phone, or by video? \square_0 None \rightarrow <i>If None, Go to Question 10</i>		$\square_{\scriptscriptstyle 2} \ \ No o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ 19$
	1 time	11	In the last 6 months, how many times did you
	□₂ 2 □₃ 3		have an in person, phone, or video visit with your personal doctor about your health?
	□ ₄ 4 □ ₅ 5 to 9		\square_0 None → <i>If None, Go to Question 18</i> \square_1 1 time
	\square_{6} 10 or more times		\square_2 2
			□₃ 3
			□₄ 4 □₅ 5 to 9
			$\square_{\mathfrak{s}}$ 10 or more times

12. In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	17. In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers? □₁ Never □₂ Sometimes □₃ Usually □₄ Always
13. In the last 6 months, how often did your personal doctor listen carefully to you? ☐ Never ☐ Sometimes ☐ Usually ☐ Always	18. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor? 0 1 2 3 4 5 6 7 8 9 10
14. In the last 6 months, how often did your personal doctor show respect for what you had to say? Never Sometimes Usually Always	Worst personal doctor possible Getting Health Care from Specialists When you answer the next questions, include the care you got in person, by phone, or by video. Do not include dental visits or care you got when you stayed overnight in a hospital.
 15. In the last 6 months, how often did your personal doctor spend enough time with you? □₁ Never □₂ Sometimes □₃ Usually □₄ Always 	19. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments with a specialist?
 16. In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor? □₁ Yes □₂ No → If No, Go to Question 18 	\square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 23</i>

20.	In the last 6 months, how often did you get an	Y	our Health Plan
	appointment with a specialist as soon as you needed? Never Sametimes		he next questions ask about your experience vith your health plan.
	☐₂ Sometimes ☐₃ Usually ☐₄ Always	23.	In the last 6 months, did you get information o help from your health plan's customer service?
21.	How many specialists have you talked to in the last 6 months?		\square_2 No \rightarrow <i>If No, Go to Question 26</i>
	\square_0 None → <i>If None, Go to Question 23</i> \square_1 1 specialist \square_2 2 \square_3 3 \square_4 4 \square_5 5 or more specialists	24.	In the last 6 months, how often did your health plan's customer service give you the information or help you needed? Never Sometimes Usually
22.	We want to know your rating of the specialist you talked to most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist? O 1 2 3 4 5 6 7 8 9 10 Worst specialist Best specialist possible	25.	☐₄ Always In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect? ☐₁ Never ☐₂ Sometimes ☐₃ Usually ☐₄ Always
		26.	In the last 6 months, did your health plan give you any forms to fill out? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 28</i>
		27.	In the last 6 months, how often were the forms from your health plan easy to fill out? Never Sometimes Usually Always

28. Using any number from 0 to 10, where 0 is the	Additional Questions
worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan? 0 1 2 3 4 5 6 7 8 9 10	The following questions ask about how much you think your doctor or other health provider respects your beliefs, attitudes, language and behavior.
Worst health plan possible 28a. In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment? ☐₁ Yes ☐₂ No → If No, Go to Question 28c	28e. In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you? Never Sometimes Usually Always
28b. In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan? □₁ Never □₂ Sometimes □₃ Usually □₄ Always	28f. In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking? □₁ Never □₂ Sometimes □₃ Usually □₄ Always
 28c. In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy? ☐ Yes ☐ No → If No, Go to Question 28e 28d. In the last 6 months, how often was it easy to get the special therapy you needed through 	28g. In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you? ☐ Never ☐ Sometimes ☐ Usually ☐ Always
your health plan? Never	28h. In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care? ☐₁ Yes, definitely ☐₂ Yes, somewhat ☐₃ No

Access to Dental Care

Access to Dental Care	28m. In the last 6 months, if you needed to see a dentist right away because of a dental
 28i. A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist? □₁ Yes □₂ No 28j. In the last 6 months, did you go to a dentist's office or clinic for care? □₁ Yes □₂ No → If No, Go to Question 28l 	emergency, how often did you get to see a dentist as soon as you wanted? \[\begin{array}{cccccccccccccccccccccccccccccccccccc
28k. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you? Never Sometimes Usually Always	it was for you to find a dentist? 0 1 2 3 4 5 6 7 8 9 10
28I. If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?	visit the dentist's office or get dental care The cost of care Inconvenient location Inconvenient appointment times Trouble finding a dentist or dental care Fear or anxiety of seeing a dentist Went to the emergency room instead for dental care I needed an interpreter and wasn't able to get one Other reason (Please print)
	\square_{10} I did not delay going to the dentist

Healthcare Visits by Phone or Video

These questions ask about your own health care you got by phone or by video only.

29a. In the last 6 months, did you have a healthcare visit by phone or video?
☐₁ Yes
\square_{2} No \rightarrow <i>If No, Go to Question 29e</i>
29b. What type of device did you use for a healthcare visit by phone or video? (Please check <u>ALL</u> that apply.) ☐ Personal computer with video ☐ Smartphone or tablet with video ☐ Telephone without video ☐ Telehealth kiosk ☐ Other
29c. How easy or difficult has it been to use technology during a healthcare visit by phone or video? Very easy Easy Difficult Very difficult
29d. In the last 6 months, was the quality of care you received during phone or video visits better or worse than the care you receive during inperson visits?
☐₁ Much worse ☐₂ Slightly worse ☐₃ About the same ☐₄ Slightly better ☐₃ Much better ☐₃ Much better

. In the last o months, what were the reasons
you have not had a phone or video session?
(Please check <u>ALL</u> that apply.)
□ _A I didn't seek medical care
$\square_{\scriptscriptstyle \mathbb{B}}$ I wasn't aware that phone or video
visits were available
$\square_{\rm c}$ I preferred to see my provider in
person
$\square_{\scriptscriptstyle m D}$ My provider did not offer phone or
video visits
$\square_{\scriptscriptstyle E}$ I didn't have the technology to access
a phone or video visit
$\square_{\scriptscriptstyleF}$ I had privacy concerns about having a
phone or video visit
$\square_{\scriptscriptstyle{G}}$ I needed an interpreter and wasn't
able to get one
$\square_{\scriptscriptstyle H}$ Other reason (<i>Please print</i>)

COVID-19

The following questions ask about the impact of the COVID-19 pandemic on your care.

of the COVID-19 pandemic on your care.	31. In general, how would you rate your overall health?
30a. In the last 6 months, how often did you delay getting physical health care because of COVID-19? Never Sometimes Usually Always I did not need physical health care in the last 6 months	☐ Excellent ☐ Very Good ☐ Good ☐ Fair ☐ Poor 32. In general, how would you rate your overall mental or emotional health? ☐ Excellent ☐ Very Good ☐ Good ☐ Good
30b. In the last 6 months, how often did you delay getting mental health care because of COVID-19?	□₄ Fair □₅ Poor
 □₁ Never □₂ Sometimes □₃ Usually □₄ Always □₅ I did not need mental health care in the last 6 months 	33. Have you had either a flu shot or flu spray in the nose since July 1, 2022? ☐₁ Yes ☐₂ No ☐₃ Don't know
30c. In the last 6 months, how often did you delay getting dental care because of COVID-19? Never Sometimes Usually Always I did not need dental care in the last 6 months	34. Do you now smoke cigarettes or use tobacco every day, some days, or not at all? □₁ Every day □₂ Some days □₃ Not at all → If Not at All, Go to Question 38 □₄ Don't know → If Don't know, Go to Question 38
months	

About You

35.	In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan? Never Sometimes Usually Always	39. What is the highest grade or level of school that you have completed? ☐₁ 8th grade or less ☐₂ Some high school, but did not graduate ☐₃ High school graduate or GED ☐₄ Some college or 2-year degree ☐₅ 4-year college graduate
36.	In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication. Never Sometimes Usually Always	 More than 4-year college degree 40. What language(s) do you use at home? (Check all that apply) □ English → If English, Go to Question 42 □ Spanish □ Other (Please print)
37.	In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program. Never Sometimes Usually Always	 41. How well do you speak English? □¹ Very well □² Well □₃ Not well □₄ Not at all □₅ Don't know □₆ Don't want to answer 42. Do you prefer to use an interpreter when talking about medical or health information? □¹ Yes
38.	What is your age? 1 18 to 24 2 25 to 34 3 35 to 44 45 to 54 5 55 to 64 6 65 to 74 7 75 or older	 □₂ No → If No, Go to Question 45 43. If you needed an interpreter, how often did you get an interpreter as soon as you needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always

44.	We want to know your rating of the interpreter you worked with most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst interpreter possible and 10 is the best interpreter possible, what number would you use to rate that interpreter? O 1 2 3 4 5 6 7 8 9 10 Worst interpreter Best interpreter possible		Because of a physical, mental, or emotional condition, do you have <u>serious difficulty</u> <u>concentrating, remembering or making decisions?</u> ☐ Yes → If Yes, at what age did this condition begin? ☐ No ☐ Don't know ☐ Don't want to answer Do you have <u>difficulty dressing or bathing</u> ?
45.	Are you <u>deaf</u> or do you have <u>serious difficulty</u> <u>hearing</u> ?		\square_1 Yes \rightarrow If Yes, at what age did this condition begin?
	 ☐₁ Yes → If Yes, at what age did this condition begin? ☐₂ No ☐₃ Don't know 		□₂ No□₃ Don't know□₄ Don't want to answer
	☐ Don't want to answer	50.	Do you have <u>serious difficulty learning how to</u> <u>do things most people your age can learn?</u>
46.	Are you <u>blind</u> or do you have <u>serious difficulty</u> <u>seeing</u> , even when wearing glasses?		\square_1 Yes \rightarrow <i>If Yes, at what age did this condition begin?</i>
	 ☐₁ Yes → If Yes, at what age did this condition begin? ☐₂ No ☐₃ Don't know 		\square_2 No \square_3 Don't know \square_4 Don't want to answer
47.	□₄ Don't want to answerDo you have serious difficulty <u>walking or</u>	51.	Using your <u>usual (customary) language</u> , do you have <u>serious difficulty communicating</u> (for example understanding or being understood by others)?
	climbing stairs? \square_1 Yes \rightarrow If Yes, at what age did this condition begin?		\square_1 Yes \rightarrow If Yes, at what age did this condition begin?
	 □₂ No □₃ Don't know □₄ Don't want to answer 		 □₂ No □₃ Don't know □₄ Don't want to answer □₅ Don't know what this question is asking

52.	condition, do you have serious difficulty doing errands alone such as visiting a doctor's office or shopping? □₁ Yes → If Yes, at what age did this condition begin? □₂ No □₃ Don't know □₄ Don't want to answer	30.	Yes □₂ No □₃ Don't know □₄ Questioning □₅ Don't know what this question is asking □₅ Don't want to answer
53.	Do you have <u>serious difficulty</u> with the following: <u>mood, intense feelings, controlling your behavior, or experiencing delusions or hallucinations</u> ?	57.	Please describe your sexual orientation or sexual identity in any way you want: (Please print)
	 Yes → If Yes, at what age did this condition begin? No Don't know Don't want to answer Don't know what this question is asking 	58.	How do you describe your sexual orientation of sexual identity? (Check all that apply) \[\begin{align*} \text{\tin\text{\texi\tex{
54.	Please describe your gender in any way you prefer: (Please print)		☐ Pansexual ☐ Straight (attracted mainly to or only to other gender(s) or sex(es)) ☐ Asexual ☐ Queer
55.	What is your gender? (Check all that apply) A Woman/GirlB Man/Boyc Non-binaryD Agender/No GenderE QuestioningF Not listed (Please print)		☐, Questioning ☐, Don't know ☐, Not listed (Please print) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		

59. How do you identify your <u>race, ethnicity, tribal affiliation, country of origin, or ancestry</u> ?									
(Please print)									
60. Which of the following des	scribes your <u>racial or</u>	ethnic identity? Ple	ease check <u>ALL</u> that apply.						
Hispanic and Latino/a/x □A Central American □B Mexican □C South American □D Other Hispanic or Latino/a/x Native Hawaiian and Pacific Islander □C CHamoru (Chamorro) □C Marshallese □C Communities of the Micronesian Region	American Indian a American Ind Alaska Native Canadian Ind	lian e it, Metis, or lexican, Central South American American ican	Asian Asian Indian AB Cambodian Chinese AD Communities of Myanmar AE Fillipino/a AF Hmong AG Japanese AH Korean AJ South Asian AK Vietnamese						
□ _H Native Hawiian □ _I Samoan □ _J Other Pacific Islander White □ _K Eastern European □ _L Slavic □ _M Western European □ _N Other White	□ _v Somali □ _w Other Africar □ _x Other Black Middle Eastern/N □ _y Middle Easte □ _z North Africar	orth African rn	Other Asian Other Categories Am Other (Please list) Am Don't know An Don't want to answer						
61. If you checked more than cethnic identity? Yes. Please circle you		is there <u>one</u> you think of as your <u>primary</u> racial or \square_3 No. I identify as Biracial or Multiracial.							
ethnic identity above. I do not have just one primary racial or ethnic identity.		 □₄ N/A. I only checked one category above. □₅ Don't know □₆ Don't want to answer 							
Thank You									
Please return the completed s	survey in the postage	e-paid envelope to:							
Center for the Study of Service PO Box 3416 Hopkins, MN 55343	es								
Please do not include any other correspondence.									

Page 12