


Data Sources

- **National Survey of Drug Use and Health**
 - Sponsored by SAMHSA
 - National and state estimates on prevalence of behavioral health conditions and treatment
 - 2008 – 2010 data
 - 70,000 interviews per year
- **American Community Survey from Census**


Prevalence of Serious Mental Illness Among Adults Ages 18 – 64 by Current Medicaid Status and Eligibility for Medicaid Expansion or Health Insurance Exchanges: Oregon, US



CI = Confidence Interval

Sources: 2008 – 2010 National Survey of Drug Use and Health
2010 American Community Survey


Prevalence of Serious Psychological Distress Among Adults Ages 18 – 64 by Current Medicaid Status and Eligibility for Medicaid Expansion or Health Insurance Exchanges: Oregon, US



CI = Confidence Interval

Sources: 2008 – 2010 National Survey of Drug Use and Health
2010 American Community Survey

Prevalence of Substance Use Disorders Among Adults Ages 18 – 64 by Current Medicaid Status and Eligibility for Medicaid Expansion or Health Insurance Exchanges: Oregon, US




CI = Confidence Interval

Sources: 2008 – 2010 National Survey of Drug Use and Health
2010 American Community Survey

Prevalence of Behavioral Conditions Among Health Insurance Exchange Population: Oregon, US

Uninsured Adults Ages 18 - 64 with Incomes Between 133-399% of FPL (Oregon: 271,410)




CI = Confidence Interval

Sources: 2008 – 2010 National Survey of Drug Use and Health
2010 American Community Survey

Prevalence of Behavioral Conditions Among Medicaid Expansion Population: Oregon, US

Uninsured Adults Ages 18-64 with Incomes < 139% of FPL (Oregon: 265,775)



CI = Confidence Interval

Sources: 2008 – 2010 National Survey of Drug Use and Health
2010 American Community Survey

Characteristics of 18-64 Year-Olds with SMI Projected in Medicaid Expansion Population (i.e. < 139% FPL and Uninsured)

	National	Oregon
Female	61%	61%
Age 18-34	53%	55%
Race/Ethnicity		
Non-Hispanic White	66%	85%
Non-Hispanic Black	13%	2%
Other	5%	4%
Hispanic	16%	10%
Education		
< High School	26%	21%
High School Graduate	38%	33%
College	37%	46%

Typical person with SMI in Medicaid expansion population in Oregon is:

- Female
- Non-Hispanic White
- College Graduate

Characteristics of 18-64 Year-Olds with a SUD Projected in Medicaid Expansion Population (i.e. < 139% FPL and Uninsured)

	National	Oregon
Male	75%	76%
Age 18-34	63%	64%
Race/Ethnicity		
Non-Hispanic White	51%	76%
Non-Hispanic Black	20%	3%
Other	4%	3%
Hispanic	25%	18%
Education		
< High School	37%	31%
High School Graduate	32%	30%
College	31%	39%

Typical person with SUD in Medicaid expansion population in Oregon is:

- Male
- 18-34 years old
- Non-Hispanic White

Characteristics of 18-64 Year-Olds with SMI Projected in Health Insurance Exchange (i.e., 133 – 399% FPL and Uninsured)

	National	Oregon
Female	60%	61%
Age 18-34	57%	55%
Race/Ethnicity		
Non-Hispanic White	68%	86%
Non-Hispanic Black	10%	1%
Other	5%	4%
Hispanic	17%	9%
Education		
< High School	18%	14%
High School Graduate	38%	33%
College	44%	53%

Typical person with SMI in exchange population in Oregon is:

- Female
- Non-Hispanic White
- College Graduate

Characteristics of 18-64 Year-Olds with SUD Projected in Health Insurance Exchange (i.e., 133 – 399% FPL and Uninsured)

	National	Oregon
Male	73%	73%
Age 18-34	69%	67%
Race/Ethnicity		
Non-Hispanic White	52%	77%
Non-Hispanic Black	14%	2%
Other	5%	4%
Hispanic	29%	17%
Education		
< High School	26%	21%
High School Graduate	38%	34%
College	36%	45%

Typical person with SUD in exchange population in Oregon is:

- Male
- 18-34 years old
- Non-Hispanic White
- College Graduate