


Adult binge drinking by county, Oregon, 2014–2017



Adult binge drinking by county, Oregon, 2014–2017		
County	Percent of adults (age-adjusted)	Number of respondents (N)
Baker	27.3%	148
Benton	17.2%	800
Clackamas	18.2%	2,670
Clatsop	18.6%	337
Columbia	14.1%	416
Coos	18.3%	534
Crook	16.9%†	200
Curry	20.3%	208
Deschutes	20.6%	1,118
Douglas	16.7%	948
Gilliam / Sherman / Wasco	18.1%	260
Grant	22.7%	99
Harney	20.8%†	75
Hood River	29.1%	161
Jackson	20.1%	1,518
Jefferson	9.1%†	136
Josephine	17.3%	691
Klamath	13.8%	493
Lake	7.5%†	89
Lane	20.7%	2,729
Lincoln	20.1%	455
Linn	13.6%	949
Malheur	16.4%	169
Marion	14.0%	2,035
Morrow	13.4%†	91
Multnomah	21.0%	5,079
Polk	13.7%	584
Tillamook	17.0%	223
Umatilla	16.5%	469
Union	15.3%	243
Wallowa	27.7%	104
Washington	16.6%	3,296
Wheeler	*	22
Yamhill	15.7%	688
Frontier ZIP codes	19.0%	750
Rural ZIP codes	16.5%	10,051
Urban ZIP codes	19.1%	16,369
Oregon State	18.3%	28,037

[†] Rates with a relative standard error (RSE) ≥ 30 are considered unreliable.

^{*} Rates based on a count < 3 or a denominator < 30 or with a relative standard error (RSE) \geq 50 are not reported.

About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

Data Notes:

Adults = age 18+

Number of respondents (N) is unweighted; percentages are weighted

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

Includes respondents who report binge drinking (≥5 drinks for men; ≥4 drinks for women) on at least 1 occasion in the past 30 days.

Date: September 5, 2019