


Obesity among adults by county, Oregon, 2014–2017



Obesity among adults by county, Oregon, 2014–2017		
County	Percent of adults (age-adjusted)	Number of respondents (N)
Baker	37.6%	209
Benton	23.7%	971
Clackamas	27.5%	3,263
Clatsop	27.6%	418
Columbia	30.1%	515
Coos	38.3%	671
Crook	31.5%	234
Curry	33.4%	241
Deschutes	21.4%	1,373
Douglas	32.7%	1,183
Gilliam / Sherman / Wasco	33.6%	317
Grant	34.3%	126
Harney	39.2%	94
Hood River	26.7%	193
Jackson	26.1%	1,878
Jefferson	42.2%	165
Josephine	34.2%	850
Klamath	28.4%	622
Lake	23.5%	132
Lane	27.3%	3,360
Lincoln	31.5%	566
Linn	35.2%	1,154
Malheur	36.9%	232
Marion	33.8%	2,434
Morrow	39.1%	112
Multnomah	23.4%	6,154
Polk	36.4%	703
Tillamook	31.1%	282
Umatilla	36.1%	571
Union	37.3%	297
Wallowa	16.4%	124
Washington	28.8%	4,041
Wheeler	*	26
Yamhill	33.3%	831
Frontier ZIP codes	34.9%	990
Rural ZIP codes	31.9%	12,346
Urban ZIP codes	26.7%	20,022
Oregon State	28.6%	34,342

⁺ Rates with a relative standard error (RSE) \geq 30 are considered unreliable.

* Rates based on a count < 3 or a denominator < 30 or with a relative standard error (RSE) \ge 50 are not reported.

About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

Data Notes:

Adults = age 18+

Number of respondents (N) is unweighted; percentages are weighted

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

Body Mass Index (BMI) is calculated using height and weight. For adults, obese is defined as having a BMI of 30 or greater.

Date: September 10, 2019