


## Adults who drank ≥ 7 sodas per week by county, Oregon, 2014–2017



Adults who drank ≥ 7 sodas per week by county, Oregon, 2014–2017		
County	Percent of adults (age-adjusted)	Number of respondents (N)
Baker	11.9%†	64
Benton	9.7%	322
Clackamas	11.8%	1,033
Clatsop	24.8%	120
Columbia	14.8%	162
Coos	18.0%	218
Crook	19.8%†	73
Curry	9.0%†	68
Deschutes	10.2%	422
Douglas	24.0%	408
Gilliam / Sherman / Wasco	10.4%†	95
Grant	25.4%	44
Harney	*	29
Hood River	30.1%	62
Jackson	10.0%	590
Jefferson	*	56
Josephine	19.8%	234
Klamath	17.0%	184
Lake	20.7%†	43
Lane	16.0%	1,063
Lincoln	20.3%	170
Linn	14.0%	370
Malheur	25.4%†	50
Marion	16.4%	750
Morrow	*	34
Multnomah	8.7%	1,878
Polk	9.5%	230
Tillamook	*	95
Umatilla	19.7%	167
Union	13.6%	120
Wallowa	*	29
Washington	10.4%	1,215
Wheeler	*	4
Yamhill	14.6%	253
Frontier ZIP codes	19.9%	289
Rural ZIP codes	16.4%	3,890
Urban ZIP codes	11.1%	6,201
Oregon State	13.2%	10,655

<sup>+</sup> Rates with a relative standard error (RSE)  $\geq$  30 are considered unreliable.

\* Rates based on a count < 3 or a denominator < 30 or with a relative standard error (RSE)  $\ge$  50 are not reported.

## About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

Data Notes:

Adults = age 18+

Number of respondents (N) is unweighted; percentages are weighted

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

Includes respondents who reported drinking an average of 7 or more cans, bottles or glasses of regular (not diet) soda per week.

Date: September 10, 2019