#### During the past 12 months, have you had a (seasonal) flu shot?

(Weighted Column Percents)

				Α	ge Group	s		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		37.4	22.7	23.2	30.0	33.7	46.0	65.0
No		62.6	77.3	76.8	70.0	66.3	54.0	35.0
MALE	Yes	32.3	16.2	15.2	24.1	30.7	44.2	63.4
	No	67.7	83.8	84.8	75.9	69.3	55.8	36.6
FEMALE	Yes	42.6	29.3	31.4	36.6	36.8	47.9	66.2
	No	57.4	70.7	68.6	63.4	63.2	52.1	33.8

Denominator is: All survey respondents.

#### During the past 12 months, have you had a (seasonal) flu shot?

(Unweighted Frequencies)

				Α	ge Group	s		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		5,576	193	386	655	959	1,359	2,024
Yes		2,661	41	103	215	341	633	1,328
No		2,884	150	282	439	611	723	679
Don't know	/Not sure	26	2	1	1	6	2	14
Refused		5				1	1	3
MALE	Total	2,224	100	162	277	397	553	735
	Yes	990	16	29	79	126	250	490
	No	1,225	82	132	197	270	303	241
	Don't know/Not sure	7	2	1	1	1		2
	Refused	2						2
FEMALE	Total	3,352	93	224	378	562	806	1,289
	Yes	1,671	25	74	136	215	383	838
	No	1,659	68	150	242	341	420	438
	Don't know/Not sure	19				5	2	12
	Refused	3				1	1	1

Denominator is: All survey respondents.

# During the past 12 months, have you had a flu vaccine that was sprayed in your nose?

(Weighted Column Percents)

				A	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		1.5	4.2	1.9	2.5	.5	.3	.1
No		98.5	95.8	98.1	97.5	99.5	99.7	99.9
MALE	Yes	1.2	3.2	.9	2.7	.3	.4	
	No	98.8	96.8	99.1	97.3	99.7	99.6	100.0
FEMALE	Yes	1.7	5.3	2.9	2.3	.7	.2	.2
	No	98.3	94.7	97.1	97.7	99.3	99.8	99.8

Denominator is: All survey respondents.

During the past 12 months, have you had a flu vaccine that was sprayed in your nose?

(Unweighted Frequencies)

				Α	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		5,353	190	386	644	943	1,299	1,891
Yes		35	7	5	12	6	4	1
No		5,308	183	381	632	934	1,292	1,886
Don't know	//Not sure	5				2	2	1
Refused		5				1	1	3
MALE	Total	2,122	99	162	272	389	530	670
	Yes	15	3	2	8	1	1	
	No	2,102	96	160	264	386	528	668
	Don't know/Not sure	3				2	1	
	Refused	2						2
FEMALE	Total	3,231	91	224	372	554	769	1,221
	Yes	20	4	3	4	5	3	1
	No	3,206	87	221	368	548	764	1,218
	Don't know/Not sure	2					1	1
	Refused	3				1	1	1

Denominator is:

All survey respondents.

There are two ways to get the H1N1 flu vaccination. One is a shot in the arm and the other is a spray, mist or drop in the nose. Since September, 2009, have you been vaccinated either way for the H1N1 flu? (Asked January through June 2010)

(Weighted Column Percents)

				А	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		24.7	26.0	21.2	23.1	23.2	23.1	29.9
No		75.3	74.0	78.8	76.9	76.8	76.9	70.1
MALE	Yes	21.1	22.4	14.1	18.8	22.2	18.4	28.9
	No	78.9	77.6	85.9	81.2	77.8	81.6	71.1
FEMALE	Yes	28.1	29.4	28.9	26.9	24.2	28.5	30.7
	No	71.9	70.6	71.1	73.1	75.8	71.5	69.3

Denominator is:

All survey respondents.

There are two ways to get the H1N1 flu vaccination. One is a shot in the arm and the other is a spray, mist or drop in the nose. Since September, 2009, have you been vaccinated either way for the H1N1 flu? (Asked January through June 2010)

(Unweighted Frequencies)

				A	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		2,610	54	142	302	433	642	1,037
Yes		716	13	31	77	105	170	320
No		1,874	41	111	225	326	470	701
Don't know	/Not sure	16				1	1	14
Refused		4				1	1	2
MALE	Total	1,030	28	57	117	178	272	378
	Yes	259	5	9	26	41	60	118
	No	764	23	48	91	137	211	254
	Don't know/Not sure	5					1	4
	Refused	2						2
FEMALE	Total	1,580	26	85	185	255	370	659
	Yes	457	8	22	51	64	110	202
	No	1,110	18	63	134	189	259	447
	Don't know/Not sure	11				1		10
	Refused	2				1	1	

Denominator is:

All survey respondents.

### Oregon 2010 BRFSS

## Where did you go to get your most recent seasonal vaccination?

(Weighted Column Percents)

				Α	ge Group	s		
		Total	18-24	25-34	35-44	45-54	55-64	65+
A doctor's	office or health maintenance organization	35.3	38.1	28.9	27.0	32.2	35.1	43.2
A health de	epartment	3.9	9.2	4.4	6.2	3.8	2.1	2.8
Another ty	pe of clinic or health center	11.1	19.5	11.9	9.0	8.0	11.5	11.3
A senior, recreation, or community center		.5			.3		.1	1.6
A store		19.6	8.3	4.5	13.6	16.4	21.5	31.6
A hospital		5.4	4.5	9.8	3.7	3.0	8.1	4.3
Workplace	e, or	17.7	8.8	32.9	30.2	31.2	16.1	1.1
Some other	er kind of place	6.4	11.6	7.6	10.0	5.4	5.6	4.0
Received v	vaccination in Canada/Mexico	.1						.3
MALE	A doctor's office or health maintenance organization	31.6	14.4	18.7	21.4	26.9	34.3	44.8
	A health department	4.4	7.1	3.9	9.9	3.3	2.6	3.5
	Another type of clinic or health center	12.8	11.0	13.0	8.5	12.5	14.3	14.4
	A senior, recreation, or community center	.4			.8		.2	.8
	A store	17.2	14.5	3.9	14.6	12.8	19.2	24.1
	A hospital	7.1	8.7	15.6	.7	3.5	11.6	5.9
	Workplace, or	16.7	12.6	27.9	33.3	32.7	11.3	.6
	Some other kind of place	9.5	31.7	17.0	10.9	8.3	6.4	5.3
	Received vaccination in Canada/Mexico	.2						.7
FEMALE	A doctor's office or health maintenance organization	38.0	51.8	34.0	31.1	36.4	35.8	42.0
	A health department	3.6	10.4	4.6	3.5	4.2	1.5	2.3
	Another type of clinic or health center	9.7	24.4	11.3	9.4	4.3	8.6	9.0
	A senior, recreation, or community center	.7					.1	2.1
	A store	21.4	4.7	4.8	12.9	19.3	23.8	37.1
	A hospital	4.1	2.0	6.9	5.9	2.7	4.5	3.0
	Workplace, or	18.4	6.6	35.4	27.9	30.0	20.9	1.4
	Some other kind of place	4.0		3.0	9.3	3.2	4.7	3.1

Denominator is: All survey respondents.

#### Where did you go to get your most recent seasonal vaccination?

(Unweighted Frequencies)

				А	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		2,513	38	103	217	336	597	1,222
A doctor's	office or health maintenance organization	953	13	31	57	113	211	528
A health de	epartment	77	3	5	14	12	14	29
Another type	Another type of clinic or health center			11	19	22	53	122
A senior, re	ecreation, or community center	27			1		2	24
A store		634	3	6	32	55	148	390
A hospital		126	2	7	7	12	44	54
Workplace	, or	319	4	34	69	104	92	16
Some othe	r kind of place	125	4	9	17	16	29	50
Received v	accination in Canada/Mexico	1						1
Don't know	/Not sure	13			1	2	3	7
Refused		3	1				1	1
MALE	Total	921	14	29	80	123	236	439
	A doctor's office or health maintenance organization	341	2	5	14	39	84	197
	A health department	34	1	1	5	7	7	13
	Another type of clinic or health center	107	2	3	8	12	25	57
	A senior, recreation, or community center	6			1		1	4
	A store	194	2	1	13	13	53	112
	A hospital	63	1	3	2	5	24	28
	Workplace, or	108	2	11	29	36	26	4
	Some other kind of place	62	4	5	7	9	14	23
	Received vaccination in Canada/Mexico	1						1
	Don't know/Not sure	5			1	2	2	
FEMALE	Total	1,592	24	74	137	213	361	783
	A doctor's office or health maintenance organization	612	11	26	43	74	127	331
	A health department	43	2	4	9	5	7	16
	Another type of clinic or health center	128	6	8	11	10	28	65
	A senior, recreation, or community center	21					1	20
	A store	440	1	5	19	42	95	278
	A hospital	63	1	4	5	7	20	26
	Workplace, or	211	2	23	40	68	66	12
	Some other kind of place	63		4	10	7	15	27
	Don't know/Not sure	8					1	7
	Refused	3	1				1	1

Denominator is: All survey respondents.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.

(Weighted Column Percents)

				Α	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		31.9	19.4	15.1	20.3	19.0	30.4	74.1
No		68.1	80.6	84.9	79.7	81.0	69.6	25.9
MALE	Yes	31.8	24.6	19.6	22.1	21.6	29.0	69.5
	No	68.2	75.4	80.4	77.9	78.4	71.0	30.5
FEMALE	Yes	32.0	13.7	11.0	18.3	16.7	31.9	77.5
	No	68.0	86.3	89.0	81.7	83.3	68.1	22.5

Denominator is: All survey respondents.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.

(Unweighted Frequencies)

				A	ge Group	s		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		5,553	190	386	652	958	1,355	2,012
Yes		2,173	29	37	89	155	403	1,460
No		2,841	108	257	453	690	857	476
Don't know	/Not sure	534	53	92	110	113	93	73
Refused		5					2	3
MALE	Total	2,212	99	162	274	396	552	729
	Yes	773	19	18	40	60	146	490
	No	1,130	54	100	181	262	340	193
	Don't know/Not sure	306	26	44	53	74	65	44
	Refused	3					1	2
FEMALE	Total	3,341	91	224	378	562	803	1,283
	Yes	1,400	10	19	49	95	257	970
	No	1,711	54	157	272	428	517	283
	Don't know/Not sure	228	27	48	57	39	28	29
	Refused	2					1	1

Denominator is: All survey respondents.

Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine? (Weighted Column Percents)

				Α	ge Group	s		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes (includ	led pertussis)	19.8	24.1	19.1	21.2	20.8	21.4	13.1
No (did not	t include pertussis)	35.5	46.3	38.3	29.6	34.3	32.9	35.0
Doctor did	not say	44.8	29.6	42.6	49.2	44.9	45.6	51.9
MALE	Yes (included pertussis)	17.4	29.4	9.4	18.6	17.0	20.2	14.2
	No (did not include pertussis)	33.4	42.5	38.1	28.3	32.8	30.4	30.2
	Doctor did not say	49.2	28.0	52.5	53.0	50.2	49.4	55.6
FEMALE	Yes (included pertussis)	22.1	18.8	30.6	23.6	24.9	22.5	12.3
	No (did not include pertussis)	37.5	50.1	38.5	30.9	35.8	35.3	38.8
	Doctor did not say	40.4	31.1	30.9	45.6	39.3	42.2	48.9

Denominator is:

All survey respondents.

## Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

(Unweighted Frequencies)

				A	ge Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		4,719	97	249	531	837	1,206	1,799
Yes (includ	led pertussis)	434	11	28	58	95	132	110
No (did not	include pertussis)	773	23	39	77	142	201	291
Doctor did	not say	1,017	15	48	120	163	267	404
Don't know	/ Not sure	2,473	47	134	274	431	603	984
Refused		22	1		2	6	3	10
MALE	Total	1,820	47	96	213	343	486	635
	Yes (included pertussis)	162	6	6	18	34	54	44
	No (did not include pertussis)	272	10	16	26	58	73	89
	Doctor did not say	419	8	25	52	76	109	149
	Don't know / Not sure	960	23	49	116	173	248	351
	Refused	7			1	2	2	2
FEMALE	Total	2,899	50	153	318	494	720	1,164
	Yes (included pertussis)	272	5	22	40	61	78	66
	No (did not include pertussis)	501	13	23	51	84	128	202
	Doctor did not say	598	7	23	68	87	158	255
	Don't know / Not sure	1,513	24	85	158	258	355	633
	Refused	15	1		1	4	1	8

Denominator is:

All survey respondents.