# Oregon 2012 BRFSS

## Are you or your partner doing anything currently now to keep from getting pregnant?

(Weighted Column Percents)

				Age C	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Yes		59.5	43.2	68.7	70.4	51.1	47.3
No		16.6	15.3	15.9	12.6	18.8	32.9
No partner/	Not sexually active	20.8	40.2	13.7	12.8	27.1	10.6
Same sex pa	artner	1.5	1.3	1.4	1.8	1.3	2.0
No, Hystere	ctomy	1.5		.3	2.3	1.6	7.2
Male	Yes	52.9	34.1	57.2	67.7	51.1	47.3
	No	19.9	16.7	22.4	14.0	18.8	32.9
	No partner/ Not sexually active	24.2	48.4	18.6	15.4	27.1	10.6
	Same sex partner	1.2	.8	1.7	.2	1.3	2.0
	No, Hysterectomy	1.9			2.7	1.6	7.2
Female	Yes	70.7	53.2	80.5	73.5		
	No	11.1	13.8	9.3	11.1		
	No partner/ Not sexually active	15.1	31.2	8.7	9.9		
	Same sex partner	2.1	1.7	1.0	3.6		
	No, Hysterectomy	.9		.6	1.9		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

## Are you or your partner doing anything currently now to keep from getting pregnant?

(Unweighted Frequencies)

				Age (	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,749	193	408	592	317	239
Yes		1,039	85	279	413	163	99
No		299	25	57	75	59	83
No partner/	Not sexually active	273	74	48	59	59	33
Same sex p	artner	24	2	4	8	5	5
Don't know/	Not sure	5		1		3	1
Refused		83	7	18	28	23	7
No, Hystere	ctomy	26		1	9	5	11
Male	Total	1,105	102	171	276	317	239
	Yes	586	36	101	187	163	99
	No	228	15	32	39	59	83
	No partner/ Not sexually active	198	46	26	34	59	33
	Same sex partner	15	1	3	1	5	5
	Don't know/ Not sure	4				3	1
	Refused	55	4	9	12	23	7
	No, Hysterectomy	19			3	5	11
Female	Total	644	91	237	316		
	Yes	453	49	178	226		
	No	71	10	25	36		
	No partner/ Not sexually active	75	28	22	25		
	Same sex partner	9	1	1	7		
	Don't know/ Not sure	1		1			
	Refused	28	3	9	16		
	No, Hysterectomy	7		1	6		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

#### What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

				Age C	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (fema	ale sterilization)	16.2	1.9	15.2	23.3	20.9	10.3
Vasectomy (mal	e sterilization)	19.6		5.9	26.5	41.6	63.6
Birth control pills	· 3	20.6	33.0	31.8	10.8	8.2	4.9
Male condoms		15.9	25.2	18.4	11.9	11.1	10.7
Female condom	S	.2			.4	.9	
Contraceptive in	nplant (Implanon)	1.6	5.1	1.3	1.0	.4	
Shots (Depo-Pro	overa)	1.9	5.8	1.5	1.0	1.2	
Contraceptive ri	ng (Nuvaring)	1.0	1.3	1.0	1.4		
Contraceptive pa	atch (Ortho Evra)	.6	2.0	.1	.3		2.3
Diaphragm, cerv	vical cap, sponge	.4	1.6	.1	.4	.1	
Foam, jelly, crea	am	.1		.2	.0	.3	
IUD		13.1	15.5	16.8	12.5	6.2	3.5
Emergency cont	traceptive (morning after pill)	.1			.3		
Withdrawal (pull	ing out)	3.0		3.9	3.6	3.6	
Other method		4.3	8.8	3.2	4.9	.5	3.2
Hysterectomy		1.4		.6	1.4	5.0	1.6
Male	Tubes tied (female sterilization)	17.0	4.6	14.3	23.1	20.9	10.3
	Vasectomy (male sterilization)	25.6		2.4	29.4	41.6	63.6
	Birth control pills	17.1	30.3	33.5	9.5	8.2	4.9
	Male condoms	18.5	33.8	25.8	14.9	11.1	10.7
	Female condoms	.2				.9	
	Contraceptive implant (Implanon)	1.9	6.5	2.1	1.9	.4	
	Shots (Depo-Provera)	.8	1.8	1.4		1.2	
	Contraceptive ring (Nuvaring)	.6			2.1		
	Contraceptive patch (Ortho Evra)	.5	2.5				2.3
	Diaphragm, cervical cap, sponge	.0				.1	
	Foam, jelly, cream	.2		.4		.3	
	IUD	8.2	6.8	11.0	9.4	6.2	3.5
	Emergency contraceptive (morning after pill)	.2			.6		
	Withdrawal (pulling out)	4.0		7.3	4.3	3.6	
	Other method	3.7	13.7	1.8	4.3	.5	3.2
	Hysterectomy	1.5			.7	5.0	1.6
Female	Tubes tied (female sterilization)	15.3		15.9	23.5		
	Vasectomy (male sterilization)	12.1		8.4	23.5		
	Birth control pills	24.9	34.8	30.5	12.3		
	Male condoms	12.7	19.3	12.9	8.8		
	Female condoms	.3			.7		
	Contraceptive implant (Implanon)	1.2	4.2	.7			
	Shots (Depo-Provera)	3.2	8.5	1.5	2.2		
	Contraceptive ring (Nuvaring)	1.4	2.2	1.7	.7		
	Contraceptive patch (Ortho Evra)	.7	1.7	.1	.7		
	Diaphragm, cervical cap, sponge	1.0	2.6	.2	.9		
	Foam, jelly, cream	.0			.1		
	IUD	19.3	21.4	21.1	15.9		
	Emergency contraceptive (morning after pill)						
	Withdrawal (pulling out)	1.7		1.5	2.9		
	Other method	5.0	5.4	4.3	5.6		
	Hysterectomy	1.2		1.0	2.2		

Denominator is: All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

#### What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

				Age G	Proups		
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,036	85	278	412	162	99
Tubes tied (femal	le sterilization)	167	1	34	92	27	13
Vasectomy (male	sterilization)	259		20	107	76	56
Birth control pills		169	30	82	43	10	4
Male condoms		139	18	50	50	13	8
Female condoms		2			1	1	
Contraceptive imp	plant (Implanon)	14	4	5	4	1	
Shots (Depo-Prov	vera)	15	5	5	4	1	
Contraceptive ring	g (Nuvaring)	7	1	3	3		
Contraceptive par	tch (Ortho Evra)	6	2	1	2		1
Diaphragm, cervi	cal cap, sponge	5	1	1	2	1	
Foam, jelly, crear	n	3		1	1	1	
IUD		120	12	47	51	8	2
Emergency contra	aceptive (morning after pill)	1			1		
Withdrawal (pullir		24		9	12	3	
Other method		43	6	11	19	2	5
Don't know/Not si	ure	10	1		4	2	3
Hysterectomy		20		1	7	9	3
Refused		32	4	8	9	7	
Male	Total	585	36	101	187	162	99
	Tubes tied (female sterilization)	88	1	11	36	27	1;
	Vasectomy (male sterilization)	186		4	50	76	5
	Birth control pills	77	11	32	20	10	
	Male condoms	85	10	27	27	13	
	Female condoms	1	10	21	21	1	
		9	2	2	4	1	
	Contraceptive implant (Implanon)	3	1	1	4	1	
	Shots (Depo-Provera)	2	'	!	2	'	
	Contraceptive patch (Ortho Evra)	2	1		2		
	Contraceptive patch (Ortho Evra)		'			4	
	Diaphragm, cervical cap, sponge	1				1	
	Foam, jelly, cream	2		1	00	1	
	IUD	47	3	11	23	8	
	Emergency contraceptive (morning after pill)	1		_	1		
	Withdrawal (pulling out)	17	_	5	9	3	
	Other method	22	3	3	9	2	
	Don't know/Not sure	10	1		4	2	
	Hysterectomy	13			1	9	
	Refused	19	3	4	1	7	
emale	Total	451	49	177	225		
	Tubes tied (female sterilization)	79		23	56		
	Vasectomy (male sterilization)	73		16	57		
	Birth control pills	92	19	50	23		
	Male condoms	54	8	23	23		
	Female condoms	1			1		
	Contraceptive implant (Implanon)	5	2	3			
	Shots (Depo-Provera)	12	4	4	4		
	Contraceptive ring (Nuvaring)	5	1	3	1		
	Contraceptive patch (Ortho Evra)	4	1 1 2				
	Diaphragm, cervical cap, sponge	4	1	1	2		
	Foam, jelly, cream	1			1		
	IUD	73	9	36	28		
	Emergency contraceptive (morning after pill)						
	Withdrawal (pulling out)	7		4	3		
	Other method	21	3	8	10		
	Don't know/Not sure						
	Hysterectomy	7		1	6		
	· · · · · · · · · · · · · · · · · · ·		ı				

Denominator is: All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

#### What is your main reason for not doing anything to keep you/her from getting pregnant?

(Weighted Column Percents)

				Age	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Didn't think were g	oing to have sex/No regular partner	7.4	20.7	12.0	1.1		2.3
Want a pregnancy		10.9		34.0	9.8	.2	
You / partner don't	want to use birth control						
You / partner don't	like birth control/fear side effects	1.4	5.6	1.5			
Can't pay for birth	control	1.5	5.4	2.1			
Religious reasons		.3			1.5		
Lapse in use of me	ethod	1.6	7.5	1.1			
Don't think you or p	partner can get pregnant	15.2	11.9	8.9	13.3	26.1	19.6
You / partner had t	ubes tied	4.8			6.3	12.5	7.1
You / partner had a	a vasectomy	.3			1.0	.3	.4
You / partner had a	a hysterectomy	13.6		4.0	22.4	12.3	32.0
You / partner are to	oo old	8.4	5.9	2.2	3.1	18.7	17.2
You / partner are b	reast-feeding						
You / partner just h	nad a baby/postpartum	.7		1.1		2.5	
Other reason		22.7	26.2	14.1	29.8	25.2	20.0
Don't care if get pro	egnant	6.9	9.1	13.4	6.5	2.2	.4
Partner is pregnan	t now	4.2	7.7	5.6	5.3		1.1
Male	Didn't think were going to have sex/No regular partner	6.7	15.5	16.8	.8		2.3
	Want a pregnancy	9.8		32.9	12.1	.2	
	You / partner don't want to use birth control						
	You / partner don't like birth control/fear side effects						
	Can't pay for birth control	2.0	9.5	3.1			
	Religious reasons	.4			2.5		
	Lapse in use of method	1.8	13.0				
	Don't think you or partner can get pregnant	14.9	14.3	4.0	9.3	26.1	19.6
	You / partner had tubes tied	6.1			9.5	12.5	7.1
	You / partner had a vasectomy	.5			1.7	.3	.4
	You / partner had a hysterectomy	14.1		3.1	18.8	12.3	32.0
	You / partner are too old	10.9	10.3	3.2	3.4	18.7	17.2
	You / partner are breast-feeding						
	You / partner just had a baby/postpartum	.6				2.5	
	Other reason	19.9	24.0	10.1	22.8	25.2	20.0
	Don't care if get pregnant	6.7		18.6	9.9	2.2	.4
	Partner is pregnant now	5.6	13.4	8.2	9.0		1.1
Female	Didn't think were going to have sex/No regular partner	9.5	27.7	1.3	1.4		
	Want a pregnancy	14.0		36.5	6.5		
	You / partner don't want to use birth control						
	You / partner don't like birth control/fear side effects	5.6	13.2	4.7			
	Can't pay for birth control						
	Religious reasons						
	Lapse in use of method	1.2		3.7			
	Don't think you or partner can get pregnant	16.0	8.7	19.7	18.9		
	You / partner had tubes tied	.6			1.7		
	You / partner had a vasectomy				a= :		
	You / partner had a hysterectomy	12.2		6.0	27.4		
	You / partner are too old	1.0			2.6		
	You / partner are breast-feeding	<b>l</b>					
	You / partner just had a baby/postpartum	1.1		3.4			
	Other reason	31.2	29.1	23.1	39.8		
	Don't care if get pregnant	7.7	21.2	1.6	1.7		
	Partner is pregnant now				İ		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

#### What is your main reason for not doing anything to keep you/her from getting pregnant?

(Unweighted Frequencies)

				Age G	Proups		
		Total	18-24	25-34	35-44	45-54	55-64
Total		324	25	57	84	64	94
Didn't think were goi	ng to have sex/No regular partner	16	7	5	2		2
Want a pregnancy		29		18	10	1	
You / partner don't w	ant to use birth control						
You / partner don't li	ke birth control/fear side effects	2	1	1			
Can't pay for birth co	ontrol	2	1	1			
Religious reasons		1			1		
Lapse in use of meth	nod	3	1	2			
Don't think you or pa	artner can get pregnant	58	3	5	9	20	21
You / partner had tul	bes tied	13			3	3	7
You / partner had a	vasectomy	4			2	1	1
You / partner had a l	hysterectomy	52		3	17	9	23
You / partner are too	old	36	1	1	3	11	20
You / partner are bre	east-feeding						
You / partner just ha	d a baby/postpartum	2		1		1	
Other reason		81	6	10	31	16	18
Don't care if get preg	gnant	14	3	5	3	2	1
Partner is pregnant r	now	10	2	5	2		1
Don't know/Not sure							
Refused		1			1		
Male	Total	246	15	31	42	64	94
	Didn't think were going to have sex/No regular partner	11	4	4	1		2
	Want a pregnancy	15		9	5	1	
	You / partner don't want to use birth control						
	You / partner don't like birth control/fear side effects						
	Can't pay for birth control	2	1	1			
	Religious reasons	1			1		
	Lapse in use of method	1	1				
	Don't think you or partner can get pregnant	48	2	1	4	20	21
	You / partner had tubes tied	12			2	3	7
	You / partner had a vasectomy	4			2	1	1
	You / partner had a hysterectomy	39		2	5	9	23
	You / partner are too old	34	1	1	1	11	20
	You / partner are breast-feeding						
	You / partner just had a baby/postpartum	1				1	
	Other reason	58	4	4	16	16	18
	Don't care if get pregnant	9		4	2	2	1
	Partner is pregnant now	10	2	5	2		1
	Don't know/Not sure						
	Refused	1			1		
Female	Total	78	10	26	42		
	Didn't think were going to have sex/No regular partner	5	3	1	1		
	Want a pregnancy	14		9	5		
	You / partner don't want to use birth control					3 1 9 11 1 16 2 64 1 20 3 1 9 11	
	You / partner don't like birth control/fear side effects	2	1	1			
	Can't pay for birth control						
	Religious reasons						
	Lapse in use of method	2		2			
	Don't think you or partner can get pregnant	10	1	4	5		
	You / partner had tubes tied	1			1		
	You / partner had a vasectomy						
	You / partner had a hysterectomy	13		1	12		
	You / partner are too old	2		·	2		
	You / partner are breast-feeding	~					
	You / partner just had a baby/postpartum	1		1			
	Other reason	23	2	6	15		
	Don't care if get pregnant	23 5	3	1	15		
			٥	'	'		
	Partner is pregnant now  Don't know/Not sure						
	LIGHT KHOWAND SIDE		ı				

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

# When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Weighted Column Percents)

				Age C	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Some of t	the time	5.4	4.1	6.5	4.5	7.1	4.8
Most of th	ne time	6.9	2.4	8.4	9.0	5.2	7.8
Or every	Or every time		93.5	85.0	86.5	87.7	87.4
Male	Some of the time	8.2	6.3	11.7	5.4	7.1	4.8
	Most of the time	7.1		8.2	11.8	5.2	7.8
	Or every time	84.7	93.7	80.1	82.8	87.7	87.4
Female	Some of the time	2.7	2.6	2.2	3.6		
	Most of the time	6.8	4.0	8.6	6.6		
	Or every time	90.5	93.4	89.1	89.8		

#### Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing somthing to prevent pregnancy.

# When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Unweighted Frequencies)

				Age C	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Total		575	80	219	200	49	27
Some of t	he time	27	3	11	9	2	2
Most of th	e time	34	2	17	12	2	1
Or every t	ime	476	72	180	167	39	18
Don't know	w/Not sure	17	1	5	7	2	2
Refused		21	2	6	5	4	4
Male	Total	287	33	84	94	49	27
	Some of the time	17	1	7	5	2	2
	Most of the time	15		7	5	2	1
	Or every time	233	30	68	78	39	18
	Don't know/Not sure	9			5	2	2
	Refused	13	2	2	1	4	4
Female	Total	288	47	135	106		
	Some of the time	10	2	4	4		
	Most of the time	19	2	10	7		
	Or every time	243	42	112	89		
	Don't know/Not sure	8	1	5	2		
	Refused	8		4	4		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing somthing to prevent pregnancy.

## How do you feel about having a child now or sometime in the future? Would you say. . .

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Don't want to have	ve one	44.6	11.3	28.5	79.2	85.9	95.1
Want to have on	e, less than 12 months from now	8.5	3.5	11.9	11.3	2.8	2.8
Want to have on	e, between 12 months - 2 yrs	10.6	7.2	19.4	4.5	3.2	
Want to have on	e, between 2 -5 years from now	20.1	31.0	29.8	3.1	3.6	
Want to have on	e, 5 or more years from now	16.3	47.0	10.4	1.8	4.5	2.0
Male	Don't want to have one	47.3	10.9	22.2	71.0	85.9	95.1
	Want to have one, less than 12 months from now	9.8	6.1	13.9	14.9	2.8	2.8
	Want to have one, between 12 months - 2 yrs	10.1	6.4	20.2	6.2	3.2	
	Want to have one, between 2 -5 years from now	18.2	25.1	34.1	4.6	3.6	
	Want to have one, 5 or more years from now	14.7	51.5	9.6	3.2	4.5	2.0
Female	Don't want to have one	41.2	11.6	34.8	87.6		
	Want to have one, less than 12 months from now	6.8	1.4	10.0	7.6		
	Want to have one, between 12 months - 2 yrs	11.3	7.7	18.6	2.8		
	Want to have one, between 2 -5 years from now	22.5	35.7	25.5	1.6		
	Want to have one, 5 or more years from now	18.3	43.6	11.2	.3		

Denominator is: All female respondents less than 45 without a hysterectomy or tubes tied, and all male respondents less than 60 without a vasectomy and whose spouses or partners are not currently pregnant and have not had a hysterectomy or tubes tied.

## How do you feel about having a child now or sometime in the future? Would you say. . .

(Unweighted Frequencies)

				Age	Groups		
		Total	18-24	25-34	35-44	45-54	55-64
Total		831	106	270	265	101	89
Don't want to have	e one	417	11	83	177	77	69
Want to have one	, less than 12 months from now	64	3	30	26	3	2
Want to have one	, between 12 months - 2 yrs	73	8	51	13	1	
Want to have one	, between 2 -5 years from now	109	32	61	12	4	
Want to have one	, 5 or more years from now	85	46	27	7	2	3
Don't know/Not su	ıre	44	2	14	19	7	2
Refused		39	4	4	11	7	13
Male	Total	478	48	110	130	101	89
	Don't want to have one	257	4	27	80	77	69
	Want to have one, less than 12 months from now	34	2	12	15	3	2
	Want to have one, between 12 months - 2 yrs	35	3	23	8	1	
	Want to have one, between 2 -5 years from now	52	12	28	8	4	
	Want to have one, 5 or more years from now	45	24	11	5	2	3
	Don't know/Not sure	23		6	8	7	2
	Refused	32	3	3	6	7	13
Female	Total	353	58	160	135		
	Don't want to have one	160	7	56	97		
	Want to have one, less than 12 months from now	30	1	18	11		
	Want to have one, between 12 months - 2 yrs	38	5	28	5		
	Want to have one, between 2 -5 years from now	57	20	33	4		
	Want to have one, 5 or more years from now	40	22	16	2		
	Don't know/Not sure	21	2	8	11		
	Refused	7	1	1	5		

Denominator is: All female respondents less than 45 without a hysterectomy or tubes tied, and all male respondents less than 60 without a vasectomy and whose spouses or partners are not currently pregnant and have not had a hysterectomy or tubes tied.