During the past 12 months, have you had either a seasonal flu shot or seasonal flu vaccine that was sprayed in your nose?

(Weighted Column Percents)

			Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		36.8	28.9	23.4	31.0	33.9	39.6	56.6
No		63.2	71.1	76.6	69.0	66.1	60.4	43.4
Male	Yes	33.3	28.9	16.2	24.4	31.5	34.7	60.1
	No	66.7	71.1	83.8	75.6	68.5	65.3	39.9
Female	Yes	40.2	29.0	31.0	37.6	36.4	44.2	53.6
	No	59.8	71.0	69.0	62.4	63.6	55.8	46.4

Denominator is: All survey respondents.

During the past 12 months, have you had either a seasonal flu shot or seasonal flu vaccine that was sprayed in your nose?

(Unweighted Frequencies)

			Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		4,953	262	442	494	709	1,098	1,948
Yes		2,147	71	111	166	250	455	1,094
No		2,783	190	329	326	457	638	843
Don't knov	w/Not sure	19		2	2		5	10
Refused		4	1			2		1
Male	Total	2,102	142	227	222	322	464	725
	Yes	852	39	40	62	107	171	433
	No	1,235	102	186	159	214	288	286
	Don't know/Not sure	13		1	1		5	6
	Refused	2	1			1		
Female	Total	2,851	120	215	272	387	634	1,223
	Yes	1,295	32	71	104	143	284	661
	No	1,548	88	143	167	243	350	557
	Don't know/Not sure	6		1	1			4
	Refused	2				1		1

Denominator is: All survey respondents.

A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia ...

(Weighted Column Percents)

			Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		38.0	34.9	20.5	22.3	24.0	33.5	74.1
No		62.0	65.1	79.5	77.7	76.0	66.5	25.9
Male	Yes	37.0	42.1	20.7	24.5	23.3	31.0	70.7
	No	63.0	57.9	79.3	75.5	76.7	69.0	29.3
Female	Yes	38.9	27.1	20.3	20.2	24.6	35.7	76.7
	No	61.1	72.9	79.7	79.8	75.4	64.3	23.3

Denominator is: All survey respondents.

A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

(Unweighted Frequencies)

			Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		4,944	260	442	493	708	1,096	1,945
Yes		2,072	52	68	89	134	335	1,394
No		2,272	105	255	304	475	674	459
Don't know	w/Not sure	596	102	119	100	97	86	92
Refused		4	1			2	1	
Male	Total	2,098	141	227	221	322	463	724
	Yes	767	33	35	40	59	129	471
	No	978	50	124	126	200	284	194
	Don't know/Not sure	350	57	68	55	62	49	59
	Refused	3	1			1	1	
Female	Total	2,846	119	215	272	386	633	1,221
	Yes	1,305	19	33	49	75	206	923
	No	1,294	55	131	178	275	390	265
	Don't know/Not sure	246	45	51	45	35	37	33
	Refused	1				1		

Denominator is: All survey respondents.

Have you ever had the shingles or zoster vaccine?

(Weighted Column Percents)

		Age Groups				
		Total	45-54	55-64	65+	
Yes		30.5	5.7	22.3	47.7	
No		69.5	94.3	77.7	52.3	
Male	Yes	27.7	6.3	19.2	45.3	
	No	72.3	93.7	80.8	54.7	
Female	Yes	32.9	5.2	25.2	49.6	
	No	67.1	94.8	74.8	50.4	

Denominator is: All survey respondents.

Have you ever had the shingles or zoster vaccine?

(Unweighted Frequencies)

			Age Groups			
		Total	45-54	55-64	65+	
Total		3,421	381	1,096	1,944	
Yes		1,222	24	252	946	
No		2,115	335	817	963	
Don't know	w/Not sure	80	20	27	33	
Refused		4	2		2	
Male	Total	1,353	167	463	723	
	Yes	431	11	87	333	
	No	866	142	358	366	
	Don't know/Not sure	54	13	18	23	
	Refused	2	1		1	
Female	Total	2,068	214	633	1,221	
	Yes	791	13	165	613	
	No	1,249	193	459	597	
	Don't know/Not sure	26	7	9	10	
	Refused	2	1		1	

Denominator is: All survey respondents.

Risk factor for respondents aged 65+ who have had a flu shot within the past 12 months.

(Weighted Column Percents)

		Age C	Groups
		Total	65+
Flu shot in pa	ast 12 months	56.6	56.6
No flu shot in	No flu shot in past 12 months		43.4
Male	Flu shot in past 12 months	60.1	60.1
	No flu shot in past 12 months	39.9	39.9
Female	Flu shot in past 12 months	53.7	53.7
	No flu shot in past 12 months	46.3	46.3

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

Risk factor for respondents aged 65+ who have had a flu shot within the past 12 months.

(Unweighted Frequencies)

		Age (Groups
		Total	65+
Total		1,937	1,937
Flu shot in past 12 months		1,089	1,089
No flu shot in past	12 months	837	837
Don't know/Not Sure/Refused/Missing		11	11
Male	Total	723	723
	Flu shot in past 12 months	432	432
	No flu shot in past 12 months	285	285
	Don't know/Not Sure/Refused/Missing	6	6
Female	Total	1,214	1,214
	Flu shot in past 12 months	657	657
	No flu shot in past 12 months	552	552
	Don't know/Not Sure/Refused/Missing	5	5

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

Risk factor for respondents aged 65+ who have ever had a pneumonia shot.

(Weighted Column Percents)

		Age C	Groups
		Total	65+
Had pneur	nococcal shot	74.1	74.1
No pneum	No pneumococcal shot		25.9
Male	Had pneumococcal shot	70.7	70.7
	No pneumococcal shot	29.3	29.3
Female	Had pneumococcal shot	76.7	76.7
	No pneumococcal shot	23.3	23.3

Denominator is: All survey respondents who have ever had a pneumonia shot.

Risk factor for respondents aged 65+ who have ever had a pneumonia shot.

(Unweighted Frequencies)

		Age (Groups
		Total	65+
Total		1,934	1,934
Had pneumococcal shot		1,386	1,386
No pneumococcal	shot	456	456
Don't know/Not Sure/Refused/Missing		92	92
Male	Total	722	722
	Had pneumococcal shot	470	470
	No pneumococcal shot	193	193
	Don't know/Not Sure/Refused/Missing	59	59
Female	Total	1,212	1,212
	Had pneumococcal shot	916	916
	No pneumococcal shot	263	263
	Don't know/Not Sure/Refused/Missing	33	33

Denominator is: All survey respondents who have ever had a pneumonia shot.