A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to test men for prostate cancer. Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

(Weighted Column Percents)

	Age Groups				
	Total	Total 40-49 50-64 65+			
Yes	58.4	31.2	60.3	78.0	
No	41.6	68.8	39.7	22.0	

Denominator is: All male survey respondents who are 40 or older.

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to test men for prostate cancer. Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?

		Age C	Groups	
	Total	40-49	50-64	65+
Total	1,595	256	623	716
Yes	1,010	78	382	550
No	518	172	212	134
Don't know / Not sure	58	6	25	27
Refused	9		4	5

(Unweighted Frequencies)

Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

(Weighted Column Percents)

	Age Groups				
	Total	40-49 50-64 65+			
Yes	27.6	15.7	31.9	31.2	
No	72.4	84.3	68.1	68.8	

Denominator is: All male survey respondents who are 40 or older.

Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?

		Age C	Groups	
	Total	40-49	50-64	65+
Total	1,593	256	622	715
Yes	474	41	195	238
No	1,032	203	385	444
Don't know / Not sure	85	12	42	31
Refused	2			2

(Unweighted Frequencies)

Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

(Weighted Column Percents)

	Age Groups				
	Total	Total 40-49 50-64 65+			
Yes	49.3	18.4	51.5	70.9	
No	50.7	81.6	48.5	29.1	

Denominator is: All male survey respondents who are 40 or older.

Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?

(Unweighted Frequencies)

		Age C	Groups	
	Total	40-49	50-64	65+
Total	1,592	255	622	715
Yes	875	49	324	502
No	651	201	271	179
Don't know / Not sure	64	5	27	32
Refused	2			2

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to test men for prostate cancer. Have you ever had a PSA test?

(Weighted Column Percents)

	Age Groups			
	Total 40-49 50-64 65+			
Yes	52.4	19.6	51.3	79.4
No	47.6	80.4	48.7	20.6

Denominator is: All male survey respondents who are 40 or older.

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to test men for prostate cancer. Have you ever had a PSA test?

(Unweighted Frequencies)

		Age C	Groups				
	Total 40-49 50-64 65						
Total	1,591 255 621						
Yes	920	46	320	554			
No	585	198	263	124			
Don't know / Not sure	86 11 38 3						

How long has it been since you had your last PSA test?

(Weighted Column Percents)

		Age C	Groups	
	Total	40-49	50-64	65+
Within the past year	53.4	29.6	50.4	61.0
Within the past 2 years	14.8	14.5	18.9	11.2
Within the past 3 years	11.4	27.1	11.4	8.3
Within the past 5 years	10.6	23.5	10.0	8.6
5 or more years ago	9.8	5.4	9.4	11.0

Denominator is: All male survey respondents who are 40 or older and have had a PSA test.

How long has it been since you had your last PSA test?

		Age C	Groups	
	Total	40-49	50-64	65+
Total	919	46	319	554
Within the past year	477	16	155	306
Within the past 2 years	128	7	57	64
Within the past 3 years	88	9	36	43
Within the past 5 years	91	9	30	52
5 or more years ago	94	3	31	60
Don't know / Not sure	29	1	7	21
Refused	12	1	3	8

(Unweighted Frequencies)

Denominator is: All male survey respondents who are 40 or older and have had a PSA test.

What was the MAIN reason you had this PSA test?

(Weighted Column Percents)

	Age Groups			
	Total	40-49	50-64	65+
Part of a routine exam	66.6	49.3	67.9	68.8
Because of a prostate problem	5.5	9.9	2.2	7.6
Because of a family history of prostate cancer	6.9	8.7	10.8	3.1
Because you were told you had prostate cancer	4.9		1.8	8.7
Some other reason	16.1	32.1	17.3	11.8

Denominator is: All male survey respondents who are 40 or older and have had a PSA test.

What was the MAIN reason you had this PSA test?

		Age C	Groups	
	Total	40-49	50-64	65+
Total	918	46	319	553
Part of a routine exam	632	25	225	382
Because of a prostate problem	47	4	8	35
Because of a family history of prostate cancer	51	4	29	18
Because you were told you had prostate cancer	48		6	42
Some other reason	127	13	49	65
Don't know / Not sure	7		2	5
Refused	6			6

(Unweighted Frequencies)

Denominator is: All male survey respondents who are 40 or older and have had a PSA test.

Risk Factor: Men aged 40 and older who have not had a PSA test within two years.

(Weighted Column Percents)

	Age Groups			
	Total	40-49	50-64	65+
Yes	35.0	8.6	34.9	56.5
No	65.0	91.4	65.1	43.5

Denominator is: All male survey respondents who are 40 or older.

Risk Factor: Men aged 40 and older who have not had a PSA test within two years.

Age Groups 40-49 Total 50-64 65+ Total 1,582 252 617 713 Yes 603 23 211 369 No 854 359 217 278 Don't know/Not Sure/Refused 125 12 47 66

(Unweighted Frequencies)