### In the last year, has a doctor, nurse, or other health care worker asked you if you want to become pregnant in the future?

(Weighted Column Percents)

				Age Group	S		
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Yes	26.5	23.2	26.9	44.1	28.1	21.0	9.3
No	73.4	76.8	73.1	55.9	71.5	79.0	90.2
Have not had a health care visit in the last year	.1				.4		.5

Denominator is: Female respondents under 50 without a hysterectomy.

### In the last year, has a doctor, nurse, or other health care worker asked you if you want to become pregnant in the future?

(Unweighted Frequencies)

				Age Group	S		
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Total	578	88	88	86	120	97	99
Yes	149	21	28	37	36	18	9
No	418	65	59	48	80	78	88
Have not had a health care visit in the last year	2				1		1
Don't know/Not sure	6	1	1		3		1
Refused	3	1		1		1	

Denominator is: Female respondents under 50 without a hysterectomy.

### Did you or your husband/wife/or partner do anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

						Age Groups	s			
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Yes		62.1	61.8	72.5	69.1	65.1	69.5	59.0	43.1	27.1
No		28.9	16.0	19.5	28.1	30.9	27.1	34.5	48.3	60.0
No partner/N	lot sexually active	8.2	21.3	6.7	2.6	3.7	3.4	5.8	6.1	11.7
Same sex pa	artner	.8	.9	1.4	.2	.2		.7	2.5	1.2
Male	Yes	58.2	67.1	65.9	63.4	64.1	70.7	57.6	43.1	27.1
	No	32.5	15.1	25.0	32.0	30.6	22.6	35.3	48.3	60.0
	No partner/Not sexually active	8.2	16.2	8.0	4.2	4.9	6.7	6.4	6.1	11.7
	Same sex partner	1.1	1.7	1.1	.4	.5		.7	2.5	1.2
Female	Yes	67.6	56.6	77.9	76.1	66.3	68.1	61.0		
	No	23.9	17.0	15.0	23.4	31.3	31.9	33.3		
	No partner/Not sexually active	8.2	26.4	5.5	.5	2.4		5.1		
	Same sex partner	.3		1.6				.6		

Denominator is: Female respondents under 50 without a hysterectomy and not currently pregnant. Male respondents under 60.

### Did you or your husband/wife/or partner do anything the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

						Age Groups	S			
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Total		1,462	174	156	184	217	187	232	155	157
Yes		865	109	104	127	150	128	134	66	47
No		418	25	33	48	54	41	70	67	80
No partner/N	lot sexually active	98	32	10	6	4	7	12	10	17
Same sex pa	artner	13	2	2	1	1		3	2	2
Don't know/N	Not sure	12	1	2			3		5	1
Refused		56	5	5	2	8	8	13	5	10
Male	Total	898	86	73	100	101	93	133	155	157
	Yes	473	55	44	64	66	60	71	66	47
	No	292	12	19	28	27	18	41	67	80
	No partner/Not sexually active	69	13	6	5	2	7	9	10	17
	Same sex partner	11	2	1	1	1		2	2	2
	Don't know/Not sure	9	1				2		5	1
	Refused	44	3	3	2	5	6	10	5	10
Female	Total	564	88	83	84	116	94	99		
	Yes	392	54	60	63	84	68	63		
	No	126	13	14	20	27	23	29		
	No partner/Not sexually active	29	19	4	1	2		3		
	Same sex partner	2		1				1		
	Don't know/Not sure	3		2			1			
	Refused	12	2	2		3	2	3		

Denominator is: Female respondents under 50 without a hysterectomy and not currently pregnant. Male respondents under 60.

### What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

(Weighted Column Percents)						Age Groups				
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Female sterilization (ex: Tubal	ligation, Essure, Adiana)	10.2	1.7	8.8	11.1	13.6	16.1	16.4	9.4	4.6
Male sterilization (vasectomy)		17.9	.4	5.0	15.5	24.6	27.1	35.5	39.2	58.5
Contractive implant (ex: Implai	non, Nexplanon)	3.2	5.3	7.3	3.4	.4	.5	1.9		
Hormonal IUD (ex: Mirena, Sk	yla)	7.8	10.4	8.5	11.0	7.5	7.0	2.6		
Copper-bearing IUD (ex: Para	Gard)	2.3		.6	5.3	3.6	3.9	1.4	.8	
IUD, type unknown		8.3	8.0	9.0	12.1	9.5	7.1	6.1	2.0	
Shots (ex: Depo-Provera)		1.2	2.5	.4		.9	2.9			4.7
Birth control pills, any kind		17.2	24.6	18.9	17.5	19.2	10.2	6.6	21.2	5.5
Contraceptive patch (ex: Ortho	o Evra)	.2		1.3						
Contraceptive ring (ex: Nuvari	ng)	.4	1.5		.5					
Male condoms		22.2	39.0	33.3	15.1	12.6	14.0	14.6	17.9	7.6
Diaphragm, cervical cap, spon	nge	.1					1.0			
Female condoms		.2		1.5						
Not having sex at certain times	s (rhythm or natural family planning)	.5				.7	2.3	1.3		
Withdrawal (or pulling out)		3.7	4.1	2.7	6.2	2.2	3.3	3.9		4.6
Foam, jelly, film, or cream		.2				.4	.9			
Other method		2.6	2.4	2.7	2.5	2.4	1.8	4.7	1.6	4.0
Hysterectomy		1.7				2.1	2.1	4.8	7.8	10.5
Male	Female sterilization (ex: Tubal ligation, Essure, Adiana)	8.7		10.0	12.7	9.1	12.7	12.8	9.4	4.6
	Male sterilization (vasectomy)	21.0			16.6	22.8	33.0	41.2	39.2	58.5
	Contractive implant (ex: Implanon, Nexplanon)	1.6	3.1	4.8		.8		3.2		
	Hormonal IUD (ex: Mirena, Skyla)	4.8	4.0	4.3	9.8	5.3	7.8	.6		
	Copper-bearing IUD (ex: ParaGard)	2.4			4.2	4.5	6.1	1.4	.8	
	IUD, type unknown	8.0	7.6	14.1	11.2	9.5	6.9	5.0	2.0	
	Shots (ex: Depo-Provera)	1.1		.9		1.8	4.2			4.7
	Birth control pills, any kind	15.3	15.2	13.8	21.7	24.2	3.0	8.0	21.2	5.5
	Contraceptive ring (ex: Nuvaring)	.2			.9					
	Male condoms	26.8	64.7	44.1	14.2	12.1	10.9	12.6	17.9	7.6
	Diaphragm, cervical cap, sponge	.2					1.9			
	Not having sex at certain times (rhythm or natural family planning)	.6				1.4	2.9			
	Withdrawal (or pulling out)	3.5	3.0	6.9	5.9	1.7	2.9	2.7		4.6
	Other method	2.7	2.5	.9	2.8	2.8	3.5	4.2	1.6	4.0
	Hysterectomy	3.2				4.0	4.1	8.2	7.8	10.5
Female	Female sterilization (ex: Tubal ligation, Essure, Adiana)	11.9	3.7	8.1	9.4	18.5	19.7	21.5		
	Male sterilization (vasectomy)	14.3	.9	8.2	14.3	26.6	20.8	27.6		
	Contractive implant (ex: Implanon, Nexplanon)	5.0	7.7	9.0	6.9		1.0			
	Hormonal IUD (ex: Mirena, Skyla)	11.3	17.8	11.3	12.3	10.0	6.1	5.4		
	Copper-bearing IUD (ex: ParaGard)	2.2		.9	6.5	2.6	1.5	1.4		
	IUD, type unknown	8.7	8.5	5.6	13.1	9.5	7.2	7.7		
	Shots (ex: Depo-Provera)	1.3	5.4				1.6			
	Birth control pills, any kind	19.6	35.5	22.3	13.1	13.8	17.8	4.7		
	Contraceptive patch (ex: Ortho Evra)	.5		2.1						
	Contraceptive ring (ex: Nuvaring)	.7	3.3							
	Male condoms	16.8	9.5	26.2	16.1	13.2	17.2	17.5		
	Female condoms	.5		2.5						

#### What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

#### (Weighted Column Percents)

					Age Groups	S			
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Not having sex at certain times (rhythm or natural family planning)	.5					1.6	3.1		
Withdrawal (or pulling out)	3.8	5.3		6.4	2.8	3.7	5.7		
Foam, jelly, film, or cream	.4				.9	1.9			
Other method	2.6	2.4	3.8	2.2	2.0		5.4		

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant. Male respondents under 60 whose spouses or partners are sexually active, and are doing something to prevent pregnancy.

### What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

(Unweighted Frequencies)		Ago Croups									
		Total	18-24	25-29	30-34	Age Groups 35-39	s 40-44	45-49	50-54	55-59	
Total											
	igation Facure Adiana)	864	109	103	127	150	128	134	66	47	
Female sterilization (ex: Tubal li	gation, Essure, Adiana)	87		6	13	19	17	19	8	3	
Male sterilization (vasectomy)	an Maurianan)	194	1	5	18	37	34	48	26	25	
Contractive implant (ex: Implant	• •	18	5	6	2	1	1	3			
Hormonal IUD (ex: Mirena, Skyl		62	12	8	15	10	12	5			
Copper-bearing IUD (ex: ParaG	eard)	24		1	8	7	5	2	1		
IUD, type unknown		65	9	10	15	15	7	8	1		
Shots (ex: Depo-Provera)		7	2	1		1	2			1	
Birth control pills, any kind	_	129	24	23	21	23	14	10	11	3	
Contraceptive patch (ex: Ortho		2		2							
Contraceptive ring (ex: Nuvaring	g)	3	2		1						
Male condoms		155	39	31	18	20	15	18	10	4	
Diaphragm, cervical cap, spong	e	1					1				
Female condoms		1		1							
1	(rhythm or natural family planning)	4				1	2	1			
Withdrawal (or pulling out)		30	6	3	7	4	4	5		1	
Foam, jelly, film, or cream		2				1	1				
Other method		26	3	3	3	3	2	7	3	2	
Don't know/Not sure		12	1		2	1	3	1	1	3	
Hysterectomy		11				2	1	3	2	3	
Refused		31	3	3	4	5	7	4	3	2	
Male	Total	472	55	43	64	66	60	71	66	47	
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	38		1	7	5	7	7	8	3	
	Male sterilization (vasectomy)	123			11	14	18	29	26	25	
	Contractive implant (ex: Implanon, Nexplanon)	6	1	1		1		3			
	Hormonal IUD (ex: Mirena, Skyla)	21	2	2	6	3	7	1			
	Copper-bearing IUD (ex: ParaGard)	14			4	4	4	1	1		
	IUD, type unknown	33	4	7	7	7	3	4	1		
	Shots (ex: Depo-Provera)	4		1		1	1			1	
	Birth control pills, any kind	63	8	8	12	13	2	6	11	3	
	Contraceptive ring (ex: Nuvaring)	1			1						
	Male condoms	101	33	17	9	11	7	10	10	4	
	Diaphragm, cervical cap, sponge	1					1				
	Not having sex at certain times (rhythm or natural family planning)	2				1	1				
	Withdrawal (or pulling out)	15	3	3	3	1	2	2		1	
	Other method	14	1	1	1	1	2	3	3	2	
	Don't know/Not sure	10	1		1	1	2	1	1	3	
	Hysterectomy	11				2	1	3	2	3	
	Refused	15	2	2	2	1	2	1	3	2	
Female	Total	392	54	60	63	84	68	63			
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	49	2	5	6	14	10	12			
	Male sterilization (vasectomy)	71	1	5	7	23	16	19			
	Contractive implant (ex: Implanon, Nexplanon)	12	4	5	2		1				
	Hormonal IUD (ex: Mirena, Skyla)	41	10	6	9	7	5	4			
1											

#### What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

					Age Groups	S			
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
IUD, type unknown	32	5	3	8	8	4	4		
Shots (ex: Depo-Provera)	3	2				1			
Birth control pills, any kind	66	16	15	9	10	12	4		
Contraceptive patch (ex: Ortho Evra)	2		2						
Contraceptive ring (ex: Nuvaring)	2	2							
Male condoms	54	6	14	9	9	8	8		
Female condoms	1		1						
Not having sex at certain times (rhythm or natural family planning)	2					1	1		
Withdrawal (or pulling out)	15	3		4	3	2	3		
Foam, jelly, film, or cream	2				1	1			
Other method	12	2	2	2	2		4		
Don't know/Not sure	2			1		1			
Refused	16	1	1	2	4	5	3		

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant. Male respondents under 60 whose spouses or partners are sexually active, and are doing something to prevent pregnancy.

### What was your main reason for not doing anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

					Age Group	S			:
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Didn't think you were going to have sex	1.0			2.5			.2	2.1	1.9
You want a pregnancy	8.5	16.7	21.5	12.2	11.4	6.7	1.3		2.9
You don't mind if you get pregnant	13.2	11.1	17.9	25.0	21.3	14.4	3.5	3.8	5.4
You were not taking, or using, your method consistently	1.6	14.2	4.0						
Same sex partner	2.9	12.6	5.2		2.7	1.8	5.1		
You or your partner are pregnant now	7.6	11.7	6.4	23.0	13.2		.8	1.1	
You didn't think you would get pregnant that time	6.0		6.1	1.0	2.8	15.2	5.4	14.2	3.7
Other reason	12.5	20.5	17.1	11.5	7.0	10.2	10.1	14.1	14.0
You or your partner don't want to use birth control/side effects	2.1	5.1	8.8		2.5		1.9	1.5	
Religious reasons/ it doesn't fit in with your beliefs	1.1	6.6		2.4			1.3		
You couldn't get or couldn't pay for birth control when you needed it	.9		7.2				1.1		
You or your partner can't get pregnant (too old or infertile)	17.3	1.6	5.8	3.4	15.9	21.4	26.8	22.4	37.1
You or your partner have been sterilized	15.1			13.5	13.2	19.8	23.4	19.3	23.1
You or your partner had a hysterectomy	10.5			5.5	10.0	10.5	19.2	21.4	11.8

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant, who are sexually active and not doing something to keep from getting pregnant. Male respondents under 60 who are sexually active and not doing something to keep from getting pregnant.

### What was your main reason for not doing anything the last time you had sex to keep from getting pregnant?

(Unweighted Frequencies)

					Age Group	S			
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Total	413	24	33	47	54	41	70	65	79
Didn't think you were going to have sex	5			1			1	1	2
You want a pregnancy	30	3	7	6	7	4	1		2
You don't mind if you get pregnant	41	2	7	11	8	4	3	4	2
You were not taking, or using, your method consistently	3	2	1						
Same sex partner	10	2	2		2	1	3		
You or your partner are pregnant now	24	2	3	10	7		1	1	
You didn't think you would get pregnant that time	20		2	1	2	3	4	5	3
Other reason	42	3	5	5	4	5	7	6	7
You or your partner don't want to use birth control/side effects	6	1	1		1		1	2	
Religious reasons/ it doesn't fit in with your beliefs	3	1		1			1		
You couldn't get or couldn't pay for birth control when you needed it	2		1				1		
Don't know/Not sure	12	3		1	1	2	1	2	2
You or your partner can't get pregnant (too old or infertile)	75	1	2	2	6	7	16	14	27
You or your partner have been sterilized	65			4	8	9	15	11	18
You or your partner had a hysterectomy	44			2	3	3	12	13	11
Refused	31	4	2	3	5	3	3	6	5

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant, who are sexually active and not doing something to keep from getting pregnant. Male respondents under 60 who are sexually active and not doing something to keep from getting pregnant.

### How do you feel about becoming pregnant now or sometime in the future? Would you say. . .

(Weighted Column Percents)

				Age Group	3		
	Total	18-24	25-29	30-34	35-39	40-44	45-49
You don't want a future pregnancy	37.5	10.9	16.5	37.6	52.2	73.2	89.6
You are trying to get pregnant now	6.3	7.1	7.2	7.9	11.6		
You're not trying now but want to get pregnant in the future	29.7	57.0	48.2	14.1	16.5	5.7	
You aren't sure if you want to become pregnant in the future	12.7	12.3	14.4	16.9	9.7	12.2	3.7
You're ok with getting pregnant or not getting pregnant	13.4	12.6	13.7	23.5	10.1	6.5	6.8
Other	.3					2.4	

Denominator is: All female respondents under 50 without a hysterectomy or tubes tied, and are not currently pregnant.

### How do you feel about becoming pregnant now or sometime in the future? Would you say. . .

(Unweighted Frequencies)

				Age Group	S		
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Total	358	62	63	67	64	57	45
You don't want a future pregnancy	157	9	11	21	34	42	40
You are trying to get pregnant now	19	3	5	5	6		
You're not trying now but want to get pregnant in the future	82	33	28	9	9	3	
You aren't sure if you want to become pregnant in the future	44	8	9	13	6	6	2
You're ok with getting pregnant or not getting pregnant	46	9	9	16	6	3	3
Other	1					1	
Refused	9		1	3	3	2	

Denominator is: All female respondents under 50 without a hysterectomy or tubes tied, and are not currently pregnant.

### How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Weighted Column Percents)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49		
0 times a week	54.9	68.9	60.6	47.2	42.2	51.0	43.5		
1 to 3 times a week	13.1	12.1	11.0	20.8	10.7	13.5	5.3		
4 to 6 times a week	6.4	3.9	4.6	5.7	9.4	9.1	12.3		
Every day of the week	25.5	15.1	23.8	26.3	37.8	26.4	38.9		

Denominator is: All female respondents under 50 without a hysterectomy, tubes tied, contraceptive implants, emergency contraception, and not currently pregnant.

### How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Unweighted Frequencies)

	Age Groups									
	Total	18-24	25-29	30-34	35-39	40-44	45-49			
Total	358	62	63	67	64	57	45			
0 times a week	173	42	35	29	23	26	18			
1 to 3 times a week	44	6	7	14	9	6	2			
4 to 6 times a week	30	3	4	4	6	7	6			
Every day of the week	101	11	16	18	24	14	18			
Don't know/Not sure	6		1	1	1	2	1			
Refused	4			1	1	2				

Denominator is: All female respondents under 50 without a hysterectomy, tubes tied, contraceptive implants, emergency contraception, and not currently pregnant.