During the past 12 months, have you had either a seasonal flu shot or seasonal flu vaccine that was sprayed in your nose?

(Weighted Column Percents)

		Age Groups						
		Total	18-24	25-34	35-44	45-54	55-64	65+
Yes		39.7	27.2	31.7	33.0	35.1	44.5	57.1
No		60.3	72.8	68.3	67.0	64.9	55.5	42.9
Male	Yes	36.1	26.4	25.4	28.5	29.6	42.6	56.3
	No	63.9	73.6	74.6	71.5	70.4	57.4	43.7
Female	Yes	43.2	28.0	37.9	37.5	40.5	46.2	57.8
	No	56.8	72.0	62.1	62.5	59.5	53.8	42.2

Denominator is: All survey respondents.

During the past 12 months, have you had either a seasonal flu shot or seasonal flu vaccine that was sprayed in your nose?

(Unweighted Frequencies)

					Age Group	S		
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		4,739	254	442	532	695	1,014	1,802
Yes		2,144	72	143	177	237	472	1,043
No		2,576	181	296	353	452	540	754
Don't know	v/Not sure	13	1	3	2	4	1	2
Refused		6				2	1	3
Male	Total	2,080	137	221	242	343	436	701
	Yes	855	39	56	72	102	187	399
	No	1,219	98	164	169	240	248	300
	Don't know/Not sure	5		1	1	1	1	1
	Refused	1						1
Female	Total	2,659	117	221	290	352	578	1,101
	Yes	1,289	33	87	105	135	285	644
	No	1,357	83	132	184	212	292	454
	Don't know/Not sure	8	1	2	1	3		1
	Refused	5				2	1	2

Denominator is: All survey respondents.

At what kind of place did you get your last seasonal flu shot/vaccine?

(Weighted Column Percents)

		Age Groups						
		Total	18-24	25-34	35-44	45-54	55-64	65+
A doctor's office or h	ealth maintenance organization (HMO)	40.2	51.0	25.5	44.7	38.0	40.1	42.8
A health department		.8	.5	.5	.4	.9	1.0	1.0
Another type of clinic	or health center	8.6	10.1	7.5	7.2	10.8	4.6	10.8
A senior, recreation,	or community center	.1						.2
A store		25.8	8.8	26.4	15.1	18.5	29.6	35.4
A hospital		5.2	8.7	9.7	5.4	3.9	3.7	4.0
Workplace		14.9	5.7	26.6	24.5	26.0	17.1	1.8
Some other kind of p	lace	3.4	7.0	2.9	2.7	1.4	3.2	4.0
A school		1.0	8.2	1.0		.5	.8	
Male	A doctor's office or health maintenance organization (HMO)	38.0	50.4	15.1	37.2	42.1	37.8	42.0
	A health department	.9	1.1		.8	.6	1.4	.9
	Another type of clinic or health center	10.4	12.8	7.8	9.2	11.1	6.6	13.3
	A store	25.3	3.5	35.6	18.9	20.2	26.2	31.6
	A hospital	5.2	6.3	7.5	5.6	5.4	4.4	4.3
	Workplace	13.8	4.4	29.1	23.8	18.8	17.6	1.9
	Some other kind of place	5.6	14.6	5.0	4.5	1.8	4.7	6.0
	A school	.9	6.9				1.3	
Female	A doctor's office or health maintenance organization (HMO)	41.9	51.5	32.5	50.6	35.2	42.0	43.4
	A health department	.7		.8		1.1	.6	1.0
	Another type of clinic or health center	7.2	7.5	7.3	5.7	10.6	2.8	8.8
	A senior, recreation, or community center	.1						.4
	A store	26.2	13.7	20.2	12.1	17.3	32.5	38.5
	A hospital	5.2	11.0	11.1	5.3	2.8	3.0	3.7
	Workplace	15.9	6.9	24.9	25.1	30.9	16.7	1.8
	Some other kind of place	1.6		1.5	1.3	1.1	2.0	2.3
	A school	1.1	9.4	1.7		.9	.4	

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

At what kind of place did you get your last seasonal flu shot/vaccine?

(Unweighted Frequencies)

		Age Groups						
		Total	18-24	25-34	35-44	45-54	55-64	65+
Total		2,141	72	143	177	237	470	1,042
A doctor's office or health maintenance organization (HMO)			31	38	71	84	179	423
A health department		25	1	1	1	3	5	14
Another type of clinic	or health center	185	8	13	15	20	27	102
A senior, recreation, o	or community center	5						5
A store		650	9	36	22	47	139	397
A hospital		107	8	13	12	12	21	41
Workplace		252	4	33	49	66	80	20
Some other kind of pla	ace	71	5	5	7	3	13	38
A school		12	6	2		1	3	
Don't know/Not sure		4		1		1	1	1
Refused		4		1			2	1
Male	Total	853	39	56	72	101	186	399
	A doctor's office or health maintenance organization (HMO)	313	15	11	24	39	68	156
	A health department	8	1		1	1	1	4
	Another type of clinic or health center	94	6	6	7	10	17	48
	A store	242	3	17	11	20	51	140
	A hospital	47	4	4	5	6	10	18
	Workplace	95	2	14	19	22	31	7
	Some other kind of place	47	5	3	5	2	6	26
	A school	5	3				2	
	Don't know/Not sure	2		1		1		
Female	Total	1,288	33	87	105	136	284	643
	A doctor's office or health maintenance organization (HMO)	513	16	27	47	45	111	267
	A health department	17		1		2	4	10
	Another type of clinic or health center	91	2	7	8	10	10	54
	A senior, recreation, or community center	5						5
	A store	408	6	19	11	27	88	257
	A hospital	60	4	9	7	6	11	23
	Workplace	157	2	19	30	44	49	13
	Some other kind of place	24		2	2	1	7	12
	A school	7	3	2		1	1	
	Don't know/Not sure	2					1	1
	Refused	4		1			2	1

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

Risk factor for respondents aged 65+ who have had a flu shot within the past 12 months.

(Weighted Column Percents)

		Age C	Groups
		Total	65+
Flu shot in pa	Flu shot in past 12 months		
No flu shot in	past 12 months	43.1	43.1
Male	Flu shot in past 12 months	56.3	56.3
	No flu shot in past 12 months	43.7	43.7
Female	Flu shot in past 12 months	57.5	57.5
	No flu shot in past 12 months	42.5	42.5

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

Risk factor for respondents aged 65+ who have had a flu shot within the past 12 months.

(Unweighted Frequencies)

		Age C	Groups
		Total	65+
Total		1,785	1,785
Flu shot in past 12	months	1,032	1,032
No flu shot in past	12 months	748	748
Don't know/Not Sui	re/Refused/Missing	5	5
Male	Total	693	693
	Flu shot in past 12 months	395	395
	No flu shot in past 12 months	296	296
	Don't know/Not Sure/Refused/Missing	2	2
Female	Total	1,092	1,092
	Flu shot in past 12 months	637	637
	No flu shot in past 12 months	452	452
	Don't know/Not Sure/Refused/Missing	3	3

Denominator is: All survey respondents who have had a flu shot in the past 12 months.

A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia ...

(Weighted Column Percents)

			Age Groups						
		Total	18-24	25-34	35-44	45-54	55-64	65+	
Yes		40.8	36.9	26.8	23.6	23.6	33.9	77.5	
No		59.2	63.1	73.2	76.4	76.4	66.1	22.5	
Male	Yes	42.0	42.0	34.0	29.8	24.1	32.3	74.9	
	No	58.0	58.0	66.0	70.2	75.9	67.7	25.1	
Female	Yes	39.7	31.7	19.7	17.6	23.1	35.3	79.7	
	No	60.3	68.3	80.3	82.4	76.9	64.7	20.3	

Denominator is: All survey respondents.

A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

(Unweighted Frequencies)

		Age Groups							
		Total	18-24	25-34	35-44	45-54	55-64	65+	
Total		4,732	254	440	532	694	1,012	1,800	
Yes		2,041	62	81	94	135	314	1,355	
No		2,085	103	225	333	445	615	364	
Don't know	v/Not sure	602	88	134	105	112	83	80	
Refused		4	1			2		1	
Male	Total	2,076	137	220	242	342	435	700	
	Yes	830	37	51	54	63	122	503	
	No	903	52	102	134	205	258	152	
	Don't know/Not sure	342	47	67	54	74	55	45	
	Refused	1	1						
Female	Total	2,656	117	220	290	352	577	1,100	
	Yes	1,211	25	30	40	72	192	852	
	No	1,182	51	123	199	240	357	212	
	Don't know/Not sure	260	41	67	51	38	28	35	
	Refused	3				2		1	

Denominator is: All survey respondents.

Risk factor for respondents aged 65+ who have ever had a pneumonia shot.

(Weighted Column Percents)

		Age C	Groups
		Total	65+
Had pneun	nococcal shot	77.7	77.7
No pneum	ococcal shot	22.3	22.3
Male	Had pneumococcal shot	75.0	75.0
	No pneumococcal shot	25.0	25.0
Female	Had pneumococcal shot	79.8	79.8
	No pneumococcal shot	20.2	20.2

Denominator is: All survey respondents who have ever had a pneumonia shot.

Risk factor for respondents aged 65+ who have ever had a pneumonia shot.

(Unweighted Frequencies)

		Age C	Groups
		Total	65+
Total		1,783	1,783
Had pneumococca	al shot	1,344	1,344
No pneumococcal	shot	358	358
Don't know/Not St	ure/Refused/Missing	81	81
Male	Total	692	692
	Had pneumococcal shot	498	498
	No pneumococcal shot	149	149
	Don't know/Not Sure/Refused/Missing	45	45
Female	Total	1,091	1,091
	Had pneumococcal shot	846	846
	No pneumococcal shot	209	209
	Don't know/Not Sure/Refused/Missing	36	36

Denominator is: All survey respondents who have ever had a pneumonia shot.