Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	93.1	95.8	90.5	82.7
1	2.5	1.8	3.3	1.4
2	1.3	.6	1.9	4.1
3	.8	.7	1.0	
4	.7	.4	1.0	1.7
5-9	.5	.1	.9	
10-14	.2	.1	.3	
15 or more	.9	.5	1.1	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	3,900	2,001	1,868	31
	1	105	45	59	1
	2	52	16	35	1
	3	43	19	24	
	4	36	14	21	1
	5-9	19	3	16	
	10-14	9	4	5	
	15 or more	30	8	21	1

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	92.8	96.1	89.6	82.9
1	1.7	1.3	2.1	5.2
2	1.9	.7	3.1	
3	.5	.5	.5	
4	1.1	.4	1.7	1.7
5-9	.9	.4	1.4	
10-14	.3	.2	.5	
15 or more	.8	.4	1.0	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	3,903	2,006	1,866	31
	1	87	38	47	2
	2	62	20	42	
	3	27	12	15	
	4	36	12	23	1
	5-9	39	10	29	
	10-14	15	6	9	
	15 or more	25	6	18	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	97.3	98.4	96.1	98.3
1	.8	.6	.9	
2	.7	.5	.8	
3	.5	.2	.8	
4	.1	.0	.1	1.7
5-9	.2	.0	.4	
10-14	.1		.2	
15 or more	.4	.2	.6	

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
Mi	issing: skipped Q	158	53	100	5
No	one	4,095	2,079	1,982	34
1		32	13	19	
2		20	7	13	
3		16	4	12	
4		6	2	3	1
5-	9	7	2	5	
10)-14	4		4	
15	or more	14	3	11	

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	94.7	96.6	92.8	84.3
1	1.4	1.4	1.3	1.5
2	1.0	.7	1.3	2.3
3	.8	.3	1.2	
4	.7	.1	1.2	1.7
5-9	.4	.4	.4	
10-14	.2	.0	.4	
15 or more	.9	.5	1.3	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	3,998	2,035	1,932	31
	1	60	33	26	1
	2	38	16	21	1
	3	29	9	20	
	4	22	3	18	1
	5-9	17	7	10	
	10-14	4	1	3	
	15 or more	26	6	19	1

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	75.9	76.5	75.3	70.0
1	5.9	6.7	5.0	5.9
2	5.4	5.7	5.2	1.5
3	3.7	3.6	3.8	3.1
4	2.7	2.6	2.7	8.3
5-9	3.2	2.7	3.7	1.1
10-14	1.3	1.0	1.6	
15 or more	2.1	1.3	2.7	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Tota	l Female	Male	Gender Unknown
Total	4,3	352 2,16	3 2,149	40
Missing: skipp	ed Q	158 5	3 100	5
None	3,1	187 1,58	6 1,575	26
1	2	276 16	2 112	2
2	2	215 12	2 92	1
3	•	156 7	9 75	2
4	•	105 5	5 48	2
5-9	•	134 5	9 74	1
10-14		48 1	9 29	
15 or more		73 2	8 44	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	78.4	78.3	78.7	65.2
1	8.2	8.7	7.5	22.9
2	5.1	5.1	5.2	1.7
3	2.7	2.8	2.6	
4	1.9	2.1	1.8	
5-9	1.5	1.5	1.6	
10-14	1.0	.7	1.3	
15 or more	1.1	.9	1.3	10.2

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	3,292	1,621	1,645	26
	1	343	201	135	7
	2	208	113	94	1
	3	133	74	59	
	4	77	40	37	
	5-9	75	37	38	
	10-14	26	10	16	
	15 or more	40	14	25	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	88.6	90.5	86.9	79.2
1	4.7	4.6	4.9	6.6
2	2.5	1.5	3.4	4.1
3	1.6	1.2	2.1	
4	.8	.7	1.0	
5-9	.3	.5	.2	
10-14	.3	.4	.2	
15 or more	1.0	.6	1.4	10.2

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
Missi	ng: skipped Q	158	53	100	5
None		3,758	1,903	1,823	32
1		205	107	97	1
2		96	39	56	1
3		51	22	29	
4		27	15	12	
5-9		15	10	5	
10-14	ļ.	8	4	4	
15 or	more	34	10	23	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	89.4	89.2	89.7	85.3
1	4.1	4.0	4.1	4.5
2	2.1	2.3	1.9	
3	1.3	1.4	1.2	
4	1.1	1.2	.9	
5-9	.7	.8	.6	
10-14	.5	.5	.5	
15 or more	.8	.4	1.1	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	3,791	1,899	1,859	33
	1	161	92	68	1
	2	93	54	39	
	3	47	23	24	
	4	36	20	16	
	5-9	24	11	13	
	10-14	13	6	7	
	15 or more	29	5	23	1

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	90.6	92.2	89.1	89.8
1	3.5	4.2	2.9	
2	1.6	1.4	1.7	
3	1.1	.6	1.7	
4	.7	.5	.9	
5-9	1.0	.2	1.9	
10-14	.4	.4	.4	
15 or more	.9	.4	1.3	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	4,352	2,163	2,149	40
Missing: skipped Q	158	53	100	5
None	3,852	1,960	1,858	34
1	135	79	56	
2	71	33	38	
3	42	9	33	
4	22	11	11	
5-9	29	6	23	
10-14	11	6	5	
15 or more	32	6	25	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	98.3	99.5	97.3	89.8
1	.2	.1	.2	
2	.2	.1	.4	
3	.2	.1	.3	
4	.3	.1	.6	
5-9	.1	.0	.2	
10-14	.1		.3	
15 or more	.5	.1	.8	10.2

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	4,137	2,101	2,002	34
	1	7	2	5	
	2	8	1	7	
	3	7	1	6	
	4	9	2	7	
	5-9	3	1	2	
	10-14	3		3	
	15 or more	20	2	17	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	96.2	98.0	94.6	84.0
1	.7	.7	.7	4.1
2	.4	.3	.6	
3	.5	.3	.8	
4	.4	.3	.6	1.7
5-9	.4	.2	.6	
10-14	.1	.1	.1	
15 or more	1.2	.3	2.1	10.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E8.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	158	53	100	5
	None	4,052	2,063	1,957	32
	1	30	13	16	1
	2	15	5	10	
	3	19	6	13	
	4	19	7	11	1
	5-9	16	6	10	
	10-14	6	4	2	
	15 or more	37	6	30	1

Oregon Healthy Teens 2003, Data Summary, 11th Grade E9. During the past 30 days, how many times has any store or gas station refused to sell you alcohol (beer, wine, or hard liquor)?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	I did not try to buy alcohol	94.0	96.4	91.7	84.7
	NoneI was able to buy alcohol each time I tried	3.1	2.1	4.1	3.1
	1 time	1.4	.9	1.9	
	2 times	.3	.2	.4	
	3 times	.6	.3	.8	
	4 times	.1		.2	
	5 times	.0		.1	
	6 or more times	.5	.1	.8	12.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade
E9. During the past 30 days, how many times has any store or gas station refused to sell you alcohol (beer, wine, or hard liquor)?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	238	78	152	8
	I did not try to buy alcohol	3,904	2,022	1,853	29
	NoneI was able to buy alcohol each time I tried	121	43	76	2
	1 time	44	10	34	
	2 times	13	6	7	
	3 times	10	1	9	
	4 times	6		6	
	5 times	1		1	
	6 or more times	15	3	11	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	9.4	5.8	12.9	23.2
	Sort of easy	11.4	10.0	12.9	4.9
	Sort of hard	26.6	26.9	26.3	23.8
	Very hard	52.6	57.3	47.8	48.2

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	308	112	189	7
	Very easy	329	105	220	4
	Sort of easy	457	204	250	3
	Sort of hard	1,115	573	532	10
	Very hard	2,143	1,169	958	16

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	11.4	8.2	14.6	23.2
	Sort of easy	16.4	15.6	17.4	11.6
	Sort of hard	30.5	33.2	27.9	20.1
	Very hard	41.6	43.0	40.1	45.1

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	310	116	187	7
	Very easy	404	160	240	4
	Sort of easy	678	332	341	5
	Sort of hard	1,271	684	578	9
	Very hard	1,689	871	803	15

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	60.7	63.1	58.2	60.8
	Sort of easy	20.3	20.6	20.0	21.6
	Sort of hard	8.5	6.8	10.2	12.1
	Very hard	10.5	9.5	11.6	5.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	318	123	188	7
	Very easy	2,433	1,318	1,096	19
	Sort of easy	833	403	426	4
	Sort of hard	356	148	202	6
	Very hard	412	171	237	4

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	32.8	32.5	33.0	39.4
	Sort of easy	29.5	32.2	26.8	17.3
	Sort of hard	17.8	17.7	17.8	25.1
	Very hard	19.9	17.6	22.4	18.2

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	322	121	194	7
	Very easy	1,302	688	604	10
	Sort of easy	1,195	634	553	8
	Sort of hard	752	382	363	7
	Very hard	781	338	435	8

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	14.1	14.7	13.2	32.3
	Sort of easy	14.9	15.7	14.1	4.7
	Sort of hard	18.6	18.3	19.0	18.7
	Very hard	52.4	51.3	53.7	44.3

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	313	114	192	7
	Very easy	501	261	233	7
	Sort of easy	611	336	272	3
	Sort of hard	795	412	378	5
	Very hard	2,132	1,040	1,074	18

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	20.3	18.6	22.0	28.4
	Sort of easy	17.6	19.4	15.9	2.0
	Sort of hard	13.4	13.6	13.3	4.2
	Very hard	48.7	48.3	48.8	65.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	336	124	205	7
	Very easy	800	382	411	7
	Sort of easy	666	382	283	1
	Sort of hard	568	301	265	2
	Very hard	1,982	974	985	23

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	11.9	9.5	14.3	26.6
	Sort of easy	13.8	14.0	13.7	5.3
	Sort of hard	23.8	26.2	21.5	9.8
	Very hard	50.5	50.3	50.6	58.3

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	359	140	212	7
	Very easy	457	187	265	5
	Sort of easy	581	305	273	3
	Sort of hard	958	512	441	5
	Very hard	1,997	1,019	958	20

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	33.3	32.7	33.6	52.5
Sort of easy	19.5	21.0	18.3	3.7
Sort of hard	13.7	14.5	12.7	23.0
Very hard	33.4	31.7	35.4	20.9

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade E10.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

		Total	Female	Male	Gender Unknown
Total		4,352	2,163	2,149	40
	Missing: skipped Q	324	119	198	7
	Very easy	1,321	672	633	16
	Sort of easy	784	408	374	2
	Sort of hard	573	306	262	5
	Very hard	1,350	658	682	10

Oregon Healthy Teens 2003, Data Summary, 11th Grade A24. If you wanted to get some marijuana, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	59.2	59.3	59.0	71.0
Sort of easy	25.4	25.3	25.5	11.1
Sort of hard	8.5	8.7	8.4	7.6
Very hard	6.9	6.7	7.1	10.3

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 11th Grade A24. If you wanted to get some marijuana, how easy would it be for you to get some?

		Total	Female	Male	Gender Unknown
Total		4,352	2,174	2,144	34
	Missing: skipped Q	293	123	160	10
	Very easy	2,379	1,197	1,164	18
	Sort of easy	1,070	539	527	4
	Sort of hard	348	182	165	1
	Very hard	262	133	128	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 11th Grade A25. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

		Total	Female	Male	Gender Unknown
Total		100.0	100.0	100.0	100.0
	Very easy	13.7	14.5	12.9	6.5
	Sort of easy	28.9	32.6	25.1	31.8
	Sort of hard	34.9	34.5	35.3	40.9
	Very hard	22.4	18.3	26.7	20.7

Oregon Healthy Teens 2003, Data Summary, 11th Grade A25. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

		Total	Female	Male	Gender Unknown
Total		4,352	2,174	2,144	34
	Missing: skipped Q	307	125	172	10
	Very easy	464	240	221	3
	Sort of easy	1,192	680	503	9
	Sort of hard	1,455	723	724	8
	Very hard	934	406	524	4