

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary
108. During the past 30 days, how many times did you use marijuana?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	90.1	90.9	89.2
1 or 2 times	4.2	3.4	4.9
3 to 9 times	2.3	2.5	2.1
10 to 19 times	1.3	1.4	1.3
20 to 39 times	.9	1.1	.7
40 or more times	1.3	.7	1.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
108. During the past 30 days, how many times did you use marijuana?

	Total	Female	Male
Total	3,045	1,580	1,465
0 times	2,744	1,436	1,308
1 or 2 times	131	58	73
3 to 9 times	66	36	30
10 to 19 times	37	20	17
20 to 39 times	28	19	9
40 or more times	39	11	28

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
109. How old were you when you tried marijuana for the first time?

	Total	Female	Male
Total	100.0	100.0	100.0
I have never tried marijuana	82.0	83.0	81.0
8 years old or younger	1.3	.7	1.9
9 years old	.8	1.0	.5
10 years old	1.9	1.7	2.1
11 years old	1.7	1.5	1.8
12 years old	4.2	4.4	4.0
13 years old	5.9	5.6	6.2
14 years old	2.3	2.1	2.4
15 years old	.1	.1	

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary
109. How old were you when you tried marijuana for the first time?

	Total	Female	Male
Total	3,054	1,583	1,471
I have never tried marijuana	2,515	1,325	1,190
8 years old or younger	39	12	27
9 years old	20	13	7
10 years old	49	19	30
11 years old	57	24	33
12 years old	124	70	54
13 years old	180	86	94
14 years old	68	32	36
15 years old	2	2	

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
110. During the past 30 days, how many times did you use marijuana on school property?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	97.7	97.9	97.4
1 or 2 times	1.5	1.3	1.6
3 to 9 times	.5	.4	.6
10 to 19 times	.2	.3	.1
20 to 39 times	.0		.0
40 or more times	.1		.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
110. During the past 30 days, how many times did you use marijuana on school property?

	Total	Female	Male
Total	3,002	1,565	1,437
0 times	2,928	1,531	1,397
1 or 2 times	44	22	22
3 to 9 times	17	6	11
10 to 19 times	8	6	2
20 to 39 times	1		1
40 or more times	4		4

Unweighted counts exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

**111. If you wanted to get some marijuana, how
easy would it be for you to get some?**

	Total	Female	Male
Total	100.0	100.0	100.0
Very easy	19.8	19.5	20.2
Sort of easy	16.5	16.2	16.8
Sort of hard	12.8	12.7	12.9
Very hard	50.9	51.6	50.1

Weighted percentages exclude missing and/or
refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

**111. If you wanted to get some marijuana, how
easy would it be for you to get some?**

	Total	Female	Male
Total	2,997	1,552	1,445
Very easy	600	296	304
Sort of easy	463	238	225
Sort of hard	383	186	197
Very hard	1,551	832	719

Unweighted counts exclude missing and/or refused
answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

**112.a. During the past 30 days, how many times did you
sniff glue, breathe the contents of aerosol spray cans,
or inhale any paints or sprays to get high?**

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	93.9	92.9	94.9
1-2 times	4.7	5.2	4.2
3-5 times	.7	1.0	.3
6-9 times	.4	.7	.2
10 or more times	.3	.2	.4

Weighted percentages exclude missing and/or refused
answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

112.a. During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?

	Total	Female	Male
Total	3,019	1,571	1,448
0 times	2,835	1,458	1,377
1-2 times	140	83	57
3-5 times	24	19	5
6-9 times	9	6	3
10 or more times	11	5	6

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

112.b. During the past 30 days, how many times did you use prescription drugs (without a doctor's order) to get high?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	96.7	96.3	97.1
1-2 times	2.0	2.5	1.5
3-5 times	.7	.8	.5
6-9 times	.2	.2	.2
10 or more times	.4	.2	.7

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

112.b. During the past 30 days, how many times did you use prescription drugs (without a doctor's order) to get high?

	Total	Female	Male
Total	2,995	1,565	1,430
0 times	2,893	1,505	1,388
1-2 times	64	43	21
3-5 times	21	11	10
6-9 times	6	3	3
10 or more times	11	3	8

Unweighted counts exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary
112.c. During the past 30 days, how many times did you
use methamphetamines (also called speed, crystal,
crank, or ice)?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	98.8	98.9	98.8
1-2 times	.9	1.0	.8
3-5 times	.1		.2
6-9 times	.1	.1	.1
10 or more times	.1	.1	.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
112.c. During the past 30 days, how many times did you
use methamphetamines (also called speed, crystal,
crank, or ice)?

	Total	Female	Male
Total	2,991	1,561	1,430
0 times	2,953	1,541	1,412
1-2 times	29	18	11
3-5 times	3		3
6-9 times	2	1	1
10 or more times	4	1	3

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
112.d. During the past 30 days, how many times did
you use any form of cocaine, including powder, crack,
or freebase?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	98.7	98.8	98.6
1-2 times	.8	.8	.8
3-5 times	.2	.1	.2
6-9 times	.2	.3	.1
10 or more times	.1		.3

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

112.d. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

	Total	Female	Male
Total	2,984	1,561	1,423
0 times	2,946	1,543	1,403
1-2 times	24	14	10
3-5 times	5	1	4
6-9 times	5	3	2
10 or more times	4		4

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

112.e. During the past 30 days, how many times did you use heroin or other opiates or narcotics?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	99.4	99.7	99.2
1-2 times	.3	.3	.4
3-5 times	.0		.1
10 or more times	.2		.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

112.e. During the past 30 days, how many times did you use heroin or other opiates or narcotics?

	Total	Female	Male
Total	2,979	1,558	1,421
0 times	2,962	1,554	1,408
1-2 times	10	4	6
3-5 times	2		2
10 or more times	5		5

Unweighted counts exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary
112.f. During the past 30 days, how many times did you
use ecstasy (also called MDMA)?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	99.0	99.2	98.8
1-2 times	.7	.6	.7
3-5 times	.1	.1	.0
6-9 times	.1	.1	.1
10 or more times	.2		.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
112.f. During the past 30 days, how many times did you
use ecstasy (also called MDMA)?

	Total	Female	Male
Total	2,976	1,558	1,418
0 times	2,945	1,545	1,400
1-2 times	20	10	10
3-5 times	4	2	2
6-9 times	2	1	1
10 or more times	5		5

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary
112.g. During the past 30 days, how many times did
you use LSD or other hallucinogens or psychedelics?

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	99.2	99.4	98.9
1-2 times	.4	.4	.4
3-5 times	.2	.1	.3
6-9 times	.0	.0	
10 or more times	.2		.4

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

112.g. During the past 30 days, how many times did you use LSD or other hallucinogens or psychedelics?

	Total	Female	Male
Total	2,968	1,554	1,414
0 times	2,939	1,543	1,396
1-2 times	15	8	7
3-5 times	7	2	5
6-9 times	1	1	
10 or more times	6		6

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

Summary variable: Illicit drug use in the past 30 days?

(includes marijuana, inhalants, prescription drugs, stimulants, cocaine, heroin, ecstasy and/or LSD)

	Total	Female	Male
Total	100.0	100.0	100.0
0 times	84.3	84.6	84.0
1 or more times	15.7	15.4	16.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

Summary variable: Illicit drug use in the past 30 days?

(includes marijuana, inhalants, prescription drugs, stimulants, cocaine, heroin, ecstasy and/or LSD)

	Total	Female	Male
Total	2,925	1,533	1,392
0 times	2,473	1,294	1,179
1 or more times	452	239	213

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

112c-g. (Summary variable): Illicit drug use in the past 30 days? (includes only stimulants, cocaine, heroin, ecstasy and/or LSD)

	Total	Female	Male
Total	100.0	100.0	100.0
0 occasions	97.6	97.7	97.5
1 or more occasions	2.4	2.3	2.5

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary
112c-g. (Summary variable): Illicit drug use in the past 30 days? (includes only stimulants, cocaine, heroin, ecstasy and/or LSD)

	Total	Female	Male
Total	2,929	1,534	1,395
0 occasions	2,855	1,495	1,360
1 or more occasions	74	39	35

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

113. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy think it would be for you to get some?

	Total	Female	Male
Total	100.0	100.0	100.0
Very easy	4.9	5.2	4.7
Sort of easy	9.2	9.1	9.2
Sort of hard	15.0	15.6	14.4
Very hard	71.0	70.1	71.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

113. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy think it would be for you to get some?

	Total	Female	Male
Total	2,795	1,472	1,323
Very easy	151	80	71
Sort of easy	250	126	124
Sort of hard	401	223	178
Very hard	1,993	1,043	950

Unweighted counts exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

114.a. How much do think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day?

	Total	Female	Male
Total	100.0	100.0	100.0
No Risk	5.7	4.5	6.9
Slight Risk	10.1	10.6	9.6
Moderate Risk	28.2	26.8	29.7
Great Risk	56.0	58.1	53.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

114.a. How much do think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day?

	Total	Female	Male
Total	2,957	1,546	1,411
No Risk	164	65	99
Slight Risk	280	149	131
Moderate Risk	846	421	425
Great Risk	1,667	911	756

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

114.b. How much do think people risk harming themselves (physically or in other ways) if they use chewing tobacco, snuff, or dip every day?

	Total	Female	Male
Total	100.0	100.0	100.0
No Risk	5.7	4.3	7.1
Slight Risk	13.4	11.2	15.7
Moderate Risk	31.5	32.2	30.8
Great Risk	49.4	52.3	46.4

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

114.b. How much do think people risk harming themselves (physically or in other ways) if they use chewing tobacco, snuff, or dip every day?

	Total	Female	Male
Total	2,932	1,537	1,395
No Risk	159	60	99
Slight Risk	338	148	190
Moderate Risk	923	477	446
Great Risk	1,512	852	660

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

114.c. How much do think people risk harming themselves (physically or in other ways) if they try marijuana once or twice?

	Total	Female	Male
Total	100.0	100.0	100.0
No Risk	17.3	15.0	19.7
Slight Risk	29.0	30.6	27.4
Moderate Risk	25.5	26.7	24.3
Great Risk	28.2	27.7	28.6

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

114.c. How much do think people risk harming themselves (physically or in other ways) if they try marijuana once or twice?

	Total	Female	Male
Total	2,917	1,522	1,395
No Risk	466	215	251
Slight Risk	875	463	412
Moderate Risk	710	388	322
Great Risk	866	456	410

Unweighted counts exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

**114.d. How much do think people risk harming
themselves (physically or in other ways) if they
smoke marijuana regularly?**

	Total	Female	Male
Total	100.0	100.0	100.0
No Risk	7.3	6.0	8.7
Slight Risk	8.5	9.1	8.0
Moderate Risk	19.5	17.9	21.1
Great Risk	64.6	67.0	62.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

**114.d. How much do think people risk harming
themselves (physically or in other ways) if they
smoke marijuana regularly?**

	Total	Female	Male
Total	2,833	1,476	1,357
No Risk	202	89	113
Slight Risk	231	126	105
Moderate Risk	548	257	291
Great Risk	1,852	1,004	848

Unweighted counts exclude missing and/or refused answers.

Oregon Healthy Teens 2006, 8th Grade State Summary

**114.e. How much do think people risk harming
themselves (physically or in other ways) if they take
one or two drinks of an alcoholic beverage (beer,
wine, or hard liquor) nearly every day?**

	Total	Female	Male
Total	100.0	100.0	100.0
No Risk	12.5	11.0	14.0
Slight Risk	25.7	24.4	26.9
Moderate Risk	32.7	34.4	30.9
Great Risk	29.1	30.1	28.2

Weighted percentages exclude missing and/or refused answers.

Other Drug Use

Oregon Healthy Teens 2006, 8th Grade State Summary

114.e. How much do think people risk harming themselves (physically or in other ways) if they take one or two drinks of an alcoholic beverage (beer, wine, or hard liquor) nearly every day?

	Total	Female	Male
Total	2,938	1,539	1,399
No Risk	362	171	191
Slight Risk	736	364	372
Moderate Risk	932	510	422
Great Risk	908	494	414

Unweighted counts exclude missing and/or refused answers.