

Oregon Student Wellness Survey

Oregon Statewide Report

2010

Oregon Department of Human Services Addictions and Mental Health Division

Conducted by International Survey Associates dba Pride Surveys

.

Contents

| 1 | INTRODUCTION91.1Participants by Gender101.2Race and Ethnicity101.3Language Used at Home10 |
|---|---|
| 2 | SCHOOL CLIMATE112.1Supportive Atmosphere112.2Attachment to School132.3Opportunities for Participation152.4Safe Environment17 |
| 3 | POSITIVE YOUTH DEVELOPMENT233.1PYD Benchmark233.2General Health233.3Competence, Confidence, Support and Service23 |
| 4 | MENTAL AND EMOTIONAL HEALTH264.1Psychological Distress264.2Depression and Suicide Ideation26 |
| 5 | PROBLEM GAMBLING295.1Types of Gambling295.2Risk of Problem Gambling305.3Communication about the Risks of Gambling30 |
| 6 | SUBSTANCE USE366.1Abstinence from Substance Use366.2Substance Use in the Past 30 Days376.3Average Age of First Use416.4Factors Associated with Initiation of Substance Use456.5Availability456.6Parental Attitude toward Substance Use456.7Student Attitude toward Substance Use466.8Perceived Risk of Harm466.9Communication about Substance Use47 |
| 7 | DRUG FREE COMMUNITIES CORE MEASURES487.130 Day Use487.2Perception of Moderate or Great Risk497.3Parents Feel It Would Be Wrong or Very Wrong497.4Average Age (in years) of Onset49 |
| 8 | RISK AND PROTECTIVE FACTORS508.1 Community Factors51 |

| 8.2 | Family | ^v Factors | | | | | 51 |
|-----|----------------|---|---|-----|-----|-----|----------|
| 8.3 | School | Factors | | | | | 51 |
| 8.4 | Peer / | Individual Factors | | | | | 51 |
| | | | | | | | |
| | | CY DISTRIBUTION TABLES | | | | | 58 |
| A.1 | | ency Distribution Tables | | | | | 58 |
| | A.1.1 | Demographics | | | | | 58 |
| | A.1.2 | Transitions and Mobility | | | | | 59 |
| A.2 | | Climate | | | | | 60 |
| | A.2.1 | Academic Performance | | | | | 60 |
| | A.2.2 | School Commitment | | | | | 61 |
| | A.2.3 | Opportunities for Prosocial Involvement in School | | | | | 62 |
| | A.2.4 | Rewards for Prosocial Involvement in School | | | | | 63 |
| | A.2.5 | Supportive Atmosphere in School | | | | | 64 |
| | A.2.6 | Safe School Environment | | | | | 65 |
| | A.2.7 | Harassment and Bullying | | | | | 67 |
| A.3 | Social, | Emotional and Mental Health | | | | | 68 |
| | A.3.1 | Positive Youth Development | | | | | 68 |
| | A.3.2 | Mental Health Inventory | | | | | 70 |
| | A.3.3 | Depression and Suicidality | | | | | 71 |
| | A.3.4 | Problem Gambling | | | | | 72 |
| A.4 | Substa | Ince Use | | | | | 75 |
| | A.4.1 | Tobacco Use | | | | | 75 |
| | A.4.2 | Alcohol Use | | | | | 76 |
| | A.4.3 | Alcohol-related Risk Behaviors and Consequences | | | | | 79 |
| | A.4.4 | Marijuana Use | | | | | 80 |
| | A.4.5 | Other Drug Use | | | | | 81 |
| | A.4.6 | Lifetime Drug Use | | | | | 84 |
| | A.4.7 | Perceived Availability of Drugs | | | | | 86 |
| | A.4.8 | Perceived Risk of Harm from Substance Use | | | | | 87 |
| | A.4.9 | Communication about Substance Use | | | | | 88 |
| A.5 | | cial Behavior | | | | | 89 |
| | A.5.1 | Antisocial Behavior | | | | | 89 |
| A.6 | | ing and Parental Attitudes | | | | | 91 |
| | A.6.1 | · · · · | | | | | 91 |
| | | Parental Attitudes towards Substance Use | | | | | 93 |
| | A.6.3 | | | | | | 93 |
| A.7 | | ce of Friendships | | | | | 94 |
| A.1 | A.7.1 | Friends' Drug Use | • | • • | • • | ••• | 94 |
| | A.7.1 | Friends' Delinquent Behaviors | | | | | 94 95 |
| | A.7.2 | Rewards for Antisocial Involvement | | | | | 95 97 |
| | A.7.5 A.7.4 | Attitudes towards Student Substance Use | | | | | 97 98 |
| A.8 | | unity Laws and Norms | | | | | 98 99 |
| A.0 | A.8.1 | Norms about Kids' Drug Use | | | | | 99 99 |
| | A.8.1 A.8.2 | Community Law Enforcement | • | • • | • • | • • | 99 99 |
| | H.0.2 | | | | | | 99 |

Α

| A.9 | Risk a | nd Protective Factors |
|-----|--------|-----------------------------|
| | A.9.1 | Risk and Protective Factors |
| | | |

B SWS QUESTIONNAIRES

List of Tables

| 1 | Particpants by Gender |
|----|--|
| 2 | Race and Ethnicity 10 |
| 3 | Hispanic/Latino? |
| 4 | Language Used at Home 10 |
| 5 | Supportive Atmosphere |
| 6 | Attachment to School |
| 7 | Opportunities for Participation |
| 8 | Safe Environment |
| 9 | Harassment |
| 10 | Serious Problem Behaviors |
| 11 | PYD Benchmark |
| 12 | General Health |
| 13 | Competence, Confidence, Support and Service |
| 14 | Psychological Distress |
| 15 | MHI-5 Questions |
| 16 | Depression and Suicide Ideation |
| 17 | Types of Gambling |
| 18 | Gambling Amounts |
| 19 | Signs of Problem Gambling |
| 20 | Communication About the Risks of Gambling |
| 21 | Abstinence from Substance Use |
| 22 | Substance Use in the Past 30 Days |
| 23 | Average Age of First Use |
| 24 | Availability |
| 25 | Parental Attitude toward Substance Use |
| 26 | Student Attitude toward Substance Use |
| 27 | Perceived Risk of Harm |
| 28 | Communication about Substance Use |
| 29 | 30 Day Use |
| 30 | Perception of Moderate or Great Risk |
| 31 | Parents Feel It Would Be Wrong or Very Wrong |
| 32 | Average Age (in years) of Onset 49 |
| 33 | Community Factors |
| 34 | Family Factors |
| 35 | School Factors |
| 36 | Peer / Individual Factors |
| 37 | How old are you? |
| 38 | What is your sex? |
| | |

| 39 | In what grade are you? | |
|-----------|--|------|
| 40 | What is your race? | . 59 |
| 41 | | |
| 42 | What is the language you use most often at home? | |
| 43 | Have you changed homes in the past year? | . 59 |
| 44 | Have you changed schools (including changing from elementary to | F.0 |
| 45 | middle or middle to high school) in the past year? | |
| 45 | How many times have you changed homes since kindergarten? | . 59 |
| 46 | How many times have you changed schools (including changing from elementary to middle or middle to high school) since kindergarten? | . 60 |
| 47 | Are your school grades better than the grades of most students in your class? | . 60 |
| 48 | Putting them all together, what were your grades like last year? | |
| 49 | During the LAST FOUR WEEKS how many whole days have you | |
| 50 | missed because you skipped or "cut"? | . 61 |
| 50 | How important do you think the things you are learning in school are going to be for your later life? | 61 |
| F1 | How interesting are most of your courses to you? | |
| 51 | | . 61 |
| 52 | How often do you feel that the school work you are assigned is meaningful and important? | . 61 |
| 53 | Now, thinking back over the past year in school, how often did you | . 01 |
| 55 | enjoy being in school? | . 62 |
| 54 | Now, thinking back over the past year in school, how often did you | |
| ••• | hate being in school? | . 62 |
| 55 | Now, thinking back over the past year in school, how often did you | |
| | try to do your best work in school? | . 62 |
| 56 | I have lots of chances to be part of class discussions or activities | |
| 57 | In my school, students have lots of chances to help decide things | |
| | like class activities and rules. | 63 |
| 58 | Teachers ask me to work on special classroom projects | |
| 59 | There are lots of chances for students in my school to get involved | |
| | in sports, clubs, and other school activities outside of class | . 63 |
| 60 | My teacher(s) notices when I am doing a good job and lets me know | |
| | about it | . 63 |
| 61 | My teachers praise me when I work hard in school. | . 64 |
| 62 | The school lets my parents know when I have done something well. | 64 |
| 63 | In my school, teachers treat students with respect. | . 64 |
| 64 | I can talk to teachers openly and freely about my concerns. | . 64 |
| 65 | There are lots of chances for students in my school to talk with a | |
| | teacher. | . 65 |
| 66 | Most students at my school help each other when they are hurt or | |
| | upset | . 65 |
| 67 | Students are picked on by other students for working hard at our | |
| | school. | 65 |
| 68 | I feel safe at my school. | . 65 |

103

| 69 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | 66 |
|----|---|----|
| 70 | During the past 12 months, how many times were you in a physical fight on school property? | 66 |
| 71 | How many times in the past year (12 months) have you been drunk or high at school? | 66 |
| 72 | How many times in the past year (12 months) have you been suspended from school? | 66 |
| 73 | How many times in the past year (12 months) have you taken a handgun to school? | 67 |
| 74 | Harassment about your race or ethnic origin. | 67 |
| 75 | Unwanted sexual comments or attention. | 67 |
| 76 | Harassment because someone thought you were gay, lesbian, bisex- | |
| 77 | ual or transgender | 67 |
| | acteristics. | 68 |
| 78 | Harassment about your group of friends. | 68 |
| 79 | Harassment for other reasons | 68 |
| 80 | Positive Youth Development | 68 |
| 81 | Would you say that in general your physical health is | 68 |
| 82 | Would you say that in general your emotional and mental health is | 69 |
| 83 | I can do most things if I try. | 69 |
| 84 | I can work out my problems. | 69 |
| 85 | I volunteer to help others in my community. | 69 |
| 86 | There is at least one teacher or other adult in my school that really cares about me. | 69 |
| 87 | Mental Health Inventory 5 | 70 |
| 88 | During the past 30 days, how much of the time have you been a | 70 |
| 89 | happy person? | 10 |
| | and peaceful? | 70 |
| 90 | During the past 30 days, how much of the time have you been a | |
| | very nervous person? | 70 |
| 91 | During the past 30 days, how much of the time have you felt down- hearted and blue? | 71 |
| 92 | During the past 30 days, how much of the time have you felt so down in the dumps that nothing could cheer you up? | 71 |
| 93 | During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped | |
| 04 | doing some usual activities? | 71 |
| 94 | During the past 12 months did you ever seriously consider attempt- ing suicide? | 71 |
| 95 | During the past 12 months how many times did you actually attempt | |
| | suicide? | 72 |

| 96 Please mark ALL the different types of gambling that you have bet on, if any, during the last 30 days: | | | |
|--|-----|---|----|
| 97 During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money? 73 98 During the last 12 months, have you ever felt that you would like to stop betting money but didn't think you could? 73 99 In total, how much money have you bet in any form (lottery, card games, bingo, internet, sports, with friends) in the past three months? 73 100 Have you ever lied to anyone about betting/gambling? 73 101 Have you ever bet/gambled more than you wanted to? 74 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you first used tobacco products other than cigarettes were used 76 107 How old were you when you first used tobacco products other than cigarettes were used 76 109 How old were you when you first used tobacco products other than cigarettes were used 76 109 </td <td>96</td> <td>Please mark ALL the different types of gambling that you have bet on, if any, during the last 30 days:</td> <td>72</td> | 96 | Please mark ALL the different types of gambling that you have bet on, if any, during the last 30 days: | 72 |
| 98 During the last 12 months, have you ever felt that you would like to stop betting money but didn't think you could? 73 99 In total, how much money have you bet in any form (lottery, card games, bingo, internet, sports, with friends) in the past three months? 73 100 Have you ever lied to anyone about betting/gambling? 73 101 Have you ever bet/gambled more than you wanted to? 74 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you use other tobacco products? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 109 How old were you when you hay your first used tobacco or nore drinks of alcohol? 76 110 Average age the first time tobacco products other than cigarettes were used 76 < | 97 | During the last 12 months, have you ever felt bad about the amount | |
| 99 In total, how much money have you bet in any form (lottery, card games, bingo, internet, sports, with friends) in the past three months? 73 100 Have you ever lied to anyone about betting/gambling? 73 101 Have your parents ever talked to you about the risks of betting/gambling? 74 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 107 Average age the first time tobacco products other than cigarettes were used 76 110 Average age the first ime tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 113 How old were you when you first began drinking alcoholi other than a few sips? 77 < | 98 | | 15 |
| games, bingo, internet, sports, with friends) in the past three months? 73 100 Have you ever lied to anyone about betting/gambling? 73 101 Have you ever bet/gambled more than you wanted to? 74 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 110 During the past 30 days, on how many days did you have 3 or more drink of alcohol? 76 111 During the past 30 days, on how many days did you have 5 or more drink of alcohol? 77 < | 00 | | 73 |
| 101 Have you ever bet/gambled more than you wanted to? 74 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 111 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? | 99 | | 73 |
| 102 Have your parents ever talked to you about the risks of betting/gambling? 74 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have at least one drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 <td>100</td> <td>Have you ever lied to anyone about betting/gambling?</td> <td>73</td> | 100 | Have you ever lied to anyone about betting/gambling? | 73 |
| ting/gambling?74103Have your teachers ever talked to you about the risks of bet- ting/gambling?74104During the past 30 days, on how many days did you smoke cigarettes?75105During the past 30 days, on how many days did you use other tobacco products?75106Used cigarettes or other tobacco products in the past 30 days75107How old were you when you smoked a whole cigarette for the first time?75108Average age the first time a whole cigarette was smoked75109How old were you when you first used tobacco products other than | 101 | Have you ever bet/gambled more than you wanted to? | 74 |
| 103 Have your teachers ever talked to you about the risks of betting/gambling? 74 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you first began drinking alcoholic beverages regularly (at least once or twice a month? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly (at least once or twice a month? 77 | 102 | | |
| ting/gambling?74104During the past 30 days, on how many days did you smoke cigarettes?75105During the past 30 days, on how many days did you use other tobacco products?75106Used cigarettes or other tobacco products in the past 30 days75107How old were you when you smoked a whole cigarette for the first time?75108Average age the first time a whole cigarette was smoked75109How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe?76110Average age the first time tobacco products other than cigarettes age the first time tobacco products other than cigarettes were used76111During the past 30 days, on how many days did you have at least one drink of alcohol?76112During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77117During the past 30 days, what type of alcohol did you usually drink? Select only one response.78119During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119During the past 30 days, how did you usually get the alcohol you drank? Select only one | | | 74 |
| 104 During the past 30 days, on how many days did you smoke cigarettes? 75 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you first began drinking alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly (at least once or twice a month? 77 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 <td>103</td> <td>Have your teachers ever talked to you about the risks of bet-</td> <td></td> | 103 | Have your teachers ever talked to you about the risks of bet- | |
| 105 During the past 30 days, on how many days did you use other tobacco products? 75 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 114 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month? 77 115 How old were you when you first began drinking alcoholic beverages regularly (at least once or twice a month? 77 115 Average age when first began drinking al | | | 74 |
| tobacco products?75106Used cigarettes or other tobacco products in the past 30 days75107How old were you when you smoked a whole cigarette for the first75108Average age the first time a whole cigarette was smoked75109How old were you when you first used tobacco products other than75109How old were you when you first used tobacco, and smoking tobacco76100Average age the first time tobacco products other than76110Average age the first time tobacco products other than cigarettes76111During the past 30 days, on how many days did you have at least76112During the past 30 days, on how many days did you have 5 or more76113How old were you when you had your first drink of alcohol other77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages77116Average age when first began drinking alcoholic beverages78117During the past 30 days, what type of alcohol did you usually drink?78118During the past 30 days, how did you usually get the alcohol you78119During the past 30 days, how many times did you ride in a vehicle78 | 104 | | 75 |
| 106 Used cigarettes or other tobacco products in the past 30 days 75 107 How old were you when you smoked a whole cigarette for the first time? 75 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you had your first drink of alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 115 How old were spon se. 78 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 115 Average age when first began drinking alcoholic di you wally drink? 78 117 Duri | 105 | | |
| 107 How old were you when you smoked a whole cigarette for the first time? | | | 75 |
| time?75108Average age the first time a whole cigarette was smoked75109How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe?76110Average age the first time tobacco products other than cigarettes were used76111During the past 30 days, on how many days did you have at least one drink of alcohol?76112During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78118During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79 | 106 | | 75 |
| 108 Average age the first time a whole cigarette was smoked 75 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you had your first drink of alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 117 During the past 30 days, how did you usually get the alcohol you drank? Select only one response. 78 118 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? 79 120 During the past 30 days, how many times did you ride in a vehicle 79 131 Dur | 107 | | |
| 109 How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 76 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you had your first drink of alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 117 During the past 30 days, how did you usually get the alcohol you drank? Select only one response. 78 119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? 79 120 During the past 30 days, how many times did you ride in a vehicle | | | |
| cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe?76110Average age the first time tobacco products other than cigarettes were used76111During the past 30 days, on how many days did you have at least one drink of alcohol?76112During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78118During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | | | 75 |
| from a pipe?76110Average age the first time tobacco products other than cigarettes were used76111During the past 30 days, on how many days did you have at least one drink of alcohol?76112During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, how did you usually drink? Select only one response.78118During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | 109 | | |
| 110 Average age the first time tobacco products other than cigarettes were used 76 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you had your first drink of alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 117 During the past 30 days, what type of alcohol did you usually drink? Select only one response. 78 118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response. 78 119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? 79 120 During the past 30 days, how many times did you ride in a vehicle 79 | | | |
| were used76111During the past 30 days, on how many days did you have at least one drink of alcohol?76112During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | | | 76 |
| 111 During the past 30 days, on how many days did you have at least one drink of alcohol? 76 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 76 113 How old were you when you had your first drink of alcohol other than a few sips? 77 114 Average age of first alcohol use (more than a sip or two) 77 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? 77 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) 77 117 During the past 30 days, what type of alcohol did you usually drink? Select only one response. 78 118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response. 78 119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? 79 120 During the past 30 days, how many times did you ride in a vehicle 79 | 110 | | |
| one drink of alcohol?76112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?76113 How old were you when you had your first drink of alcohol other than a few sips?77114 Average age of first alcohol use (more than a sip or two)77115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117 During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120 During the past 30 days, how many times did you ride in a vehicle79 | | | 76 |
| 112 During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | 111 | | 76 |
| drinks of alcohol in a row, that is, within a couple of hours?76113 How old were you when you had your first drink of alcohol other than a few sips?77114 Average age of first alcohol use (more than a sip or two)77115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117 During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120 During the past 30 days, how many times did you ride in a vehicle79 | 110 | | 70 |
| 113How old were you when you had your first drink of alcohol other than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | 112 | | 76 |
| than a few sips?77114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | 112 | | 70 |
| 114Average age of first alcohol use (more than a sip or two)77115How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?77116Average age when first began drinking alcoholic beverages regularly (at least once or twice a month)77117During the past 30 days, what type of alcohol did you usually drink? Select only one response.78118During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle79 | 115 | | 77 |
| 115 How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month? | 114 | | |
| regularly, that is, at least once or twice a month? | | | |
| 116 Average age when first began drinking alcoholic beverages regularly (at least once or twice a month) | 115 | | 77 |
| (at least once or twice a month) | 116 | | |
| 117 During the past 30 days, what type of alcohol did you usually drink? Select only one response. 118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response. 119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? 120 During the past 30 days, how many times did you ride in a vehicle | 110 | | 77 |
| Select only one response.78118During the past 30 days, how did you usually get the alcohol you drank? Select only one response.78119During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?79120During the past 30 days, how many times did you ride in a vehicle | 117 | | •• |
| 118 During the past 30 days, how did you usually get the alcohol you drank? Select only one response | | | 78 |
| drank? Select only one response | 118 | | |
| 119 During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol? | | | 78 |
| driven by a parent or other adult who had been drinking alcohol? 79 120 During the past 30 days, how many times did you ride in a vehicle | 119 | | |
| 120 During the past 30 days, how many times did you ride in a vehicle | | | 79 |
| | 120 | | |
| | | | 79 |

| 121 | During the past 30 days, how many times did you drive a car or | |
|-----|--|----|
| 122 | other vehicle when you had been drinking alcohol? | 79 |
| | Please mark all that apply. | 80 |
| 123 | During the past 30 days, on how many days did you use marijuana? | 80 |
| 124 | During the past 30 days, how many times did you use marijuana? | 80 |
| 125 | How old were you when you tried marijuana for the first time? | 81 |
| 126 | Average age of first marijuana use | 81 |
| 127 | During the past 30 days, on how many days did you sniff glue, breathe the contents of aerosol spray cans, or any paints or sprays | |
| | to get high? | 81 |
| 128 | During the past 30 days, on how many days did you use prescription | |
| | drugs (without a doctor's orders) to get high? | 81 |
| 129 | During the past 30 days, on how many days did you use any form | |
| | of cocaine, including powder, crack or freebase? | 82 |
| 130 | During the past 30 days, on how many days did you use ecstasy | |
| | (also called MDMA)? | 82 |
| 131 | During the past 30 days, on how many days did you use heroin or | 00 |
| 132 | other opiates or narcotics? | 82 |
| 152 | other hallucinogens or psychedelics? | 82 |
| 133 | During the past 30 days, on how many days did you use metham- | 02 |
| 100 | phetamines (also called speed, crystal, crank or ice)? | 83 |
| 134 | Used any drugs in past 30 days (includes any use of marijuana, | |
| | inhalants, prescription drugs, cocaine, ecstasy, heroin, hallucinogens | |
| | or methamphetamines) | 83 |
| 135 | Used illicit drugs in past 30 days (includes any use of marijuana, | |
| | cocaine, ecstasy, heroin, hallucinogens or methamphetamines) | 83 |
| 136 | Used illicit drugs other than marijauna (includes any use of cocaine, | |
| | ecstasy, heroin, hallucinogens or methamphetamines) | 83 |
| 137 | During your life, how many times have you sniffed glue, breathed | |
| | the contents of aerosol spray cans, or inhaled any paints or sprays | 04 |
| 120 | to get high? | 84 |
| 138 | shots without a doctor's prescription? | 84 |
| 139 | During your life, how many times have you used any form of cocaine, | 04 |
| 100 | including powder, crack, or freebase? | 84 |
| 140 | During your life, how many times have you used ecstasy (also called | - |
| | MDMA)? | 84 |
| 141 | During your life, how many times have you used heroin (also called | |
| | smack, junk, or China White)? | 85 |
| 142 | During your life, how many times have you used methamphetamines | |
| | (also called speed, crystal, crank, or ice)? | 85 |
| 143 | During your life, how many times have you used a needle to inject | 05 |
| | any illegal drug into your body? | 85 |

| 144 | Lifetime drug use (includes any use of marijuana, inhalants, cocaine, ecstasy, heroin, or methamphetamines) | 85 |
|-----|---|----------|
| 145 | Lifetime illicit drug use (includes any use of marijuana, cocaine, | 00 |
| | ecstasy, heroin, or methamphetamines) | 85 |
| 146 | Lifetime use of illicit drugs other than marijuana (includes any use | °6 |
| 147 | of cocaine, ecstasy, heroin, or methamphetamines) | 86 |
| | to get some? | 86 |
| 148 | If you wanted to get some beer, wine or hard liquor (for example, | |
| 149 | vodka, whiskey, or gin), how easy would it be for you to get some? If you wanted to get some marijuana, how easy would it be for you | 86 |
| 149 | to get some? | 86 |
| 150 | If you wanted to get a drug like cocaine, LSD, or amphetamines, | |
| | how easy would it be for you to get some? | 87 |
| 151 | How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per | |
| | day? | 87 |
| 152 | How much do you think people risk harming themselves (physically | |
| | or in other ways) if they take one or two drinks of an alcoholic | 07 |
| 153 | beverage (beer, wine, or liquor) nearly every day? | 87 |
| 155 | or in other ways) when they have five or more drinks of an alcoholic | |
| | beverage once or twice a week? | 87 |
| 154 | How much do you think people risk harming themselves (physically | 00 |
| 155 | or in other ways) if they try marijuana once or twice? | 88 |
| 100 | or in other ways) if they smoke marijuana once or twice a week? | 88 |
| 156 | During the past 12 months have you talked with at least one of your | |
| 157 | parents about the dangers of tobacco, alcohol, or drug use? During the past 12 months have you had a special class about drugs | 88 |
| 157 | or alcohol in school? | 88 |
| 158 | During the past 12 months do you recall hearing, reading, or watch- | |
| 150 | ing an advertisement about prevention of substance abuse? | 89 |
| 159 | Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? | 89 |
| 160 | During the past 12 months how many times were you in a physical | 09 |
| | fight on school property? | 89 |
| 161 | How many times in the past year (12 months) have you attacked | 00 |
| 162 | someone with the idea of seriously hurting them? | 90 90 |
| 163 | How many times in the past year (12 months) have you been unested. How many times in the past year (12 months) have you carried a | |
| | handgun? | 90 |
| 164 | How many times in the past year (12 months) have you sold illegal drugs? | 90 |
| | uiugo: | 90 |

| 165 | How many times in the past year (12 months) have you stolen or tried to steal a motor vehicle such as a car or motorcycle? | 91 |
|------------|---|-----|
| 166 | If you carried a handgun without your parents' permission, would | |
| 167 | you be caught by your parents? | 91 |
| | caught by your parents? | 91 |
| 168 | If you skipped school would you be caught by your parents? | 92 |
| 169 | My family has clear rules about alcohol and drug use | 92 |
| 170 | My parents ask if I've gotten my homework done. | 92 |
| 171 | The rules in my family are clear. | 92 |
| 172 | When I am not at home, one of my parents knows where I am and | |
| | who I am with. | 92 |
| 173 174 | Would your parents know if you did not come home on time? How wrong do your parents feel it would be for you to smoke | 92 |
| | cigarettes? | 93 |
| 175 | How wrong do your parents feel it would be for you to drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly | |
| | (at least once or twice a month)? | 93 |
| 176 | How wrong do your parents feel it would be for you to smoke mari- | |
| | juana? | 93 |
| 177 | How wrong do your parents feel it would be for you to draw graf- | |
| | fiti, or write things or draw pictures on buildings or other property | |
| | (without the owner's permission)? | 93 |
| 178 | How wrong do your parents feel it would be for you to pick a fight | ~ 4 |
| 170 | with someone? | 94 |
| 179 | How wrong do your parents feel it would be for you to steal some- thing worth more than \$5? | 94 |
| 180 | In the past year (12 months), how many of your best friends have | 51 |
| | smoked cigarettes? | 94 |
| 181 | In the past year (12 months), how many of your best friends have | |
| | tried beer, wine or hard liquor (for example, vodka, whiskey or gin) | |
| | when their parents didn't know about it? | 94 |
| 182 | In the past year (12 months), how many of your best friends have | 0.5 |
| 100 | used marijuana? | 95 |
| 183 | In the past year (12 months), how many of your best friends have used LSD, cocaine, amphetamines, or other illegal drugs? | 95 |
| 184 | | 90 |
| 104 | been arrested? | 95 |
| 185 | In the past year (12 months), how many of your best friends have | |
| - | been suspended from school? | 95 |
| 186 | In the past year (12 months), how many of your best friends have | |
| | carried a handgun? | 96 |
| 187 | In the past year (12 months), how many of your best friends have | |
| | dropped out of school? | 96 |

| 188 | In the past year (12 months), how many of your best friends have sold illegal drugs? |
|------------|--|
| 189 | In the past year (12 months), how many of your best friends have stolen or tried to steal a motor vehicle such as a car or motorcycle? |
| 190 | What are the chances you would be seen as cool if you began drink- ing alcoholic beverages regularly, that is, at least once or twice a month? |
| 191 | What are the chances you would be seen as cool if you smoked marijuana? |
| 192 | What are the chances you would be seen as cool if you carried a handgun? |
| 193 | What are the chances you would be seen as cool if you smoked cigarettes? |
| 194 | How wrong do you think it is for someone your age to smoke one or more packs of cigarettes a day? |
| 195 | How wrong do you think it is for someone your age to have one or two drinks of an alcoholic beverage nearly every day? |
| 196 | How wrong do you think it is for someone your age to try marijuana once or twice? |
| 197 | How wrong do you think it is for someone your age to use marijuana once a month or more? |
| 198 199 | How wrong would most adults (over 21) in your neighborhood think it is for kids your age to drink alcohol? |
| 200 | it is for kids your age to smoke cigarettes? |
| 200 | it is for kids your age to use marijuana? |
| 201 | whiskey, or gin) in your neighborhood would he or she be caught by the police? |
| 202 | If a kid smoked marijuana in your neighborhood would he or she be caught by the police? |
| 203 | Transitions and mobility (risk) |
| 204 | Laws and norms favorable to drug use (risk) |
| 205 | Perceived availability of drugs (risk) |
| 206 | Poor family management (risk) |
| 207 | Parental attitudes toward substance use (risk) |
| 208 | Parental attitudes toward antisocial behavior (risk) |
| 209 | Academic failure (risk) |
| 210 | Low commitment to school (risk) |
| 211 | School opportunities for prosocial involvement (protective) 10 |
| 212 | School rewards for prosocial involvment (protective) |
| | Perceived risks of substance use (risk) |
| 213 | |
| 213 214 | Friends' use of drugs (risk) 10 Friends' delinquent behavior (risk) 10 |

| 216 217 | Peer rewards for antisocial behavior (risk) |
|------------|--|
| List o | of Figures |
| 1 | Supportive Atmosphere |
| 2 | Attachment to School |
| 3 | Opportunities for Participation |
| 4 | Harassment - Grade 6 |
| 5 | Harassment - Grade 8 |
| 6 | Harassment - Grade 11 |
| 7 | Serious Problem Behaviors |
| 8 | Positive Youth Development - Grade 8 |
| 9 | Positive Youth Development - Grade 11 |
| 10 | Psychological Distress, Depression and Suicide |
| 11 | Gambling - Grade 6 |
| 12 | Gambling - Grade 8 |
| 13 | Gambling - Grade 11 |
| 14 | Amount of Money Bet 34 |
| 15 | Signs of Problem Gambling |
| 16 | Alcohol, Tobacco and Other Drug Use - Grade 6 |
| 17 | Alcohol, Tobacco and Other Drug Use - Grade 8 |
| 18 | Alcohol, Tobacco and Other Drug Use - Grade 11 |
| 19 | Age of First Use - Grade 6 |
| 20 | Age of First Use - Grade 8 |
| 21 | Age of First Use - Grade 11 |
| 22 | Risk Factors - Grade 6 |
| 23 | Risk Factors - Grade 8 |
| 24 | Risk Factors - Grade 11 |
| 25 | Protective Factors - Grade 6 |
| 26 | Protective Factors - Grade 8 |
| 27 | Protective Factors - Grade 11 |

1 INTRODUCTION

This is a report of key findings from the *Oregon Student Wellness Survey*, a survey of 6th, 8th and 11th grade youth, conducted in the spring of 2010. The *Oregon Student Wellness Survey* is an anonymous and voluntary survey sponsored by the Oregon Department of Human Services (DHS) in collaboration with the Oregon Department of Education. DHS contracted with International Survey Associates to recruit schools, administer the survey and report survey results. The survey was available free of charge to all Oregon schools that chose to participate including public, charter and private. Schools that agreed to participate in the *Oregon Student Wellness Survey* were given the option of administering the survey either online over the Internet or by paper and pencil with the schools determining which method would be best for their particular circumstances.

The Oregon Student Wellness Survey was designed to assess a wide range of topics that included school climate, positive youth development, mental health, substance use, problem gambling, fighting and other problem behaviors. In addition the survey collected information about risk and protective factors associated with these behaviors.

Student Wellness Survey results are used by schools, state and local agencies, organizations and communities to assess and monitor the health and well being of Oregon youth and the environments in which they live. Student Wellness Survey data can serve as a valuable tool for program planning, implementation, and evaluation. The data are essential information for communications with legislators and the public, and communities and local agencies will find the data improves their ability to procure funding by providing the baseline data needed for grant writing. In these ways, schools, communities and policy makers will find themselves poised to make effective decisions about health related policies, services, programs and educational activities.

The Oregon Student Wellness Survey was designed as a split survey. The 6th grade version of the survey consisted of a subset of the questions found on the 8th and 11th grade versions. In order to provide results that spanned all grade levels in a single report, the data for questions that did not appear on the 6th grade version appear in this report as missing.

The initial dataset for the *Student Wellness Survey* consisted of 59,712 surveys collected from 35 counties, 138 public school districts (plus one private school district and one state run school), and 458 schools. The filtering process removed records that had invalid grade values, reported ages that were out of sync with the reported grade levels, unrealistically high levels of use for illicit drugs or a lack of response to these questions and inconsistent responses to lifetime vs past 30 day use for illicit drugs. The final dataset consisted of 52,739 surveys (before

weighting). It is important to note that all of the tables and graphs in this report are based on *weighted* data. For weighted data, frequency counts for a particular variable are based on a rounded sum of the weights rather than on the distribution of values. This has the effect that frequency counts for each variable can vary slightly depending on the results of the rounding. For instance, the total n-size for the final weighted data set is 52,636. If you look at Table 1, the breakdown of sex by grade level, and sum across the TOTAL line, due to the rounding that occurs you will get a figure of 52,635. This is normal and to be excpected when dealing with weighted data.

This report is divided into topic specific sections. Each section provides a brief overview of the topic, followed by summary data tables that include results for all three grades. State data was weighted in a manner similar to the Oregon Healthy Teen Survey to allow for comparative results on questions that both surveys have in common. The primary weighting factor was based on enrollment numbers.

Your questions, concerns and comments are invited. For more information about the theory behind the content of the *Oregon Student Wellness Survey* or how to use survey results for prevention planning, contact:

Rick Cady rick.f.cady@state.or.us

503-945-5727 Prevention Manager Program and Policy Development Unit DHS Addictions and Mental Health Division 500 Summer St NE, E-86 Salem, OR 97301

For technical assistance please contact:

Geralyn Brennan geralyn.brennan@state.or.us 503-947-2319 Prevention Epidemiologist Program Analysis and Evaluation Unit DHS Addictions and Mental Health Division 500 Summer St NE, E-86 Salem, OR 97301

1.1 Participants by Gender

| Table 1: | Particpants | by | Gender |
|----------|-------------|----|--------|
|----------|-------------|----|--------|

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------|-------------------------|------------------|-------------------|
| Female | 8,778 | 9,756 | 7,784 |
| Male | 8,614 | 9,611 | 7,841 |
| NA* | 102 | 98 | 51 |
| TOTAL | 17,494 | 19,465 | 15,676 |
| | | | |

* NA - No Answer

1.2 Race and Ethnicity

Schools throughout Oregon vary considerably in the racial and ethnic composition of their students. The *Student Wellness Survey* asks one question about race and another about Hispanic or Latino ethnicity.

The table below shows the percentage of students that self-identified as...

Table 2: Race and Ethnicity

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------------------------------|------------------|------------------|-------------------|
| American Indian or Alaska Native | 6.6 | 4.6 | 3.1 |
| Asian | 4.8 | 4.6 | 7.3 |
| Black or African American | 4.5 | 4.8 | 4.7 |
| Native or Other Pacific Is- lander | 4.4 | 3.9 | 3.1 |
| White | 79.7 | 82.1 | 81.8 |

Percentages exclude missing answers.

The table below shows the student reponses to the question "Are you Hispnaic or Latino?"

Table 3: Hispanic/Latino?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----|------------------|------------------|-------------------|
| Yes | 23.3 | 21.1 | 17.6 |
| No | 76.7 | 78.9 | 82.4 |

Percentages exclude missing answers.

1.3 Language Used at Home

Students were asked what language they used most often at home.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| English | 85.4 | 87.9 | 87.5 |
| Spanish | 11.6 | 9.0 | 7.5 |
| Another language | 3.0 | 3.1 | 5.0 |

2 SCHOOL CLIMATE

School climate is an important issue to parents, administrators and the community. The environment within a school directly impacts students' academic, social, emotional and mental states. Respectful, supportive relationships among students, teachers and parents are fundamental. When students have opportunities to collaborate and share a sense of purpose and ideals, students, faculty and staff look forward to walking through the schoolhouse door. When students are attached to school and to prosocial teachers and peers, they are more likely to behave in prosocial ways themselves, and to avoid engaging in high-risk behaviors.

There is strong evidence that the learning environment influences student attachment to school. Classroom and school interventions that make the learning environment safer, more caring, better managed and highly participatory and that enhance students' social competence have been shown to increase student attachment to school. A comprehensive assessment of school climate involves input from students, faculty and staff on a wide range of topics. The data collected with the *Oregon Student Wellness Survey* deals exclusively with the student perception aspect of school climate. It provides an assessment of whether students feel they belong, are valued and physically and emotionally safe at school.


2.1 Supportive Atmosphere

In supportive atmospheres students feel more comfortable approaching and interacting with teachers and peers, thereby strengthening their relationships.

The table below reports the percentage of students that agree with the following statements.

Table 5: Supportive Atmosphere

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| My teacher(s) notices when I am doing a good job and lets me know about it. | 79.1 | 70.7 | 67.8 |
| The school lets my par- ents know when I have done something well. | 50.9 | 39.1 | 32.6 |
| I can talk to teachers openly and freely about my concerns. | 68.8 | 51.8 | 57.6 |
| In my school, teachers treat students with respect. | 0.0 | 75.2 | 75.8 |
| Most students at my school help each other when they are hurt or upset. | 0.0 | 68.9 | 67.1 |
| Students are picked on by other students for working hard at our school. | 0.0 | 35.9 | 28.1 |



Supportive Atmosphere Oregon Statewide Report

Figure 1: Supportive Atmosphere


2.2 Attachment to School

Students who feel their courses are interesting, assignments are important, and what they are learning in school will be valuable to them later in life, are better prepared to make successful transitions after graduation. Young people who do not feel a part of society, are not bound by rules, don't believe in trying to be successful or responsible are at high risk of academic failure and developing mental, emotional or behavioral disorders.

The table below reports the percentage of students that reported "often" or "almost always." for the first three questions, "very interesting" or "quite interesting" for the fouth question and "very important" or "quite important" for the fifth question.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Enjoyed being in school over the past year | 59.5 | 47.7 | 39.8 |
| Hated being in school over the past year | 21.2 | 29.4 | 33.9 |
| Feel that assigned school work is meaningful and important | 62.8 | 41.4 | 28.4 |
| Feel most courses are in- teresting | 57.8 | 38.1 | 38.1 |
| Think the things you are learning in school are go- ing to be important for your later life. | 85.2 | 70.3 | 57.1 |

Table 6: Attachment to School



Attachment to School Oregon Statewide Report

Figure 2: Attachment to School


2.3 Opportunities for Participation

When young people are given many opportunities to participate meaningfully in school activities that are important to them, they are less likely to engage in problem behaviors. When opportunities are available for positive participation outside of class, children are less likely to engage in substance use, and other problem behaviors.

The table below shows the percentage of students that agree with the following statements about their school.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| I have lots of chances to be part of class discussions or activities. | 85.9 | 84.0 | 86.4 |
| Teachers ask me to work on special classroom projects. | 54.2 | 43.5 | 40.0 |
| In my school, students have lots of chances to help decide things like class activities and rules. | 67.1 | 54.5 | 52.3 |
| There are lots of chances for students in my school to get involved in sports, clubs, and other school ac- tivities outside of class. | 87.1 | 84.9 | 90.5 |

Table 7: Opportunities for Participation



Opportunities for Participation Oregon Statewide Report

Figure 3: Opportunities for Participation

2.4 Safe Environment

Students who are harassed, feel unsafe or otherwise victimized are more likely to cut classes, skip school, feel depressed or are involved in problem behaviors. Comprehensive discipline, positive behavior support and anti-bullying programs in schools have been shown to reduce the incidence of harassment.

Table 8: Safe Environment

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| I feel safe at my school. | 85.6 | 81.5 | 84.8 |
| Did not go to school one or more times in the past 30 days because you felt unsafe at school or on your way to or from school | 9.3 | 8.3 | 5.3 |

Percentages exclude missing answers.

This table shows the percentage of students that have been harassed during the past 30 days. Students were asked to indicate whether they were harassed at school or on the way to or from school for any of the following reasons.

Table 9: Harassment

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Your race or ethnic origin | 7.5 | 14.4 | 11.4 |
| Unwanted sexual com- ments or attention | 10.6 | 21.7 | 18.0 |
| Someone thought you were gay, lesbian, bisexual or transgender | 20.4 | 14.6 | 8.0 |
| Your weight, clothes, acne or other physical charac- teristic | 19.9 | 27.2 | 16.9 |
| Your group of friends | 13.6 | 22.5 | 15.1 |
| Harassment for other reasons. | 30.2 | 31.5 | 21.4 |
| Any harassment in the past 30 days | 45.4 | 52.5 | 40.4 |

Harassment - Grade 6 Oregon Statewide Report




Figure 4: Harassment - Grade 6

Harassment - Grade 8 Oregon Statewide Report




Figure 5: Harassment - Grade 8

Harassment - Grade 11 Oregon Statewide Report





Figure 6: Harassment - Grade 11

This table shows the prevalence of other serious problem behaviors reported to have occured in the past 12 months at school.

Table 10: Serious Problem Behaviors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Have been drunk or high at school | 0.0 | 10.1 | 17.1 |
| Were in a physical fight on school property | 21.6 | 21.4 | 10.1 |
| Took a handgun to school | 0.0 | 1.4 | 1.6 |



Serious Problem Behaviors Oregon Statewide Report

Figure 7: Serious Problem Behaviors

3 POSITIVE YOUTH DEVELOPMENT

High levels of positive youth development are strongly associated with increased healthy behaviors and decreased risk behaviors among youth. In 2006, DHS Public Health Division and the Oregon Commission on Children and Families established a statewide benchmark to measure Positive Youth Development (PYD) among Oregon 8th and 11th graders.

3.1 **PYD** Benchmark

The benchmark consists of 6 questions. Each measures a different component of PYD: physical health, emotional/mental health, competence, confidence, support and service. Students that answer at least 5 of the 6 questions in a positive manner (i.e., excellent/very good/good or very much/pretty much true) are considered to have met the state benchmark.

Table 11: PYD Benchmark

| | Grade 8 State | Grade 11 State |
|-----------------------------------|------------------|-------------------|
| Strong positive youth development | 60.3 | 66.0 |
| Weak positive youth development | 39.7 | 34.0 |

Percentages exclude missing answers.

This item was not asked on the 6th grade survey.

3.2 General Health

Two questions are asked as an assessment of student health. The following table reports the percentage of students that responded to the questions with "good", "very good", or "excellent."

Table 12: General Health

| | Grade 8 State | Grade 11 State |
|--------------------------------|------------------|-------------------|
| Physical health is | 90.0 | 87.9 |
| Emotional and mental health is | 85.7 | 85.6 |

Percentages exclude missing answers.

These items were not asked on the 6th grade survey.

3.3 Competence, Confidence, Support and Service

The following table reports the percentage of students that indicated the statement is "pretty much true" or "very much true."

Table 13: Competence, Confidence, Support and Service

| | Grade 8 State | Grade 11 State |
|---|------------------|-------------------|
| I can work out my problems. | 84.4 | 89.6 |
| I can do most things if I try. | 89.3 | 92.3 |
| There is at least one teacher or other adult in my school that re- ally cares about me. | 65.3 | 69.2 |
| I volunteer to help others in my community. | 43.9 | 52.0 |

Percentages exclude missing answers.

These items were not asked on the 6th grade survey.

Positive Youth Development - Grade 8 Oregon Statewide Report




Figure 8: Positive Youth Development - Grade 8

Positive Youth Development - Grade 11 Oregon Statewide Report




Figure 9: Positive Youth Development - Grade 11

4 MENTAL AND EMOTIONAL HEALTH

Good mental and emotional health makes it easier for youth to establish constructive interpersonal relationships, succeed in school and make a successful transition into the workforce. Depression and psychological distress can interfere with the development of positive teacher and peer relationships. Youth with depression or high levels of psychological distress may find it difficult to focus on academics. They are more likely to smoke, drink alcohol or use other drugs and they are at increased risk of suicide.

The Oregon Student Wellness Survey asks questions about emotional and mental health, depression, suicide thoughts and suicide attempts. The survey also asks a series of five questions known as the Mental Health Inventory (MHI-5). When responses for all five are considered together, the result is an estimate of the level of psychological distress that youth are experiencing. MHI-5 scores range from five to 30. Scores of 21 or higher are an indication that youth may be experiencing a mental health concern that requires further assessment.

4.1 Psychological Distress

This table shows the percentage of students with high levels of psychological distress during the past 30 days based on an MHI-5 score of 21 or higher.

Table 14: Psychological Distress

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------|------------------|------------------|-------------------|
| Below MHI-5 cutoff | 95.2 | 93.3 | 93.9 |
| At or above MHI-5 cutoff | 4.8 | 6.7 | 6.1 |

Percentages exclude missing answers.

This item was not asked on the 6th grade survey.

The following table contains data on each of the five Mental Health Inventory questions. This series of questions asks about how the student was feeling during the past 30 days. The table reports the percentage of students that indicated "a good bit of the time," "most of the time", or "all of the time."

Table 15: MHI-5 Questions

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Been a happy person? | 83.0 | 79.1 | 81.1 |
| Felt calm and peaceful? | 68.3 | 64.3 | 65.6 |
| Been a very nervous per- son? | 19.8 | 18.2 | 19.6 |
| Felt downhearted and blue? | 17.2 | 19.4 | 19.1 |
| Felt so down in the dumps that nothing could cheer you up? | 13.0 | 13.6 | 11.5 |

Percentages exclude missing answers.

These items were not asked on the 6th grade survey.

4.2 Depression and Suicide Ideation


Suicide is the second leading cause of death among Oregon youth aged 10-24. Depression is the most common underlying cause of suicide. The following table reports the percentage of 8th and 11th grade students that had signs of depression, thoughts about suicide, or actually attempted suicide during the last 12 months.

Table 16: Depression and Suicide Ideation

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped do- ing some usual activities? | 17.7 | 22.1 | 23.4 |
| Did you ever seriously con- sider attempting suicide? | 0.0 | 13.9 | 12.6 |
| Actually attempted sui- cide? | 0.0 | 9.0 | 6.6 |

Percentages exclude missing answers.

Only the first item was asked on the 6th grade survey.



Psychological Distress, Depression and Suicide Oregon Statewide Report

Figure 10: Psychological Distress, Depression and Suicide

5 PROBLEM GAMBLING

Students today are increasingly being exposed to gambling opportunities - on the Internet, in the community, at home and even at church - so it's no surprise that problems associated with gambling are being seen in youth. It's generally not perceived nor treated as risky, yet research shows that youth who gamble are much more likely to engage in other risky behaviors such as drinking, smoking and using drugs and some of them will go on to develop serious gambling problems.

The adolescent brain is developmentally inclined towards risk, minimal consideration of consequences, preference for stimulation and novelty, all of which gambling offers in abundance.

The Oregon Student Wellness Survey asks a series of questions that address and measure various gambling activities. Students were asked questions regarding the types of gambling they participated in, their feelings about being involved in gambling and the degree to which parents and teachers have communicated to the students the risks involved in engaging in this particular activity.

Gambling can be addictive, yet most youth and parents treat it as harmless entertainment. The following tables and charts contain data on gambling questions. These percentages are provided by grade level and statewide data are included for comparison purposes. For more information on youth gambling in Oregon, including more data and educational resources, go to www.problemgamblingprevention. org

5.1 Types of Gambling

Gambling involves betting anything of value (money, a watch, soda, etc.) on a game or event. The following table shows the percentage of students that participated in these types of gambling in the last 30 days.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Playing lottery tickets. | 6.2 | 8.8 | 10.1 |
| Playing Powerball or Megabucks. | 2.1 | 2.7 | 2.6 |
| Playing dice or coin flips. | 12.4 | 14.8 | 8.3 |
| Playing cards (poker, etc.). | 13.2 | 18.8 | 17.2 |
| Betting on a sports team. | 14.0 | 18.2 | 14.5 |
| Betting on a horse/dog race. | 1.9 | 1.6 | 1.4 |
| Betting on games of per- sonal skill (bowling, video games, dares, etc.). | 19.7 | 25.4 | 18.3 |
| Gambling on the Internet for free or with money. | 2.7 | 4.7 | 4.7 |
| Gambling at a casino. | 0.7 | 0.8 | 1.1 |
| Playing Bingo for money. | 6.5 | 6.0 | 3.8 |
| None. | 57.6 | 50.9 | 58.2 |
| Other. | 8.8 | 12.0 | 8.0 |

Table 17: Types of Gambling

5.2 Risk of Problem Gambling

Most youth don't have large sums of money to spend on gambling, so this measure must be looked at within that context. The fact that youth are spending any money on a potentially addictive behavior is of concern, and some youth spend significant amounts on it. Even those who spend a small amount of money are still "spending" time and attention on gambling at the expense of other activities and responsibilities. By the time they get into college, where problem gambling rates are among the highest and the average college student gets 25 credit card solicitations a year, some youth have developed seemingly innocent gambling habits that will cost them dearly.

The following table shows the amount of money 8th and 11th grade students bet in any form (lottery, card games, bingo, Internet, sports, with friends) in the past three months.

| Table 18: | Gambling | Amounts |
|-----------|----------|---------|
|-----------|----------|---------|

| | Grade 8 | Grade 11 |
|-----------|---------|----------|
| | State | State |
| 0 | 63.5 | 68.1 |
| \$1-\$10 | 22.9 | 18.7 |
| \$11-\$50 | 8.1 | 7.9 |
| Over \$50 | 5.6 | 5.4 |

Percentages exclude missing answers. This item was not asked on the 6th grade survey.

The next table shows the percentage of 8th and 11th grade students that reported the following signs of problem gambling in the last 12 months. The last two questions (lied about/bet more) are based on a valid and reliable problem gambling screening instrument which has been used for many years; saying yes to either of these is highly correlated to a potential gambling problem and indicates a need for further assessment by a trained counselor.

Table 19: Signs of Problem Gambling

| | Grade 8 State | Grade 11 State |
|---|------------------|-------------------|
| Felt bad about the amount you bet, or about what happens when you bet money | 4.2 | 2.9 |
| Felt that you would like to stop betting money but didn't think you could | 2.7 | 1.8 |
| Lied to anyone about bet- ting/gambling | 5.9 | 3.5 |
| Bet/gambled more than you wanted to | 6.4 | 5.5 |

Percentages exclude missing answers.

These items were not asked on the 6th grade survey.

5.3 Communication about the Risks of Gambling

Table 20: Communication About the Risks of Gambling

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Parents have talked to you about the risks of bet- ting/gambling | 58.3 | 46.5 | 36.4 |
| Teachers have talked to you about the risks of bet- ting/gambling | 32.3 | 30.7 | 23.2 |

Percentages exclude missing answers.

These items were not asked on the 6th grade survey.

Gambling - Grade 6 Oregon Statewide Report




Figure 11: Gambling - Grade 6

Gambling - Grade 8 Oregon Statewide Report




Figure 12: Gambling - Grade 8

Gambling - Grade 11 Oregon Statewide Report




Figure 13: Gambling - Grade 11

Amount of Money Bet Oregon Statewide Report




Figure 14: Amount of Money Bet

Signs of Problem Gambling Oregon Statewide Report




Figure 15: Signs of Problem Gambling

6 SUBSTANCE USE

Smoking is the number one preventable cause of disease and death in this country. Most adult smokers start smoking before the age of 18. Of the 20 adolescents in Oregon who begin smoking each day, one-third will die prematurely from tobacco-related diseases.

Alcohol is the country's most widely used legal drug and, despite the fact that it is illegal to purchase alcohol under 21 years of age, its use is widespread in teens. The brain goes through dynamic change during adolescence, and alcohol can seriously damage long- and short-term growth processes. The American Medical Association warns that damage from alcohol at this time can be irreversible.

Marijuana is the country's most widely used illicit drug. Nationally, nearly half of all high school seniors report some use of marijuana in their lifetime. Recent studies by the Substance Abuse and Mental Health Services Administration show weekly or more frequent use of marijuana doubles a teen's risk of depression and anxiety and can cause other mental illness.

During the elementary school years, most children express anti-drug, anti-crime and pro-social attitudes and have difficulty imagining why people use drugs. However, in middle school, as more youth are exposed to others who use cigarettes, alcohol or other drugs, their attitudes often shift toward greater acceptance of these behaviors.

6.1 Abstinence from Substance Use

The following table shows the percent of students that indicated in their lifetime, they "never have" \ldots

Table 21: Abstinence from Substance Use


| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|-------------------------|------------------|-------------------|
| Smoked a whole cigarette | 95.8 | 84.6 | 72.1 |
| Used tobacco products other than cigarettes, such as snuff, chewing tobacco, and smoking tobacco from a pipe | 97.4 | 90.6 | 77.8 |
| Had more than a sip or two of alcohol | 85.0 | 62.6 | 39.0 |
| Tried marijuana | 96.7 | 80.3 | 58.3 |

6.2 Substance Use in the Past 30 Days

The table below provides the percentage of students that used one or more times in the past 30 days.


Table 22: Substance Use in the Past 30 Days

| | Grade 6 State | Grade 8 State | Grade 11 State | | | |
|--|------------------|------------------|-------------------|--|--|--|
| Smoked cigarettes | 2.7 | 8.2 | 14.3 | | | |
| Used other tobacco prod- ucts | 1.6 | 5.0 | 12.4 | | | |
| Had at least one drink of alcohol | 8.1 | 22.5 | 36.3 | | | |
| Had 5 or more drinks of alcohol in a row, that is, within a couple of hours | 2.0 | 8.9 | 21.0 | | | |
| Used marijuana | 2.2 | 12.2 | 23.7 | | | |
| Sniffed glue, breathed the contents of aerosol spray cans, or any paints or sprays to get high | 6.5 | 5.9 | 2.3 | | | |
| Used prescription drugs (without a doctor's or- ders) to get high | 0.0 | 3.9 | 6.6 | | | |
| Used illicit drugs other than marijauna (includes any use of cocaine, ecstasy, heroin, hallu- cinogens or metham- phetamines) | 0.0 | 3.3 | 5.1 | | | |




Alcohol, Tobacco and Other Drug Use - Grade 6 Oregon Statewide Report

Figure 16: Alcohol, Tobacco and Other Drug Use - Grade 6



Alcohol, Tobacco and Other Drug Use - Grade 8 Oregon Statewide Report

Figure 17: Alcohol, Tobacco and Other Drug Use - Grade 8



Alcohol, Tobacco and Other Drug Use - Grade 11 Oregon Statewide Report

Figure 18: Alcohol, Tobacco and Other Drug Use - Grade 11

6.3 Average Age of First Use


Onset of drug use prior to the age of 15 is associated with a much greater risk of developing dependency. The earlier the onset of any substance use, the greater the involvement in other drug use and the greater the frequency of use. Later age of onset of substance use has been shown to predict lower drug involvement and a greater probability of discontinuation of use.

Among students that have ever used, the table below shows the average age (in years) when they first...

Table 23: Average Age of First Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Smoked a whole cigarette | 10.2 | 11.6 | 13.7 |
| Used tobacco products other than cigarettes, such as snuff, chewing tobacco, and smoking tobacco from a pipe | 10.4 | 11.8 | 14.3 |
| Had more than a sip or two of alcohol | 9.8 | 11.6 | 13.9 |
| First began drinking alco- holic beverages regularly, that is, at least once or twice a month? | 10.2 | 12.0 | 14.4 |
| Tried marijuana | 10.5 | 12.1 | 14.2 |


Age of First Use - Grade 6 Oregon Statewide Report



ATOD - Alcohol, Tobacco and Other Drug Use

Figure 19: Age of First Use - Grade 6


Age of First Use - Grade 8 Oregon Statewide Report



ATOD - Alcohol, Tobacco and Other Drug Use

Figure 20: Age of First Use - Grade 8

Age of First Use - Grade 11 Oregon Statewide Report



ATOD - Alcohol, Tobacco and Other Drug Use

Figure 21: Age of First Use - Grade 11

6.4 Factors Associated with Initiation of Substance Use

This section reports on a variety of factors associated with initiation of substance use. Easy availability, attitudes about use, perceptions about the risk of harm from use and communication about substance use all influence whether young people choose to use tobacco, alcohol or other drugs.

6.5 Availability

Adolescents that report easy availability of cigarettes, alcohol, marijuana, and other illegal drugs are more likely to use these substances. Research has shown that legal restrictions on alcohol and tobacco use, such as raising the legal drinking age, restricting smoking in public, and increased taxation have been followed by decreases in consumption.

The table below shows the percentage of students that said it would be "easy" or "very easy" for the student to get...

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Cigarettes | 16.6 | 38.4 | 66.3 |
| Beer, wine, or liquor | 18.1 | 47.1 | 72.3 |
| Marijuana | 7.3 | 35.9 | 66.4 |
| A drug like cocaine, LSD, or amphetamines | 3.0 | 10.1 | 23.6 |

Table 24: Availability

Percentages exclude missing answers.

6.6 Parental Attitude toward Substance Use

In families where parents are heavy users of alcohol, use illegal drugs or are tolerant of children's use, adolescents are more likely to engage in substance use. The risk is further increased if parents involve children in their own using behavior such as asking the child to light the parent's cigarette or get the parent a beer from the refrigerator.

The *Student Wellness Survey* asks students about how their parents would feel if the student used alcohol, cigarettes or marijuana. The table below reports the percentage of students that said their parents feel it would be "wrong" or "very wrong" for youth to...

Table 25: Parental Attitude toward Substance Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Smoke cigarettes | 98.7 | 96.6 | 92.4 |
| Drink beer, wine or liquor regularly | 96.7 | 90.3 | 79.4 |
| Smoke marijuana | 98.7 | 94.1 | 88.2 |

6.7 Student Attitude toward Substance Use

Youth who express positive attitudes toward substance use are more likely to engage in a variety of problem behaviors including substance use.

The following table shows the percentage of students that think it is "wrong" or "very wrong" for someone their age to...

Table 26: Student Attitude toward Substance Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Smoke one or more packs of cigarettes a day | 98.0 | 93.2 | 88.5 |
| Have one or two drinks of an alchoholic beverage nearly every day | 95.3 | 84.7 | 79.7 |
| Try marijuana once or twice | 95.9 | 76.6 | 56.4 |
| Use marijuana once a month or more | 95.9 | 80.2 | 62.3 |

Percentages exclude missing answers.

6.8 Perceived Risk of Harm

Students who do not perceive cigarette, alcohol or marijuana use to be risky are far more likely to engage in use.

The following table reports the percentage of students that think there is "moderate risk" or "great risk" of harming themselves (physically or in other ways) if they...

Table 27: Perceived Risk of Harm

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Smoke one or more packs of cigarettes a day | 86.8 | 85.8 | 85.1 |
| Take one or two drinks of an acoholic beverage (beer, wine, liquor) nearly every day | 70.7 | 64.4 | 64.9 |
| Have five or more drinks of an alcoholic beverage once or twice a week | 78.3 | 75.8 | 76.2 |
| Try marijuana once or twice | 74.3 | 53.9 | 35.0 |
| Smoke marijuana once or twice a week | 85.1 | 74.2 | 60.1 |

6.9 Communication about Substance Use

The table below shows the percentage of students that recall communication about substance use during the past 12 months.

Table 28: Communication about Substance Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Talked with at least one of your parents about the dangers of tobacco, alco- hol, or drug use | 66.2 | 64.9 | 64.8 |
| Had a special class about drugs or alcohol in school | 51.6 | 57.2 | 45.5 |
| Recall hearing, reading, or watching an advertise- ment about prevention of substance abuse | 47.7 | 67.1 | 76.8 |

7 DRUG FREE COMMUNITIES CORE MEASURES

The Drug-Free Communities (DFC) Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which are typically referred to as the Core Measures. Grantees are required to report on three drug categories: tobacco, alcohol and marijuana. A number of Oregon DFCs focus on other substances, so this report also includes 30-day use data for binge drinking, prescription drugs, methamphetamines, and any illicit drugs other than marijuana.

Data in the tables that follow are provided by grade level. For each drug, and at each grade level, the percentage of students who responded positively to the question and the number of students who responded to the question are reported. For Average Age of Onset, the average age of first use in years and the number of students using is reported. The possible responses to this question range from 10 or under to 17 or older. The table shows the average age of onset of use by those students who answered the question with a response other than "never used."

7.1 30 Day Use

Table 29: 30 Day Use

| | Grad | e 6 | Grad | e 8 | Grade | e 11 |
|--|--------|-----|--------|------|--------|------|
| | N | Pct | N | Pct | N | Pct |
| Had at least one drink of alcohol | 17,207 | 8.1 | 19,031 | 22.5 | 15,422 | 36.3 |
| Had 5 or more drinks of alcohol in a row, that is, within a couple of hours | 17,205 | 2.0 | 19,025 | 8.9 | 15,425 | 21.0 |
| Smoked cigarettes | 17,197 | 2.7 | 19,003 | 8.2 | 15,416 | 14.3 |
| Used marijuana | 17,108 | 2.2 | 18,936 | 12.2 | 15,339 | 23.7 |
| Used prescription drugs (without a doctor's or- ders) to get high | 0 | 0.0 | 18,979 | 3.9 | 15,430 | 6.6 |
| Used methamphetamines (also called speed, crystal, crank or ice) | 0 | 0.0 | 18,950 | 1.1 | 15,416 | 1.2 |
| Used illicit drugs other than marijauna (includes any use of cocaine, ecstasy, heroin, hallu- cinogens or metham- phetamines) | 0 | 0.0 | 19,078 | 3.3 | 15,463 | 5.1 |

7.2 Perception of Moderate or Great Risk

Table 30: Perception of Moderate or Great Risk

| | Grad | e 6 | Grad | e 8 | Grade | e 11 |
|---|--------|------|--------|------|--------|------|
| | N | Pct | N | Pct | N | Pct |
| Take one or two drinks of an acoholic beverage (beer, wine, liquor) nearly every day | 16,033 | 70.7 | 17,997 | 64.4 | 14,802 | 64.9 |
| Smoke one or more packs of cigarettes a day | 15,886 | 86.8 | 17,888 | 85.8 | 14,712 | 85.1 |
| Smoke marijuana once or twice a week | 15,865 | 85.1 | 17,925 | 74.2 | 14,768 | 60.1 |

Percentages exclude missing answers.

7.3 Parents Feel It Would Be Wrong or Very Wrong

Table 31: Parents Feel It Would Be Wrong or Very Wrong

| | Grade 6 | | Grad | Grade 8 | | e 11 |
|--------------------------------------|---------|------|--------|---------|--------|------|
| | N | Pct | N | Pct | N | Pct |
| Drink beer, wine or liquor regularly | 16,297 | 96.7 | 18,146 | 90.3 | 14,829 | 79.4 |
| Smoke cigarettes | 16,274 | 98.7 | 18,133 | 96.6 | 14,839 | 92.4 |
| Smoke marijuana | 16,211 | 98.7 | 17,953 | 94.1 | 14,744 | 88.2 |

Percentages exclude missing answers.

7.4 Average Age (in years) of Onset

Table 32: Average Age (in years) of Onset

| | Grade 6 | | Grad | e 8 | Grade | e 11 |
|---------------------------------------|---------|------|--------|------|--------|------|
| | N | Age | N | Age | N | Age |
| Had more than a sip or two of alcohol | 17,027 | 9.8 | 19,062 | 11.6 | 15,401 | 13.9 |
| Smoked a whole cigarette | 17,027 | 10.2 | 19,056 | 11.6 | 15,372 | 13.7 |
| Tried marijuana | 17,033 | 10.5 | 19,109 | 12.1 | 15,440 | 14.2 |

8 **RISK AND PROTECTIVE FACTORS**

Risk and protective factor-focused prevention is based on a simple premise: to prevent a problem from happening, identify the factors that increase the risk of that problem developing and then find ways to reduce the risks. The Social Development Research Group at the University of Washington defined a set of risk factors for drug abuse. They include characteristics of school, community, and family environments as well as characteristics of students and their peer groups that are associated with increased likelihood of drug use, delinquency, and violent behaviors among youth.

The research team also found that some children exposed to multiple risk factors manage to avoid behavior problems later, even though they were exposed to the same risks as children who exhibited behavior problems. Protective factors exert a positive influence or buffer against the negative influence of risk, thus reducing the likelihood that adolescents will engage in problem behaviors. Protective factors include social bonding to family, school, community and peers, and healthy beliefs and clear standards for behavior (Hawkins, Catalano & Miller, 1992; Hawkins, Arthur & Catalano, 1995; Brewer, Hawkins, Catalano & Neckerman, 1995).

The premise of the risk and protective factor approach is to promote positive youth development and prevent problem behaviors by addressing the factors associated with the problem. By measuring risk and protective factors in a population, specific risk factors that are elevated and widespread can be identified and targeted by preventive interventions that also promote related protective factors.

The Oregon Student Wellness Survey collects data on an essential set of risk and protective factors. The tables that follow give the percentage of students whose factor scores exceed a national norm for each factor. The bars of the graphs indicate the percentage of students whose calculated factor scores exceed the national norm for the particular factor. The percentage figures for the state as a whole are indicated on the graph by the red line for each factor. The lime green dashed line indicates the percentage based on the seven state national normed database. In the tables and charts that follow, if, for example, the percentage for a risk factor was 45.3 that would mean that 45.3 percent of the students had a factor score that was above the cutoff for that particular factor. Ideally, risk factors would have low percentages and protective factors would have high percentages.

8.1 Community Factors

Table 33: Community Factors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Transitions and mobility (risk) | 51.6 | 42.1 | 41.9 |
| Laws and norms favorable to drug use (risk) | 34.1 | 28.3 | 32.7 |
| Perceived availability of drugs (risk) | 24.0 | 32.8 | 37.2 |

8.2 Family Factors

Table 34: Family Factors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Poor family management (risk) | 40.9 | 44.0 | 37.5 |
| Parental attitudes toward substance use (risk) | 13.2 | 33.3 | 52.8 |
| Parental attitudes toward antisocial behavior (risk) | 44.3 | 60.2 | 59.3 |


8.3 School Factors

Table 35: School Factors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| Academic failure (risk) | 42.4 | 45.2 | 42.5 |
| Low commitment to school (risk) | 38.8 | 38.2 | 42.2 |
| School opportunities for prosocial involvement (protective) | 63.9 | 66.4 | 68.7 |
| School rewards for proso- cial involvment (protec- tive) | 56.2 | 57.2 | 54.0 |


8.4 Peer / Individual Factors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| Perceived risks of sub- stance use (risk) | 32.6 | 49.8 | 51.1 |
| Friends' use of drugs (risk) | 20.8 | 35.1 | 31.7 |
| Friends' delinquent behav- ior (risk) | 38.1 | 54.4 | 53.9 |
| Peer rewards for antisocial behavior (risk) | 28.4 | 43.0 | 35.2 |
| Attitudes toward antiso- cial behavior (risk) | 51.0 | 39.2 | 41.1 |
| Early initiation of drug use (risk) | 17.8 | 26.0 | 25.3 |




Risk Factors - Grade 6 Oregon Statewide Report

Figure 22: Risk Factors - Grade 6



Risk Factors - Grade 8 Oregon Statewide Report


Figure 23: Risk Factors - Grade 8



Risk Factors - Grade 11 Oregon Statewide Report

Figure 24: Risk Factors - Grade 11

Protective Factors - Grade 6 Oregon Statewide Report



100-

90-

80-

70-

60-

50-

40-

30-

20-

10-

0-

Percentages (%)

Figure 25: Protective Factors - Grade 6

--' 7-State Norm
 State 2009-10

Protective Factors - Grade 8 Oregon Statewide Report




Figure 26: Protective Factors - Grade 8

Protective Factors - Grade 11 Oregon Statewide Report




Figure 27: Protective Factors - Grade 11

A FREQUENCY DISTRIBUTION TABLES

This section contains frequency distribution tables for all of the questions found on the 2010 Oregon Student Wellness Survey. Two versions of the survey were used, one for 6th grade and another for 8th and 11th grades. The 6th grade survey consisted of a subset of the questions found on the 8th/11th grade version. In order to provide results that spanned all grade levels in a single report, the data for questions that did not appear on the 6th grade version were coded as missing.

A.1 Frequency Distribution Tables

A.1.1 Demographics

Table 37: How old are you?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------------|------------------|------------------|-------------------|
| 10 or younger | 0.1 | | |
| 11 years old | 33.4 | | |
| 12 years old | 63.6 | 0.2 | |
| 13 years old | 2.8 | 32.0 | |
| 14 years old | 0.0 | 64.7 | |
| 15 years old | | 3.0 | 0.2 |
| 16 years old | | 0.1 | 33.4 |
| 17 years old | | | 63.3 |
| 18 years old | | | 2.9 |
| 19 years old or older | | | 0.2 |
| N of Valid | 17,450 | 19,417 | 15,668 |
| N of Miss | 44 | 48 | 9 |

Table 38: What is your sex?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Female | 50.5 | 50.4 | 49.8 |
| Male | 49.5 | 49.6 | 50.2 |
| N of Valid | 17,392 | 19,367 | 15,625 |
| N of Miss | 102 | 98 | 51 |

Table 39: In what grade are you?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| 5th | | | |
| 6th | 100.0 | | |
| 7th | | | |
| 8th | | 100.0 | |
| 9th | | | |
| 10th | | | |
| 11th | | | 100.0 |
| 12th | | | |
| N of Valid | 17,495 | 19,465 | 15,676 |
| N of Miss | 0 | 0 | 0 |

A.1.2 Transitions and Mobility

Table 40: What is your race?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------------------------------|------------------|------------------|--------------------------|
| American Indian or Alaska Native | 6.6 | 4.6 | 3.1 |
| Asian | 4.8 | 4.6 | 7.3 |
| Black or African American | 4.5 | 4.8 | 4.7 |
| Native or Other Pa- cific Islander | 4.4 | 3.9 | 3.1 |
| White | 79.7 | 82.1 | 81.8 |
| N of Valid | 14,852 | 16,764 | 13,792 |
| N of Miss | 2,644 | 2,701 | 1,885 |

Table 41: Are you Hispanic or Latino?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Yes | 23.3 | 21.1 | 17.6 |
| No | 76.7 | 78.9 | 82.4 |
| N of Valid | 16,404 | 18,921 | 15,412 |
| N of Miss | 1,091 | 544 | 264 |

Table 42: What is the language you use most often at home?

| | Grade 6 | Grade 8 | Grade 11 |
|------------------|---------|---------|----------|
| | State | State | State |
| English | 85.4 | 87.9 | 87.5 |
| Spanish | 11.6 | 9.0 | 7.5 |
| Another language | 3.0 | 3.1 | 5.0 |
| N of Valid | 17,230 | 19,164 | 15,513 |
| N of Miss | 264 | 301 | 163 |

Table 43: Have you changed homes in the past year?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Yes | 29.7 | 26.3 | 20.8 |
| No | 70.3 | 73.7 | 79.2 |
| N of Valid | 16,038 | 18,081 | 14,790 |
| N of Miss | 1,458 | 1,383 | 886 |

Table 44: Have you changed schools (including changing from elementary to
middle or middle to high school) in the past year?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|--------------------------|
| Yes | 59.0 | 18.5 | 12.5 |
| No | 41.0 | 81.5 | 87.5 |
| N of Valid | 15,988 | 18,049 | 14,784 |
| N of Miss | 1,506 | 1,416 | 892 |

Table 45: How many times have you changed homes since kindergarten?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------|------------------|------------------|--------------------------|
| Never | 36.3 | 29.7 | 27.5 |
| 1 or 2 times | 33.7 | 33.5 | 33.6 |
| 3 or 4 times | 16.8 | 18.7 | 19.1 |
| 5 or 6 times | 6.4 | 8.8 | 9.5 |
| 7 or more times | 6.9 | 9.3 | 10.3 |
| N of Valid | 15,910 | 17,994 | 14,735 |
| N of Miss | 1,584 | 1,471 | 940 |

Table 46: How many times have you changed schools (including changing from elementary to middle or middle to high school) since kindergarten?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------|------------------|------------------|-------------------|
| Never | 30.0 | 20.5 | 21.3 |
| 1 or 2 times | 42.7 | 43.0 | 31.5 |
| 3 or 4 times | 17.7 | 23.2 | 28.9 |
| 5 or 6 times | 5.6 | 7.7 | 11.2 |
| 7 or more times | 4.0 | 5.6 | 7.0 |
| N of Valid | 15,610 | 17,581 | 14,474 |
| N of Miss | 1,886 | 1,885 | 1,201 |

A.2 School Climate

A.2.1 Academic Performance

Table 47: Are your school grades better than the grades of most students in your class?

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | 5.1 | 6.6 | 5.2 |
| no | 32.4 | 32.8 | 31.1 |
| yes | 49.2 | 46.6 | 47.8 |
| YES! | 13.3 | 14.1 | 15.9 |
| N of Valid | 17,048 | 19,185 | 15,536 |
| N of Miss | 447 | 280 | 139 |

Table 48: Putting them all together, what were your grades like last year?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|--------------------------|
| Mostly F's | 2.0 | 3.6 | 2.2 |
| Mostly D's | 3.6 | 6.1 | 4.8 |
| Mostly C's | 15.1 | 19.1 | 22.2 |
| Mostly B's | 37.2 | 31.9 | 36.8 |
| Mostly A's | 42.0 | 39.4 | 33.9 |
| N of Valid | 16,849 | 19,053 | 15,490 |
| N of Miss | 647 | 411 | 186 |

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| None | 90.5 | 82.8 | 71.5 |
| 1 | 4.6 | 6.8 | 10.0 |
| 2 | 1.6 | 3.9 | 6.1 |
| 3 | 1.3 | 2.5 | 4.3 |
| 4 to 5 | 1.1 | 2.0 | 4.1 |
| 6 to 10 | 0.4 | 0.9 | 2.2 |
| 11 or more | 0.5 | 1.1 | 1.8 |
| N of Valid | 16,446 | 18,397 | 14,936 |
| N of Miss | 1,049 | 1,068 | 742 |

Table 49: During the LAST FOUR WEEKS how many whole days have you missed because you skipped or "cut"?

Table 50: How important do you think the things you are learning in school are going to be for your later life?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------------|------------------|------------------|-------------------|
| Very important | 61.6 | 42.2 | 28.7 |
| Quite important | 23.6 | 28.1 | 28.4 |
| Fairly important | 9.5 | 18.1 | 25.4 |
| Slightly important | 3.4 | 8.7 | 13.8 |
| Not at all important | 1.8 | 2.9 | 3.7 |
| N of Valid | 16,400 | 18,349 | 14,938 |
| N of Miss | 1,094 | 1,117 | 738 |

Table 51: How interesting are most of your courses to you?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------------------------|------------------|------------------|-------------------|
| Very interesting and stimulating | 22.2 | 11.6 | 10.7 |
| Quite interesting | 35.6 | 26.6 | 27.4 |
| Fairly interesting | 24.2 | 32.7 | 35.1 |
| Slightly boring | 10.6 | 16.6 | 17.0 |
| Very boring | 7.5 | 12.6 | 9.9 |
| N of Valid | 16,028 | 18,255 | 14,906 |
| N of Miss | 1,467 | 1,209 | 770 |

Table 52: How often do you feel that the school work you are assigned is meaningful and important?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| Never | 6.2 | 8.4 | 9.2 |
| Seldom | 7.0 | 14.8 | 23.6 |
| Sometimes | 23.9 | 35.4 | 38.8 |
| Often | 32.3 | 27.5 | 21.1 |
| Almost always | 30.5 | 14.0 | 7.2 |
| N of Valid | 14,582 | 17,123 | 14,073 |
| N of Miss | 2,914 | 2,342 | 1,603 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|--------------------------|
| Never | 7.2 | 8.6 | 8.2 |
| Seldom | 8.9 | 12.9 | 17.3 |
| Sometimes | 24.4 | 30.9 | 34.7 |
| Often | 31.6 | 30.9 | 29.7 |
| Almost always | 27.9 | 16.8 | 10.1 |
| N of Valid | 16,221 | 18,175 | 14,868 |
| N of Miss | 1,273 | 1,290 | 809 |

Table 53: Now, thinking back over the past year in school, how often did you enjoy being in school?

Table 54: Now, thinking back over the past year in school, how often did you hate being in school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| Never | 22.6 | 11.9 | 7.1 |
| Seldom | 29.9 | 28.4 | 24.6 |
| Sometimes | 26.3 | 30.2 | 34.3 |
| Often | 11.9 | 18.2 | 22.8 |
| Almost always | 9.3 | 11.2 | 11.1 |
| N of Valid | 16,092 | 18,158 | 14,854 |
| N of Miss | 1,403 | 1,307 | 822 |

Table 55: Now, thinking back over the past year in school, how often did you try to do your best work in school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| Never | 2.6 | 3.0 | 2.6 |
| Seldom | 2.6 | 5.6 | 6.9 |
| Sometimes | 9.3 | 17.3 | 24.0 |
| Often | 24.1 | 31.0 | 33.7 |
| Almost always | 61.4 | 43.1 | 32.8 |
| N of Valid | 16,180 | 18,196 | 14,841 |
| N of Miss | 1,314 | 1,270 | 834 |

A.2.3 Opportunities for Prosocial Involvement in School

Table 56: I have lots of chances to be part of class discussions or activities.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|-------------------------|------------------|-------------------|
| NO! | 4.7 | 4.8 | 3.6 |
| no | 9.4 | 11.3 | 10.1 |
| yes | 48.1 | 54.8 | 61.1 |
| YES! | 37.8 | 29.2 | 25.3 |
| N of Valid | 16,065 | 18,098 | 14,824 |
| N of Miss | 1,431 | 1,368 | 852 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 8.1 | 11.5 | 11.0 |
| no | 24.8 | 34.0 | 36.7 |
| yes | 45.9 | 41.3 | 42.3 |
| YES! | 21.2 | 13.2 | 10.0 |
| N of Valid | 15,871 | 18,008 | 14,762 |
| N of Miss | 1,624 | 1,457 | 914 |

Table 57: In my school, students have lots of chances to help decide things like class activities and rules.

| Table FO. | Teachers ask me | + - · · · - · · · · · · · · | | |
|-----------|-----------------|-----------------------------|----------------|--------------|
| Lanie pa | leachers ask me | to work on | special classr | oom projects |
| | | | | |

| Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|--|---|
| 11.8 | 12.7 | 11.0 |
| 34.0 | 43.8 | 49.0 |
| 37.4 | 33.5 | 33.2 |
| 16.8 | 10.0 | 6.8 |
| 15,687 | 17,749 | 14,592 |
| 1,808 | 1,716 | 1,083 |
| | State 11.8 34.0 37.4 16.8 15,687 | State State 11.8 12.7 34.0 43.8 37.4 33.5 16.8 10.0 15,687 17,749 |

Table 59: There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | 3.9 | 4.6 | 3.0 |
| no | 9.0 | 10.5 | 6.5 |
| yes | 39.2 | 47.4 | 47.1 |
| YES! | 47.9 | 37.6 | 43.4 |
| N of Valid | 15,977 | 17,994 | 14,767 |
| N of Miss | 1,518 | 1,470 | 910 |

A.2.4 Rewards for Prosocial Involvement in School

Table 60: My teacher(s) notices when I am doing a good job and lets me know about it.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 6.3 | 7.2 | 6.6 |
| no | 14.6 | 22.1 | 25.7 |
| yes | 44.4 | 48.2 | 50.7 |
| YES! | 34.7 | 22.5 | 17.1 |
| N of Valid | 15,933 | 17,965 | 14,739 |
| N of Miss | 1,561 | 1,499 | 936 |

Table 61: My teachers praise me when I work hard in school.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|--------------------------|
| NO! | 9.0 | 10.8 | 9.0 |
| no | 24.8 | 32.0 | 35.1 |
| yes | 42.4 | 41.0 | 43.0 |
| YES! | 23.8 | 16.3 | 12.9 |
| N of Valid | 15,703 | 17,874 | 14,720 |
| N of Miss | 1,793 | 1,591 | 957 |

Table 62: The school lets my parents know when I have done something well.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 14.6 | 19.7 | 21.0 |
| no | 34.5 | 41.2 | 46.4 |
| yes | 32.0 | 27.3 | 24.8 |
| YES! | 18.9 | 11.8 | 7.8 |
| N of Valid | 15,763 | 17,903 | 14,745 |
| N of Miss | 1,732 | 1,562 | 931 |
| | | | |

A.2.5 Supportive Atmosphere in School

Table 63: In my school, teachers treat students with respect.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | | 9.7 | 7.5 |
| no | | 15.1 | 16.8 |
| yes | | 52.8 | 60.6 |
| YES! | | 22.4 | 15.2 |
| N of Valid | 0 | 17,787 | 14,644 |
| N of Miss | 17,495 | 1,678 | 1,032 |

Table 64: I can talk to teachers openly and freely about my concerns.

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | 13.8 | 20.3 | 14.6 |
| no | 17.4 | 27.9 | 27.8 |
| yes | 38.9 | 37.6 | 44.8 |
| YES! | 30.0 | 14.2 | 12.8 |
| N of Valid | 16,211 | 18,156 | 14,847 |
| N of Miss | 1,284 | 1,309 | 829 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|--------------------------|
| NO! | 3.3 | 3.9 | 3.0 |
| no | 7.2 | 10.1 | 9.5 |
| yes | 39.1 | 49.3 | 54.3 |
| YES! | 50.4 | 36.6 | 33.2 |
| N of Valid | 15,805 | 17,896 | 14,724 |
| N of Miss | 1,689 | 1,569 | 952 |

Table 65: There are lots of chances for students in my school to talk with a teacher.

Table 66: Most students at my school help each other when they are hurt or upset.

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | | 10.9 | 9.0 |
| no | | 20.2 | 23.9 |
| yes | | 52.4 | 55.8 |
| YES! | | 16.4 | 11.3 |
| N of Valid | 0 | 18,015 | 14,796 |
| N of Miss | 17,495 | 1,451 | 881 |

Table 67: Students are picked on by other students for working hard at our school.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | | 22.0 | 21.8 |
| no | | 42.1 | 50.1 |
| yes | | 26.8 | 22.7 |
| YES! | | 9.1 | 5.4 |
| N of Valid | 0 | 17,964 | 14,782 |
| N of Miss | 17,495 | 1,501 | 894 |

A.2.6 Safe School Environment

Table 68: I feel safe at my school.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 5.0 | 6.0 | 4.6 |
| no | 9.4 | 12.5 | 10.6 |
| yes | 40.7 | 53.4 | 59.3 |
| YES! | 44.8 | 28.0 | 25.6 |
| N of Valid | 15,484 | 17,557 | 14,507 |
| N of Miss | 2,012 | 1,908 | 1,168 |

Table 69: During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| 0 days | 90.7 | 91.7 | 94.7 |
| 1 day | 5.5 | 4.5 | 2.7 |
| 2 or 3 days | 2.3 | 2.1 | 1.2 |
| 4 or 5 days | 0.5 | 0.6 | 0.4 |
| 6 or more days | 1.0 | 1.1 | 0.9 |
| N of Valid | 16,431 | 18,464 | 15,058 |
| N of Miss | 1,064 | 1,002 | 618 |

Table 70: During the past 12 months, how many times were you in a physical fight on school property?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 65.1 | 62.2 | 77.2 |
| 1 time | 14.1 | 15.2 | 10.3 |
| 2 or 3 times | 10.4 | 12.4 | 7.1 |
| 4 or 5 times | 3.8 | 4.0 | 1.9 |
| 6 or 7 times | 1.7 | 1.6 | 0.9 |
| 8 or 9 times | 1.0 | 1.1 | 0.4 |
| 10 or 11 times | 0.5 | 0.5 | 0.2 |
| 12 or more times | 3.3 | 3.0 | 1.9 |
| N of Valid | 16,163 | 18,067 | 14,812 |
| N of Miss | 1,332 | 1,398 | 863 |

Table 71: How many times in the past year (12 months) have you been drunk or high at school?

| | Grade 6 | Grade 8 | Grade 11 |
|----------------|---------|---------|----------|
| | State | State | State |
| Never | | 89.9 | 82.9 |
| 1 or 2 times | | 5.3 | 6.8 |
| 3 to 5 times | | 1.7 | 3.1 |
| 6 to 9 times | | 0.9 | 1.7 |
| 10 to 19 times | | 0.6 | 1.3 |
| 20 to 29 times | | 0.4 | 1.1 |
| 30 to 39 times | | 0.1 | 0.5 |
| 40+ times | | 1.1 | 2.6 |
| N of Valid | 0 | 17,952 | 14,737 |
| N of Miss | 17,495 | 1,513 | 940 |

Table 72: How many times in the past year (12 months) have you been suspended from school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|-------------------------|------------------|-------------------|
| Never | | 85.0 | 89.5 |
| 1 or 2 times | | 10.4 | 7.7 |
| 3 to 5 times | | 2.5 | 1.2 |
| 6 to 9 times | | 0.9 | 0.6 |
| 10 to 19 times | | 0.5 | 0.3 |
| 20 to 29 times | | 0.2 | 0.1 |
| 30 to 39 times | | 0.1 | 0.1 |
| 40+ times | | 0.6 | 0.4 |
| N of Valid | 0 | 17,955 | 14,735 |
| N of Miss | 17,495 | 1,510 | 942 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| Never | | 98.6 | 98.4 |
| 1 or 2 times | | 0.4 | 0.4 |
| 3 to 5 times | | 0.2 | 0.2 |
| 6 to 9 times | | 0.1 | 0.2 |
| 10 to 19 times | | 0.1 | 0.1 |
| 20 to 29 times | | 0.0 | 0.1 |
| 30 to 39 times | | 0.0 | 0.0 |
| 40+ times | | 0.6 | 0.6 |
| N of Valid | 0 | 17,936 | 14,725 |
| N of Miss | 17,495 | 1,529 | 951 |

Table 73: How many times in the past year (12 months) have you taken a handgun to school?

A.2.7 Harassment and Bullying

During the past 30 days have you ever been harassed at school (or on the way to or from school) in relations to any of the following issues?

Table 74: Harassment about your race or ethnic origin.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 74.4 | 55.6 | 57.8 |
| no | 18.0 | 29.9 | 30.7 |
| yes | 5.2 | 10.2 | 8.2 |
| YES! | 2.3 | 4.3 | 3.3 |
| N of Valid | 16,110 | 18,390 | 15,036 |
| N of Miss | 1,386 | 1,075 | 641 |

Table 75: Unwanted sexual comments or attention.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 74.8 | 48.0 | 48.5 |
| no | 14.6 | 30.3 | 33.5 |
| yes | 6.3 | 15.4 | 13.6 |
| YES! | 4.3 | 6.3 | 4.4 |
| N of Valid | 16,075 | 18,246 | 14,968 |
| N of Miss | 1,420 | 1,220 | 709 |

Table 76: Harassment because someone thought you were gay, lesbian, bisexual or transgender.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 62.4 | 59.5 | 62.9 |
| no | 17.2 | 25.9 | 29.1 |
| yes | 13.5 | 9.6 | 5.3 |
| YES! | 6.9 | 5.0 | 2.7 |
| N of Valid | 16,056 | 18,285 | 14,973 |
| N of Miss | 1,439 | 1,180 | 703 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 60.9 | 45.2 | 51.3 |
| no | 19.2 | 27.5 | 31.8 |
| yes | 13.3 | 19.1 | 12.5 |
| YES! | 6.7 | 8.1 | 4.4 |
| N of Valid | 15,904 | 18,259 | 14,961 |
| N of Miss | 1,591 | 1,205 | 715 |

Table 77: Harassment about your weight, clothes, acne, or other physical characteristics.

Table 78: Harassment about your group of friends.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 70.1 | 47.1 | 51.4 |
| no | 16.3 | 30.4 | 33.5 |
| yes | 8.6 | 16.3 | 11.4 |
| YES! | 5.0 | 6.2 | 3.7 |
| N of Valid | 16,009 | 18,318 | 14,989 |
| N of Miss | 1,486 | 1,146 | 687 |
| | | | |

Table 79: Harassment for other reasons.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 56.2 | 42.6 | 47.8 |
| no | 13.6 | 26.0 | 30.8 |
| yes | 16.3 | 19.4 | 14.2 |
| YES! | 13.9 | 12.1 | 7.2 |
| N of Valid | 16,021 | 18,197 | 14,951 |
| N of Miss | 1,474 | 1,269 | 725 |

A.3 Social, Emotional and Mental Health

A.3.1 Positive Youth Development

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------------------|------------------|------------------|-------------------|
| Strong positive youth development | | 60.3 | 66.0 |
| Weak positive youth development | | 39.7 | 34.0 |
| N of Valid | 0 | 17,088 | 14,358 |
| N of Miss | 17,495 | 2,377 | 1,319 |

Table 80: Positive Youth Development

Table 81: Would you say that in general your physical health is...

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| Excellent | | 37.5 | 30.3 |
| Very good | | 30.3 | 32.5 |
| Good | | 22.2 | 25.2 |
| Fair | | 7.2 | 9.4 |
| Poor | | 2.8 | 2.7 |
| N of Valid | 0 | 17,852 | 14,685 |
| N of Miss | 17,495 | 1,613 | 990 |

Table 82: Would you say that in general your emotional and mental health is...

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Excellent | | 35.7 | 32.4 |
| Very good | | 31.3 | 32.3 |
| Good | | 18.8 | 20.8 |
| Fair | | 9.3 | 10.0 |
| Poor | | 5.0 | 4.4 |
| N of Valid | 0 | 17,842 | 14,695 |
| N of Miss | 17,495 | 1,622 | 981 |

Table 83: I can do most things if I try.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| Very much true | | 50.4 | 54.4 |
| Pretty much true | | 38.9 | 37.9 |
| A little true | | 9.0 | 6.7 |
| Not at all true | | 1.8 | 1.0 |
| N of Valid | 0 | 17,927 | 14,721 |
| N of Miss | 17,495 | 1,539 | 955 |

Table 84: I can work out my problems.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| Very much true | | 41.5 | 46.0 |
| Pretty much true | | 43.0 | 43.6 |
| A little true | | 12.8 | 9.0 |
| Not at all true | | 2.8 | 1.4 |
| N of Valid | 0 | 17,850 | 14,685 |
| N of Miss | 17,495 | 1,615 | 990 |

Table 85: I volunteer to help others in my community.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| Very much true | | 19.4 | 26.3 |
| Pretty much true | | 24.5 | 25.7 |
| A little true | | 37.3 | 33.8 |
| Not at all true | | 18.8 | 14.3 |
| N of Valid | 0 | 17,592 | 14,573 |
| N of Miss | 17,495 | 1,873 | 1,103 |

Table 86: There is at least one teacher or other adult in my school that really cares about me.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| Very much true | | 39.0 | 40.3 |
| Pretty much true | | 26.3 | 28.9 |
| A little true | | 22.1 | 21.5 |
| Not at all true | | 12.6 | 9.3 |
| N of Valid | 0 | 17,756 | 14,664 |
| N of Miss | 17,495 | 1,708 | 1,011 |

Table 87: Mental Health Inventory 5

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------|------------------|------------------|-------------------|
| Below MHI-5 cutoff | 95.2 | 93.3 | 93.9 |
| At or above MHI-5 cutoff | 4.8 | 6.7 | 6.1 |
| N of Valid | 15,593 | 18,236 | 15,095 |
| N of Miss | 1,902 | 1,229 | 580 |

Table 88: During the past 30 days, how much of the time have you been a happy person?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|-------------------|
| All of the time | 22.3 | 18.9 | 18.6 |
| Most of the time | 45.6 | 42.8 | 43.3 |
| A good bit of the time | 15.1 | 17.4 | 19.2 |
| Some of the time | 9.9 | 12.1 | 11.8 |
| A little of the time | 5.0 | 7.0 | 5.8 |
| None of the time | 2.0 | 1.8 | 1.3 |
| N of Valid | 16,593 | 18,993 | 15,414 |
| N of Miss | 901 | 472 | 262 |

Table 89: During the past 30 days, how much of the time have you felt calm and peaceful?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|-------------------|
| All of the time | 18.0 | 14.2 | 13.9 |
| Most of the time | 30.8 | 29.0 | 30.5 |
| A good bit of the time | 19.5 | 21.1 | 21.2 |
| Some of the time | 14.8 | 17.1 | 18.3 |
| A little of the time | 10.1 | 12.4 | 12.2 |
| None of the time | 6.8 | 6.2 | 3.8 |
| N of Valid | 16,359 | 18,814 | 15,320 |
| N of Miss | 1,136 | 650 | 356 |

Table 90: During the past 30 days, how much of the time have you been a very nervous person?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|-------------------|
| All of the time | 4.4 | 3.7 | 3.5 |
| Most of the time | 7.1 | 5.8 | 6.0 |
| A good bit of the time | 8.3 | 8.7 | 10.1 |
| Some of the time | 16.8 | 17.2 | 20.9 |
| A little of the time | 39.5 | 41.7 | 40.9 |
| None of the time | 23.9 | 22.9 | 18.6 |
| N of Valid | 16,388 | 18,884 | 15,373 |
| N of Miss | 1,107 | 581 | 304 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|-------------------|
| All of the time | 3.9 | 4.0 | 3.1 |
| Most of the time | 6.1 | 6.9 | 6.0 |
| A good bit of the time | 7.1 | 8.5 | 10.0 |
| Some of the time | 12.5 | 14.4 | 17.3 |
| A little of the time | 31.7 | 34.2 | 38.7 |
| None of the time | 38.6 | 32.0 | 24.9 |
| N of Valid | 16,040 | 18,631 | 15,252 |
| N of Miss | 1,455 | 833 | 424 |

Table 91: During the past 30 days, how much of the time have you felt downhearted and blue?

Table 92: During the past 30 days, how much of the time have you felt so down in the dumps that nothing could cheer you up?

| | Grade 6 | Grade 8 | Grade 11 |
|------------------------|---------|---------|----------|
| | State | State | State |
| All of the time | 3.9 | 3.6 | 2.9 |
| Most of the time | 4.4 | 4.8 | 3.6 |
| A good bit of the time | 4.7 | 5.2 | 5.0 |
| Some of the time | 6.5 | 7.5 | 8.0 |
| A little of the time | 17.8 | 19.2 | 22.1 |
| None of the time | 62.7 | 59.7 | 58.4 |
| N of Valid | 16,492 | 18,954 | 15,385 |
| N of Miss | 1,003 | 511 | 291 |

A.3.3 Depression and Suicidality

Table 93: During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Yes | 17.7 | 22.1 | 23.4 |
| No | 82.3 | 77.9 | 76.6 |
| N of Valid | 16,549 | 19,073 | 15,420 |
| N of Miss | 946 | 391 | 257 |

Table 94: During the past 12 months did you ever seriously consider attempting suicide?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| Yes | | 13.9 | 12.6 |
| No | | 86.1 | 87.4 |
| N of Valid | 0 | 15,388 | 12,415 |
| N of Miss | 17,495 | 4,077 | 3,261 |

PI

| | Grade 6 | Grade 8 | Grade 11 |
|--|---------|---------|----------|
| | State | State | State |
| Playing lottery tick- ets. | 6.2 | 8.8 | 10.1 |
| Playing Powerball or Megabucks. | 2.1 | 2.7 | 2.6 |
| Playing dice or coin flips. | 12.4 | 14.8 | 8.3 |
| Playing cards (poker, etc.). | 13.2 | 18.8 | 17.2 |
| Betting on a sports team. | 14.0 | 18.2 | 14.5 |
| Betting on a horse/dog race. | 1.9 | 1.6 | 1.4 |
| Betting on games of personal skill (bowl- ing, video games, dares, etc.). | 19.7 | 25.4 | 18.3 |
| Gambling on the In- ternet for free or with money. | 2.7 | 4.7 | 4.7 |
| Gambling at a casino. | 0.7 | 0.8 | 1.1 |
| Playing Bingo for money. | 6.5 | 6.0 | 3.8 |
| None. | 57.6 | 50.9 | 58.2 |
| Other. | 8.8 | 12.0 | 8.0 |
| N of Valid | 17,495 | 19,465 | 15,676 |
| N of Miss | 0 | 0 | 0 |

Table 96: Please mark ALL the different types of gambling that you have bet on,

if any, during the last 30 days:

Table 95: During the past 12 months how many times did you actually attempt suicide?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------|------------------|------------------|--------------------------|
| 0 times | | 91.0 | 93.4 |
| 1 time | | 4.4 | 3.6 |
| 2 or 3 times | | 2.6 | 1.8 |
| 4 or 5 times | | 0.8 | 0.4 |
| 6 or more times | | 1.3 | 0.8 |
| N of Valid | 0 | 18,470 | 15,075 |
| N of Miss | 17,495 | 994 | 601 |

A.3.4 Problem Gambling

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|-------------------|
| Yes | | 4.2 | 2.9 |
| No | | 32.9 | 33.8 |
| I don't bet for money. | | 62.9 | 63.3 |
| N of Valid | 0 | 18,353 | 14,934 |
| N of Miss | 17,495 | 1,112 | 742 |

Table 97: During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money?

Table 98: During the last 12 months, have you ever felt that you would like to stop betting money but didn't think you could?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------------|------------------|------------------|--------------------------|
| Yes | | 2.7 | 1.8 |
| No | | 33.1 | 33.5 |
| I don't bet for money. | | 64.1 | 64.7 |
| N of Valid | 0 | 18,317 | 14,931 |
| N of Miss | 17,495 | 1,148 | 745 |

Table 99: In total, how much money have you bet in any form (lottery, card games, bingo, internet, sports, with friends) in the past three months?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| 0 | | 63.5 | 68.1 |
| \$1 - \$10 | | 22.9 | 18.7 |
| \$11 - \$50 | | 8.1 | 7.9 |
| \$51 - \$100 | | 2.6 | 2.2 |
| \$101 - \$200 | | 1.1 | 1.0 |
| \$201 - \$500 | | 0.6 | 0.6 |
| Over \$500 | | 1.3 | 1.6 |
| N of Valid | 0 | 18,489 | 15,008 |
| N of Miss | 17,495 | 977 | 669 |

Table 100: Have you ever lied to anyone about betting/gambling?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|-------------------------|------------------|--------------------------|
| NO! | 71.2 | 69.8 | 72.5 |
| no | 18.6 | 24.3 | 24.0 |
| yes | 6.4 | 4.4 | 2.4 |
| YES! | 3.7 | 1.6 | 1.1 |
| N of Valid | 15,751 | 18,426 | 14,976 |
| N of Miss | 1,744 | 1,038 | 701 |

Table 101: Have you ever bet/gambled more than you wanted to?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 72.6 | 69.5 | 71.1 |
| no | 17.2 | 24.2 | 23.4 |
| yes | 6.6 | 4.8 | 4.4 |
| YES! | 3.6 | 1.6 | 1.1 |
| N of Valid | 15,613 | 18,315 | 14,924 |
| N of Miss | 1,883 | 1,151 | 752 |

Table 102: Have your parents ever talked to you about the risks of betting/gambling?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 19.3 | 25.7 | 35.1 |
| no | 22.4 | 27.8 | 28.5 |
| yes | 29.6 | 29.2 | 25.4 |
| YES! | 28.7 | 17.3 | 11.1 |
| N of Valid | 15,820 | 18,345 | 14,935 |
| N of Miss | 1,675 | 1,120 | 741 |

Table 103: Have your teachers ever talked to you about the risks of betting/gambling?

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | 31.8 | 32.5 | 40.1 |
| no | 35.9 | 36.8 | 36.7 |
| yes | 19.6 | 21.4 | 18.2 |
| YES! | 12.7 | 9.3 | 4.9 |
| N of Valid | 15,769 | 18,277 | 14,904 |
| N of Miss | 1,725 | 1,188 | 771 |

A.4 Substance Use

A.4.1 Tobacco Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | 97.3 | 91.8 | 85.7 |
| 1 or 2 days | 1.5 | 3.6 | 4.8 |
| 3 to 5 days | 0.4 | 1.2 | 2.1 |
| 6 to 9 days | 0.2 | 0.8 | 1.1 |
| 10 to 19 days | 0.2 | 0.7 | 1.4 |
| 20 to 29 days | 0.1 | 0.5 | 1.3 |
| All 30 days | 0.4 | 1.3 | 3.6 |
| N of Valid | 17,198 | 19,003 | 15,416 |
| N of Miss | 298 | 462 | 260 |

Table 104: During the past 30 days, on how many days did you smoke cigarettes?

Table 105: During the past 30 days, on how many days did you use other tobacco products?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | 98.4 | 95.0 | 87.6 |
| 1 or 2 days | 0.8 | 2.2 | 5.0 |
| 3 to 5 days | 0.2 | 0.8 | 2.1 |
| 6 to 9 days | 0.1 | 0.5 | 1.2 |
| 10 to 19 days | 0.1 | 0.5 | 1.1 |
| 20 to 29 days | 0.1 | 0.2 | 0.8 |
| All 30 days | 0.3 | 0.7 | 2.3 |
| N of Valid | 17,166 | 18,990 | 15,375 |
| N of Miss | 328 | 476 | 301 |

Table 106: Used cigarettes or other tobacco products in the past 30 days

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 96.8 | 90.2 | 80.0 |
| Use | 3.2 | 9.8 | 20.0 |
| N of Valid | 17,256 | 19,096 | 15,467 |
| N of Miss | 240 | 369 | 209 |

Table 107: How old were you when you smoked a whole cigarette for the first time?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Never have | 95.8 | 84.6 | 72.1 |
| 8 or younger | 0.8 | 1.6 | 1.3 |
| 9 | 0.6 | 0.9 | 0.6 |
| 10 | 0.9 | 1.5 | 1.2 |
| 11 | 1.1 | 2.0 | 1.5 |
| 12 | 0.6 | 3.3 | 2.4 |
| 13 | 0.1 | 4.6 | 3.7 |
| 14 | | 1.4 | 4.3 |
| 15 | 0.1 | 0.0 | 6.0 |
| 16 | | 0.0 | 5.5 |
| 17 or older | | 0.0 | 1.4 |
| N of Valid | 17,027 | 19,056 | 15,372 |
| N of Miss | 468 | 408 | 304 |

Table 108: Average age the first time a whole cigarette was smoked

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Age in years | 10.2 | 11.6 | 13.7 |

Table 109: How old were you when you first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Never have | 97.4 | 90.6 | 77.8 |
| 8 or younger | 0.5 | 0.9 | 0.9 |
| 9 | 0.3 | 0.4 | 0.4 |
| 10 | 0.5 | 0.8 | 0.6 |
| 11 | 0.7 | 1.0 | 0.6 |
| 12 | 0.4 | 2.0 | 1.5 |
| 13 | 0.1 | 2.9 | 1.8 |
| 14 | | 1.3 | 3.1 |
| 15 | 0.1 | 0.0 | 5.2 |
| 16 | | 0.0 | 6.2 |
| 17 or older | | 0.1 | 1.9 |
| N of Valid | 17,059 | 19,084 | 15,413 |
| N of Miss | 437 | 380 | 261 |

Table 110: Average age the first time to bacco products other than cigarettes were used

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Age in years | 10.4 | 11.8 | 14.3 |

A.4.2 Alcohol Use

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | 91.9 | 77.5 | 63.7 |
| 1 or 2 days | 6.1 | 15.2 | 22.1 |
| 3 to 5 days | 0.9 | 3.5 | 7.5 |
| 6 to 9 days | 0.4 | 1.8 | 3.8 |
| 10 to 19 days | 0.2 | 1.2 | 1.9 |
| 20 to 29 days | 0.1 | 0.4 | 0.5 |
| All 30 days | 0.4 | 0.5 | 0.6 |
| N of Valid | 17,206 | 19,031 | 15,422 |
| N of Miss | 287 | 433 | 254 |

Table 111: During the past 30 days, on how many days did you have at least one drink of alcohol?

Table 112: During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | 98.0 | 91.1 | 79.0 |
| 1 or 2 days | 1.3 | 5.3 | 11.9 |
| 3 to 5 days | 0.2 | 1.7 | 4.8 |
| 6 to 9 days | 0.1 | 0.8 | 2.4 |
| 10 to 19 days | 0.1 | 0.5 | 1.2 |
| 20 to 29 days | 0.1 | 0.2 | 0.4 |
| All 30 days | 0.3 | 0.4 | 0.4 |
| N of Valid | 17,205 | 19,024 | 15,424 |
| N of Miss | 290 | 440 | 252 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Never have | 85.0 | 62.6 | 39.0 |
| 8 or younger | 4.3 | 4.3 | 3.4 |
| 9 | 1.9 | 1.8 | 1.1 |
| 10 | 3.2 | 3.7 | 1.8 |
| 11 | 3.4 | 4.0 | 2.1 |
| 12 | 1.9 | 7.7 | 4.7 |
| 13 | 0.1 | 11.6 | 6.6 |
| 14 | 0.0 | 4.2 | 9.9 |
| 15 | 0.1 | 0.2 | 14.2 |
| 16 | | | 14.0 |
| 17 or older | | 0.1 | 3.1 |
| N of Valid | 17,027 | 19,062 | 15,401 |
| N of Miss | 468 | 404 | 276 |

Table 113: How old were you when you had your first drink of alcohol other than a few sips?

Table 114: Average age of first alcohol use (more than a sip or two)

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Age in years | 9.8 | 11.6 | 13.9 |

Table 115: How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Never have | 92.7 | 78.2 | 61.1 |
| 8 or younger | 1.6 | 1.8 | 1.4 |
| 9 | 0.7 | 0.8 | 0.3 |
| 10 | 1.4 | 1.6 | 0.8 |
| 11 | 1.9 | 2.1 | 0.9 |
| 12 | 1.3 | 4.6 | 2.3 |
| 13 | 0.1 | 7.8 | 3.6 |
| 14 | | 2.9 | 6.2 |
| 15 | 0.1 | 0.1 | 9.2 |
| 16 | | 0.0 | 11.2 |
| 17 or older | | 0.1 | 3.0 |
| N of Valid | 17,117 | 19,078 | 15,387 |
| N of Miss | 380 | 388 | 289 |

Table 116: Average age when first began drinking alcoholic beverages regularly
(at least once or twice a month)

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Age in years | 10.2 | 12.0 | 14.4 |

| Table 117: During the past 30 days, what type of alcohol did you usually drink? |
|---|
| Select only one response. |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| I did not drink alco- hol during the past 30 days. | 91.5 | 78.1 | 64.3 |
| I do not have a usual type. | 1.5 | 2.3 | 3.6 |
| Beer. | 1.8 | 3.8 | 10.1 |
| Flavored beverages (such as Smirnoff, Bacardi Silver, and Hard Lemonade). | 1.3 | 4.4 | 5.3 |
| Wine coolers (such as Bartles and Jaymes or Seagrams Wine). | 0.2 | 0.5 | 0.5 |
| Wine. | 1.5 | 2.1 | 2.3 |
| Liquor (such as vodka, rum, scotch, bourbon, or whiskey). | 1.1 | 7.1 | 12.7 |
| Some other type. | 1.0 | 1.5 | 1.2 |
| N of Valid | 16,752 | 18,436 | 14,837 |
| N of Miss | 742 | 1,028 | 839 |

Table 118: During the past 30 days, how did you usually get the alcohol you drank? Select only one response.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--|------------------|------------------|-------------------|
| I did not drink alco- hol during the past 30 days. | 92.6 | 78.2 | 63.9 |
| I bought it in a store such as a con- venience store, su- permarket, discount store, or gas station. | 0.1 | 0.3 | 0.8 |
| l bought it at a restaurant, bar or club. | 0.1 | 0.2 | 0.3 |
| I bought it at a pub- lic event such as a concert or sporting event. | 0.1 | 0.1 | 0.2 |
| I gave someone else money to buy it for me. | 0.2 | 1.5 | 6.3 |
| l got it from friends 21 or older. | 0.9 | 3.0 | 10.3 |
| I got it from friends under 21. | 0.6 | 3.1 | 5.1 |
| I took it from a store or family member. | 1.4 | 4.5 | 3.1 |
| I got it some other way. | 4.0 | 9.2 | 10.1 |
| N of Valid | 16,744 | 18,888 | 15,232 |
| N of Miss | 752 | 576 | 443 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------|------------------|------------------|-------------------|
| 0 times | 85.6 | 83.3 | 84.7 |
| 1 time | 7.2 | 8.6 | 7.4 |
| 2 or 3 times | 3.5 | 4.6 | 4.8 |
| 4 or 5 times | 1.0 | 1.2 | 1.3 |
| 6 or more times | 2.7 | 2.2 | 1.8 |
| N of Valid | 16,098 | 17,981 | 14,786 |
| N of Miss | 1,396 | 1,485 | 890 |

Table 119: During the past 30 days, how many times did you ride in a vehicle driven by a parent or other adult who had been drinking alcohol?

Table 120: During the past 30 days, how many times did you ride in a vehicle driven by a teenager who had been drinking alcohol?

| | Grade 6 | Grade 8 | Grade 11 |
|-----------------|---------|---------|----------|
| | State | State | State |
| 0 times | 95.8 | 94.7 | 89.7 |
| 1 time | 2.0 | 2.7 | 5.5 |
| 2 or 3 times | 0.9 | 1.3 | 2.8 |
| 4 or 5 times | 0.5 | 0.6 | 0.9 |
| 6 or more times | 0.8 | 0.8 | 1.1 |
| N of Valid | 16,022 | 17,947 | 14,787 |
| N of Miss | 1,472 | 1,518 | 888 |
| | | | |

Table 121: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------|------------------|------------------|-------------------|
| 0 times | | 97.4 | 93.3 |
| 1 time | | 1.2 | 3.6 |
| 2 or 3 times | | 0.6 | 1.6 |
| 4 or 5 times | | 0.2 | 0.5 |
| 6 or more times | | 0.6 | 1.0 |
| N of Valid | 0 | 17,994 | 14,800 |
| N of Miss | 17,495 | 1,471 | 875 |

Table 122: In the last 12 months, which of the following have you experienced? Please mark all that apply.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---|------------------|------------------|-------------------|
| I did not drink al- cohol in the last 12 months. | 87.8 | 72.7 | 55.7 |
| Missed school or class because of drinking alcohol. | 0.9 | 2.4 | 3.6 |
| Gotten sick to your stomach because of drinking alcohol. | 2.2 | 7.3 | 14.8 |
| Not been able to re- member what hap- pened while you were drinking alcohol. | 1.5 | 7.0 | 14.0 |
| Later regretted something you did while drinking alcohol. | 1.7 | 5.3 | 9.5 |
| Worried that you drank alcohol too much or too often. | 1.5 | 3.7 | 4.7 |
| N of Valid | 17,495 | 19,465 | 15,676 |
| N of Miss | 0 | 0 | 0 |

A.4.4 Marijuana Use

Table 123: During the past 30 days, on how many days did you use marijuana?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| 0 days | 97.8 | 87.8 | 76.3 |
| 1 or 2 days | 1.0 | 4.9 | 8.4 |
| 3 to 5 days | 0.3 | 2.0 | 3.8 |
| 6 to 9 days | 0.2 | 1.5 | 2.7 |
| 10 to 19 days | 0.2 | 1.4 | 2.7 |
| 20 to 29 days | 0.1 | 0.9 | 2.4 |
| All 30 days | 0.5 | 1.5 | 3.8 |
| N of Valid | 17,108 | 18,936 | 15,339 |
| N of Miss | 387 | 529 | 337 |

Table 124: During the past 30 days, how many times did you use marijuana?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 97.6 | 87.6 | 75.7 |
| 1 or 2 times | 1.2 | 4.9 | 8.7 |
| 3 to 9 times | 0.5 | 3.3 | 5.8 |
| 10 to 19 times | 0.2 | 1.7 | 3.1 |
| 20 to 39 times | 0.1 | 1.1 | 2.6 |
| 40 or more times | 0.3 | 1.5 | 4.1 |
| N of Valid | 17,109 | 19,169 | 15,486 |
| N of Miss | 386 | 296 | 190 |

Table 125: How old were you when you tried marijuana for the first time?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Never have | 96.7 | 80.3 | 58.3 |
| 8 or younger | 0.6 | 1.3 | 1.3 |
| 9 | 0.3 | 0.6 | 0.5 |
| 10 | 0.6 | 1.3 | 0.8 |
| 11 | 0.9 | 1.7 | 1.3 |
| 12 | 0.7 | 4.1 | 3.1 |
| 13 | 0.1 | 7.6 | 4.8 |
| 14 | 0.0 | 2.9 | 7.3 |
| 15 | 0.1 | 0.1 | 11.1 |
| 16 | | 0.0 | 9.4 |
| 17 or older | | 0.1 | 2.2 |
| N of Valid | 17,033 | 19,109 | 15,440 |
| N of Miss | 462 | 357 | 236 |

Table 126: Average age of first marijuana use

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Age in years | 10.5 | 12.1 | 14.2 |

Table 127: During the past 30 days, on how many days did you sniff glue, breathe the contents of aerosol spray cans, or any paints or sprays to get high?

A.4.5 Other Drug Use

Table 128: During the past 30 days, on how many days did you use prescription drugs (without a doctor's orders) to get high?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | | 96.1 | 93.4 |
| 1 or 2 days | | 2.1 | 3.3 |
| 3 to 5 days | | 0.7 | 1.4 |
| 6 to 9 days | | 0.4 | 0.8 |
| 10 to 19 days | | 0.3 | 0.5 |
| 20 to 29 days | | 0.2 | 0.2 |
| All 30 days | | 0.2 | 0.4 |
| N of Valid | 0 | 18,979 | 15,430 |
| N of Miss | 17,495 | 487 | 245 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|-------------------------|------------------|--------------------------|
| 0 days | 93.5 | 94.1 | 97.7 |
| 1 or 2 days | 4.2 | 3.8 | 1.4 |
| 3 to 5 days | 0.9 | 0.9 | 0.3 |
| 6 to 9 days | 0.4 | 0.4 | 0.2 |
| 10 to 19 days | 0.3 | 0.3 | 0.1 |
| 20 to 29 days | 0.1 | 0.1 | 0.0 |
| All 30 days | 0.6 | 0.3 | 0.2 |
| N of Valid | 17,163 | 19,032 | 15,436 |
| N of Miss | 333 | 432 | 241 |
| | | | |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | | 98.6 | 98.2 |
| 1 or 2 days | | 0.6 | 0.9 |
| 3 to 5 days | | 0.3 | 0.4 |
| 6 to 9 days | | 0.1 | 0.2 |
| 10 to 19 days | | 0.1 | 0.2 |
| 20 to 29 days | | 0.1 | 0.1 |
| All 30 days | | 0.2 | 0.2 |
| N of Valid | 0 | 18,991 | 15,448 |
| N of Miss | 17,495 | 474 | 228 |

Table 129: During the past 30 days, on how many days did you use any form of cocaine, including powder, crack or freebase?

Table 130: During the past 30 days, on how many days did you use ecstasy (also called MDMA)?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| 0 days | | 98.3 | 97.5 |
| 1 or 2 days | | 0.9 | 1.6 |
| 3 to 5 days | | 0.2 | 0.4 |
| 6 to 9 days | | 0.2 | 0.2 |
| 10 to 19 days | | 0.1 | 0.2 |
| 20 to 29 days | | 0.1 | 0.1 |
| All 30 days | | 0.2 | 0.1 |
| N of Valid | 0 | 18,945 | 15,401 |
| N of Miss | 17,495 | 520 | 276 |

Table 131: During the past 30 days, on how many days did you use heroin or other opiates or narcotics?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| 0 days | | 99.0 | 98.7 |
| 1 or 2 days | | 0.4 | 0.5 |
| 3 to 5 days | | 0.2 | 0.3 |
| 6 to 9 days | | 0.2 | 0.2 |
| 10 to 19 days | | 0.1 | 0.1 |
| 20 to 29 days | | 0.0 | 0.1 |
| All 30 days | | 0.2 | 0.1 |
| N of Valid | 0 | 18,878 | 15,391 |
| N of Miss | 17,495 | 586 | 285 |

Table 132: During the past 30 days, on how many days did you use LSD or other hallucinogens or psychedelics?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|-------------------------|------------------|-------------------|
| 0 days | | 98.4 | 97.3 |
| 1 or 2 days | | 0.9 | 1.6 |
| 3 to 5 days | | 0.2 | 0.5 |
| 6 to 9 days | | 0.1 | 0.2 |
| 10 to 19 days | | 0.1 | 0.2 |
| 20 to 29 days | | 0.1 | 0.1 |
| All 30 days | | 0.2 | 0.2 |
| N of Valid | 0 | 18,944 | 15,427 |
| N of Miss | 17,495 | 521 | 249 |

| Table 133: During the past 30 days, on how many days did you use | |
|--|--|
| methamphetamines (also called speed, crystal, crank or ice)? | |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|--------------------------|
| 0 days | | 98.9 | 98.8 |
| 1 or 2 days | | 0.5 | 0.5 |
| 3 to 5 days | | 0.2 | 0.2 |
| 6 to 9 days | | 0.1 | 0.1 |
| 10 to 19 days | | 0.1 | 0.1 |
| 20 to 29 days | | 0.1 | 0.1 |
| All 30 days | | 0.2 | 0.2 |
| N of Valid | 0 | 18,950 | 15,417 |
| N of Miss | 17,495 | 515 | 260 |

Table 134: Used any drugs in past 30 days (includes any use of marijuana, inhalants, prescription drugs, cocaine, ecstasy, heroin, hallucinogens or methamphetamines)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 92.4 | 83.3 | 73.9 |
| Use | 7.6 | 16.7 | 26.1 |
| N of Valid | 17,250 | 19,123 | 15,470 |
| N of Miss | 245 | 342 | 206 |

Table 135: Used illicit drugs in past 30 days (includes any use of marijuana, cocaine, ecstasy, heroin, hallucinogens or methamphetamines)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 97.8 | 87.2 | 75.8 |
| Use | 2.2 | 12.8 | 24.2 |
| N of Valid | 17,108 | 19,121 | 15,470 |
| N of Miss | 387 | 344 | 206 |

Table 136: Used illicit drugs other than marijauna (includes any use of cocaine,
ecstasy, heroin, hallucinogens or methamphetamines)

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| No use | | 96.7 | 94.9 |
| Use | | 3.3 | 5.1 |
| N of Valid | 0 | 19,078 | 15,463 |
| N of Miss | 17,495 | 387 | 213 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 86.5 | 85.0 | 89.2 |
| 1 or 2 times | 8.1 | 8.7 | 6.4 |
| 3 to 9 times | 2.6 | 3.2 | 2.1 |
| 10 to 19 times | 1.2 | 1.3 | 0.9 |
| 20 to 39 times | 0.6 | 0.6 | 0.5 |
| 40 or more times | 1.0 | 1.2 | 0.9 |
| N of Valid | 17,159 | 19,095 | 15,456 |
| N of Miss | 336 | 371 | 219 |

Table 137: During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

| Table 138: During your life, how many times have you taken steroid pills or sho | ts |
|---|----|
| without a doctor's prescription? | |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 98.0 | 96.8 | 96.7 |
| 1 or 2 times | 1.1 | 1.6 | 1.4 |
| 3 to 9 times | 0.3 | 0.7 | 0.7 |
| 10 to 19 times | 0.2 | 0.4 | 0.4 |
| 20 to 39 times | 0.1 | 0.2 | 0.3 |
| 40 or more times | 0.3 | 0.4 | 0.6 |
| N of Valid | 17,148 | 19,074 | 15,459 |
| N of Miss | 346 | 390 | 217 |

Table 139: During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

| | Grade 6 | Grade 8 | Grade 11 |
|------------------|---------|---------|----------|
| | State | State | State |
| 0 times | 98.7 | 97.1 | 94.8 |
| 1 or 2 times | 0.7 | 1.5 | 2.5 |
| 3 to 9 times | 0.2 | 0.5 | 1.1 |
| 10 to 19 times | 0.1 | 0.3 | 0.5 |
| 20 to 39 times | 0.0 | 0.1 | 0.3 |
| 40 or more times | 0.3 | 0.5 | 0.8 |
| N of Valid | 17,108 | 19,064 | 15,439 |
| N of Miss | 387 | 402 | 237 |

Table 140: During your life, how many times have you used ecstasy (also called MDMA)?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 99.3 | 96.9 | 92.8 |
| 1 or 2 times | 0.2 | 1.6 | 3.7 |
| 3 to 9 times | 0.1 | 0.6 | 1.9 |
| 10 to 19 times | 0.1 | 0.3 | 0.6 |
| 20 to 39 times | 0.0 | 0.2 | 0.4 |
| 40 or more times | 0.2 | 0.4 | 0.7 |
| N of Valid | 16,827 | 18,926 | 15,366 |
| N of Miss | 667 | 541 | 310 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|--------------------------|
| 0 times | 99.0 | 98.4 | 98.0 |
| 1 or 2 times | 0.5 | 0.7 | 0.9 |
| 3 to 9 times | 0.1 | 0.3 | 0.3 |
| 10 to 19 times | 0.1 | 0.1 | 0.2 |
| 20 to 39 times | 0.1 | 0.1 | 0.2 |
| 40 or more times | 0.3 | 0.4 | 0.4 |
| N of Valid | 17,016 | 19,031 | 15,417 |
| N of Miss | 480 | 435 | 259 |

Table 141: During your life, how many times have you used heroin (also called smack, junk, or China White)?

Table 142: During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | 98.5 | 97.9 | 97.2 |
| 1 or 2 times | 0.7 | 1.1 | 1.3 |
| 3 to 9 times | 0.2 | 0.3 | 0.5 |
| 10 to 19 times | 0.1 | 0.2 | 0.2 |
| 20 to 39 times | 0.1 | 0.1 | 0.2 |
| 40 or more times | 0.4 | 0.4 | 0.6 |
| N of Valid | 16,985 | 19,033 | 15,436 |
| N of Miss | 511 | 432 | 240 |

Table 143: During your life, how many times have you used a needle to inject any illegal drug into your body?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|-------------------|
| 0 times | | 98.7 | 98.6 |
| 1 or 2 times | | 0.6 | 0.5 |
| 3 to 9 times | | 0.2 | 0.2 |
| 10 to 19 times | | 0.1 | 0.2 |
| 20 to 39 times | | 0.1 | 0.1 |
| 40 or more times | | 0.3 | 0.5 |
| N of Valid | 0 | 19,023 | 15,438 |
| N of Miss | 17,495 | 442 | 237 |

Table 144: Lifetime drug use (includes any use of marijuana, inhalants, cocaine, ecstasy, heroin, or methamphetamines)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 84.4 | 72.1 | 55.4 |
| Use | 15.6 | 27.9 | 44.6 |
| N of Valid | 17,349 | 19,310 | 15,588 |
| N of Miss | 146 | 155 | 88 |

Table 145: Lifetime illicit drug use (includes any use of marijuana, cocaine, ecstasy, heroin, or methamphetamines)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 95.3 | 79.5 | 58.1 |
| Use | 4.7 | 20.5 | 41.9 |
| N of Valid | 17,328 | 19,303 | 15,583 |
| N of Miss | 166 | 162 | 93 |

| Table 146: Lifetime use of illicit drugs other than marijuana (includes any use of | f |
|--|---|
| cocaine, ecstasy, heroin, or methamphetamines) | |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| No use | 97.5 | 94.9 | 90.3 |
| Use | 2.5 | 5.1 | 9.7 |
| N of Valid | 17,180 | 19,120 | 15,466 |
| N of Miss | 314 | 345 | 210 |

A.4.7 Perceived Availability of Drugs

Table 147: If you wanted to get some cigarettes, how easy would it be for you to get some?

| | | | C 11 |
|--------------|---------|---------|----------|
| | Grade 6 | Grade 8 | Grade 11 |
| | State | State | State |
| Very hard | 67.6 | 41.0 | 17.1 |
| Sort of hard | 15.8 | 20.6 | 16.6 |
| Sort of easy | 8.8 | 18.0 | 22.0 |
| Very easy | 7.8 | 20.4 | 44.3 |
| N of Valid | 16,900 | 19,070 | 15,482 |
| N of Miss | 595 | 394 | 193 |

Table 148: If you wanted to get some beer, wine or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Very hard | 62.2 | 29.4 | 11.3 |
| Sort of hard | 19.7 | 23.5 | 16.3 |
| Sort of easy | 10.9 | 25.0 | 30.3 |
| Very easy | 7.2 | 22.0 | 42.0 |
| N of Valid | 16,981 | 19,117 | 15,526 |
| N of Miss | 514 | 348 | 150 |

Table 149: If you wanted to get some marijuana, how easy would it be for you to get some?

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Very hard | 85.4 | 49.1 | 20.1 |
| Sort of hard | 7.3 | 15.0 | 13.5 |
| Sort of easy | 3.9 | 14.9 | 21.6 |
| Very easy | 3.4 | 21.0 | 44.7 |
| N of Valid | 16,830 | 19,021 | 15,491 |
| N of Miss | 664 | 443 | 185 |

| | Grade 6 | Grade 8 | Grade 11 |
|--------------|---------|---------|----------|
| | State | State | State |
| Very hard | 91.9 | 76.1 | 50.2 |
| Sort of hard | 5.1 | 13.8 | 26.2 |
| Sort of easy | 1.7 | 6.2 | 13.9 |
| Very easy | 1.3 | 3.9 | 9.7 |
| N of Valid | 16,867 | 19,054 | 15,481 |
| N of Miss | 628 | 411 | 195 |

Table 150: If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

A.4.8 Perceived Risk of Harm from Substance Use

| Table 151: How much do you think people risk harming themselves (physically or |
|--|
| in other ways) if they smoke one or more packs of cigarettes per day? |

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| No risk | 7.1 | 5.6 | 5.9 |
| Slight risk | 6.1 | 8.6 | 9.0 |
| Moderate risk | 16.4 | 19.7 | 20.2 |
| Great risk | 70.4 | 66.1 | 64.9 |
| N of Valid | 15,885 | 17,887 | 14,713 |
| N of Miss | 1,610 | 1,578 | 964 |
| | | | |

Table 152: How much do you think people risk harming themselves (physically or in other ways) if they take one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

| Grade 6 | Grade 8 | Grade 11 |
|---------|---|---|
| State | State | State |
| 9.2 | 9.6 | 9.9 |
| 20.2 | 26.1 | 25.2 |
| 31.8 | 34.6 | 35.0 |
| 38.9 | 29.7 | 29.9 |
| 16,032 | 17,997 | 14,802 |
| 1,462 | 1,468 | 874 |
| | State 9.2 20.2 31.8 38.9 16,032 | State State 9.2 9.6 20.2 26.1 31.8 34.6 38.9 29.7 16,032 17,997 |

Table 153: How much do you think people risk harming themselves (physically or in other ways) when they have five or more drinks of an alcoholic beverage once or twice a week?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| No risk | 7.6 | 6.6 | 6.0 |
| Slight risk | 14.1 | 17.6 | 17.8 |
| Moderate risk | 31.2 | 35.5 | 36.0 |
| Great risk | 47.2 | 40.4 | 40.2 |
| N of Valid | 15,965 | 17,932 | 14,776 |
| N of Miss | 1,531 | 1,533 | 900 |

| Table 154: How much do you think people risk harming themselves (physically or |
|--|
| in other ways) if they try marijuana once or twice? |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|---------------|------------------|------------------|-------------------|
| No risk | 9.1 | 19.6 | 34.0 |
| Slight risk | 16.5 | 26.5 | 31.0 |
| Moderate risk | 26.8 | 23.4 | 17.5 |
| Great risk | 47.5 | 30.5 | 17.6 |
| N of Valid | 15,820 | 17,838 | 14,706 |
| N of Miss | 1,676 | 1,627 | 970 |

Table 155: How much do you think people risk harming themselves (physically or in other ways) if they smoke marijuana once or twice a week?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------|---------|---------|----------|
| | State | State | State |
| No risk | 7.7 | 11.2 | 17.7 |
| Slight risk | 7.2 | 14.6 | 22.2 |
| Moderate risk | 19.0 | 24.0 | 27.0 |
| Great risk | 66.1 | 50.2 | 33.1 |
| N of Valid | 15,866 | 17,925 | 14,768 |
| N of Miss | 1,629 | 1,540 | 908 |

A.4.9 Communication about Substance Use

Table 156: During the past 12 months have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use?

| | Grade 6 | Grade 8 | Grade 11 |
|---------------------|---------|---------|----------|
| | State | State | State |
| Yes | 66.2 | 64.9 | 64.8 |
| No | 26.0 | 28.9 | 30.2 |
| Don't know or can't | 7.8 | 6.2 | 5.0 |
| say | | | |
| N of Valid | 17,040 | 19,157 | 15,532 |
| N of Miss | 456 | 308 | 144 |

Table 157: During the past 12 months have you had a special class about drugs or alcohol in school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------------------|------------------|------------------|-------------------|
| Yes | 51.6 | 57.2 | 45.5 |
| No | 39.4 | 34.6 | 47.0 |
| Don't know or can't say | 9.0 | 8.2 | 7.6 |
| N of Valid | 17,053 | 19,138 | 15,522 |
| N of Miss | 442 | 327 | 154 |

Table 158: During the past 12 months do you recall hearing, reading, or watching an advertisement about prevention of substance abuse?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------------------|------------------|------------------|-------------------|
| Yes | 47.7 | 67.1 | 76.8 |
| No | 25.0 | 17.4 | 13.5 |
| Don't know or can't say | 27.3 | 15.4 | 9.7 |
| N of Valid | 16,954 | 19,161 | 15,556 |
| N of Miss | 541 | 304 | 120 |

Table 159: Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-------------------------------|------------------|------------------|-------------------|
| More likely | otate | 34.1 | 30.8 |
| Less likely | | 15.2 | 15.9 |
| Would make no dif- ference | | 36.5 | 48.0 |
| Don't know or can't say | | 14.3 | 5.3 |
| N of Valid | 0 | 18,928 | 15,470 |
| N of Miss | 17,495 | 537 | 206 |

A.5 Antisocial Behavior

A.5.1 Antisocial Behavior

Table 160: During the past 12 months how many times were you in a physical fight on school property?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------------|------------------|------------------|--------------------------|
| 0 times | 78.4 | 78.6 | 89.9 |
| 1 time | 11.6 | 11.8 | 5.9 |
| 2 or 3 times | 6.0 | 5.9 | 2.3 |
| 4 or 5 times | 1.7 | 1.4 | 0.6 |
| 6 or 7 times | 0.6 | 0.6 | 0.3 |
| 8 or 9 times | 0.4 | 0.4 | 0.1 |
| 10 or 11 times | 0.3 | 0.2 | 0.1 |
| 12 or more times | 1.0 | 1.2 | 0.8 |
| N of Valid | 16,496 | 18,491 | 15,068 |
| N of Miss | 999 | 974 | 607 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| Never | | 84.0 | 86.9 |
| 1 or 2 times | | 11.8 | 9.7 |
| 3 to 5 times | | 1.9 | 1.6 |
| 6 to 9 times | | 0.8 | 0.7 |
| 10 to 19 times | | 0.4 | 0.4 |
| 20 to 29 times | | 0.2 | 0.2 |
| 30 to 39 times | | 0.1 | 0.1 |
| 40+ times | | 0.8 | 0.6 |
| N of Valid | 0 | 18,019 | 14,767 |
| N of Miss | 17,495 | 1,447 | 908 |

Table 161: How many times in the past year (12 months) have you attacked someone with the idea of seriously hurting them?

Table 162: How many times in the past year (12 months) have you been arrested?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|--------------------------|
| Never | | 94.2 | 93.8 |
| 1 or 2 times | | 4.0 | 4.4 |
| 3 to 5 times | | 0.8 | 0.8 |
| 6 to 9 times | | 0.3 | 0.3 |
| 10 to 19 times | | 0.2 | 0.1 |
| 20 to 29 times | | 0.1 | 0.1 |
| 30 to 39 times | | 0.1 | 0.1 |
| 40+ times | | 0.5 | 0.5 |
| N of Valid | 0 | 17,995 | 14,753 |
| N of Miss | 17,495 | 1,471 | 922 |

Table 163: How many times in the past year (12 months) have you carried a handgun?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| Never | | 94.3 | 93.8 |
| 1 or 2 times | | 3.0 | 2.6 |
| 3 to 5 times | | 0.8 | 1.1 |
| 6 to 9 times | | 0.5 | 0.6 |
| 10 to 19 times | | 0.3 | 0.5 |
| 20 to 29 times | | 0.2 | 0.4 |
| 30 to 39 times | | 0.1 | 0.1 |
| 40+ times | | 0.8 | 0.8 |
| N of Valid | 0 | 17,957 | 14,736 |
| N of Miss | 17,495 | 1,507 | 940 |

Table 164: How many times in the past year (12 months) have you sold illegal drugs?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| Never | | 94.8 | 90.8 |
| 1 or 2 times | | 2.3 | 3.7 |
| 3 to 5 times | | 0.9 | 1.7 |
| 6 to 9 times | | 0.4 | 0.9 |
| 10 to 19 times | | 0.3 | 0.7 |
| 20 to 29 times | | 0.3 | 0.7 |
| 30 to 39 times | | 0.1 | 0.3 |
| 40+ times | | 0.8 | 1.3 |
| N of Valid | 0 | 17,864 | 14,716 |
| N of Miss | 17,495 | 1,601 | 960 |

| Table 165: How many times in the past year (12 months) have you stolen or t | ried |
|---|------|
| to steal a motor vehicle such as a car or motorcycle? | |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|----------------|------------------|------------------|-------------------|
| Never | | 97.7 | 97.4 |
| 1 or 2 times | | 1.2 | 1.2 |
| 3 to 5 times | | 0.2 | 0.4 |
| 6 to 9 times | | 0.2 | 0.2 |
| 10 to 19 times | | 0.1 | 0.1 |
| 20 to 29 times | | 0.1 | 0.1 |
| 30 to 39 times | | 0.1 | 0.1 |
| 40+ times | | 0.5 | 0.5 |
| N of Valid | 0 | 17,948 | 14,720 |
| N of Miss | 17,495 | 1,517 | 955 |

A.6 Parenting and Parental Attitudes

A.6.1 Family Management

Table 166: If you carried a handgun without your parents' permission, would yoube caught by your parents?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 9.5 | 11.2 | 14.8 |
| no | 6.7 | 15.8 | 23.8 |
| yes | 16.6 | 23.5 | 23.9 |
| YES! | 67.2 | 49.5 | 37.6 |
| N of Valid | 16,766 | 18,787 | 15,266 |
| N of Miss | 729 | 678 | 410 |

Table 167: If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents' permission, would you be caught by your parents?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 9.0 | 13.7 | 19.3 |
| no | 9.8 | 26.8 | 42.3 |
| yes | 18.5 | 22.7 | 19.4 |
| YES! | 62.7 | 36.8 | 19.0 |
| N of Valid | 16,857 | 18,920 | 15,326 |
| N of Miss | 637 | 545 | 350 |

Table 168: If you skipped school would you be caught by your parents?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 6.2 | 6.6 | 10.3 |
| no | 5.8 | 11.5 | 24.2 |
| yes | 19.4 | 30.3 | 35.1 |
| YES! | 68.6 | 51.6 | 30.5 |
| N of Valid | 16,872 | 18,853 | 15,316 |
| N of Miss | 622 | 612 | 361 |

Table 169: My family has clear rules about alcohol and drug use.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 4.1 | 4.3 | 4.9 |
| no | 6.3 | 10.9 | 13.6 |
| yes | 17.1 | 27.3 | 35.5 |
| YES! | 72.5 | 57.4 | 46.0 |
| N of Valid | 16,782 | 18,809 | 15,300 |
| N of Miss | 714 | 657 | 376 |

Table 170: My parents ask if I've gotten my homework done.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 3.6 | 4.9 | 7.6 |
| no | 4.4 | 9.3 | 16.2 |
| yes | 25.3 | 33.8 | 38.6 |
| YES! | 66.7 | 52.0 | 37.6 |
| N of Valid | 16,874 | 18,905 | 15,346 |
| N of Miss | 621 | 560 | 330 |

Table 171: The rules in my family are clear.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 2.9 | 3.6 | 3.8 |
| no | 4.7 | 9.6 | 10.8 |
| yes | 25.3 | 36.3 | 43.8 |
| YES! | 67.2 | 50.5 | 41.6 |
| N of Valid | 16,620 | 18,590 | 15,168 |
| N of Miss | 875 | 874 | 509 |

Table 172: When I am not at home, one of my parents knows where I am and who I am with.

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 3.7 | 4.4 | 4.7 |
| no | 4.7 | 10.1 | 13.6 |
| yes | 24.0 | 37.3 | 44.3 |
| YES! | 67.6 | 48.2 | 37.3 |
| N of Valid | 16,927 | 18,922 | 15,329 |
| N of Miss | 568 | 542 | 347 |
| | | | |

Table 173: Would your parents know if you did not come home on time?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|--------------------------|
| NO! | 3.7 | 3.8 | 4.7 |
| no | 7.7 | 13.0 | 14.6 |
| yes | 26.4 | 36.1 | 41.8 |
| YES! | 62.2 | 47.1 | 38.9 |
| N of Valid | 16,872 | 18,878 | 15,344 |
| N of Miss | 622 | 587 | 332 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|--------------------------|
| Very wrong | 94.3 | 85.6 | 74.5 |
| Wrong | 4.4 | 11.0 | 17.9 |
| A little bit wrong | 0.7 | 2.2 | 5.0 |
| Not wrong at all | 0.6 | 1.2 | 2.6 |
| N of Valid | 16,274 | 18,133 | 14,840 |
| N of Miss | 1,221 | 1,332 | 837 |

Table 174: How wrong do your parents feel it would be for you to smoke cigarettes?

Table 175: How wrong do your parents feel it would be for you to drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly (at least once or twice a month)?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| Very wrong | 88.8 | 71.4 | 52.1 |
| Wrong | 7.9 | 18.9 | 27.3 |
| A little bit wrong | 2.4 | 7.6 | 15.0 |
| Not wrong at all | 1.0 | 2.1 | 5.7 |
| N of Valid | 16,297 | 18,146 | 14,830 |
| N of Miss | 1,197 | 1,319 | 846 |

Table 176: How wrong do your parents feel it would be for you to smoke marijuana?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| Very wrong | 96.4 | 84.8 | 72.8 |
| Wrong | 2.2 | 9.4 | 15.5 |
| A little bit wrong | 0.7 | 4.0 | 7.7 |
| Not wrong at all | 0.7 | 1.9 | 4.1 |
| N of Valid | 16,211 | 17,953 | 14,744 |
| N of Miss | 1,284 | 1,511 | 933 |

A.6.3 Parental Attitudes towards Antisocial Behavior

Table 177: How wrong do your parents feel it would be for you to draw graffiti, or write things or draw pictures on buildings or other property (without the owner's permission)?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| | | | |
| Very wrong | 84.9 | 76.1 | 73.0 |
| Wrong | 11.8 | 17.6 | 20.1 |
| A little bit wrong | 2.2 | 4.6 | 4.8 |
| Not wrong at all | 1.1 | 1.7 | 2.1 |
| N of Valid | 16,252 | 18,003 | 14,788 |
| N of Miss | 1,242 | 1,461 | 888 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|--------------------------|
| Very wrong | 60.7 | 43.9 | 44.8 |
| Wrong | 27.9 | 33.3 | 34.7 |
| A little bit wrong | 9.1 | 18.6 | 16.8 |
| Not wrong at all | 2.3 | 4.2 | 3.6 |
| N of Valid | 16,224 | 18,052 | 14,808 |
| N of Miss | 1,271 | 1,412 | 868 |

Table 178: How wrong do your parents feel it would be for you to pick a fight with someone?

Table 179: How wrong do your parents feel it would be for you to steal something worth more than \$5?

| | Grade 6 | Grade 8 | Grade 11 |
|--------------------|---------|---------|----------|
| | State | State | State |
| Very wrong | 83.6 | 76.4 | 77.9 |
| Wrong | 13.5 | 18.4 | 17.8 |
| A little bit wrong | 2.0 | 3.8 | 3.1 |
| Not wrong at all | 0.9 | 1.4 | 1.3 |
| N of Valid | 16,244 | 18,090 | 14,828 |
| N of Miss | 1,251 | 1,375 | 847 |

A.7 Influence of Friendships

A.7.1 Friends' Drug Use

Table 180: In the past year (12 months), how many of your best friends have smoked cigarettes?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 88.1 | 68.4 | 53.8 |
| 1 of my friends | 7.0 | 13.9 | 17.6 |
| 2 of my friends | 2.4 | 7.2 | 11.1 |
| 3 of my friends | 0.8 | 3.7 | 6.1 |
| 4 of my friends | 1.7 | 6.8 | 11.4 |
| N of Valid | 17,034 | 19,011 | 15,393 |
| N of Miss | 462 | 453 | 283 |

Table 181: In the past year (12 months), how many of your best friends have tried beer, wine or hard liquor (for example, vodka, whiskey or gin) when their parents didn't know about it?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 84.0 | 56.2 | 33.7 |
| 1 of my friends | 9.0 | 15.6 | 16.3 |
| 2 of my friends | 3.4 | 10.6 | 14.4 |
| 3 of my friends | 1.4 | 6.4 | 10.8 |
| 4 of my friends | 2.2 | 11.2 | 24.8 |
| N of Valid | 16,980 | 18,952 | 15,391 |
| N of Miss | 516 | 513 | 285 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|--------------------------|
| None of my friends | 92.0 | 63.8 | 42.3 |
| 1 of my friends | 4.3 | 12.6 | 15.4 |
| 2 of my friends | 1.4 | 6.9 | 12.5 |
| 3 of my friends | 0.8 | 5.1 | 8.4 |
| 4 of my friends | 1.5 | 11.5 | 21.4 |
| N of Valid | 16,946 | 18,964 | 15,388 |
| N of Miss | 549 | 501 | 288 |

Table 182: In the past year (12 months), how many of your best friends have used marijuana?

Table 183: In the past year (12 months), how many of your best friends have used LSD, cocaine, amphetamines, or other illegal drugs?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 96.4 | 90.1 | 84.1 |
| 1 of my friends | 2.1 | 5.3 | 8.0 |
| 2 of my friends | 0.6 | 2.0 | 3.5 |
| 3 of my friends | 0.3 | 0.9 | 1.4 |
| 4 of my friends | 0.6 | 1.7 | 3.0 |
| N of Valid | 16,966 | 18,939 | 15,369 |
| N of Miss | 528 | 526 | 309 |

A.7.2 Friends' Delinquent Behaviors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 92.1 | 81.0 | 78.6 |
| 1 of my friends | 5.0 | 11.0 | 12.0 |
| 2 of my friends | 1.5 | 4.2 | 4.9 |
| 3 of my friends | 0.4 | 1.6 | 1.9 |
| 4 of my friends | 1.0 | 2.2 | 2.6 |
| N of Valid | 17,249 | 19,206 | 15,568 |
| N of Miss | 246 | 260 | 108 |

Table 184: In the past year (12 months), how many of your best friends have been arrested?

Table 185: In the past year (12 months), how many of your best friends have been suspended from school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 66.3 | 53.0 | 64.9 |
| 1 of my friends | 20.4 | 22.3 | 18.0 |
| 2 of my friends | 6.8 | 11.1 | 8.2 |
| 3 of my friends | 2.8 | 5.2 | 3.4 |
| 4 of my friends | 3.8 | 8.5 | 5.6 |
| N of Valid | 17,217 | 19,180 | 15,559 |
| N of Miss | 278 | 284 | 118 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 95.4 | 91.9 | 89.6 |
| 1 of my friends | 2.7 | 4.6 | 5.4 |
| 2 of my friends | 0.9 | 1.4 | 2.1 |
| 3 of my friends | 0.3 | 0.7 | 0.8 |
| 4 of my friends | 0.8 | 1.4 | 2.0 |
| N of Valid | 17,173 | 19,114 | 15,547 |
| N of Miss | 323 | 350 | 129 |

Table 186: In the past year (12 months), how many of your best friends have carried a handgun?

Table 187: In the past year (12 months), how many of your best friends have dropped out of school?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 91.6 | 87.9 | 76.0 |
| 1 of my friends | 6.0 | 7.6 | 14.8 |
| 2 of my friends | 1.3 | 2.3 | 5.0 |
| 3 of my friends | 0.3 | 0.9 | 2.0 |
| 4 of my friends | 0.7 | 1.4 | 2.3 |
| N of Valid | 17,181 | 19,060 | 15,493 |
| N of Miss | 315 | 405 | 182 |

Table 188: In the past year (12 months), how many of your best friends have sold illegal drugs?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|-------------------------|------------------|--------------------------|
| None of my friends | 95.1 | 77.5 | 66.6 |
| 1 of my friends | 3.0 | 10.7 | 14.0 |
| 2 of my friends | 0.8 | 4.8 | 7.2 |
| 3 of my friends | 0.4 | 2.3 | 4.0 |
| 4 of my friends | 0.7 | 4.6 | 8.1 |
| N of Valid | 17,110 | 18,979 | 15,482 |
| N of Miss | 385 | 486 | 196 |

Table 189: In the past year (12 months), how many of your best friends have stolen or tried to steal a motor vehicle such as a car or motorcycle?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| None of my friends | 96.7 | 92.6 | 92.4 |
| 1 of my friends | 2.2 | 4.5 | 4.4 |
| 2 of my friends | 0.5 | 1.4 | 1.6 |
| 3 of my friends | 0.2 | 0.4 | 0.6 |
| 4 of my friends | 0.4 | 1.0 | 0.9 |
| N of Valid | 17,225 | 19,198 | 15,557 |
| N of Miss | 269 | 266 | 119 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------|------------------|------------------|-------------------|
| No or very little chance | 79.9 | 58.9 | 49.0 |
| Little chance | 11.7 | 20.1 | 20.0 |
| Some chance | 4.8 | 12.3 | 16.6 |
| Pretty good chance | 2.0 | 5.6 | 9.8 |
| Very good chance | 1.6 | 3.1 | 4.7 |
| N of Valid | 17,141 | 19,153 | 15,512 |
| N of Miss | 354 | 312 | 165 |

Table 190: What are the chances you would be seen as cool if you began drinking alcoholic beverages regularly, that is, at least once or twice a month?

Table 191: What are the chances you would be seen as cool if you smoked marijuana?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------|------------------|------------------|-------------------|
| No or very little chance | 85.8 | 59.6 | 50.6 |
| Little chance | 6.4 | 14.4 | 16.6 |
| Some chance | 2.9 | 11.0 | 14.8 |
| Pretty good chance | 1.9 | 7.6 | 10.1 |
| Very good chance | 3.0 | 7.4 | 7.9 |
| N of Valid | 17,069 | 19,109 | 15,500 |
| N of Miss | 425 | 356 | 176 |

Table 192: What are the chances you would be seen as cool if you carried a handgun?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|-----------------------------|------------------|------------------|-------------------|
| No or very little chance | 84.7 | 78.9 | 83.2 |
| Little chance | 8.7 | 11.9 | 9.3 |
| Some chance | 3.3 | 4.8 | 3.9 |
| Pretty good chance | 1.6 | 2.2 | 1.5 |
| Very good chance | 1.8 | 2.1 | 2.2 |
| N of Valid | 17,102 | 19,141 | 15,520 |
| N of Miss | 393 | 325 | 156 |

Table 193: What are the chances you would be seen as cool if you smoked cigarettes?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------------|------------------|------------------|-------------------|
| No or very little chance | 83.7 | 69.7 | 71.3 |
| Little chance | 8.7 | 15.5 | 15.2 |
| Some chance | 3.7 | 8.2 | 7.9 |
| Pretty good chance | 2.0 | 4.2 | 3.4 |
| Very good chance | 1.9 | 2.4 | 2.2 |
| N of Valid | 17,114 | 19,121 | 15,526 |
| N of Miss | 381 | 343 | 150 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| Very wrong | 91.4 | 78.6 | 67.6 |
| Wrong | 6.6 | 14.6 | 20.9 |
| A little bit wrong | 1.2 | 4.4 | 7.7 |
| Not wrong at all | 0.8 | 2.4 | 3.9 |
| N of Valid | 17,200 | 19,150 | 15,490 |
| N of Miss | 295 | 314 | 186 |
| | | | |

Table 194: How wrong do you think it is for someone your age to smoke one or more packs of cigarettes a day?

Table 195: How wrong do you think it is for someone your age to have one or two drinks of an alcoholic beverage nearly every day?

| | Grade 6 | Grade 8 | Grade 11 |
|--------------------|---------|---------|----------|
| | State | State | State |
| Very wrong | 82.9 | 60.5 | 49.4 |
| Wrong | 12.3 | 24.1 | 30.3 |
| A little bit wrong | 3.4 | 10.9 | 14.2 |
| Not wrong at all | 1.3 | 4.4 | 6.2 |
| N of Valid | 17,250 | 19,231 | 15,573 |
| N of Miss | 245 | 233 | 103 |

Table 196: How wrong do you think it is for someone your age to try marijuana once or twice?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| Very wrong | 85.8 | 56.7 | 35.9 |
| Wrong | 10.1 | 19.9 | 20.5 |
| A little bit wrong | 2.6 | 12.4 | 19.2 |
| Not wrong at all | 1.5 | 11.0 | 24.4 |
| N of Valid | 17,137 | 19,196 | 15,552 |
| N of Miss | 358 | 269 | 124 |

Table 197: How wrong do you think it is for someone your age to use marijuana once a month or more?

| | Grade 6 | Grade 8 | Grade 11 |
|--------------------|---------|---------|----------|
| | State | State | State |
| Very wrong | 85.7 | 61.3 | 40.8 |
| Wrong | 10.2 | 18.9 | 21.5 |
| A little bit wrong | 2.6 | 10.4 | 17.3 |
| Not wrong at all | 1.5 | 9.4 | 20.5 |
| N of Valid | 17,146 | 19,239 | 15,590 |
| N of Miss | 348 | 226 | 86 |

A.8 Community Laws and Norms

A.8.1 Norms about Kids' Drug Use

| Table 198: How wrong would most adults (over 21) in your neighborhood think it |
|--|
| is for kids your age to drink alcohol? |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|--------------------------|
| Very wrong | 73.0 | 51.6 | 31.9 |
| Wrong | 19.6 | 31.3 | 40.9 |
| A little bit wrong | 5.4 | 13.4 | 22.2 |
| Not wrong at all | 2.0 | 3.7 | 5.0 |
| N of Valid | 16,478 | 18,378 | 14,961 |
| N of Miss | 1,016 | 1,087 | 714 |

Table 199: How wrong would most adults (over 21) in your neighborhood think it is for kids your age to smoke cigarettes?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|-------------------------|------------------|--------------------------|
| Very wrong | 77.5 | 61.2 | 41.1 |
| Wrong | 16.2 | 26.5 | 37.3 |
| A little bit wrong | 4.3 | 8.9 | 16.5 |
| Not wrong at all | 2.0 | 3.4 | 5.1 |
| N of Valid | 16,449 | 18,339 | 14,946 |
| N of Miss | 1,046 | 1,126 | 732 |

Table 200: How wrong would most adults (over 21) in your neighborhood think it is for kids your age to use marijuana?

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------------|------------------|------------------|-------------------|
| Very wrong | 87.8 | 69.3 | 50.9 |
| Wrong | 8.2 | 17.8 | 29.1 |
| A little bit wrong | 2.2 | 8.5 | 14.0 |
| Not wrong at all | 1.8 | 4.3 | 6.0 |
| N of Valid | 16,417 | 18,346 | 14,941 |
| N of Miss | 1,078 | 1,119 | 736 |

A.8.2 Community Law Enforcement

Table 201: If a kid drank some beer, wine or hard liquor (for example, vodka, whiskey, or gin) in your neighborhood would he or she be caught by the police?

| | Grade 6 | Grade 8 | Grade 11 |
|------------|---------|---------|----------|
| | State | State | State |
| NO! | 7.9 | 17.3 | 21.6 |
| no | 26.2 | 46.8 | 57.7 |
| yes | 37.1 | 24.6 | 15.3 |
| YES! | 28.9 | 11.3 | 5.3 |
| N of Valid | 15,540 | 17,592 | 14,552 |
| N of Miss | 1,954 | 1,873 | 1,124 |

| | Grade 6 State | Grade 8 State | Grade 11 State |
|------------|------------------|------------------|-------------------|
| NO! | 7.2 | 17.8 | 23.8 |
| no | 18.3 | 38.8 | 51.9 |
| yes | 34.3 | 26.5 | 17.4 |
| YES! | 40.1 | 16.8 | 6.8 |
| N of Valid | 15,895 | 17,740 | 14,695 |
| N of Miss | 1,601 | 1,725 | 982 |

Table 202: If a kid smoked marijuana in your neighborhood would he or she be caught by the police?

A.9 Risk and Protective Factors

A.9.1 Risk and Protective Factors

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 48.4 | 57.9 | 58.1 |
| Above Cutoff | 51.6 | 42.1 | 41.9 |
| N of Valid | 15,933 | 17,984 | 14,743 |
| N of Miss | 1,562 | 1,482 | 933 |

Table 203: Transitions and mobility (risk)

Table 204: Laws and norms favorable to drug use (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 65.9 | 71.7 | 67.3 |
| Above Cutoff | 34.1 | 28.3 | 32.7 |
| N of Valid | 16,051 | 17,838 | 14,714 |
| N of Miss | 1,445 | 1,627 | 962 |

Table 205: Perceived availability of drugs (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 76.0 | 67.2 | 62.8 |
| Above Cutoff | 24.0 | 32.8 | 37.2 |
| N of Valid | 16,913 | 19,087 | 15,511 |
| N of Miss | 581 | 378 | 165 |

Table 206: Poor family management (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 59.1 | 56.0 | 62.5 |
| Above Cutoff | 40.9 | 44.0 | 37.5 |
| N of Valid | 17,057 | 19,085 | 15,442 |
| N of Miss | 438 | 380 | 234 |

Table 207: Parental attitudes toward substance use (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 86.8 | 66.7 | 47.2 |
| Above Cutoff | 13.2 | 33.3 | 52.8 |
| N of Valid | 16,307 | 18,175 | 14,853 |
| N of Miss | 1,188 | 1,290 | 823 |

| Table 208: Parental attitudes toward antisocial behavior (risk) | Table 208: | Parental | attitudes | toward | antisocial | behavior (| (risk) |) |
|---|------------|----------|-----------|--------|------------|------------|--------|---|
|---|------------|----------|-----------|--------|------------|------------|--------|---|

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 55.7 | 39.8 | 40.7 |
| Above Cutoff | 44.3 | 60.2 | 59.3 |
| N of Valid | 16,290 | 18,128 | 14,844 |
| N of Miss | 1,205 | 1,336 | 831 |

Table 209: Academic failure (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|--------------------------|
| Below Cutoff | 57.6 | 54.8 | 57.5 |
| Above Cutoff | 42.4 | 45.2 | 42.5 |
| N of Valid | 16,533 | 18,859 | 15,387 |
| N of Miss | 962 | 606 | 288 |

Table 210: Low commitment to school (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 61.2 | 61.8 | 57.8 |
| Above Cutoff | 38.8 | 38.2 | 42.2 |
| N of Valid | 16,282 | 18,274 | 14,899 |
| N of Miss | 1,213 | 1,191 | 777 |

Table 211: School opportunities for prosocial involvement (protective)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 36.1 | 33.6 | 31.3 |
| Above Cutoff | 63.9 | 66.4 | 68.7 |
| N of Valid | 15,951 | 18,017 | 14,793 |
| N of Miss | 1,543 | 1,448 | 883 |

Table 212: School rewards for prosocial involvment (protective)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 43.8 | 42.8 | 46.0 |
| Above Cutoff | 56.2 | 57.2 | 54.0 |
| N of Valid | 15,898 | 17,961 | 14,759 |
| N of Miss | 1,597 | 1,504 | 916 |

Table 213: Perceived risks of substance use (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 67.4 | 50.2 | 48.9 |
| Above Cutoff | 32.6 | 49.8 | 51.1 |
| N of Valid | 15,937 | 17,955 | 14,776 |
| N of Miss | 1,559 | 1,510 | 900 |

Table 214: Friends' use of drugs (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 79.2 | 64.9 | 68.3 |
| Above Cutoff | 20.8 | 35.1 | 31.7 |
| N of Valid | 17,009 | 18,984 | 15,392 |
| N of Miss | 487 | 481 | 284 |

Table 215: Friends' delinquent behavior (risk)


| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 61.9 | 45.6 | 46.1 |
| Above Cutoff | 38.1 | 54.4 | 53.9 |
| N of Valid | 17,266 | 19,230 | 15,594 |
| N of Miss | 229 | 235 | 83 |

Table 216: Peer rewards for antisocial behavior (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 71.6 | 57.0 | 64.8 |
| Above Cutoff | 28.4 | 43.0 | 35.2 |
| N of Valid | 17,122 | 19,143 | 15,523 |
| N of Miss | 373 | 322 | 154 |

Table 217: Attitudes toward antisocial behavior (risk)

| | Grade 6 State | Grade 8 State | Grade 11 State |
|--------------|------------------|------------------|-------------------|
| Below Cutoff | 49.0 | 60.8 | 58.9 |
| Above Cutoff | 51.0 | 39.2 | 41.1 |
| N of Valid | 17,221 | 19,217 | 15,577 |
| N of Miss | 273 | 248 | 98 |



B SWS QUESTIONNAIRES

| How wrong do you think it is | Not wrong at all | During th |
|--|---|------------|
| for someone your age to | A little bit wrong | 12 month |
| | Wrong | |
| Very | Very wrong | 28. do you |
| 9. attack someone with the idea of seriously | | advert |
| hurting him or her? | 00000 | abuse |
| 10. pick a fight with someone? | 000000000000000000000000000000000000000 | 29. have y |
| 11. stay away from school all day when their | | alcoho |
| parents think they are at school? | 00000 | 30. have y |
| 12. take a handgun to school? | 000000000000000000000000000000000000000 | about |
| 13. steal anything worth more than \$5? | 000000000000000000000000000000000000000 | use? F |
| 14. have one or two drinks of an alcoholic | | parent |
| beverage nearly every day? | 00000 | guardi |
| 15. smoke one or more packs of cigarettes | | |
| a day? | 000000000000000000000000000000000000000 | |
| 16. try marijuana or hashish once or twice? | 000000000000000000000000000000000000000 | |
| 17. use marijuana once a month or more? | 00000 | |
| | | If you wa |
| | | |

| Think of vour four bost | | | | | |
|--|-----------------|------|------|---|---|
| friends (the friends voir feel | 4 of my friends | È | frie | P | S |
| alococt to) In the most 12 3 of my friends | 2 | frie | pr | s | |
| crosest to). It the past 12 2 of my friends | frie | pu | S | | |
| hort friends have | pu | S | | | |
| None of my friends | s | | | | |
| 18. been arrested? | 0 | 0 | 0 | 0 | 0 |
| 19. been suspended from school? | 0 | 0 | 0 | 0 | 0 |
| 20. carried a handgun? | 0 | 0 | 0 | 0 | 0 |
| 21. dropped out of school? | 0 | 0 | 0 | 0 | 0 |
| 22. sold marijuana or illegal drugs? | 0 | 0 | 0 | 0 | 0 |
| 23. stolen or tried to steal a motor vehicle | | | | | |
| such as a car or motorcycle? | 0 | 0 | 0 | 0 | 0 |

| What are the chances you Pretty good chance would be seen as cool if Some chance you Little chance you No or very little chance 24. began drinking alcoholic beverages regularly, 0 0 0 0 that is, at least once or twice a month? 0 0 0 0 26. smoked cigarettes? 0 0 0 0 | Very good chance | poot | l ch | and | ø |
|---|---|-------|--|-----|---|
| would be seen as cool if Some chance you Little chance 24. began drinking alcoholic beverages regularly. 0 0 0 0 25. carried a handgun? 26. smoked cigarettes? | | od ch | าลท | 8 | |
| you Little chance | | chan | e | | |
| No or very little chance 24. began drinking alcoholic beverages regularly, that is, at least once or twice a month? 25. carried a handgun? 26. smoked cigarettes? 27. smoked marinitana? | | nce | _ | | |
| 24. began drinking alcoholic beverages regularly. that is, at least once or twice a month? O O O O 25. carried a handgun? O O O O 26. smoked cigarettes? O O O O 77. smoked manimuman? O O O O | No or very little chance | e | | | |
| that is, at least once or twice a month? OOOO 25. carried a handgun? OOOOO 26. smoked cigarettes? OOOOO 77 smoked mariitana? OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO | 24. began drinking alcoholic beverages regularly, | | | | |
| 25. carried a handgun? 0 0 26. smoked cigarettes? 0 0 77 smoked mariinana? 0 0 | that is, at least once or twice a month? | 0 | $\frac{0}{0}$ | 0 | 0 |
| 26. smoked cigarettes? | 25. carried a handgun? | 0 | $\left \begin{array}{c} 0 \\ 0 \end{array} \right $ | 0 | 0 |
| 27 smoked marijirana2 | 26. smoked cigarettes? | 0 | $\frac{0}{0}$ | 0 | 0 |
| | 27. smoked marijuana? | 0 | $\frac{0}{0}$ | 0 | 0 |

| ring the past | Don't know or can't say |
|---|---|
| months | No |
| | Yes |
| do you recall hearing, reading, or watching an | atching an |
| advertisement about prevention of substance | substance |
| abuse? | 00 |
| have you had a special class about drugs or | drugs or |
| alcohol in school? | 000000000000000000000000000000000000000 |
| have you talked with at least one of your parents | your parents |
| about the dangers of tobacco, alcohol, or drug | nol, or drug |
| use? By parents we mean either your biological | ur biological |
| parents, adoptive parents, stepparents, or adult | nts, or adult |
| guardians, whether or not they live with you. | with you. |
| | |

| Very easy | | | | | | 0 | | 0 | | 0 | | 0 |
|-----------|--------------|------------------------------------|-----------|--|---|----------------------|---|----------------|--|----------------|--|---|
| e S | asy | - | | | | $\overline{0}$ | | $\overline{0}$ | | $\overline{0}$ | | ŏ |
| Ver | ofe | Jaro | σ | | | Ŏ | | Ŏ | | Ŏ | | Ŏ |
| | Sort of easy | If you wanted to get Somewhat hard | Very hard | 31. some beer, wine or hard liquor (for example, | vodka, whiskey, or gin), how easy would it be | for you to get some? | 32. some cigarettes, how easy would it be for you | to get some? | 33. some marijuana, how easy would it be for you | to get some? | 34. a drug like cocaine, LSD, or amphetamines, | how easy would it be for you to get some? |

| 1318 Note |
|--|
| During your life, how many times have you |

 \cap

| ines ines ines ines | | | 000000000000000000000000000000000000000 | | 000000000000000000000000000000000000000 | | 0 0 0 0 0 | 0 0 0 0 0 | | 0 0 0 0 0 | | 0000000 |
|------------------------------|--|---|---|--|---|---|-----------------------------|--------------------------------------|---|-----------------------|--|---------------------------------|
| THE | 35. sniffed glue, breathed the contents of | aerosol spray cans, or inhaled any paints | or sprays to get high? | 36. taken steroid pills or shots without a | doctor's prescription? | 37. used any form of cocaine, including | powder, crack, or freebase? | 38. used ecstasy (also called MDMA)? | 39. used heroin (also called smack, junk, | or China White)? | 40. used methamphetamines (also called | speed, crystal, crank, or ice)? |

| 50. During the past 30 days, how many times did you use marijuana? 00 times 01 or 2 times 3 to 9 times 4 to 9 times 4 to 9 times 4 to 9 | 51. first began drinking alcoholic beverages regularly, that is at least beverages regularly, that is at least once or twice a month? 52. had your first drink of alcohol other than a few sips? 53. smoked a whole cigarette for the first time? 54. first used tobacco products other than cigarettes such as snuff, chewing tobacco, and smoking tobacco from a pipe? 55. tried marijuana for the first time? 55. tried marijuana for the first time? | 56. If you carried a handgun without your parents' the second permission, would you be caught by your parents? 57. If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents? 58. If you skipped school, would you be caught by your parents? 58. If you skipped school, would you be caught by your parents? 59. My family has clear rules about alcohol and drug use. 60. My parents ask if I've gotten my homework done. 62. When I am not at home, one of my parents knows where I am and who I am with. 63. Would your parents know if you did not come home on time? | wing have you Think of your four best friends 4 of my friends Y. Y. 3 of my friends ining alcohol. the friends you feel closest to). In alcohol. 3 of my friends ining alcohol. None of my friends 0 of my friends ining alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends ininking alcohol. None of my friends 0 of my friends in or too often. None of my friends 0 of my friends in or too often. <td< th=""></td<> |
|--|--|---|--|
| During the past 30 days, on many days did you During the past 30 days, on many days did you 41. have at least one drink of alcohol? Doc 000000000000000000000000000000000000 | 47. During the past 30 days, what type of alcohol did you usually drink? Select only one response. Ol did not drink alcohol during the past 30 days. Ol do not have a usual type. Ol do not have a usual type. Ol select. Ol and Lemonade). Olvine coolers (such as Smirnoff, Bacardi Silver, and Hard Lemonade). Olvine coolers (such as Bartles and Jaymes or Seagrams Wine). Olvine. <li< td=""><td> 48. During the past 30 days, how did you usually get the alcohol you drank? Select only one response. I did not drink alcohol during the past 30 days. I bought if in a store such as a convenience store, supermarket, discount store, or gas station. I bought if at a public event such as a concert or sporting event. I bought if at a public event such as a concert or sporting event. I got it from friends 21 or older. I took it from a store or family member. I got it some other way. </td><td> 43. In the last 12 months, which of the following have you experienced? Please mark all that apply. Ol did not drink alcohol in the last 12 months. Ol did not drink alcohol in the last 12 months. OMissed school or class because of drinking alcohol. OB the able to remember what happened while you were drinking alcohol. OLater regretted something you did while drinking alcohol. Clater regretted something you did while drinking alcohol. OW orried that you drank alcohol too much or too often. </td></li<> | 48. During the past 30 days, how did you usually get the alcohol you drank? Select only one response. I did not drink alcohol during the past 30 days. I bought if in a store such as a convenience store, supermarket, discount store, or gas station. I bought if at a public event such as a concert or sporting event. I bought if at a public event such as a concert or sporting event. I got it from friends 21 or older. I took it from a store or family member. I got it some other way. | 43. In the last 12 months, which of the following have you experienced? Please mark all that apply. Ol did not drink alcohol in the last 12 months. Ol did not drink alcohol in the last 12 months. OMissed school or class because of drinking alcohol. OB the able to remember what happened while you were drinking alcohol. OLater regretted something you did while drinking alcohol. Clater regretted something you did while drinking alcohol. OW orried that you drank alcohol too much or too often. |

| our parents feel ou to ne, or liquor (for example, v in) regularly (at least once ttes? ana? | It would be for you to A little bit wrong 83. draw graffiti, or write things or draw pictures on buildings or other property (without the owner's permission)? 84. pick a fight with someone? 0000 | How much do you think people risk harming themselves Great risk isk harming themselves isight risk harming themselves Moderate risk moderate risk ish harming themselves (physically or in other ways) Sight risk moderate risk moderate risk ish harming the past ish ish harming the past ish | 9364 |
|--|---|---|------|
| During the past 30 days, how much of the time how much of the time have you None of the time of the time have of the time have you Agood bit of the time of the time have you Agood bit of the time of the | 73. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? OYes ONo | 71. Gambling involves betting anything of value (money, a watch, soda, etc.) on a game or event. Please mark ALL the different types of gambling that you have bet on, if any, during the last 30 days: Playing lottery tickets. Playing powerball or Megabucks. Playing cards (poker, etc.). Betting on a sports team. Betting on a horse/dog race. Betting on the Internet for free or with money. Betting on the Internet for free or with money. Cambling at a casino. Cambling at a casino. Chanding at a casino. Chanding at a casino. Chanse get to Chanse get to Cher. Mow wrong would most adults Not wrong at all wrong function for the for kids your age to Other. Stanke digarettes? Stanke digarettes? Other. To use marijuana? Not wrong any in the police? To use be caught by the police? | |

| | I am doing a good 000 t. I work hard in 000 n1 work hard in 000 cnow when I have 000 e about 0000 | wanted to? 112. Have your parents ever talked to you about the risks of betting/gambling? 113. Have your teachers ever talked to you about the risks of betting/gambling? OOOO | 114. Have you changed homes in the past year? Oves 115. Have you changed schools (including changing from elementary to middle and middle to high school) in the past year? Oves Oves | |
|--|---|---|--|--|
| 94. During the LAST FOUR WEEKS how many whole days of school have you missed because you skipped or "cut"? ONne 01 01 02 03 04 to 5 05 to 10 01 or more | 95. How important do you think the things you are learning in school are going to be for your later life? OVery important O Slightly important ONot at all important | 96. How interesting are most of your courses to you? OVery interesting O Eairly interesting O Slightly boring OVery boring | 97. How often do you feel that the second second second work you are assigned is meaningful and important? OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO | |

| is, how many times were school property? | | | | | | | |
|--|---------|---------------|----------------|---------------|---------------|------------------|--------------------|
| 118. During the past 12 months, how many times were you in a physical fight on school property? O0 times | O1 time | ◯2 or 3 times | O 4 or 5 times | ◯6 or 7 times | ◯8 or 9 times | O 10 or 11 times | O 12 or more times |

119. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? ⊖0 days

O1 day O2 or 3 days O4 or 5 days O6 or more days

In the last 30 days, have you been picked on at school, on a school bus, or going to and from school? For example, have you been called names, been threatened, got mean notes or graffiti, been pushed around or hit, or received unwanted touching:

| routing. | 12 | Xeg | (E) | |
|---|----|-----|----------------|---------------------|
| 120. Because of my race or ethnic origin. | Ō | ŏ | ب ۲ | $\overline{\frown}$ |
| 121. Because someone thought I was | | | | |
| gay, lesbian or bisexual. | Ō | 0 | \overline{n} | \cap |
| 122. Because of how I look. | Ō | Õ | n | |
| 123. Because of who my friends are. | Ō | Õ | n | |
| 124. I've received unwanted sexual | | | | |
| comments or attention. | Ō | Ŏ | $\frac{0}{0}$ | \cap |
| 125. For other reasons. | Ō | ŏ | n | |
| | | l | l | 1 |

126. I can talk to teachers openly and freely about my concerns. ONO! Ono Oyes OYESI

9366

| Oregon Student Wellness Survey for Grades | or Grades 8 & 11 |
|---|--|
| The survey is completely voluntary and anonymous. DO NOT put your name on the questionnaire. This is not a test, so there are no right or wrong answers. We would like you to work quickly so you can finish. All of the questions should be answered by completely filling in one of the answer spaces. If you do not find an answer that fits exactly, use the one that comes closest. If any question does not apply to you, or you are not sure what it means, just leave it blank. You can skip any question that you do not wish to answer. | T put your name on the questionnaire. ould like you to work quickly so you can finish. one of the answer spaces. If you do not find an answer that fits of apply to you, or you are not sure what it means, just leave it r. |
| the following answers: NOI i if you think the statement is f you think the statement is n you think the statement is M f you think the statement is I alate is the best ice cream fit | LY TRUE for you. RUE for you. STTRUE for you. Y NOT TRUE for you. |
| ONO! O no over over the Statement is mostly true in the example above, that student marked "yes" because he or she thinks the statement is mostly true Flease mark only one answer for each question, unless otherwise directed, by completely filling in the statement is mostly in the statement is mostly true. | e or she thinks the statement is mostly true. erwise directed, by completely filling in the oval |
| 1. How old are you? 0.10 years old 0.11 years old 0.12 years old 0.12 years old 0.12 years old 0.12 years old 0.13 years old 0.14 years old 0.19 years old | 7. Are your school grades better than the grades of most students in your class? ONO! Ono Oyes Oyes |
| 2. What is your sex? O Female O Male | 8. Putting them all together, what were your grades like last year? OMostly F's OMostly D's |
| 3. In what grade are you? O 7th O 8th O 9th O 9th | O Mostly C's O Mostly B's O Mostly A's |
| | How wrong do you think it is Not wrong at all for someone your age to |
| 4. What is your race? O American Indian or Alaska Native O Asian O Black or African American O Native or Other Pacific Islander | 9. attack someone with the idea of seriously 0000 |
| OWhite | lay when their 000 |
| 5. Are you Hispanic or Latino? OYes ONo | than \$5? OO |
| 6. What is the language you use most often at home? O English O Spanish O Another language | a day? 16. try marijuana or hashish once or twice? 17. use marijuana once a month or more? OOOO |
| PLEASE DO NOT WRITE IN THIS AREA | |

| | | | | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | ype of alcohol did you esponse. e past 30 days. mimoff, Bacardi Silver, and and Jaymes or | stch, bourbon, or whiskey). ■ ■ ■ 9382 |
|--|---|--|---|---|---|---|--|
| During your life, how many times have you | 36. sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high? 37. taken steroid pills or shots without a doctor's prescription? 38. used any form of cocaine, including powder, crack, or freebase? | 35. Used recisesy (also called smack, junk, or China White)? 40. used heroin (also called smack, junk, or China White)? 41. used methamphetamines (also called speed, crystal, crank, or ice)? 42. used a needle to inject any illegal drug into your body? | During the past 30 days, on how many days did you 43. have at least one drink of alcohol? | 44. have 5 or more drinks of alcohol in a row, that is, within a couple of hours? 45. smoke cigarettes? 46. use other tobacco products? 47. use marijuana? 48. sniff glue, breathe the contents of aerosol spray cans, or any paints or sprays to get high? | 49.use any form of cocaine, including powder, crack or freebase? 50. use ecstasy (also called MDMA)? 51. use heroin or other opiates or narcotics? 52. use LSD or other hallucinogens or psychedelics? 53. use methamphetamines (also called speed, crystal, crank or ice)? 54. use prescription drugs (without a doctor's orders) to get high? | 55. During the past 30 days, what type of alcohol did you usually drink? Select only one response. Ol did not drink alcohol during the past 30 days. Ol do not have a usual type. OBeer. OFlavored beverages (such as Smirmoff, Bacardi Silver, and Hard Lemonade). OWine coolers (such as Bartles and Jaymes or | Seagrams Wine). OWine. OLiquor (such as vodka, rum, scotch, bourbon, or whiskey) OSome other type. |
| Think of your four best friends (the friends you feel closest to). In the past 12 months, how many of your best friends have | | Very good chance try good chance Some chance tite chance chance chance | | e more or less likely to want to work for an at tests its employees for drug or alcohol dom basis? ly iv ake no difference w or can't say | O O O O O O O O O O O O O O O O O O O | use? By parents we mean either your biological parents, adoptive parents, stepparents, or adult guardians, whether or not they live with you. | for you to get some? 0000 33. some cigarettes, how easy would it be for you 0000 to get some? 0000 34. some marijuana, how easy would it be for you 0000 to get some? 0000 35. a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some? 0000 |

| 64. If you carried a handgun without your parents' OS S we permission, would you be caught by your parents? ○○○ 65. If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents' permission, would you be caught by | 0 (| clear rules about alcohol | and drug use. | 00 | 70. When I am not at home, one of my parents knows where I am and who I am with. | | ol. Think of vour four best friends | (the friends you feel closest to). 3 club the past 12 months, how many 2 of n | | ard liquor (for example, | 74. used LSD, cocaine, amphetamines, or | other illegal drugs? | | of the time | Most of the time | 77 hear a very nervous nercon? | nat nothing | could cheer you up? | 81. During the past 12 months. did you ever feel so sad or | ○ ○ hopeless almost every day for two weeks or more in a | row that you stopped doing some usual activities ? \bigcirc Yes | 0 No | | 82. During the past 12 months, did you ever seriously consider attempting suicide? Yes No | |
|--|---|---|----------------------------------|---------------------------|---|--|--|---|---|---|---|----------------------|--|-------------|------------------|--------------------------------|-------------|---|--|--|---|--|---------|---|--|
| alcohol you drank? Select only one response. OI did not drink alcohol during the past 30 days. OI bought it in a store such as a convenience store, supermarket, discount store, or gas station. OI boucht it at a restaurant, bar or club. | OI bought it at a public event such as a concert or sporting event. | O gave someone else money to buy it for me. O got it from friends 21 or older. | OI got it from friends under 21. | OI got it some other way. | 57 In the last 10 months which of the following have vou | experienced? Please mark all that apply. | OMissed school or class because of drinking alcohol. O Gotten sick to vour stomach because of drinking alcohol. | O Not been able to remember what happened while you were drinking alcohol. | O Later regretted something you did while drinking alcohol. O Worried that you drank alcohol too much or too often. | 58. During the past 30 days, how many times did you | O times | O1 or 2 times | O 3 to 9 times O 10 to 19 times O 20 to 39 times | | T S S | an drinking | | our first drink of ol other than a few | sips? 000000000000000000000000000000000000 | first time? 00000000000 | | as snuff, chewing tobacco, and smoking tobacco from | a pipe? | 63. tried marijuana for the first cocoooooooooooooooooooooooooooooooooo | |

| 94. If a kid drank some beer, wine, or hard 94. If a kid drank some beer, wine, or hard 19. If a kid smokel, would he or she be caught 95. If a kid smoked marijuana in your neighborhood 95. If a kid smoked marijuana in your neighborhood | How wrong do your parents feel Not wrong at all it would be for you to A little bit wrong 96. drink beer, wine, or liquor (for example, vodka, wrong Very wrong 97. smoke cigarettes ? O O O O 98. smoke marijuana ? O O O O 98. smoke marijuana ? O O O O 99. draw grafiti, or write things or draw pictures on buildings or other property (without the owner's permission)? O O O O 100. pick a fight with someone? O O O O 101. steal something worth more than \$5? O O O O | How much do you think people Great risk risk harming themselves Moderate risk (physically or in other ways) Slight risk 102. if they take one or two drinks of an alcoholic No risk 103. when they have five or more drinks of an alcoholic 0<0<0 103. when they have five or more drinks of an alcoholic 0<0<0 104. if they smoke one or twice a week? 0<0<0 105. if they try marijuana once or twice ? 0<0<0 106. if they smoke marijuana once or twice a week? 0<0<0 | During the past 30 days, how many times did you During the past 30 days, how many times did you 107. drive a car or other vehicle when you had been drinking alcohol? 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 110. During the past 12 months, how many times were you in a physical fight? in a physical fight? in times in t |
|---|--|---|--|--|
| 83. Gambling involves betting anything of value (money, a watch, soda, etc.) on a game or event. Please mark ALL the different types of gambling that you have bet on, if any, during the last 30 days: O Playing lotteny tickets. O Playing Powerball or Megabucks. O Playing dice or coin flips. | O'Playing cards (poker, etc.). O'Betting on a sports team. O'Betting on a sports team. O'Betting on a horse/dog race. O'Betting on games of personal skill (bowling, video games, dares, etc.). O cambling on the Internet for free or with money. O cambling at a casino. O Playing Bingo for money. O Cambling at a casino. 84. During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money? | ONO O I don't bet for money B5. During the last 12 months, have you ever felt that you would like to stop betting money but didn't think you could? OYes ONO O I don't bet for money O I don't bet for money have you bet in any form (lottery, card games, bingo, internet, sports, with | friends) in the past three months? 0 \$10:520 00 \$1:50 \$201-\$500 0\$1:50 \$201-\$500 \$500 0\$11:50 \$201-\$500 \$500 0\$11:50 \$201-\$500 \$500 0\$11:50 \$201-\$500 \$500 0\$11:50 \$201-\$500 \$500 0\$51:5100 \$00 ver \$500 \$500 87. Have you ever lied to anyone about betting/gambling? \$646,647 88. Have you ever befgambled more than you wanted to? \$0 \$0 80. Hous work out the top top the the top top \$0 \$0 | 09. Have your parents even tarked to you about the risks of betting/gambling? 0 0 90. Have your teachers ever talked to you about the risks of betting/gambling? 0 0 91. How wrong would most adults think it is for kids your age to Not wrong at all wrong 0 0 91. drink alcohol? 92. smoke cigarettes? 0 0 0 93. use marijuana? 0 0 0 0 |

| 127. Have you changed homes in the past year? OYes ONo 128. Have you changed schools (including changing from elementary to middle and middle to high school) in the past year? | ONO ONO How many times have you | | ed someone with the the the series of the series of hurting them? | 139. I can do most things if I try. 0<0<0 140. I can work out my problems. 0<0<0 141. I volunteer to help others in my community. 0<0<0 142. There is at least one teacher or other adult in my school that really cares about me. 0<0<0 | Would you say that in general your Would you say that in general your Would you say that in general your 143. emotional and mental health is | |
|---|---|--|--|--|--|--|
| 111. During the LAST FOUR WEEKS how many whole daysof school have you missed because you skipped orof school have you missed because you skipped or"cut"?04 to 5One04 to 50106 to 1002011 or more0303 | 112. How important do you think the things you are learning in school are going to be for your later life? Very important Quite important Fairly important Slightly important Not at all important | 113. How interesting are most of your courses to you? Overy interesting O Quite interesting O Fairly interesting O Slighty boring O Very boring | 114. How often do you feel that the schoolwork you are assigned is meaningful and important? assigned is meaningful and important? Now thinking back over the past year in school? O O O O O O O O O O O O O O O | 118. I have lots of chances to be part of class discussions or activities. 0<000 | ints in the libs, a lass. a la | |

145. During the past 12 months, how many times did you actually attempt suicide?

| time | O 2 or 3 times | |
|------|----------------|--|
|------|----------------|--|

146. During the past 12 months, how many times were you in a physical fight on school property?

| O1 time | O2 or 3 times | O4 or 5 times | ◯6 or 7 times | ○ 8 or 9 times |
|---------|---------------|---------------|---------------|----------------|

0 of 1 mines 0 8 or 9 times 0 10 or 11 times 0 12 or more times 147. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? O0 days

| O1 day | ○2 or 3 days | O4 or 5 days |
|--------|--------------|--------------|

O6 or more days

Harassment can include threatening, bullying, name calling or obscenities, offensive notes or graffiti, unwanted touching, and physical attacks. During the past 30 days, have you ever been harassed at school (or on the way to or from school) in relation to any of the following issues?

| T | ALL ST |
|---|---|
| | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ |
| 148. Harassment about your race or ethnic origin. | 000000000000000000000000000000000000000 |
| 149. Unwanted sexual comments or attention. | 0 0 0 |
| 150. Harassment because someone thought you | |
| were gay, lesbian, bisexual or transgender. | 0 0 0 |
| 151. Harassment about your weight, clothes, acne, | |
| or other physical characteristics. | 0 0 0 |
| 152. Harassment about your group of friends. | 0 0 0 |
| 153. For other reasons. | 0 0 0 |
| | |

9386

| YES YES | rt T | 000000000000000000000000000000000000000 | Dr | 000000000000000000000000000000000000000 | | 000000000000000000000000000000000000000 | | 0000 |
|------------|---|---|---|---|--|---|---|------------------------------|
| | 154. I can talk to teachers openly and freely about | my concerns. | 155. Students are picked on by other students for | working hard at our school. | 156. In my school, teachers treat students | with respect. | 157. Most students at my school help each other | when they are hurt or upset. |