

**AGE-SPECIFIC PNEUMONIA AND INFLUENZA DEATH RATES BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS,
1989-1995**

Rates per 100,000

RACE	AGE						
	0-14	15-24	25-34	35-54	55-64	65-74	75+
NON-HISP WHITES	0.8	0.3	1.0	2.9	12.2	46.2	408.8
MALES	1.1	0.3	1.0	2.8	16.4	60.8	443.4
FEMALES	0.4	0.3	0.9	3.0	8.4	34.0	387.5
HISPANIC WHITES	0.7	1.9	1.3	1.8	6.8	31.8	110.5
MALES	0.0	2.2	1.1	2.2	6.6	21.5	207.4
FEMALES	1.5	1.5	1.6	1.4	7.0	41.7	46.0
AFRICAN AMER.	2.8	0.0	3.2	19.0	10.9	87.7	343.8
MALES	5.6	0.0	2.9	26.0	21.9	104.3	408.2
FEMALES	0.0	0.0	3.6	10.5	0.0	74.0	304.3
AMER. INDIANS	2.3	1.9	0.0	5.2	12.4	77.1	342.7
MALES	2.3	3.7	0.0	2.7	12.8	65.3	443.7
FEMALES	2.4	0.0	0.0	7.6	12.0	86.5	273.6
ASIAN & P.I.	1.4	0.0	0.0	1.5	3.3	24.2	333.0
MALES	1.4	0.0	0.0	1.6	8.1	55.5	323.1
FEMALES	1.4	0.0	0.0	1.3	0.0	0.0	341.6

NUMBER OF PNEUMONIA AND INFLUENZA DEATHS BY AGE GROUP, RACE/ETHNICITY, AND SEX, OREGON RESIDENTS, 1989-1995

RACE	AGE							TOTAL DEATHS
	0-14	15-24	25-34	35-54	55-64	65-74	75+	
NON-HISP WHITES	30	7	26	160	193	713	5013	6142
MALES	22	4	13	77	124	427	2073	2740
FEMALES	8	3	13	83	69	286	2940	3402
HISPANIC WHITES	2	3	2	3	2	6	12	30
MALES	0	2	1	2	1	2	9	17
FEMALES	2	1	1	1	1	4	3	13
AFRICAN AMER.	3	0	2	16	2	13	31	67
MALES	3	0	1	12	2	7	14	39
FEMALES	0	0	1	4	0	6	17	28
AMER. INDIANS	2	1	0	4	2	8	19	36
MALES	1	1	0	1	1	3	10	17
FEMALES	1	0	0	3	1	5	9	19
ASIAN & P.I.	2	0	0	2	1	5	31	41
MALES	1	0	0	1	1	5	14	22
FEMALES	1	0	0	1	0	0	17	19

SELECTED PNEUMONIA AND INFLUENZA DEATH STATISTICS, BY RACE/ETHNICITY AND SEX, OREGON RESIDENTS, 1989-1995

RACE	TOTAL DEATHS	CRUDE DEATH RATE	AGE-ADJUSTED DEATH RATE	COMPARATIVE MORTALITY FIG.		YEARS OF LIFE LOST INDEX	MEAN YPLL PER YEAR
=====	=====	=====	=====	=====		=====	=====
NON-HISP WHITES	6142	32.7	32.7	1.000		0.987	1011
MALES	2740	29.8	36.5	1.116	0.01	1.135	581
FEMALES	3402	35.4	29.9	0.914	0.01	0.840	430
HISPANIC WHITES	30	3.7					57
MALES	17	3.8					24
FEMALES	13	3.6					33
AFRICAN AMER.	67	18.8	37.1	1.134		4.084	0.01 82
MALES	39	20.9					66
FEMALES	28	16.5					16
AMER. INDIANS	36	12.1					37
MALES	17	11.4					19
FEMALES	19	12.8					18
ASIAN & P.I.	41	7.3					24
MALES	22	8.2					12
FEMALES	19	6.5					12

Age-adjusted statistics were not calculated for subsets with fewer than 50 deaths. Statistically significant CMF and YLLI values are indicated by .01, .02, or .05 where appropriate.