Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Clackamas County

Medical and health characteristics	Tatal	Patient's age				
	Total	10-14	15-17	18-19	20+	N.S.
TotalGestation (weeks)	1,856	5	63	151	1,612	25
< 9	1,243	3	43	94	1,087	16
9-12	359	1	13	36	307	2
13-16	118	_	2	15	99	2
17-20	70	1	3	6	59	1
21-22	22		1	0	21	<u>'</u>
23+	10	_	<u>.</u>	_	10	_
Unknown	34	_	1	_	29	4
Contraceptive use ¹	34	_	'	_	29	-
None	1,333	5	48	117	1,146	17
Birth control pills	1,333	_	3	13	155	3
Condoms	209		7	14	185	3
Other contraceptive	131		5	4	121	1
Unknown	9	_	5 -	3	5	1
Procedure type	3			3		•
Suction curette	692	1	19	59	608	5
Medical (non-surgical)	534		25	39	458	11
Dilation & evacuation	617	3	19	50	536	9
Intra-uterine instillation	017	_	-	- -	330	<u> </u>
Vaginal prostaglandin	7	_	_	1	6	_
Sharp curettage	<u>,</u>	_	_		_	_
Other	5	_	_	2	3	_
Unknown	1	_	_	_	1	_
Complications ²	•					
None	1,805	5	63	149	1,563	25
Hemorrhage	1,000	_	_		1,000	_
Infection	2	_	_	_	2	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	1	_	_	1	_	_
Retained products	15	_	_	1	14	_
Failure of first method	3	_	_	_	3	_
Other	19	_	_	_	19	_
Multiple complications ³	10	_	_	_	10	_

Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

Quantity is zero.

Multiple contraceptive methods may be reported for a single patient.

Reported complications. Categorized as none if no specific complication was reported.

Patients having more than one complication are listed here. Their complications are not listed above.