

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Deschutes County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	924	2	33	68	814	7
Gestation (weeks)						
< 9	662	1	22	41	591	7
9-12	185	—	8	22	155	—
13-16	38	1	1	4	32	—
17-20	17	—	—	1	16	—
21-22	6	—	1	—	5	—
23+	1	—	—	—	1	—
Unknown	15	—	1	—	14	—
Contraceptive use¹						
None	699	2	26	46	621	4
Birth control pills	83	—	2	11	70	—
Condoms	76	—	3	6	66	1
Other contraceptive	59	—	1	5	51	2
Unknown	7	—	1	—	6	—
Procedure type						
Suction curette	441	2	22	38	378	1
Medical (non-surgical)	439	—	10	26	397	6
Dilation & evacuation	42	—	1	4	37	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	1	—	—	—	1	—
Unknown	1	—	—	—	1	—
Complications²						
None	888	2	31	66	782	7
Hemorrhage	—	—	—	—	—	—
Infection	5	—	—	—	5	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	1	—	—	—	1	—
Retained products	12	—	2	—	10	—
Failure of first method	8	—	—	—	8	—
Other	5	—	—	1	4	—
Multiple complications ³	5	—	—	1	4	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.