

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Jackson County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	1,094	7	34	91	954	8
Gestation (weeks)						
< 9	766	3	23	55	682	3
9-12	186	2	7	24	150	3
13-16	52	—	—	2	50	—
17-20	25	—	1	2	22	—
21-22	6	—	1	—	5	—
23+	6	1	1	1	3	—
Unknown	53	1	1	7	42	2
Contraceptive use¹						
None	592	4	20	57	508	3
Birth control pills	128	1	2	9	114	2
Condoms	201	2	9	16	172	2
Other contraceptive	166	—	3	9	153	1
Unknown	7	—	—	—	7	—
Procedure type						
Suction curette	426	4	14	44	358	6
Medical (non-surgical)	564	2	17	42	501	2
Dilation & evacuation	95	1	3	5	86	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	2	—	—	—	2	—
Unknown	7	—	—	—	7	—
Complications²						
None	1,061	6	32	89	926	8
Hemorrhage	1	1	—	—	—	—
Infection	—	—	—	—	—	—
Uterine perforation	1	—	—	—	1	—
Cervical laceration	—	—	—	—	—	—
Retained products	15	—	1	1	13	—
Failure of first method	8	—	1	—	7	—
Other	5	—	—	1	4	—
Multiple complications ³	3	—	—	—	3	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.