

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Lincoln County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	219	1	13	14	189	2
Gestation (weeks)						
< 9	131	1	10	5	113	2
9-12	55	—	3	7	45	—
13-16	17	—	—	1	16	—
17-20	12	—	—	—	12	—
21-22	—	—	—	—	—	—
23+	2	—	—	—	2	—
Unknown	2	—	—	1	1	—
Contraceptive use¹						
None	162	—	11	9	140	2
Birth control pills	16	—	—	1	15	—
Condoms	24	1	2	1	20	—
Other contraceptive	17	—	—	3	14	—
Unknown	—	—	—	—	—	—
Procedure type						
Suction curette	106	—	5	6	95	—
Medical (non-surgical)	63	—	5	4	52	2
Dilation & evacuation	48	1	3	4	40	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	2	—	—	—	2	—
Unknown	—	—	—	—	—	—
Complications²						
None	209	1	13	13	180	2
Hemorrhage	—	—	—	—	—	—
Infection	1	—	—	—	1	—
Uterine perforation	1	—	—	—	1	—
Cervical laceration	—	—	—	—	—	—
Retained products	2	—	—	—	2	—
Failure of first method	1	—	—	—	1	—
Other	5	—	—	1	4	—
Multiple complications ³	—	—	—	—	—	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.