Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

State total

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
TotalGestation (weeks)	23,254	58	808	1,737	20,363	288
< 9	15,290	30	469	1,069	13,558	164
9-12	4,800	16	217	432	4,067	68
13-16	1,507	4	52	125	1,306	20
17-20	737	4	32	49	647	5
21-22	252	2	9	13	225	3
23+	156	1	10	16	128	1
Unknown	512	1	19	33	432	27
Contraceptive use ¹						
None	16,110	46	609	1,261	13,999	195
Birth control pills	1,971	2	53	178	1,712	26
Condoms	2,803	9	93	166	2,504	31
Other contraceptive	1,880	_	34	85	1,738	23
Unknown	490	1	19	47	410	13
Procedure type						
Suction curette	9,849	26	359	768	8,573	123
Medical (non-surgical)	7,741	15	247	596	6,790	93
Dilation & evacuation	5,542	17	199	365	4,893	68
Intra-uterine instillation	8	_	1	_	6	1
Vaginal prostaglandin	31	_	_	3	27	1
Sharp curettage	6	_	1	_	5	_
Other	54	_	1	5	48	_
Unknown	23	_	_	_	21	2
Complications ²						
None	22,556	57	787	1,694	19,742	276
Hemorrhage	7	1	_	_	6	_
Infection	37	_	2	1	33	1
Uterine perforation	4	_	_	_	4	_
Cervical laceration	7	_	_	3	4	_
Retained products	172	_	5	15	149	3
Failure of first method	75	_	1	3	70	1
Other	290	_	12	18	255	5
Multiple complications ³	106	_	1	3	100	2

Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

Quantity is zero.

Multiple contraceptive methods may be reported for a single patient.

Reported complications. Categorized as none if no specific complication was reported.

Patients having more than one complication are listed here. Their complications are not listed above.