## Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

## **Umatilla County**

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	376	_	14	37	323	2
Gestation (weeks)						
< 9	211	_	7	18	186	_
9-12	102	_	3	14	84	1
13-16	41	_	1	4	35	1
17-20	12	_	_	1	11	_
21-22	5	_	1	_	4	_
23+	3	_	2	_	1	_
Unknown	2	_	_	_	2	_
Contraceptive use <sup>1</sup>						
None	139	_	5	11	121	2
Birth control pills	4	_	_	_	4	_
Condoms	4	_	_	_	4	_
Other contraceptive	1	_	_	_	1	_
Unknown	228	_	9	26	193	_
Procedure type						
Suction curette	217	_	7	19	190	1
Medical (non-surgical)	101	_	3	12	86	_
Dilation & evacuation	57	_	4	6	46	1
Intra-uterine instillation	_	_	_	_	_	_
Vaginal prostaglandin	_	_	_	_	_	_
Sharp curettage	-	_	_	_	_	_
Other	-	_	_	_	_	_
Unknown	1	_	_	_	1	_
Complications <sup>2</sup>						
None	376	_	14	37	323	2
Hemorrhage	_	_	_	_	_	_
Infection	-	_	_	_	_	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	_	_	_	_	_	_
Retained products	_	_	_	_	_	_
Failure of first method	_	_	_	_	_	_
Other	_	_	_	_	_	_
Multiple complications <sup>3</sup>	-	-	-	_	_	_

Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

Quantity is zero.

Multiple contraceptive methods may be reported for a single patient.

Reported complications. Categorized as none if no specific complication was reported.

Patients having more than one complication are listed here. Their complications are not listed above.