Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	85	1	4	8	72	_
Gestation (weeks)	00	•	-	Ũ	72	
< 9	34	_	1	4	29	_
9-12	27	_	2	1	24	_
13-16	14	1	_	3	10	_
17-20	4		_	-	4	_
21-22	3	_	_	_	3	_
23+	3	_	1	_	2	_
Unknown	-	_	_	_	_	_
Contraceptive use ¹						
None	46	_	2	4	40	_
Birth control pills	2	_	_	1	1	_
Condoms	2	1	_	-	1	_
Other contraceptive	_	-	_	_		_
Unknown	35	_	2	3	30	_
Procedure type			-	J. J		
Suction curette	48	1	3	6	38	_
Medical (non-surgical)	17	_	_	_	17	-
Dilation & evacuation	20	_	1	2	17	-
Intra-uterine instillation		_	_	_	_	_
Vaginal prostaglandin	_	_	_	_	_	-
Sharp curettage	_	_	_	_	_	-
Other	_	_	_	_	_	-
Unknown	_	_	_	_	_	-
Complications ²						
None	85	1	4	8	72	-
Hemorrhage	_	_	_	_		-
Infection	_	_	_	_	_	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	_	_	_	_	_	-
Retained products	_	_	_	_	_	_
Failure of first method	_	_	_	_	_	-
Other	_	_	_	_	_	-
Multiple complications ³	_	_	_	_	_	-

Union County

Quantity is zero.

Quantity is zero.
Multiple contraceptive methods may be reported for a single patient.
Reported complications. Categorized as none if no specific complication was reported.
Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.