

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2013-2015

Yamhill County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	401	4	22	30	333	12
Gestation (weeks)						
< 9	290	4	12	22	241	11
9-12	54	—	4	3	46	1
13-16	27	—	3	3	21	—
17-20	17	—	2	2	13	—
21-22	8	—	—	—	8	—
23+	2	—	—	—	2	—
Unknown	3	—	1	—	2	—
Contraceptive use ¹						
None	284	2	19	19	234	10
Birth control pills	36	—	2	3	31	—
Condoms	47	2	1	8	35	1
Other contraceptive	30	—	—	—	29	1
Unknown	4	—	—	—	4	—
Procedure type						
Suction curette	142	1	8	11	121	1
Medical (non-surgical)	167	3	7	13	136	8
Dilation & evacuation	91	—	7	6	76	2
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	1	—	—	—	—	1
Sharp curettage	—	—	—	—	—	—
Other	—	—	—	—	—	—
Unknown	—	—	—	—	—	—
Complications ²						
None	382	4	20	30	316	12
Hemorrhage	—	—	—	—	—	—
Infection	1	—	—	—	1	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	3	—	—	—	3	—
Failure of first method	2	—	—	—	2	—
Other	9	—	2	—	7	—
Multiple complications ³	4	—	—	—	4	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.