

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Deschutes County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	985	2	32	70	874	7
Gestation (weeks)						
< 9	728	1	24	46	650	7
9-12	186	1	5	20	160	—
13-16	36	—	1	3	32	—
17-20	13	—	—	1	12	—
21-22	9	—	1	—	8	—
23+	1	—	—	—	1	—
Unknown	12	—	1	—	11	—
Contraceptive use ¹						
None	699	2	26	50	617	4
Birth control pills	98	—	2	13	83	—
Condoms	99	—	2	4	92	1
Other contraceptive	83	—	1	3	77	2
Unknown	6	—	1	—	5	—
Procedure type						
Suction curette	435	2	19	39	374	1
Medical (non-surgical)	510	—	12	30	462	6
Dilation & evacuation	38	—	1	1	36	—
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	1	—	—	—	1	—
Unknown	1	—	—	—	1	—
Complications ²						
None	936	2	30	67	830	7
Hemorrhage	1	—	—	—	1	—
Infection	5	—	—	—	5	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	22	—	1	—	21	—
Failure of first method	5	—	—	1	4	—
Other	9	—	1	1	7	—
Multiple complications ³	7	—	—	1	6	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.