## Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

## **Lincoln County**

Medical and health characteristics	T. (.)	Patient's age				
	Total	10-14	15-17	18-19	20+	N.S.
Total	200	_	12	13	174	1
Gestation (weeks)						
< 9	120	_	7	7	105	1
9-12	44	_	4	3	37	_
13-16	20	_	1	2	17	_
17-20	11	_	_	_	11	_
21-22	_	_	_	_	_	_
23+	3	_	_	_	3	_
Unknown	2	_	_	1	1	_
Contraceptive use <sup>1</sup>						
None	143	_	11	9	122	1
Birth control pills	15	_	_	_	15	_
Condoms	22	_	1	_	21	_
Other contraceptive	20	_	_	4	16	_
Unknown	_	_	_	_	_	_
Procedure type						
Suction curette	83	_	5	4	74	_
Medical (non-surgical)	65	_	5	5	54	1
Dilation & evacuation	50	_	2	4	44	_
Intra-uterine instillation	_	_	_	_	_	_
Vaginal prostaglandin	_	_	_	_	_	_
Sharp curettage	_	_	_	_	_	_
Other	2	_	_	_	2	_
Unknown	-	_	_	_	_	_
Complications <sup>2</sup>						
None	190	_	12	11	166	1
Hemorrhage	-	_	_	_	_	_
Infection	2	_	_	_	2	_
Uterine perforation	1	_	_	_	1	_
Cervical laceration	-	_	_	_	_	_
Retained products	2	_	_	1	1	_
Failure of first method	1	_	_	_	1	_
Other	4	_	_	1	3	_
Multiple complications <sup>3</sup>	-	_	_	_	_	_

Quantity is zero.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.

Quantity is zero.

Multiple contraceptive methods may be reported for a single patient.

Reported complications. Categorized as none if no specific complication was reported.

Patients having more than one complication are listed here. Their complications are not listed above.