

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Marion County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	1,755	6	72	139	1,522	16
Gestation (weeks)						
< 9	1,101	4	36	89	962	10
9-12	408	—	22	33	350	3
13-16	131	2	9	8	111	1
17-20	52	—	3	5	44	—
21-22	21	—	—	2	19	—
23+	14	—	1	2	10	1
Unknown	28	—	1	—	26	1
Contraceptive use¹						
None	1,248	6	61	104	1,062	15
Birth control pills	175	—	4	18	153	—
Condoms	175	—	4	11	160	—
Other contraceptive	149	—	3	6	140	—
Unknown	8	—	—	—	7	1
Procedure type						
Suction curette	747	4	37	59	640	7
Medical (non-surgical)	725	2	19	64	632	8
Dilation & evacuation	275	—	16	16	242	1
Intra-uterine instillation	1	—	—	—	1	—
Vaginal prostaglandin	2	—	—	—	2	—
Sharp curettage	1	—	—	—	1	—
Other	4	—	—	—	4	—
Unknown	—	—	—	—	—	—
Complications²						
None	1,688	6	70	133	1,463	16
Hemorrhage	—	—	—	—	—	—
Infection	3	—	—	—	3	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	1	—	—	1	—	—
Retained products	31	—	1	3	27	—
Failure of first method	9	—	—	—	9	—
Other	16	—	—	2	14	—
Multiple complications ³	7	—	1	—	6	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.