Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Medical and health characteristics	T ()	Patient's age				
	Total	10-14	15-17	18-19	20+	N.S.
Total	31	_	4	1	25	1
Gestation (weeks)	01		•	•	20	•
< 9	12	_	2	1	8	1
9-12	12	_	2	_	10	_
13-16	5	_	_	_	5	_
17-20	2	_	_	_	2	_
21-22	_	_	_	_	_	_
23+	_	_	_	_	_	_
Unknown	_	_	_	_	_	_
Contraceptive use ¹						
None	22	_	3	1	17	1
Birth control pills	1	_	_	_	1	_
Condoms	_	_	_	_	_	_
Other contraceptive	2	_	_	_	2	_
Unknown	6	_	1	_	5	_
Procedure type						
Suction curette	15	_	1	_	14	_
Medical (non-surgical)	12	_	3	1	8	-
Dilation & evacuation	4	_	_	_	3	1
Intra-uterine instillation	_	_	_	_	_	-
Vaginal prostaglandin	_	_	_	_	_	-
Sharp curettage	_	_	_	_	_	_
Other	_	_	_	_	_	_
Unknown	_	_	_	_	_	_
Complications ²						
None	31	_	4	1	25	1
Hemorrhage	_	_	_	_	_	_
Infection	_	_	_	_	_	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	_	_	_	_	_	_
Retained products	_	_	_		_	_
Failure of first method	_	_	_		_	_
Other	_	_	_	_	_	_
Multiple complications ³	-	-	-	– –	-	-

Morrow County

Quantity is zero.

Quantity is zero.
Multiple contraceptive methods may be reported for a single patient.
Reported complications. Categorized as none if no specific complication was reported.
Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.