Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	270	3	7	24	229	7
Gestation (weeks)		Ū				
< 9	191	1	4	14	169	3
9-12	46	_	2	7	34	3
13-16	19	_	1	3	15	_
17-20	7	2	_	_	4	1
21-22	3	_	_	_	3	_
23+	1	_	_	_	1	_
Unknown	3	_	_	_	3	_
Contraceptive use ¹						
None	192	3	7	19	157	6
Birth control pills	34	_	_	3	31	_
Condoms	25	_	_	2	22	1
Other contraceptive	18	_	_	_	18	-
Unknown	1	_	_	_	1	_
Procedure type						
Suction curette	108	_	3	13	89	3
Medical (non-surgical)	120	1	3	8	105	3
Dilation & evacuation	42	2	1	3	35	1
Intra-uterine instillation	_	_	_	_	_	_
Vaginal prostaglandin	_	_	_	_	_	_
Sharp curettage	_	_	_	_	_	_
Other	_	_	_	_	_	_
Unknown	_	_	_	_	_	_
Complications ²						
None	261	3	7	24	220	7
Hemorrhage	_	_	_	_	_	_
Infection	1	_	_	_	1	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	-	_	_	_	_	-
Retained products	5	_	_	_	5	-
Failure of first method	1	_	_	_	1	_
Other	2	_	_	_	2	-
Multiple complications ³	-	-	-	-	-	-

Polk County

Quantity is zero.

Quantity is zero.
Multiple contraceptive methods may be reported for a single patient.
Reported complications. Categorized as none if no specific complication was reported.
Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.