

Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Umatilla County

Medical and health characteristics	Total	Patient's age				
		10-14	15-17	18-19	20+	N.S.
Total	375	—	12	40	321	2
Gestation (weeks)						
< 9	206	—	2	22	182	—
9-12	104	—	7	10	86	1
13-16	41	—	1	6	33	1
17-20	13	—	—	1	12	—
21-22	4	—	—	—	4	—
23+	4	—	2	1	1	—
Unknown	3	—	—	—	3	—
Contraceptive use¹						
None	252	—	11	22	217	2
Birth control pills	5	—	—	—	5	—
Condoms	3	—	—	1	2	—
Other contraceptive	—	—	—	—	—	—
Unknown	115	—	1	17	97	—
Procedure type						
Suction curette	194	—	3	19	171	1
Medical (non-surgical)	122	—	7	14	101	—
Dilation & evacuation	58	—	2	7	48	1
Intra-uterine instillation	—	—	—	—	—	—
Vaginal prostaglandin	—	—	—	—	—	—
Sharp curettage	—	—	—	—	—	—
Other	—	—	—	—	—	—
Unknown	1	—	—	—	1	—
Complications²						
None	375	—	12	40	321	2
Hemorrhage	—	—	—	—	—	—
Infection	—	—	—	—	—	—
Uterine perforation	—	—	—	—	—	—
Cervical laceration	—	—	—	—	—	—
Retained products	—	—	—	—	—	—
Failure of first method	—	—	—	—	—	—
Other	—	—	—	—	—	—
Multiple complications ³	—	—	—	—	—	—

— Quantity is zero.

¹ Multiple contraceptive methods may be reported for a single patient.

² Reported complications. Categorized as none if no specific complication was reported.

³ Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.