## Induced abortions by length of gestation, procedure type, complications, and age of patient, Oregon residents, 2014-2016

Medical and health characteristics	Tatal	Patient's age				
	Total	10-14	15-17	18-19	20+	N.S.
Total	90	1	6	5	78	_
Gestation (weeks)	50	1	0	5	10	
< 9	38	_	3	1	34	_
9-12	28	_	2	1	25	_
13-16	16	1	-	3	12	_
17-20	2	_	_	-	2	_
21-22	3	_	_	_	3	_
23+	3	_	1	_	2	_
Unknown	-	_		_	_	_
Contraceptive use <sup>1</sup>						
None	68	_	5	4	59	_
Birth control pills	1	_	-	_	1	_
Condoms	3	1	_	_	2	_
Other contraceptive	2	_	_	_	2	_
Unknown	16	_	1	1	14	_
Procedure type						
Suction curette	50	1	5	4	40	_
Medical (non-surgical)	21	_	-	_	21	_
Dilation & evacuation	18	_	1	1	16	_
Intra-uterine instillation	-	_	_	-	-	_
Vaginal prostaglandin	_	_	_	_	_	_
Sharp curettage	_	_	_	_	_	_
Other	1	_	_	_	1	_
Unknown	_	_	_	_	_	_
Complications <sup>2</sup>						
None	90	1	6	5	78	_
Hemorrhage	_	_	_	_	_	_
Infection	_	_	_	_	_	_
Uterine perforation	_	_	_	_	_	_
Cervical laceration	_	_	_	_	_	_
Retained products	_	_	_	_	_	_
Failure of first method	_	_	_	_	_	_
Other	_	_	_	_	_	_
Multiple complications <sup>3</sup>	-	-	-	_	_	_

**Union County** 

Quantity is zero.

Quantity is zero.
Multiple contraceptive methods may be reported for a single patient.
Reported complications. Categorized as none if no specific complication was reported.
Patients having more than one complication are listed here. Their complications are not listed above.

NOTE: Includes reported abortions to Oregon residents including those obtained out-of-state. Because some states (e.g., California) do not record data on residence for abortion patients, not all out-of-state abortions are included.